## **AXIS MSRP PRICING**

PART NUMBER	SECONDARY PART #	DESCRIPTION (LONG)	LIST PRICE
		AXIS FA4115 is a compact varifocal dome sensor unit with 53° to 99° horizontal field of view for use with an AXIS FA Main Unit. AXIS FA4115 provides a 1080p resolution a Forensic	
01001-001	AXIS FA4115 SENSOR UNIT	WDR (wide dynamic range) that is optimized for low light and motion. The uni	\$ 179.00
		2 years extension of the warranty period	
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years	
01001-600	EXT. WARRANTY AXIS FA4115 SENSOR UNIT	including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within	\$ 51.00
		AXIS F1004 Pinhole Sensor Unit. Pinhole lens for extremely discreet surveillance. Provides HDTV 720p and 57° horizontal FOV. Pigtail for a detachable 8-m (26-ft.) cable for connecting	
01003-001	AXIS F1004 PINHOLE SENSOR UNIT	to an AXIS F Main Unit. Comes with a mounting bracket fot the sensor un	\$ 119.00
		2 years extension of the warranty period	
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years	
		including standard warranty. No possibility to extend total warranty beyond 5 years.	
01003-600	EXT. WARRANTY AXIS F1004 PINHOLE	Note 2: The warranty code must be redeemed within	\$ 7.00
		Ultra-compact, indoor fixed mini dome with 12 MP sensor, fixed lens and and tamper-	
		resistant casing for easy mounting on wall or ceiling. Provides 360°/180° overview in up to	
01004-001	AXIS M3048-P	30 fps and dewarped panorama, quad, corner, corridor or digital PTZ views in up	\$ 669.00
		2 years extension of the warranty period	
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.	
01004-600	EXT. WARRANTY AXIS M3048-P	Note 2: The warranty code must be redeemed within	\$ 40.00
		Outdoor-ready 360° situational awareness camera, comprising 4x2MP sensors @ 30fps in H.264 Zipstream and Motion JPEG. Tiltable sensors with exchangeable lenses. Designed to	
01006-001	AXIS Q6000-E 60HZ MK II	be integrated with any AXIS Q60-E series camera for large area coverage and simult	\$ 1,599.00
		2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years	
		including standard warranty. No possibility to extend total warranty beyond 5 years.	
01006-600	EXT. WARRANTY AXIS Q6000-E 60HZ Mk II	Note 2: The warranty code must be redeemed within	\$ 128.00
		AXIS P8804 Stereo Sensor Kit provides synched stereo imaging from two AXIS F1004 Sensor	
		Units and an AXIS F34 Main Unit. Using analytics software from an Axis partner, AXIS P8804	
01007-001	AXIS P8804 STEREO SENSOR KIT	enables the creation of a 3D depth map that facilitates precision counting f	\$ 499.00
		2 years extension of the warranty period	
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years	
01007-600	EXT. WARRANTY AXIS P8804 STEREO SENSOR KIT	including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within	\$ 36.00
		High accuracy outdoor PTZ positioning bispectral camera with IR illuminators. Thermal sensor features a 384x288 resolution, 8.3 fps and 35 mm lens with 10.5° angle of view.	
01012-001	AXIS Q8741-LE 35MM 8.3 FPS 24V	Visual sensor have HDTV 1080p video resolution, 30x optical zoom, built-in IR pass	\$ 11,599.00
		2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years	
		including standard warranty. No possibility to extend total warranty beyond 5 years.	
01012-600	EXT. WARRANTY AXIS Q8741-LE 35MM 8.3 FPS 24V	Note 2: The warranty code must be redeemed within	\$ 929.00
		High accuracy outdoor PTZ positioning bispectral camera with IR illuminators. Thermal	
		sensor features a 384x288 resolution, 30 fps and 35 mm lens with 10.5° angle of view.	
01013-001	AXIS Q8741-LE 35MM 30 FPS 24V	Visual sensor have HDTV 1080p video resolution, 30x optical zoom, built-in IR pass	\$ 11,599.00
		2 years extension of the warranty period	
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years	
01013-600	EXT. WARRANTY AXIS Q8741-LE 35MM 30 FPS 24V	including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within	\$ 929.00
		High accuracy outdoor PTZ positioning bispectral camera with IR illuminators. Thermal sensor features a 640x480 resolution, 8.3 fps and 35 mm lens with 17° angle of view. Visual	
01016-001	AXIS Q8742-LE 35MM 8.3 FPS 24V	sensor have HDTV 1080p video resolution, 30x optical zoom, built-in IR pass f	\$ 14,599.00
		2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years	
		including standard warranty. No possibility to extend total warranty beyond 5 years.	
01016-600	EXT. WARRANTY AXIS Q8742-LE 35MM 8.3 FPS 24V	Note 2: The warranty code must be redeemed within	\$ 1,170.00
		High accuracy outdoor PTZ positioning bispectral camera with IR illuminators. Thermal	
		sensor features a 640x480 resolution, 30 fps and 35 mm lens with 17° angle of view. Visual	
01017-001	AXIS Q8742-LE 35MM 30 FPS 24V	sensor have HDTV 1080p video resolution, 30x optical zoom, built-in IR pass fi	\$ 14,599.00

		2 years extension of the warranty period		
01017-600	EXT. WARRANTY AXIS Q8742-LE 35MM 30 FPS 24V	Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within	\$	1,170.00
04.04.0.004	AVIS 00742 IS 700M 0.2 FDC 24V	High accuracy outdoor PTZ positioning bispectral camera with IR illuminators. Thermal sensor features a 640x480 resolution, 8.3 fps and and 35-105 mm thermal zoom lens. Visual	•	22 500 00
01018-001	AXIS Q8742-LE ZOOM 8.3 FPS 24V	sensor have HDTV 1080p video resolution, 30x optical zoom, built-in IR pass fil  2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years	\$	23,599.00
01018-600	EXT. WARRANTY AXIS Q8742-LE ZOOM 8.3 FPS 24V	including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within	\$	1,899.00
01019-001	AXIS Q8742-LE ZOOM 30 FPS 24V	High accuracy outdoor PTZ positioning bispectral camera with IR illuminators. Thermal sensor features a 640x480 resolution, 30 fps and and 35-105 mm thermal zoom lens. Visual sensor have HDTV 1080p video resolution, 30x optical zoom, built-in IR pass filt	\$	23,599.00
01019-600	EXT. WARRANTY AXIS Q8742-LE ZOOM 30 FPS 24V	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within	Ś	1,899.00
01021-001	AXIS Q3517-LV	Day/night fixed dome with support for Forensic WDR, Lightfinder and OptimizedIR with built-in IR illumination. Discreet, dust and IK10 vandal-resistant indoor casing. Varifocal 4.3 – 8.6 mm P-Iris lens with remote zoom and focus for installation or monito	\$	1,099.00
01021-600	EXT. WARRANTY AXIS Q3517-LV	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within	\$	69.00
01022-001	AXIS Q3517-LVE	Day/night fixed dome with support for Forensic WDR, Lightfinder and OptimizedIR with built-in IR illumination. IK10+ vandal-resistant outdoor casing. Varifocal 4.3 – 8.6 mm P-Iris lens with remote zoom and focus for installation or monitoring. Multiple, i	\$	1,249.00
01022-600	EXT. WARRANTY AXIS Q3517-LVE	2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within	\$	79.00
01023-001	AXIS A4010-E READER WITHOUT KEYPAD	AXIS A4010-E Reader is a generic touch-free reader without keypad and 2 LED feedback. It is a perfect match to the Network Door Controler A1001. The reader has a small form factor, intended for both indoor and outdoor use. It uses RS485 OSDP communication	\$	199.00
01023-600	EXT. WARRANTY AXIS A4010-E READER NO KEYPAD UL	2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within	\$	19.00
01024-001	AXIS COMPANION 360	Indoor ultra-compact, 360° panoramic mini dome with 6 MP sensor, fixed lens and tamper- resistant casing for easy mounting on wall or ceiling. Client dewarping and digital pan, tilt and zoom. Axis Zipstream technology for reduced bandwidth and storage need	\$	299.00
01025-001	AXIS C8033 NETWORK AUDIO BRIDGE	AXIS C8033 Network Audio Bridge is a smart solution for connecting and combining analog and digital audio systems. With this scalable and cost-efficient product, you can connect analog audio sources to Axis network speaker system, connect digital audio so	\$	199.00
01025-600	EXT. WARRANTY AXIS C8033 NETWORK AUDIO BRIDGE	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within	Ś	15.00
		Phased array FMCW (Frequency Modulated Continuous Wave), 24 GHz outdoor radar motion detector. 120 degrees horizontal and 5-50 meter detection range (16-164 feet).		
01033-001 01035-004	AXIS D2050-VE  AXIS COMPANION REC 4CH 1TB	Serves as a complement to video surveillance and enables filtering on distance, customizab  AXIS Companion Recorder. Surveillance graded hard disk, 1 TB. Switch with 4 PoE ports, 1  LAN port. Compact, fanless design. Wireless access point for mobile devices. USB port for exporting video. 3 year warranty. Comes with power supply. For use only with	\$	1,299.00 399.00
		Day/night, compact mini dome with flat-faced design for indoor use. Built-in IR illumination and fixed lens. Multiple, individually configurable H.264, H.265 and Motion JPEG streams;		
01036-001	AXIS M3106-L MK II	max 4MP resolution at 30 fps with WDR. Axis' Zipstream technology for re  2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.	\$	419.00
01036-600	EXT. WARRANTY AXIS M3106-L Mk II	Note 2: The warranty code must be redeemed within  Day/night, compact mini dome in a vandal-resistant, outdoor-ready, flat-faced design. Built-	\$	29.00
01037-001	AXIS M3106-LVE MK II	in IR illumination and fixed lens. Multiple, individually configurable H.264, H.265 and Motion JPEG streams; max 4 MP resolution at 30 fps with WDR. Axis' Zipstrea	\$	469.00

		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
04037 600	EVT MARRANTY AVIC MOJOC LVE MILII	including standard warranty. No possibility to extend total warranty beyond 5 years.	_	20.00
01037-600	EXT. WARRANTY AXIS M3106-LVE Mk II	Note 2: The warranty code must be redeemed within	\$	29.00
		Day/night fixed dome with support for Forensic WDR, Lightfinder and OptimizedIR		
		illumination. Discreet, dust and IK10 vandal-resistant indoor casing. Varifocal 3-9 mm P-Iris		
01039-001	AXIS Q3515-LV 9MM	lens with remote zoom and focus for installation or monitoring. Multiple, individ	\$	849.00
		2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.		
01039-600	EXT. WARRANTY AXIS Q3515-LV 9MM	Note 2: The warranty code must be redeemed within	\$	51.00
		Day/night fixed dome with support for Forensic WDR, Lightfinder and OptimizedIR		
01041-001	AXIS Q3515-LVE 9MM	illumination. IK10+ vandal-resistant outdoor casing. Varifocal 3-9 mm P-Iris lens with remote zoom and focus for installation or monitoring. Multiple, individually configurable	\$	999.00
01041-001	AXIS QSSIS-EVE SIVIIVI	remote zoom and rocus for installation of monitoring, individually comigarable	۶	333.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.		
01041-600	EXT. WARRANTY AXIS Q3515-LVE 9MM	Note 2: The warranty code must be redeemed within	\$	59.00
		Day/night fixed dome with support for Forensic WDR, Lightfinder and OptimizedIR		
		illumination. Discreet, dust and IK10 vandal-resistant indoor casing. Varifocal 9-22 mm P-Iris		
01044-001	AXIS Q3515-LV 22MM	lens with remote zoom and focus for installation or monitoring. Multiple, indivi	\$	899.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.		
01044-600	EXT. WARRANTY AXIS Q3515-LV 22MM	Note 2: The warranty code must be redeemed within	Ś	54.00
			-	
		Day/night fixed dome with support for Forensic WDR, Lightfinder and OptimizedIR		
		illumination. IK10+ vandal-resistant outdoor casing. Varifocal 9-22 mm P-Iris lens with	١.	
01046-001	AXIS Q3515-LVE 22MM	remote zoom and focus for installation or monitoring. Multiple, individually configurab	\$	1,049.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.		
01046-600	EXT. WARRANTY AXIS Q3515-LVE 22MM	Note 2: The warranty code must be redeemed within	\$	64.00
		D / : I		
		Day/night, compact and outdoor-ready bullet style HDTV camera, IP66- and IK08-rated.  Built-in IR illumination and WDR. Fixed lens with 130° HFOV. Automatic IR cut filter.		
01049-001	AXIS M2026-LE MK II	Multiple, individually configurable H.264/H.265 and Motion JPEG streams; max 4 MP /	\$	399.00
01049-021	AXIS M2026-LE Mk II BULK 10PCS	AXIS M2026-LE Mk II in 10-pack/bulk. Cannot be sold separately as single packs.	\$	3,949.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.		
01049-600	EXT. WARRANTY AXIS M2026-LE MK II	Note 2: The warranty code must be redeemed within	\$	29.00
		Day/night, compact and outdoor-ready bullet style HDTV camera in black color, IP66- and		
		IK08-rated. Built-in IR illumination and WDR. Fixed lens with 130° HFOV. Automatic IR cut		
01050-001	AXIS M2026-LE MK II BLACK	filter. Multiple, individually configurable H.264/H.265 and Motion JPEG strea	\$	399.00
01050-021	AXIS M2026-LE Mk II BLACK BULK 10PCS	AXIS M2026-LE Mk II Black in 10-pack/bulk. Cannot be sold separately as single packs.	\$	3,949.00
				.,
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
01050-600	EVT MARRANTY AVIC MARGO LE MAR II DI AC	including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within	Ś	29.00
01020-000	EXT. WARRANTY AXIS M2026-LE MK II BLAC	Note 2. The warranty code must be redeemed within	۶	29.00
		1/2" sensor, 5 MP, Day/night fixed camera providing Forensic WDR and Lightfinder for		
		demanding light conditions. Varifocal 3.9-10 mm i-CS lens with remote zoom and focus for		
01051-001	AXIS Q1647	installation. Support for P-Iris and DC-iris lenses, multiple, individually confi	\$	1,399.00
01051-041	AXIS Q1647 BARE BONE	AXIS Q1647 Barebone in single pack. No lens. No power supply.	\$	1,199.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.		
01051-600	EXT WAR AXIS Q1647	Note 2: The warranty code must be redeemed within	\$	84.00
		100		
		1/2" sensor, outdoor, NEMA 4X, IP66 and IK10-rated, 5 MP, Day/night fixed camera		
01052-001	AXIS Q1647-LE	providing OptimizedIR, Forensic WDR and Lightfinder. Varifocal 3.9-10 mm i-CS lens with remote zoom and focus. Support for CS-mount P-Iris and DC-iris lenses, multiple, indiv	Ś	1,699.00
	, , , , , , , , , , , , , , , , , , , ,	. Smote 250m and 1500s. Support for 65 mount 1 mb and 56-mb lenses, multiple, multi-	Ť	1,000.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
04050 505	[	including standard warranty. No possibility to extend total warranty beyond 5 years.		
01052-600	EXT WAR AXIS Q1647-LE	Note 2: The warranty code must be redeemed within	\$	102.00
		Compact outdoor, 5MP resolution, day/night, fixed bullet camera providing Forensic WDR		
		and Lightfinder for demanding light conditions. IR corrected varifocal 2.8-8.5 mm F1.2 P-iris		
01054-001	AXIS P1447-LE	lens with remote 3x optical zoom and focus. Multiple, individually configu	\$	749.00

01054-600	EXT. WARRANTY AXIS P1447-LE	2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within	\$	45.00
01055-001	AXIS P1448-LE	Compact outdoor, 4K Ultra HD (8MP) resolution, day/night, fixed bullet camera providing Forensic WDR and Lightfinder for demanding light conditions. IR corrected varifocal 2.8-9.8 mm F1.6 P-iris lens with remote 3.5x optical zoom and focus. Multiple, indi	\$	949.00
01055-600	EXT. WARRANTY AXIS P1448-LE	2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within	\$	59.00
01056-001	AXIS P3374-V	Day/night fixed dome with support for WDR-Forensic Capture and Lightfinder. Discreet, IK10 vandal-resistant indoor casing. Varifocal 3 – 10 mm P-Iris lens with remote zoom and focus. Multiple, individually configurable H.264 and Motion JPEG streams. HDTV	\$	599.00
01056-600	EXT. WARRANTY AXIS P3374-V	2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within	\$	39.00
01058-001	AXIS P3374-LV	Day/night fixed dome with support for WDR-Forensic Capture, Lightfinder and OptimizedIR with built-in IR illumination. Discreet, IK10 vandal-resistant indoor casing. Varifocal 3 – 10 mm P-Iris lens with remote zoom and focus. Multiple, individually config	\$	699.00
01058-600	EXT. WARRANTY AXIS P3374-LV	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within	\$	44.00
01060-001	AXIS P3375-V	Day/night fixed dome with support for WDR-Forensic Capture and Lightfinder. Discreet, IK10 vandal-resistant indoor casing. Varifocal 3 – 10 mm P-Iris lens with remote zoom and focus. Multiple, individually configurable H.264 and Motion JPEG streams. HDTV	\$	699.00
		2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.		
01060-600	EXT. WARRANTY AXIS P3375-V	Note 2: The warranty code must be redeemed within	\$	44.00
01061-001	AXIS P3375-VE	Day/night fixed dome with support for WDR-Forensic Capture and Lightfinder. IK10 vandal- resistant outdoor casing. Varifocal 3 – 10 mm P-Iris lens with remote zoom and focus. Multiple, individually configurable H.264 and Motion JPEG streams. HDTV 1080p at	\$	899.00
01061-600	EXT. WARRANTY AXIS P3375-VE	2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within	\$	54.00
01062-001	AXIS P3375-LV	Day/night fixed dome with support for WDR-Forensic Capture, Lightfinder and OptimizedIR with built-in IR illumination. Discreet, IK10 vandal-resistant indoor casing. Varifocal 3 – 10 mm P-Iris lens with remote zoom and focus. Multiple, individually config	Ś	799.00
01062-600	EXT. WARRANTY AXIS P3375-LV	2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within	\$	49.00
04053 004	AVE 22275 IVE	Day/night fixed dome with support for WDR-Forensic Capture, Lightfinder and OptimizedIR with built-in IR illumination. IK10 vandal-resistant outdoor casing. Varifocal 3 – 10 mm P-Iris	\$	999.00
01063-001	AXIS P3375-LVE	lens with remote zoom and focus. Multiple, individually configurable H.  2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.		
01063-600	EXT. WARRANTY AXIS P3375-LVE	Note 2: The warranty code must be redeemed within  2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.	\$	59.00
01066-600	EXT. WARRANTY AXIS Q6054 Mk II 60HZ	Note 2: The warranty code must be redeemed within  2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.	\$	189.00
01068-600	EXT. WARRANTY AXIS Q6054-E Mk II 60HZ	Note 2: The warranty code must be redeemed within  Lightfinder HDTV PTZ for outdoor as well as indoor use. HDTV 720p resolution in 60fps with 30x zoom and top performance. Perfect image quality in all directions, without distortion.	\$	229.00
01070-004	AXIS Q6124-E 60HZ	130db WDR, ElS, automatic defog, Advanced gate keeper. With its compact s 720p fixed dome onboard camera with female M12 D-coded connector. Equipped with	\$	2,699.00
01071-001	AXIS P3904-R Mk II M12	<ol> <li>3.6mm, F2.0 lens in ruggedized IP66/67 casing. Includes lens tool, top cover tool, allen key, and drill template.</li> </ol>	\$	449.00
01071-021	AXIS P3904-R MK II M12 BULK 10PCS	AXIS P3904-R MkII (M12) in bulk 10-pack. 720p fixed dome onboard camera with female M12 D-coded connector.	\$	4,265.00

01071-031	AXIS P3904-R MK II M12 BULK 50PCS	AXIS P3904-R MkII (M12) in bulk 50-pack. 720p fixed dome onboard camera with female M12 D-coded connector.	\$	21,299.00
		2	l	
		2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years	ĺ	
		including standard warranty. No possibility to extend total warranty beyond 5 years.	ĺ	
01071-600	EXT. WARRANTY AXIS P3904-R Mk II M12	Note 2: The warranty code must be redeemed within	\$	29.00
		1080p fixed dome onboard camera with male RJ-45 network connector. Equipped with	l	
01072-001	AXIS P3905-R Mk II	3.6mm, F2.0 lens in ruggedized IP66/67 casing. Includes lens tool, top cover tool, allen key, and drill template.	\$	549.00
		AXIS P3905-R MkII (RJ45) in bulk 10-pack. 1080p fixed dome onboard camera with male RJ-	Ť	
01072-021	AXIS P3905-R MK II BULK 10PCS	45 network connector.  AXIS P3905-R MkII (RJ45) in bulk 50-pack. 1080p fixed dome onboard camera with male RJ-	\$	5,215.00
01072-031	AXIS P3905-R MK II BULK 50 PCS	45 network connector.	\$	25,999.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years	i	l
01072-600	EVT MARRANTY AVIC DOOG DAME!	including standard warranty. No possibility to extend total warranty beyond 5 years.	\$	34.00
01072-000	EXT. WARRANTY AXIS P3905-R Mk II	Note 2: The warranty code must be redeemed within  1080p fixed dome onboard camera with female M12 D-coded connector. Equipped with	,	34.00
		3.6mm, F2.0 lens in ruggedized IP66/67 casing. Includes lens tool, top cover tool, allen key,	ĺ	
01073-001	AXIS P3905-R Mk II M12	and drill template.	\$	549.00
01073-021	AXIS P3905-R MK II M12 BULK 10 PCS	AXIS P3905-R MkII (M12) in bulk 10-pack. 1080p fixed dome onboard camera with female M12 D-coded connector.	\$	5,215.00
01075 021	PART 1 3 3 0 3 IV WIN II WILL BOLK 10 1 C3	AXIS P3905-R MkII (M12) in bulk 50-pack. 1080p fixed dome onboard camera with female	<u> </u>	3,213.00
01073-031	AXIS P3905-R MK II M12 BULK 50 PCS	M12 D-coded connector.	\$	25,999.00
		2 years extension of the warranty period	ĺ	
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years	ĺ	
		including standard warranty. No possibility to extend total warranty beyond 5 years.	i	
01073-600	EXT. WARRANTY AXIS P3905-R Mk II M12	Note 2: The warranty code must be redeemed within	\$	33.00
		1080p fixed dome onboard camera with male RJ-45 network connector, and support for audio and I/O. Equipped with 3.6mm, F2.0 lens in ruggedized IP66/67 casing. Includes lens	l	
01074-001	AXIS P3915-R Mk II	tool, top cover tool, allen key, and drill template.	\$	599.00
		AXIS P3915-R MkII (RJ45) in bulk 10-pack. 1080p fixed dome onboard camera with male RJ-		
01074-021	AXIS P3915-R MK II BULK 10 PCS	45 network connector, and support for audio and I/O.	\$	5,690.00
01074-031	AXIS P3915-R MK II BULK 50 PCS	AXIS P3915-R MkII (RJ45) in bulk 50-pack. 1080p fixed dome onboard camera with male RJ- 45 network connector, and support for audio and I/O.	\$	28,399.00
		2 years outonian of the warrenty naried	l	
		2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years	i	
		including standard warranty. No possibility to extend total warranty beyond 5 years.	ĺ	
01074-600	EXT. WARRANTY AXIS P3915-R Mk II	Note 2: The warranty code must be redeemed within	\$	36.00
		1080p fixed dome onboard camera with female M12 D-coded connector, and support for	ĺ	
01075-001	AXIS P3915-R Mk II M12	audio and I/O. Equipped with 3.6mm, F2.0 lens in ruggedized IP66/67 casing. Includes lens tool, top cover tool, allen key, and drill template.	\$	599.00
		AXIS P3915-R MkII (M12) in bulk 10-pack. 1080p fixed dome onboard camera with female		
01075-021	AXIS P3915-R MK II M12 BULK 10 PCS	M12 D-coded connector, and support for audio and I/O.	\$	5,690.00
01075-031	AXIS P3915-R MK II M12 BULK 50 PCS	AXIS P3915-R MkII (M12) in bulk 50-pack. 1080p fixed dome onboard camera with female M12 D-coded connector, and support for audio and I/O.	\$	28,399.00
			ĺ	
		2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years	i	
		including standard warranty. No possibility to extend total warranty beyond 5 years.	i	
01075-600	EXT WAR AXIS P3915-R Mk II M12	Note 2: The warranty code must be redeemed within	\$	36.00
		720p fixed dome onboard camera with male RJ-45 network connector. Equipped with	ĺ	
01078 001	AXIS P3904-R Mk II	3.6mm, F2.0 lens in ruggedized IP66/67 casing. Includes lens tool, top cover tool, allen key,	ć	440.00
01078-001	AXIS P3904-R IVIK II	and drill template.  AXIS P3904-R MkII (RJ45) in bulk 10-pack. 720p fixed dome onboard camera with male RJ-	\$	449.00
01078-021	AXIS P3904-R MK II BULK 10PCS	45 network connector.	\$	4,265.00
		AXIS P3904-R MkII (RJ45) in bulk 50-pack. 720p fixed dome onboard camera with male RJ-		
01078-031	AXIS P3904-R MK II BULK 50 PCS	45 network connector.	\$	21,299.00
		2 years extension of the warranty period	ĺ	
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years	i	
01078 600	EVT WARDANITY AVIC DOOM DANK II	including standard warranty. No possibility to extend total warranty beyond 5 years.	\$	20.00
01078-600	EXT. WARRANTY AXIS P3904-R Mk II	Note 2: The warranty code must be redeemed within	,	29.00
		Ceiling-mount mini PTZ dome camera with 5x Optical zoom and autofocusing, HDTV 720p	ĺ	
		(1280x720) 25/30fps in H.264 with Zipstream and Motion JPEG. IP51 protection against	i .	
01079-001	AXIS M5054	dust and water. Basic analytics are included. Only PoE, midspan not included. Surface Outdoor PoE+ camera housing with IR illumination, window & camera heaters, and fan.	\$	499.00
		Compatible with AXIS Q1645 and AXIS Q1647. Polycarbonate sunshield, aluminum wall	ĺ	
01085-001	AXIS T92G20 OUTDOOR HOUSING	mount and torx screwdriver included.	\$	479.00
			ĺ	
		Ceiling-mount mini PTZ dome camera with 5x Optical zoom and autofocusing, HDTV 1080p (1920x1080) 30fps in H.264 with Zipstream and Motion JPEG. IP51 protection against dust	ı	
01107-004	AXIS M5065 US	and water. Basic analytics are included. Only PoE, midspan not included. Surface c	\$	599.00
		2 years extension of the warranty period	l	
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.	l	
01107-600	EXT. WARRANTY AXIS M5065	Note 2: The warranty code must be redeemed within	\$	49.00
		Outdoor, 4K Ultra HD (8MP) camera, day/night, fixed box camera providing Forensic WDR	l	
01109-001	AXIS P1368-E	and Lightfinder for demanding light conditions. Includes an IR corrected varifocal 2.8-8.5 mm F1.2 i-CS lens with P-Iris, remote zoom and focus for installation (camera	\$	1,099.00
	1 mm 1 2000 E	1212 - 65 fells than 113, remote 250m and focus for installation (camera	_ ~	_,000.00

01109-031	AXIS P1368-E BAREBONE	AXIS P1368-E Barebone. No lens. Midspan not included	\$ 999.0
		2 years extension of the warranty period	
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years	
01109-600	EXT. WARRANTY AXIS P1368-E	including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within	\$ 69.0
01105-000	EAT. WARRANTT AATS F1500-E	Note 2. The warranty code must be redeemed within	\$ 05.00
		Ultra-compact, indoor fixed mini dome with dust- and vandal-resistant casing for easy	
01116-001	AXIS M3046-V 1.8MM	mounting on wall or ceiling. Fixed 1.8mm lens. Multiple, individually configurable H.264 and Motion JPEG streams; max 3 MP at 30 fps with WDR. HDMI output (micro). Axis'	\$ 369.0
01110-001	AAI3 W3040-V 1.8WW	Motion Fred Streams, max 5 Mr at 50 fps with WDN. HDMI output (micro). Axis	\$ 305.00
		2 years extension of the warranty period	
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.	
01116-600	EXT. WARRANTY AXIS M3046-V 1.8MM	Note 2: The warranty code must be redeemed within	\$ 23.0
		Professional photography meets video surveillance	
		AXIS Q1659 Network Camera offers ultra-high image resolution for surveillance in superb	
		detail at 8 frames per second, achieving unprecedented levels of detail for observing open	
01118-001	AXIS Q1659 55-250MM F/4-5.6	spaces and across long di	\$ 5,199.0
		2 years extension of the warranty period	
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years	
		including standard warranty. No possibility to extend total warranty beyond 5 years.	
01118-600	EXT. WARRANTY AXIS Q1659 55-250MM F/4-5.6	Note 2: The warranty code must be redeemed within	\$ 519.0
		High accuracy outdoor PT positioning thermal camera. 384x288 resolution, 30 fps and 35	
		mm lens with 10.5° angle of view. It supports Electronic Image Stabilization, Zipstream,	
01119-001	AXIS Q8641-E 35MM 30FPS 24V	ONVIF, H.264 and local storage. It includes Video motion detection, shock detec	\$ 5,799.0
		2 years extension of the warranty period	
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years	
01119-600	EXT. WARRANTY AXIS Q8641-E 35MM 30FPS 24V	including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within	\$ 469.0
01113 000	EXT. WARRANTI PAIS QUOTE E SSIVINI SULL'S ETV	Note 2. The warranty code must be redefined within	Ţ 405.01
		High accuracy outdoor PT positioning thermal camera. 384x288 resolution, 8.3 fps and 35	
01120-001	AXIS Q8641-E 35MM 8.3FPS 24V	mm lens with 10.5° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264 and local storage. It includes Video motion detection, shock dete	\$ 5,799.0
01120 001	7/13 Q0041 E 35/4/4/ 0.5/13 24V	OTVIT, THE 204 and local storage. It includes video motion detection, shock dete	\$ 3,733.0
		2 years extension of the warranty period	
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.	
01120-600	EXT. WARRANTY AXIS Q8641-E 35MM 8.3FPS 24V	Note 2: The warranty code must be redeemed within	\$ 469.0
		High accuracy outdoor PT positioning thermal camera. 640x480 resolution, 30 fps and 60 mm lens with 10°angle of view. It supports Electronic Image Stabilization, Zipstream,	
01121-001	AXIS Q8642-E 60MM 30FPS 24V	ONVIF, H.264 and local storage. It includes Video motion detection, shock detectio	\$ 9,499.0
		2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years	
		including standard warranty. No possibility to extend total warranty beyond 5 years.	
01121-600	EXT. WARRANTY AXIS Q8642-E 60MM 30FPS 24V	Note 2: The warranty code must be redeemed within	\$ 759.0
		High accuracy outdoor PT positioning thermal camera. 640x480 resolution, 8.3 fps and 60	
		mm lens with 10°angle of view. It supports Electronic Image Stabilization, Zipstream,	
01122-001	AXIS Q8642-E 60MM 8.3FPS 24V	ONVIF, H.264 and local storage. It includes Video motion detection, shock detecti	\$ 9,499.0
		2 years extension of the warranty period	
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years	
01122-600	EXT. WARRANTY AXIS Q8642-E 60MM 8.3FPS 24V	including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within	\$ 759.0
01122-000	EAT. WARRANTT AAIS QOO42-L OOMIN 6.51 FS 24V	Note 2. The warranty code must be redeemed within	\$ 733.00
		Discreet PTZ with HDTV 1080p, 1920x1080, 10x optical zoom, automatic day/night and	
01146-001	AXIS M5525-E 60HZ	autofocus. Continues 360° pan. WDR- Forensic Capture, IP66, PoE and 24V. 30fps in H.264 and Motion JPEG, Zipstream, Scene profiles, two-way audio, 4 I/O. Surface mount or A	\$ 999.0
		22	- 333.0
		2 years extension of the warranty period	
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.	
01146-600	EXT. WARRANTY AXIS M5525-E 60HZ	Note 2: The warranty code must be redeemed within	\$ 80.0
		AVIC Develo Countries and Afficient and	
		AXIS People Counter is a cost-efficient and scalable video analytics application for people counting. This business-improving application, installed on a network camera, enables	
01147-011	AXIS PEOPLE COUNTER E-LICENSE	accurate monitoring and analysis of customer flows. It is ideal for e.g. quic	\$ 379.0
		AVIC 2D Decorle Country is a cost officient and analytic state of the	
		AXIS 3D People Counter is a cost-efficient and scalable video analytics application for people counting in challenging conditions. This business-improving application, installed on	
01147-021	AXIS 3D PEOPLE COUNTER E-LICENSE	a compatible network camera, enables precise monitoring and analysis of cu	\$ 379.0
		AVIC Quana Manitaria a cost -ffi-i-st-tdl-blid-	
		AXIS Queue Monitor is a cost-efficient and scalable video analytics application for queue	
01147-031	AXIS QUEUE MONITOR E-LICENSE	measurement and analysis. This application, installed on a network camera, provides statistics about queue duration and queue fluctuations over the course of the day	\$ 459.0
01147-031	AXIS QUEUE MONITOR E-LICENSE	measurement and analysis. This application, installed on a network camera, provides	\$ 459.0

01147-051				
01147-051		AXIS Occupancy Estimator is a cost-efficient and scalable video analytics application for		
01117 031	AXIS OCCUPANCY ESTIMATOR E-LICENSE	gathering and analyzing occupancy data. This application, installed on a network camera, is a valuable tool for improving service planning in places like shopping ma	\$	429.00
	AND OCCUPANCE ESTIMATORE EIGENSE		,	423.00
		AXIS Tailgating Detector is a cost-efficient video analytics application for ensuring that only one person at a time is entering in an automated access control system. Preventing		
01147-071	AXIS TAILGATING DETECTOR E-LICENSE	unauthorized entering, the camera-integrated application is ideal for subway	\$	429.00
		AXIS Direction Detector is a cost-efficient and scalable video analytics application for		
244.7 224	ANG DIDECTION DETECTOR & MOTIVE	detecting people moving in the wrong direction. This camera-integrated application	_	420.00
01147-081	AXIS DIRECTION DETECTOR E-LICENSE	reduces the need for physical barriers or extra staff in for example retail stores	\$	429.00
		AXIS Random Selector is a camera-integrated video analytics application for randomly singling out individuals for inspection. The application eliminates any bias in the selection		
01147-091	AXIS RANDOM SELECTOR E-LICENSE	and inspection of, for instance, employees leaving a store, and may thereby	\$	429.00
01147-101	AXIS STORE DATA MANAGER 10CH BASE E-LICENSE	AXIS Store Data Manager is a server side tool that is used to collect and arrange analytics data from retail analytics-enabled cameras.	\$	499.00
01117 101	AND STOKE BATTA WARRIED TO STOKE E LICETOR		,	133.00
01147-111	AXIS STORE DATA MANAGER 1CH ADD-ON E-LICENSE	AXIS Store Data Manager is a server side tool that is used to collect and arrange analytics data. This article is for additional channels to be added to AXIS Store Data Mgr 10P Core	\$	29.00
01149-001	AXIS T91M47 POLE MOUNT	Pole mount for our outdoor midspans and switch.	\$	59.00
		Indoor recessed mount for drop ceiling installation. The aluminum casing makes it suitable for use in air handling spaces. Compatible with AXIS M3044-V/M3045-V/M3046-V/M3047-		
01150-001	AXIS T94B05L RECESSED MOUNT	V/M3048-V.	\$	69.00
		Ultra-discreet, indoor fixed mini dome for recessed mounting in ceiling or wall. Fixed lens.		
		Multiple, individually configurable H.264, H.265 and Motion JPEG streams; max HDTV	_	
01151-001	AXIS M3015	1080p at 30 fps with WDR. Axis Zipstream technology for reduced bandwidth and s	\$	269.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.		
01151-600	EXT WAR AXIS M3015	Note 2: The warranty code must be redeemed within	\$	17.00
		Ultra-discreet, indoor fixed mini dome for recessed mounting in ceiling or wall. Fixed lens.		
01152-001	AXIS M3016	Multiple, individually configurable H.264, H.265 and Motion JPEG streams; max 3 MP at 30	\$	369.00
01152-600	EXT WAR AXIS M3016	fps with WDR. Axis Zipstream technology for reduced bandwidth and storage	\$	23.00
01153-001	AXIS M30 CASING B WHITE 5P	Original white casing for AXIS M3047/48-P. 5 pcs.  Industrial midspan with extended temperature range, PoE 60W and dual DC 12/24 V DC	\$	79.00
		power input for redundancy. Operating temperature -40 to +75 degC or -40 to +167 °F. DIN		
01154-001	AXIS T8144 60W INDUSTRIAL MIDSPAN	and wall mount included.  Indoor recessed mount compatible with mid-size indoor dome cameras such as: AXIS P32-	\$	249.00
		V/-LV, AXIS P33/-V and AXIS Q35-V/-LV series. Suitable for indoor installations in plenum		
01155-001	AXIS T94K02L RECESSED MOUNT	spaces.  Outdoor recessed mount for mid-size outdoor dome cameras such as: AXIS P32-VE/-LVE,	\$	79.00
01156-001	AXIS T94M02L RECESSED MOUNT	P33-VE/-LVE and Q35-VE/-LVE series. Suitable for outdoor installations in roof overhangs and soffits. Also suitable for indoor installations in plenum spaces.	\$	109.00
01130 001	7 WIS 13 MISEE NECESSES WIS GIVE	Skin covers in black, compatible with AXIS Q35-LV indoor cameras. Simple to repaint in	,	103.00
01157-001	AXIS Q35-LV SKIN COVER A BLACK 5P	other colours, and prevents unwanted access to the cameras' screws. Black in color. 5 pieces per pack.	\$	79.00
		Pendant kit for wall mount or ceiling mount. Compatible with Axis mounting accessories with 1.5" NPS thread. 3/4" threaded pipes can also be used with a nut for securing.		
01159-001	AXIS T94B02D PENDANT KIT 10PCS	Compatible with the small form factor of AXIS M20, M31-LV/-LVE, M30-V/-WV and Compan	\$	199.00
		AXIS T6101 Audio and I/O Interface enabling two-way audio and configurable supervised		
	AXIS T6101 AUDIO AND I/O INTERFACE	inputs / digital outputs for Axis cameras that do not have such functionality built-in.  Powered by standard Power over Ethernet, no midspan included. Allows the connecte	,	
01160-001	AXIS TOTOL AUDIO AND I/O INTENTACE	rowered by standard rower over Ethernet, no midspan included. Allows the connecte		മമ ന
01160-001			\$	99.00
01160-001		2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years	\$	99.00
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.		
01160-001	EW AXIS T6101 AUDIO AND I/O IF	Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years	\$	99.00
	EW AXIS T6101 AUDIO AND I/O IF	Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  AXIS T91B47 Pole Mount for indoor and outdoor installations, for poles with diameter		
	EW AXIS T6101 AUDIO AND I/O IF  AXIS T91B47 100-410MM	Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within		
01160-600		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within  AXIS T91847 Pole Mount for indoor and outdoor installations, for poles with diameter between 100-410 mm (4"-16"). Includes 1 pair of AXIS Stainless Steel Straps 1450mm (57") with TX30 screw interface for ease-of-installation. AXIS T91847 is directly compa	\$	6.00
01160-600 01164-001		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  AXIS T91B47 Pole Mount for indoor and outdoor installations, for poles with diameter between 100-410 mm (4"-16"). Includes 1 pair of AXIS Stainless Steel Straps 1450mm (57")	\$	6.00
01160-600		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  AXIS T91B47 Pole Mount for indoor and outdoor installations, for poles with diameter between 100-410 mm (4"-16"). Includes 1 pair of AXIS Stainless Steel Straps 1450mm (57") with TX30 screw interface for ease-of-installation. AXIS T91B47 is directly compa  AXIS T91B47 Pole Mount for indoor and outdoor installations, for poles with diameter	\$	6.00
01160-600 01164-001	AXIS T91847 100-410MM	Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  AXIS T91847 Pole Mount for indoor and outdoor installations, for poles with diameter between 100-410 mm (4"-16"). Includes 1 pair of AXIS Stainless Steel Straps 1450mm (57") with TX30 screw interface for ease-of-installation. AXIS T91847 is directly compa  AXIS T91847 Pole Mount for indoor and outdoor installations, for poles with diameter between 50-150mm (2"-6"). Includes 1 pair of AXIS Stainless Steel Straps 570mm (22.5") with TX30 screw interface for ease-of-installation. AXIS T91847 is directly compati	\$	6.00 85.00
01160-600 01164-001	AXIS T91847 100-410MM	Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  AXIS T91B47 Pole Mount for indoor and outdoor installations, for poles with diameter between 100-410 mm (4"-16"). Includes 1 pair of AXIS Stainless Steel Straps 1450mm (57") with TX30 screw interface for ease-of-installation. AXIS T91B47 is directly compa  AXIS T91B47 Pole Mount for indoor and outdoor installations, for poles with diameter between 50-150mm (2"-6"). Includes 1 pair of AXIS Stainless Steel Straps 570mm (22.5") with TX30 screw interface for ease-of-installation. AXIS T91B47 is directly compati	\$	6.00 85.00
01160-600 01164-001 01165-001	AXIS T91847 100-410MM  AXIS T91847 50-150MM	Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  AXIS T91B47 Pole Mount for indoor and outdoor installations, for poles with diameter between 100-410 mm (4"-16"). Includes 1 pair of AXIS Stainless Steel Straps 1450mm (57") with TX30 screw interface for ease-of-installation. AXIS T91B47 is directly compa  AXIS T91B47 Pole Mount for indoor and outdoor installations, for poles with diameter between 50-150mm (2"-6"). Includes 1 pair of AXIS Stainless Steel Straps 570mm (22.5") with TX30 screw interface for ease-of-installation. AXIS T91B47 is directly compati  AXIS P1290 Thermal Network Camera is a modular thermal camera based on a small-sized main unit (AXIS P12 Thermal) and an thermal sensor unit with a 12 m/ 39.4ft cable and dome casing. The product contains U.Sorigin controlled technology/component, the U	\$	6.00 85.00 75.00
01160-600 01164-001 01165-001	AXIS T91847 100-410MM  AXIS T91847 50-150MM	Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  AXIS T91B47 Pole Mount for indoor and outdoor installations, for poles with diameter between 100-410 mm (4"-16"). Includes 1 pair of AXIS Stainless Steel Straps 1450mm (57") with TX30 screw interface for ease-of-installation. AXIS T91B47 is directly compa  AXIS T91B47 Pole Mount for indoor and outdoor installations, for poles with diameter between 50-150mm (2"-6"). Includes 1 pair of AXIS Stainless Steel Straps 570mm (22.5") with TX30 screw interface for ease-of-installation. AXIS T91B47 is directly compati  AXIS P1290 Thermal Network Camera is a modular thermal camera based on a small-sized main unit (AXIS P12 Thermal) and an thermal sensor unit with a 12 m/ 39.4ft cable and	\$	6.00 85.00 75.00
01160-600 01164-001 01165-001 01168-001	AXIS T91847 100-410MM  AXIS T91847 50-150MM  AXIS P1290 4 MM 8.3 FPS	Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  AXIS T91B47 Pole Mount for indoor and outdoor installations, for poles with diameter between 100-410 mm (4"-16"). Includes 1 pair of AXIS Stainless Steel Straps 1450mm (57") with TX30 screw interface for ease-of-installation. AXIS T91B47 is directly compa  AXIS T91B47 Pole Mount for indoor and outdoor installations, for poles with diameter between 50-150mm (2"-6"). Includes 1 pair of AXIS Stainless Steel Straps 570mm (22.5") with TX30 screw interface for ease-of-installation. AXIS T91B47 is directly compati  AXIS P1290 Thermal Network Camera is a modular thermal camera based on a small-sized main unit (AXIS P12 Thermal) and an thermal sensor unit with a 12 m/ 39.4ft cable and dome casing. The product contains U.Sorigin controlled technology/component, the U  2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.	\$	6.00 85.00 75.00 849.00
01160-600 01164-001 01165-001	AXIS T91847 100-410MM  AXIS T91847 50-150MM	Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  AXIS T91B47 Pole Mount for indoor and outdoor installations, for poles with diameter between 100-410 mm (4"-16"). Includes 1 pair of AXIS Stainless Steel Straps 1450mm (57") with TX30 screw interface for ease-of-installation. AXIS T91B47 is directly compa  AXIS T91B47 Pole Mount for indoor and outdoor installations, for poles with diameter between 50-150mm (2"-6"). Includes 1 pair of AXIS Stainless Steel Straps 570mm (22.5") with TX30 screw interface for ease-of-installation. AXIS T91B47 is directly compati  AXIS P1290 Thermal Network Camera is a modular thermal camera based on a small-sized main unit (AXIS P12 Thermal) and an thermal sensor unit with a 12 m/ 39.4ft cable and dome casing. The product contains U.Sorigin controlled technology/component, the U  2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years	\$	6.00 85.00 75.00

		Indoor and outdoor recessed mount for AXIS M55 Series. Suitable for air-handling spaces in		
01172-001	AXIS T94P01L RECESSED MOUNT	indoor installations as the enclosure is made of metal and has a 3/4" (M25) conduit hole for protected cable-routing. UL-approved.	\$	99.00
		Compact Desktop Terminal with micro form factor to be used with AXIS S1032 or AXIS S1048 recording servers. The terminal is preloaded with AXIS Camera Station software and		
01173-004	AXIS S9101	all other necessary software e.g. Windows 10loT. Includes three year hardware warra	\$	1,399.00
		All-in-one Desktop Terminal with a 22 inch monitor for system overview, to be used with		
01174-004	AXIS S9201	AXIS S1032 or AXIS S1048 recording servers. The terminal is preloaded with AXIS Camera Station software and all other necessary software e.g. Windows 10loT. Includes t	\$	1,899.00
01175-001	AXIS ACI CONDUIT COVER A 10PCS	Spare part plastic side covers for compatible AXIS T91- and AXIS T94- series of mounting accessories. 10 pcs per pack.	\$	19.00
		360°/180° fixed dome with 6 MP sensor and support for Forensic WDR, Lightfinder and		
01177-001	AXIS M3057-PLVE	Optimized IR illumination. Vandal-resistant casing in flat design, for outdoor or indoor installation. Provides complete 360° overview in up to 30 fps with WDR and 60 fps w	\$	649.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.		
01177-600	EXT WAR AXIS M3057-PLVE	Note 2: The warranty code must be redeemed within	\$	39.00
		360°/180° fixed dome with 12 MP sensor and support for Forensic WDR, Lightfinder and		
01178-001	AXIS M3058-PLVE	OptimizedIR illumination. Vandal-resistant casing in flat design, for outdoor or indoor installation. Provides complete 360° overview in up to 20 fps with WDR and 30 fps	\$	849.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.		
01178-600	EXT WAR AXIS M3058-PLVE	Note 2: The warranty code must be redeemed within	\$	51.00
01179-001	AXIS Q35 WEATHERSHIELD KIT A	Original weathershield for AXIS Q35-LVE network camera series. Screws and gasket included.	\$	24.00
01180-001	AXIS Q35 CLEAR DOME A 5PCS	Standard clear dome with anti-scratch hard coating. Compatible with AXIS Q3517-LV/-LVE. 5x domes per pack.	\$	199.00
		Bracket kit for installing a pair of compatible illuminators to Axis positioning cameras and		
01181-001	AXIS T99 ILLUMINATOR BRACKET KIT A	positioning units. Designed for use with AXIS Q8685-E and AXIS T99A10. Compatible with selected T90 white-LED and IR-LED illuminators. Includes fitting brackets,	\$	199.00
01182-001	RJ12 PLUG SHIELDED 10 PCS	Shielded RJ12 connectors for use with AXIS modular cameras. 10-pack.	\$	29.00
01183-001	AXIS Q35 SMOKED DOME A 5PCS	Smoked dome with anti-scratch hard coating. Compatible with AXIS Q3517-LV/-LVE. 5x domes per pack.	\$	199.00
		Pendant kit for wall mount or ceiling mount in black. Compatible with Axis mounting		
01185-001	AXIS T94B02D PENDANT KIT BLACK	accessories with 1.5" NPS thread. 3/4" threaded pipes can also be used with a nut for securing. Compatible with the small form factor of AXIS M20, M31-LV/-LVE, M30-V/-WV a	\$	29.00
		Network Video Decoder for easy display of video from IP cameras on big screens. With the		
01105 004	AVIC TOTOS VIDEO DECODED	1080p HDMI output, Ethernet input and compact size, it is very easy to setup and use. It		200.00
01186-004	AXIS T8705 VIDEO DECODER	can display the video both as sequence or multimode and with the integrated V	\$	299.00
		2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
01186-600	EXT. WARRANTY AXIS T8705 VIDEO DECODER	including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within	\$	19.00
01100 000	S.W. WARRANT FOR TOPOS VIDEO DECODER		Ť	13.00
		Twin-pack (bulk). Includes 2x indoor telescopic ceiling mounts, extendable between 1m to 1.8m (3.2 to 6ft) at 10cm (4") intervals. Compatible with Axis pendant kits and camera		
01189-001	AXIS T91B53 TELESCOPIC CEIL MNT 2P	holder with 3/4" conduit interface. Suitable for vertical and horizontal mounti	\$	169.00
		Outdoor-ready, impact resistant (IK10+) back box with sealed compartment (IP66/67) for secure storage of connectivity devices. 3/4" / M25 conduit interface from both side and		
01190-001	AXIS T94S01P CONDUIT BACK BOX	back. Can be mounted directly behind a wide range of Axis network cameras. Inclu	\$	119.00
		PoE+ managed fanless gigabit network switch, optimized for Axis network products. 2		
01191-004	AXIS T8508 POE+ NETWORK SWITCH	SFP/RJ45 uplink ports and 8 PoE+ ports with 130W power supply. Built in DCHP server for plug-and-play camera setup. Easy system configuration for effective installation of	\$	399.00
		PoE+ managed gigabit network switch, optimized for Axis network products. 2 SFP/RJ45		
01192-004	AXIS T8524 POE+ NETWORK SWITCH	uplink ports and 24 PoE+ ports with 370W power supply. Built in DCHP server for plug-and- play camera setup. Easy system configuration for effective installation of Axis n	\$	899.00
		Replacement part PCB power board for AXIS Q60-E Outdoor Cameras (not applicable to	\$	
01195-001	AXIS Q60-E PCB POWER REPAIR BOARD A	AXIS Q6000-E)  Mounting bracket that allows AXIS FA1125 Sensor Unit to be mounted behind a thin		99.00
01198-001	AXIS F82A06 ANGLED PINHOLE MT 5PCS	metal/plastic/glass panel. 5 pcs.  Screw Kit for AXIS Q3505-SVE. Includes 2x anti-loss mounting screws in marine-grade	\$	29.00
01200-001 01202-004	AXIS Q3505-SVE SCREW KIT AXIS T8341 PIR MOTION SENSOR	stainless steel SS316, and 1x TR20 resitorx insert bits.  PIR Motion Sensor for Axis Wireless I/O using Z-wave technology.	\$	11.00 49.00
01203-004	AXIS T8342 DOOR/WINDOW SENSOR	Door/window sensor for Axis Wireless I/O using Z-wave technology.	\$	49.00
01204-004 01205-004	AXIS T8343 PANIC BUTTON  AXIS T8344 POWER ON/OFF PLUG	Panic button for Axis Wireless I/O using Z-wave technology.  Power on/off plug for Axis Wireless I/O using Z-wave technology.	\$	49.00 49.00
	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		İ	
		2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
01206-600	EXT. WARRANTY AXIS P8804-2 3D P COUNT KIT	including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within	\$	49.00

		2N SIP Mic allows paging to several zones with a simple push of a button. It is ideal for live		
04200 004	an cip Mic	or pre-recorded announcements. It has a built-in audio-management server for	,	4 000 00
01208-001	2N SIP MIC	configuration, which means less equipment as well as flexible, easy and cost-effici	\$	1,099.00
		IR LED illuminator for Axis network cameras. Included interchangeable diverging lenses		
01210 001	AVIS TOOD 20 ID LED	providing 10°, 35°, 60° & 80° beam angles. Beam distance ranges 36m to 144m (118 ft to	,	440.00
01210-001	AXIS T90D20 IR-LED	472 ft). Made of IK09 impact-resistant aluminium and polycarbonate. IP66 and NEMA	\$	449.00
		PoE powered IR LED illuminator for Axis network cameras. Included interchangeable		
01211-001	AXIS T90D20 POE IR-LED	diverging lenses providing 10°, 35°, 60° & 80° beam angles. Beam distance ranges 36m to 144m (118 ft to 472 ft). Made of IK09 impact-resistant aluminium and polycarbonate. I	\$	449.00
01211 001	AND TOODED TOE IN EED	14411 (110 to 6472 tr). Wade of the Simplest resistant diamininal and polyearonate.	7	445.00
		IR LED illuminator for Axis network cameras. Included interchangeable diverging lenses		
01212-001	AXIS T90D30 IR-LED	providing 10°, 35°, 60° & 80° beam angles. Beam distance ranges 70m to 350m (230ft to 1150 ft). Made of IK09 impact-resistant aluminium and polycarbonate. IP66 and NEMA	\$	799.00
			-	
		PoE powered IR LED illuminator for Axis network cameras. Included interchangeable diverging lenses providing 10°, 35°, 60° & 80° beam angles. Beam distance ranges 70m to		
01213-001	AXIS T90D30 POE IR-LED	350m (230ft to 1150 ft). Made of IK09 impact-resistant aluminium and polycarbonate. I	\$	799.00
		IR LED illuminator for Axis network cameras. Included interchangeable diverging lenses providing 10°-140° beam angles. Beam distance ranges 105m to 500m (345ft to 1640ft).		
01214-001	AXIS T90D40 IR-LED	Made of IK09 impact-resistant aluminium and polycarbonate. IP66 and NEMA 4X ratings	\$	1,199.00
		White LED illuminator for Avic naturals compared health distributed distributed by		
		White LED illuminator for Axis network cameras. Included interchangeable diverging lenses providing 10°, 35°, 60° & 80° beam angles. Beam distance ranges 25 m to 110 m (80 ft to		
01215-001	AXIS T90D25 W-LED	360 ft). Made of IK09 impact resistant aluminium and polycarbonate. IP66 and	\$	449.00
		PoE powered white LED illuminator for Axis network cameras. Included interchangeable		
		diverging lenses providing 10°, 35°, 60° & 80° beam angles. Beam distance ranges 25 m to		
01216-001	AXIS T90D25 POE W-LED	110 m (80 ft to 360 ft). Made of IK09 impact resistant aluminium and polycarbonat	\$	449.00
		White LED illuminator for Axis network cameras. Included interchangeable diverging lenses		
		providing 10°, 35°, 60° & 80° beam angles. Beam distance ranges 35m to 180m (115ft to		
01217-001	AXIS T90D35 W-LED	590ft). Made of IK09 impact-resistant aluminium and polycarbonate. IP66 and NEM	\$	799.00
		PoE powered white LED illuminator for Axis network cameras. Included interchangeable		
04040 004	1.WS TOODOS DOS W. I FD	diverging lenses providing 10°, 35°, 60° & 80° beam angles. Beam distance ranges 35m to	_	700.00
01218-001 01219-001	AXIS T90D35 POE W-LED AXIS T90 WALL-AND-POLE MOUNT	180m (115ft to 590ft). Made of IK09 impact-resistant aluminium and polycarbonate.  Mounting bracket for AXIS T90 illuminators.	\$	799.00 39.00
01220-001	AXIS T90 SINGLE BRACKET	Mounting bracket for AXIS T90 illuminators.	\$	49.00
01221-001	AXIS T90 MULTI BRACKET	Mounting bracket for AXIS T90 illuminators.	\$	69.00
		1/2" image sensor, HDTV, Day/night fixed camera providing Forensic WDR and Lightfinder		
04222 004	AXIS Q1645	for demanding light conditions. Varifocal 3.9-10 mm i-CS lens with remote zoom and focus	,	1 100 00
01222-001 01222-041	AXIS Q1645 AXIS Q1645 BARE BONE	for installation. Support for P-Iris and DC-iris lenses, multiple, individually  AXIS Q1645 Barebone in single pack. No lens. No power supply.	\$	1,199.00 999.00
		2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.		
01222-600	EXT WAR AXIS Q1645	Note 2: The warranty code must be redeemed within	\$	72.00
		1/2" image sensor, outdoor, NEMA 4X, IP66 and IK10-rated HDTV, day/night fixed camera		
		providing OptimizedIR, Forensic WDR and Lightfinder. Varifocal 3.9-10 mm i-CS lens with		
01223-001	AXIS Q1645-LE	remote zoom and focus. Support for CS-mount P-Iris and DC-iris lenses, multiple,	\$	1,499.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.		
01223-600	EXT WAR AXIS Q1645-LE	Note 2: The warranty code must be redeemed within	\$	90.00
		High accuracy outdoor positioning unit with AXIS T93F10 camera housing. Responsive absolute positioning with high-speed and ultra-smooth pan and tilt capabilities. Integrated		
01226-001	AXIS T99A10 24V AC/DC	SFP slot for long-distance fiber connection. IK10, IP66, NEMA 4X rated and UL li	\$	1,799.00
		2 years extension of the warranty norice		
		2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
04236 603	EVT MADDANITY AVIC TOOLS OF A CONTROL	including standard warranty. No possibility to extend total warranty beyond 5 years.	_	400.0-
01226-600	EXT. WARRANTY AXIS T99A10 24V AC/DC	Note 2: The warranty code must be redeemed within	\$	199.00
		High accuracy outdoor positioning unit to be used with PT Mount models in AXIS Q19 and		
01227-001	AXIS T99A11 24V AC/DC	Q29 series. Responsive absolute positioning with high-speed and ultra-smooth pan and tilt capabilities. Integrated SFP slot for long-distance fiber connection. IK10, IP	\$	1,799.00
J.L.C. 1001	PANS 133AII 24V AC/DC	capabilities. Integraced 511 310t for long-distance fixel Collification. INTO, IF	7	1,733.00
		la contra de a contra de la contra del la contra de la contra de la contra del la contra del la contra de la contra de la contra del la contra del la contra de la contra de la contra del la contra	l	
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
01227-600	EXT. WARRANTY AXIS T99A11 24V AC/DC		\$	179.00
01227-600	EXT. WARRANTY AXIS T99A11 24V AC/DC	Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within	\$	179.00
01227-600	EXT. WARRANTY AXIS T99A11 24V AC/DC	Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.	\$	179.00
01227-600	EXT. WARRANTY AXIS T99A11 24V AC/DC  AXIS T6112 AUDIO AND I/O INTERFACE	Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within  AXIS T6112 Audio and I/O Interface combines AXIS T6101 Audio and I/O Interface with an	\$	179.00 149.00

01276-600 01277-001	EW 2N IP VERSO - FINGERPRINT 2N IP VERSO - TOUCH KEYPAD	Note 2: The warranty code must be redeemed within 2N IP Verso - Touch keypad	\$	32.00 168.00
		2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.		
01275-600 01276-001	EW 2N IP VERSO - TOUCH DISPLAY  2N IP VERSO - FINGERPRINT	Note 2: The warranty code must be redeemed within 2N IP Verso - Fingerprint	\$	32.00 532.00
		2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.		
01275-001	2N IP VERSO - TOUCH DISPLAY	2N IP Verso - Touch display	\$	770.00
01274-600	EW 2N IP VERSO-MAIN W CAMERA BLACK	2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within	\$	60.00
01274-001	2N IP VERSO - MAIN W CAMERA BLACK	2N IP Verso - Main unit with camera, black	\$	995.00
01273-600	EW 2N IP VERSO - MAIN W CAMERA	2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within	\$	60.00
01272-600 01273-001	EW 2N IP VERSO-MAIN WO CAMERA BLACK 2N IP VERSO - MAIN W CAMERA	including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within  2N IP Verso - Main unit with camera	\$	32.00 995.00
	- The second sec	2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years	7	320.00
01271-600 01272-001	EW 2N IP VERSO - MAIN WO CAMERA 2N IP VERSO - MAIN WO CAMERA BLACK	2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within  2N IP Verso - Main unit without camera, black	\$	32.00 528.00
01270-001 01271-001	2N IP VERSO - BLIND BUTTON 2N IP VERSO - MAIN WO CAMERA	2N IP Verso - Blind button. Covers one button, on the main unit or 5 button module. 2N IP Verso - Main unit without camera	\$	22.00 528.00
01269-001	2N IP VERSO - EXTENSION CABLE 5M	2N IP Verso - Extension cable 5m	\$	26.00
01267-001 01268-001	2N IP VERSO - EXTENSION CABLE 1M 2N IP VERSO - EXTENSION CABLE 3M	2N IP Verso - Extension cable 1m 2N IP Verso - Extension cable 3m	\$	19.00 20.00
01266-600	2N IP VERSO - BLUETOOTH  EW. 2N IP VERSO - BLUETOOTH  2N IP VERSO - EVENSION CARLE 1M	2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within	\$	19.00
01265-001	2N IP VERSO - IND.LOOP ANTENNA	2N IP Verso - Induction loop external antenna for wider coverage area 2N IP Verso - Bluetooth	\$	88.00
01263-001 01264-001	2N IP VERSO - INDUCTION LOOP 2N IP VERSO - RFID 13MHz NFC SEC	2N IP Verso - Induction loop 2N IP Verso - RFID 13MHz secured card reader NFC ready	\$	225.00 300.00
01262-001	2N IP VERSO - RFID 13MHz NFC	2N IP Verso - RFID 13MHz card reader NFC ready	\$	207.00
01260-001 01261-001	2N IP VERSO - TAMPER SWITCH 2N IP VERSO - BLIND PANEL	2N IP Verso - Tamper switch. This module is installed beneath other modules. 2N IP Verso - Blind panel	\$	39.00 24.00
01258-001 01259-001	2N IP VERSO - 5 BUTTONS 2N IP VERSO - WIEGAND	2N IP Verso - 5 buttons 2N IP Verso - Wiegand. This module is installed beneath other modules.	\$	90.00
01257-001	2N IP VERSO - I/O	2N IP Verso - 2 inputs and 2 output relays. This module is installed beneath other modules.	\$	48.00
01254-001 01255-001	2N IP VERSO - KEYPAD BLACK 2N IP VERSO - RFID 125kHz	2N IP Verso - Keypad, black 2N IP Verso - RFID 125kHz card reader	\$	239.00 132.00
01252-001 01253-001	2N IP VERSO - INFOPANEL 2N IP VERSO - KEYPAD	2N IP Verso - Infopanel 2N IP Verso - Keypad	\$	93.00 239.00
01239-001	AXIS M50 CLEAR DOME COVER A	Spare part AXIS M50 dome casing cover in white. Included in AXIS M5054/55/65 cameras.	\$	49.00
01238-001	AXIS WEATHERSHIELD KIT R	Weathershield for protecting wall mounted fixed dome cameras against rain, snow and sun.  UV-resistant plastics and matte black anti-reflective coating on the underside to prevent reflection from IR illumination. Equipped with anti-loss screws for ease of	\$	39.00
01234-600 01235-001	EXT WAR AXIS Q6125-LE 60Hz AXIS IR LENS D 120 DEG	including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within  Accessory lens providing 120° beam angle	\$	240.00 39.00
01254-004	AAIS QUIZS-LE OUTZ	2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years	Ş	2,333.00
01234-004	AXIS Q6125-LE 60HZ	Top of the line PTZ with IR, HDTV 1080 and 30x optical zoom, H264/265 with Zipstream and Motion JPEG. IP66 for both indoor and outdoor use, WDR. Perfect image quality in all directions without distortion. WDR, EIS, Speed dry. Includes Advanced gate keepe	\$	2,999.00
01230-600	EW AXIS T6112 AUDIO AND I/O IF	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within	\$	9.00

		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
01277-600	EW 2N IP VERSO - TOUCH KEYPAD	including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within	\$	10.00
01277-000	2N IP VERSO - 1M FLUSH FRAME	2N IP Verso - 1 module flush frame	\$	75.00
01279-001	2N IP VERSO - 1M FLUSH FRAME BLACK	2N IP Verso - 1 module flush frame, black	\$	75.00
01280-001	2N IP VERSO - 2M FLUSH FRAME	2N IP Verso - 2 modules flush frame	\$	85.00
01280-001	2N IP VERSO - 2M FLUSH FRAME 2N IP VERSO - 2M FLUSH FRAME BLACK	2N IP Verso - 2 modules flush frame, black	\$	85.00
01282-001	2N IP VERSO - 3M FLUSH FRAME	2N IP Verso - 3 modules flush frame	\$	85.00
01283-001	2N IP VERSO - 3M FLUSH FRAME BLACK	2N IP Verso - 3 modules flush frame, black	\$	85.00
01284-001	2N IP VERSO - 1M FLUSH BOX	2N IP Verso - 1 module flush box	\$	25.00
01285-001	2N IP VERSO - 2M FLUSH BOX	2N IP Verso - 2 modules flush box	\$	30.00
01286-001	2N IP VERSO - 3M FLUSH BOX	2N IP Verso - 3 modules flush box	\$	32.00
01287-001	2N IP VERSO - 1M SURFACE FRAME	2N IP Verso - 1 module surface frame	\$	50.00
01288-001	2N IP VERSO - 1M SURFACE FRAME BL.	2N IP Verso - 1 module surface frame, black	\$	50.00
01289-001	2N IP VERSO - 2M SURFACE FRAME	2N IP Verso - 2 modules surface frame	\$	60.00
01290-001	2N IP VERSO - 2M SURFACE FRAME BL.	2N IP Verso - 2 modules surface frame, black	\$	60.00
01291-001	2N IP VERSO - 3M SURFACE FRAME	2N IP Verso - 3 modules surface frame	\$	80.00
01292-001	2N IP VERSO - 3M SURFACE FRAME BL.	2N IP Verso - 3 modules surface frame, black	\$	80.00
01293-001	2N IP VERSO - 1M BACKPLATE	2N IP Verso - 1 module backplate for surface installation	\$	48.00
01294-001	2N IP VERSO - 2M BACKPLATE	2N IP Verso - 2 modules backplate for surface installation	\$	56.00
01295-001	2N IP VERSO - 3M BACKPLATE	2N IP Verso - 3 modules backplate for surface installation	\$	65.00
01296-001	2N IP VERSO - 2x2M BACKPLATE	2N IP Verso - 2x2 modules backplate for surface installation	\$	81.00
01297-001	2N IP VERSO - 2X2M BACKPLATE  2N IP VERSO - 3x2M BACKPLATE	2N IP Verso - 2x2 modules backplate for surface installation  2N IP Verso - 3x2 modules backplate for surface installation	\$	104.00
01298-001	2N IP VERSO - 2x3M BACKPLATE  2N IP VERSO - 2x3M BACKPLATE	2N IP Verso - 2x3 modules backplate for surface installation	\$	98.00
01298-001	2N IP VERSO - 3x3M BACKPLATE	2N IP Verso - 3x3 modules backplate for surface installation	\$	125.00
01300-001	2N IP SOLO - FLUSH MOUNT	2N IP Verso - 3x3 modules backplate for surface installation  2N IP Solo - flush mount	\$	1,031.00
01300-001	ZATE SOLO - I LOSITIVIOUNI	ZN IF JOIO - HUSH HIOURK	۶	1,031.00
		2 years extension of the warranty period		
		2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.		
01300-600	EW 2N IP SOLO - FLUSH MOUNT	Note 2: The warranty code must be redeemed within	\$	62.00
01301-001	2N IP SOLO - SURFACE MOUNT	2N IP Solo - surface mount	\$	1,010.00
01301-001	ZN IF 30EO - 30KFACE IVIOUNT	ZN IF 3010 - Surface Illouitt	7	1,010.00
		2		
		2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
01301-600	EW 2N IP SOLO - SURFACE MOUNT	including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within	\$	61.00
-		·	\$	
01302-001	2N IP SOLO - SURFACE MOUNT BLACK	2N IP Solo - surface mount, black	,	1,010.00
		2		
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.	_	
01302-600	EW 2N IP SOLO-SURFACE MOUNT BLACK	Note 2: The warranty code must be redeemed within	\$	61.00
01303-001	2N IP SOLO - FLUSH MOUNT BLACK	2N IP Solo - flush mount, black	\$	1,031.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.		
01303-600	EW 2N IP SOLO - FLUSH MOUNT BL	Note 2: The warranty code must be redeemed within	\$	62.00
01304-001	2N IP SOLO - FLUSH BACKBOX	2N IP Solo - backbox for flush installation	\$	25.00
01305-001	2N IP SOLO - BACKPLATE	2N IP Solo - backplate for easier surface installation	\$	51.00
01306-001	2N IP VARIO - 1 BTN	2N IP Vario - 1 button	\$	555.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.		
01306-600	EW 2N IP VARIO - 1 BTN	Note 2: The warranty code must be redeemed within	\$	33.00
01307-001	2N IP VARIO - 3 BTN	2N IP Vario - 3 buttons	\$	570.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.		
01307-600	EW 2N IP VARIO - 3 BTN	Note 2: The warranty code must be redeemed within	\$	34.00
01308-001	2N IP VARIO - 3X2 BTN	2N IP Vario - 3x2 buttons	\$	585.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.		
01308-600	EW 2N IP VARIO - 3X2 BTN	Note 2: The warranty code must be redeemed within	\$	35.00
01309-001	2N IP VARIO - 1 BTN + KEYPAD	2N IP Vario - 1 button + keypad	\$	600.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.		
01309-600	EW 2N IP VARIO - 1 BTN + KEYPAD	Note 2: The warranty code must be redeemed within	\$	36.00
01310-001	2N IP VARIO - 3 BTN + KEYPAD	2N IP Vario - 3 buttons + keypad	\$	615.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.		
01310-600	EW 2N IP VARIO - 3 BTN + KEYPAD	Note 2: The warranty code must be redeemed within	\$	37.00
01311-001	2N IP VARIO - 3X2 BTN + KEYPAD	2N IP Vario - 3x2 buttons + keypad	\$	630.00
		the state of the s		,,,,,,

		2 years outcosion of the warranty paried		
		2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.		
01311-600	EW 2N ID VADIO 2V2 DTN - KEVDAD		\$	38.00
01311-000	EW 2N IP VARIO - 3X2 BTN + KEYPAD  2N IP VARIO - 3X2 BTN + KPD + DISP	Note 2: The warranty code must be redeemed within	\$	1,165.00
01312-001	2N IP VARIO - 3X2 BTN + NPD + DISP	2N IP Vario - 3x2 buttons + keypad + display	Ş	1,165.00
		2 years outonsian of the warranty paried		
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.		
01312-600	EW 2N IP VARIO - 3X2 BTN + KPD + DISP	Note 2: The warranty code must be redeemed within	\$	70.00
01313-001	2N IP VARIO - 1 BTN + CAMERA	2N IP Vario - 1 button + camera	\$	880.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.		
01313-600	EW 2N IP VARIO - 1 BTN + CAMERA	Note 2: The warranty code must be redeemed within	\$	53.00
01314-001	2N IP VARIO - 3 BTN + CAMERA	2N IP Vario - 3 buttons + camera	\$	890.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.		
01314-600	EW 2N IP VARIO - 3 BTN + CAMERA	Note 2: The warranty code must be redeemed within	\$	53.00
01315-001	2N IP VARIO - 3x2 BTN + CAMERA	2N IP Vario - 3x2 buttons + camera	\$	910.00
01313-001	ZIVIF VARIO - SXZ BTIV I CAMILINA	ZIVIF VALIO - 3X2 BULLOTIS I CATHETA	7	310.00
		2 years outonsian of the warrants period		
l		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.	١.	
01315-600	EW 2N IP VARIO - 3x2 BTN + CAMERA	Note 2: The warranty code must be redeemed within	\$	55.00
01316-001	2N IP VARIO - 1 BTN + KPD + CAMERA	2N IP Vario - 1 button + keypad + camera	\$	950.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.		
01316-600	EW 2N IP VARIO - 1 BTN + KPD + CAMERA	Note 2: The warranty code must be redeemed within	\$	57.00
		,	\$	
01317-001	2N IP VARIO - 3 BTN + KPD + CAMERA	2N IP Vario - 3 buttons + keypad + camera	Ş	960.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.		
01317-600	EW 2N IP VARIO - 3 BTN + KPD + CAMERA	Note 2: The warranty code must be redeemed within	\$	58.00
01318-001	2N IP VARIO - 3x2 BTN + KPD + CAM	2N IP Vario - 3x2 buttons + keypad + camera	\$	980.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.		
01218 600	FIN 2N ID VADIO 2v2 DTN - KDD - CAM		\$	FO 00
01318-600	EW 2N IP VARIO - 3x2 BTN + KPD + CAM	Note 2: The warranty code must be redeemed within	\$	59.00
01319-001	2N IP VARIO - 3x2BTN+ KPD+DISP+CAM	2N IP Vario - 3x2 buttons + keypad + display + camera	Ş	1,450.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.		
01319-600	EW 2N IP VARIO-3x2BTN+ KPD+DISP+CAM	Note 2: The warranty code must be redeemed within	\$	87.00
01320-001	2N IP VARIO - EXTENDER 8 BTN	2N IP Vario - extender 8 single buttons	\$	160.00
01321-001	2N IP VARIO - EXTENDER 8 DBTN	2N IP Vario - extender 8 double buttons	\$	190.00
01322-001	2N IP VARIO - INFOPANEL	2N IP Vario - infopanel	\$	130.00
01323-001	2N IP VARIO - 1M ROOF	2N IP Vario - 1 module roof	\$	65.00
01324-001	2N IP VARIO - 2M ROOF	2N IP Vario - 2 modules roof	\$	75.00
01325-001	2N IP VARIO - 1M FLUSH BOX	2N IP Vario - 2 module flush box	\$	70.00
01326-001	2N IP VARIO - 1M FLOSH BOX  2N IP VARIO - 2M FLUSH BOX	2N IP Vario - 2 modules flush box	\$	75.00
	2N IP VARIO - 2M FLUSH BOX 2N IP VARIO - 1M FLUSH BOX + ROOF	2N IP Vario - 2 modules flush box 2N IP Vario - 1 modules flush box and roof	\$	
01327-001				120.00
01328-001	2N IP VARIO - 2M FLUSH BOX + ROOF	2N IP Vario - 2 modules flush box and roof	\$	140.00
01329-001	2N IP VARIO - SPARE SINGLE BUTTON	2N IP Vario - spare single button	\$	2.00
01330-001	2N IP VARIO - SPARE DOUBLE BUTTON	2N IP Vario - spare double button	\$	2.00
01331-001	2N IP VARIO - SPARE INFO COVER	2N IP Vario - spare info cover	\$	3.00
01332-001	2N IP VARIO - ADDITIONAL SWITCH	2N IP Vario - Additional switch including one NO/NC output relay	\$	30.00
		2N IP Vario - 125kHz RFID card reader. Includes Wiegand interface, 2 logical inputs, 2 output		
01333-001	2N IP VARIO - 125kHz RFID	relays.	\$	100.00
01334-001	2N IP FORCE - 1 BTN, HD CAM, PICT.	2N IP Force - 1 button + HD camera + pictograms + 10W speaker, card reader ready	\$	1,335.00
	, , ,			, , -
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.		
01334-600	EW 2N ID EODCE 1 DTN HD CAMA DICT		ا	90.00
01334-600	EW 2N IP FORCE-1 BTN, HD CAM, PICT.	Note 2: The warranty code must be redeemed within	\$	80.00
01335-001	2N IP FORCE - 1 BTN, PICT.	2N IP Force - 1 button + pictograms + 10W speaker, card reader ready	\$	990.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.		
01335-600	EW 2N IP FORCE - 1 BTN, PICT.	Note 2: The warranty code must be redeemed within	\$	59.00
01336-001	2N IP FORCE - 1 BTN	2N IP Force - 1 button + 10W speaker	\$	940.00
			T	3 +0.00
		2 years outonsian of the warrants period		
		2 years extension of the warranty period	ı	
		Note to Manifestory or annual to the first t		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.		
01336-600 01337-001	EW 2N IP FORCE - 1 BTN		\$	56.00 1,300.00

		2 state of the community and		
		2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.		
01337-600	EW 2N IP FORCE - 1 BTN + HD CAM	Note 2: The warranty code must be redeemed within	\$	78.00
01338-001	2N IP FORCE - 1 BTN + KEYPAD	2N IP Force - 1 button + keypad + 10W speaker	\$	1,050.00
01000 001	ENTITIONE ISSUED	2111 Torce 2 Success Respond 2011 Speaker	Ť	2,050.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.		
01338-600	EW 2N IP FORCE - 1 BTN + KEYPAD	Note 2: The warranty code must be redeemed within	\$	63.00
01339-001	2N IP FORCE - 1 BTN + HD CAM + KPD	2N IP Force - 1 button + HD camera + keypad + 10W speaker	\$	1,310.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.		
01339-600	EW 2N IP FORCE-1 BTN + HD CAM + KPD	Note 2: The warranty code must be redeemed within	\$	79.00
01340-001	2N IP FORCE - 2 BTN + HD CAM	2N IP Force - 2 buttons + HD camera + 10W speaker, card reader ready	\$	1,315.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.		
01340-600	EW 2N IP FORCE - 2 BTN + HD CAM	Note 2: The warranty code must be redeemed within	\$	79.00
01341-001	2N IP FORCE - 2 BTN	2N IP Force - 2 buttons + 10W speaker, card reader ready	\$	960.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
I		including standard warranty. No possibility to extend total warranty beyond 5 years.		
01341-600	EW 2N IP FORCE - 2 BTN	Note 2: The warranty code must be redeemed within	\$	58.00
01342-001	2N IP FORCE - 4 BTN	2N IP Force - 4 buttons + 10W speaker	\$	1,040.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.		
01342-600	EW 2N IP FORCE - 4 BTN	Note 2: The warranty code must be redeemed within	\$	62.00
01343-001	2N IP FORCE - 4 BTN + HD CAM	2N IP Force - 4 button + HD camera + 10W speaker	\$	1,325.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.		
01343-600	EW 2N IP FORCE - 4 BTN + HD CAM	Note 2: The warranty code must be redeemed within	\$	80.00
		2N IP Force - 125kHz card reader. Includes Wiegand interface, 2 logical inputs, 2 output		
01344-001	2N IP FORCE - 125kHz RFID	relays and tamper switch.	\$	127.00
01345-001	2N IP FORCE - SAFETY SCREWS	2N IP Force - safety screws, torx with pin	\$	12.00
		2N IP Force - 13.56MHz smart card reader, NFC ready. Includes Wiegand interface, 2 logical		
01346-001	2N IP FORCE - 13.56MHz RFID	inputs, 1 output relay, 1 active output and tamper switch.	\$	208.00
		2N IP Force - 13.56MHz secured card reader, NFC ready, Reads UID + PACS ID. Includes		
01347-001	2N IP FORCE - 13.56MHz SEC RFID	Wiegand interface, 2 logical inputs, 2 output relays and tamper switch.	\$	295.00
01348-001	2N IP FORCE/SAFETY - FLUSH BOX	2N IP Force and Safety - Brick flush mounting box	\$	95.00
01349-001	2N IP FORCE/SAFETY - PLASTER BOX	2N IP Force and Safety - Plasterboard flush mounting box	\$	85.00
01350-001	2N IP FORCE/SAFETY - ADD.SWITCH	2N IP Force and Safety - Additional switch + Tamper switch.	\$	50.00
01351-001	2N IP FORCE/SAFETY - GOOSENECK	2N IP Force and Safety - Gooseneck stand, height 120cm/47in	\$	253.00
01352-001	2N IP FORCE/SAFETY - INST. ADAPTER	2N IP Force and Safety - Installation adapter for Code Blue and Talkaphone	\$	108.00
01353-001	2N IP SAFETY - 1 BTN	2N IP Safety - 1 button + 10W speaker		975.00
			\$	
			\$	
		2 years extension of the warranty period	\$	
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years	\$	
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.		
01353-600	EW 2N IP SAFETY - 1 BTN	Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within	\$	59.00
01353-600 01354-001	EW 2N IP SAFETY - 1 BTN 2N IP SAFETY - 2 BTN	Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.		59.00 1,000.00
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within  2N IP Safety - 2 buttons + 10W speaker	\$	
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within  2N IP Safety - 2 buttons + 10W speaker  2 years extension of the warranty period	\$	
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within  2N IP Safety - 2 buttons + 10W speaker  2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years	\$	
01354-001	2N IP SAFETY - 2 BTN	Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within  2N IP Safety - 2 buttons + 10W speaker  2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.	\$ \$	1,000.00
01354-001 01354-600	2N IP SAFETY - 2 BTN  EW 2N IP SAFETY - 2 BTN	Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 2N IP Safety - 2 buttons + 10W speaker  2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within	\$ \$	1,000.00
01354-001	2N IP SAFETY - 2 BTN	Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within  2N IP Safety - 2 buttons + 10W speaker  2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.	\$ \$	1,000.00
01354-001 01354-600	2N IP SAFETY - 2 BTN  EW 2N IP SAFETY - 2 BTN	Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  2N IP Safety - 2 buttons + 10W speaker  2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  2N IP Safety - red emergency button + 10W speaker	\$ \$	1,000.00
01354-001 01354-600	2N IP SAFETY - 2 BTN  EW 2N IP SAFETY - 2 BTN	Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  2N IP Safety - 2 buttons + 10W speaker  2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  2N IP Safety - red emergency button + 10W speaker  2 years extension of the warranty period	\$ \$	1,000.00
01354-001 01354-600	2N IP SAFETY - 2 BTN  EW 2N IP SAFETY - 2 BTN	Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 2N IP Safety - 2 buttons + 10W speaker  2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 2N IP Safety - red emergency button + 10W speaker  2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years	\$ \$	1,000.00
01354-600 01355-001	2N IP SAFETY - 2 BTN  EW 2N IP SAFETY - 2 BTN  2N IP SAFETY - RED BTN	Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  2N IP Safety - 2 buttons + 10W speaker  2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  2N IP Safety - red emergency button + 10W speaker  2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.	\$ \$	1,000.00 60.00 975.00
01354-001 01354-600 01355-001	2N IP SAFETY - 2 BTN  EW 2N IP SAFETY - 2 BTN  2N IP SAFETY - RED BTN  EW 2N IP SAFETY - RED BTN	Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  2N IP Safety - 2 buttons + 10W speaker  2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  2N IP Safety - red emergency button + 10W speaker  2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within	\$ \$	1,000.00 60.00 975.00
01354-600 01355-600 01355-600 01356-001	2N IP SAFETY - 2 BTN  EW 2N IP SAFETY - 2 BTN  2N IP SAFETY - RED BTN  EW 2N IP SAFETY - RED BTN  2N IP SAFETY - FRAME	Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  2N IP Safety - 2 buttons + 10W speaker  2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  2N IP Safety - red emergency button + 10W speaker  2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 2N IP Safety - metal frame (orange color)	\$ \$	60.00 975.00 59.00 35.00
01354-001 01354-600 01355-001	2N IP SAFETY - 2 BTN  EW 2N IP SAFETY - 2 BTN  2N IP SAFETY - RED BTN  EW 2N IP SAFETY - RED BTN	Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  2N IP Safety - 2 buttons + 10W speaker  2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  2N IP Safety - red emergency button + 10W speaker  2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within	\$ \$	1,000.00 60.00 975.00
01354-600 01355-600 01355-600 01356-001	2N IP SAFETY - 2 BTN  EW 2N IP SAFETY - 2 BTN  2N IP SAFETY - RED BTN  EW 2N IP SAFETY - RED BTN  2N IP SAFETY - FRAME	Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  2N IP Safety - 2 buttons + 10W speaker  2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  2N IP Safety - red emergency button + 10W speaker  2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  2N IP Safety - metal frame (orange color)  2N IP Base - camera, black frame	\$ \$	60.00 975.00 59.00 35.00
01354-600 01355-600 01355-600 01356-001	2N IP SAFETY - 2 BTN  EW 2N IP SAFETY - 2 BTN  2N IP SAFETY - RED BTN  EW 2N IP SAFETY - RED BTN  2N IP SAFETY - FRAME	Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  2N IP Safety - 2 buttons + 10W speaker  2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  2N IP Safety - red emergency button + 10W speaker  2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 2N IP Safety - metal frame (orange color) 2N IP Base - camera, black frame	\$ \$	60.00 975.00 59.00 35.00
01354-600 01355-600 01355-600 01356-001	2N IP SAFETY - 2 BTN  EW 2N IP SAFETY - 2 BTN  2N IP SAFETY - RED BTN  EW 2N IP SAFETY - RED BTN  2N IP SAFETY - FRAME	Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  2N IP Safety - 2 buttons + 10W speaker  2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  2N IP Safety - red emergency button + 10W speaker  2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  2N IP Safety - metal frame (orange color)  2N IP Base - camera, black frame  2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years	\$ \$	60.00 975.00 59.00 35.00
01354-001 01354-600 01355-001 01355-600 01356-001 01357-001	2N IP SAFETY - 2 BTN  EW 2N IP SAFETY - 2 BTN  2N IP SAFETY - RED BTN  EW 2N IP SAFETY - RED BTN  2N IP SAFETY - FRAME  2N IP BASE - CAM BLACK	Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within  2N IP Safety - 2 buttons + 10W speaker  2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within  2N IP Safety - red emergency button + 10W speaker  2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within  2N IP Safety - metal frame (orange color)  2N IP Base - camera, black frame  2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.	\$ \$	1,000.00 60.00 975.00 59.00 35.00 665.00
01354-001 01354-600 01355-001 01355-600 01357-001 01357-600	2N IP SAFETY - 2 BTN  EW 2N IP SAFETY - 2 BTN  2N IP SAFETY - RED BTN  EW 2N IP SAFETY - RED BTN  2N IP SAFETY - FRAME  2N IP BASE - CAM BLACK	Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  2N IP Safety - 2 buttons + 10W speaker  2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  2N IP Safety - red emergency button + 10W speaker  2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  2N IP Safety - metal frame (orange color) 2N IP Base - camera, black frame  2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years including standard warranty. No possibility to extend total warranty beyond 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within	\$ \$ \$	59.00 35.00 40.00
01354-001 01354-600 01355-001 01355-600 01357-001 01357-600 01358-001	2N IP SAFETY - 2 BTN  EW 2N IP SAFETY - 2 BTN  2N IP SAFETY - RED BTN  EW 2N IP SAFETY - RED BTN  2N IP SAFETY - FRAME  2N IP BASE - CAM BLACK  EW 2N IP BASE - CAM BLACK  2N IP BASE - 125kHz RFID	Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  2N IP Safety - 2 buttons + 10W speaker  2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  2N IP Safety - red emergency button + 10W speaker  2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  2N IP Safety - metal frame (orange color) 2N IP Base - camera, black frame  2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty, No possibility to extend total warranty beyond 5 years including standard warranty, No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 2N IP Base - 125kHz RFID card reader	\$ \$ \$	1,000.00 60.00 975.00 59.00 35.00 665.00
01354-001 01354-600 01355-001 01355-600 01356-001 01357-600 01358-001 01359-001	2N IP SAFETY - 2 BTN  EW 2N IP SAFETY - 2 BTN  2N IP SAFETY - RED BTN  EW 2N IP SAFETY - RED BTN  2N IP SAFETY - FRAME  2N IP BASE - CAM BLACK  EW 2N IP BASE - CAM BLACK  2N IP BASE - 125kHz RFID  2N IP BASE - 13.56MHz RFID	Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  2N IP Safety - 2 buttons + 10W speaker  2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  2N IP Safety - red emergency button + 10W speaker  2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  2N IP Safety - metal frame (orange color) 2N IP Base - camera, black frame  2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  2N IP Base - L25kHz RFID card reader 2N IP Base - 125kHz RFID card reader 2N IP Base - 13.56MHz RFID card reader.	\$ \$ \$	1,000.00 60.00 975.00 59.00 35.00 665.00 40.00 90.00 135.00
01354-600 01355-600 01355-001 01357-600 01357-600 01358-001 01359-001 01360-001	2N IP SAFETY - 2 BTN  EW 2N IP SAFETY - 2 BTN  2N IP SAFETY - RED BTN  EW 2N IP SAFETY - RED BTN  2N IP SAFETY - FRAME  2N IP BASE - CAM BLACK  EW 2N IP BASE - CAM BLACK  2N IP BASE - 125kHz RFID  2N IP BASE - 13.56MHz RFID  2N IP BASE - BACKPLATE	Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within  2N IP Safety - 2 buttons + 10W speaker  2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within  2N IP Safety - red emergency button + 10W speaker  2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within  2N IP Safety - metal frame (orange color)  2N IP Base - camera, black frame  2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within  2N IP Base - 13.56MHz RFID card reader.  2N IP Base - 13.56MHz RFID card reader, reads UID  2N IP Base - backplate for easier surface installation	\$ \$ \$	59.00 35.00 665.00 40.00 90.00 135.00 60.00
01354-001 01354-600 01355-001 01355-600 01356-001 01357-600 01358-001 01359-001	2N IP SAFETY - 2 BTN  EW 2N IP SAFETY - 2 BTN  2N IP SAFETY - RED BTN  EW 2N IP SAFETY - RED BTN  2N IP SAFETY - FRAME  2N IP BASE - CAM BLACK  EW 2N IP BASE - CAM BLACK  2N IP BASE - 125kHz RFID  2N IP BASE - 13.56MHz RFID	Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  2N IP Safety - 2 buttons + 10W speaker  2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  2N IP Safety - red emergency button + 10W speaker  2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  2N IP Safety - metal frame (orange color) 2N IP Base - camera, black frame  2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  2N IP Base - L25kHz RFID card reader 2N IP Base - 125kHz RFID card reader 2N IP Base - 13.56MHz RFID card reader.	\$ \$ \$	59.00 35.00 665.00 40.00 90.00
01354-600 01355-600 01355-001 01357-001 01357-600 01358-001 01359-001 01360-001	2N IP SAFETY - 2 BTN  EW 2N IP SAFETY - 2 BTN  2N IP SAFETY - RED BTN  EW 2N IP SAFETY - RED BTN  2N IP SAFETY - FRAME  2N IP BASE - CAM BLACK  EW 2N IP BASE - CAM BLACK  2N IP BASE - 125kHz RFID  2N IP BASE - 13.56MHz RFID  2N IP BASE - BACKPLATE	Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  2N IP Safety - 2 buttons + 10W speaker  2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  2N IP Safety - red emergency button + 10W speaker  2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  2N IP Safety - metal frame (orange color)  2N IP Base - camera, black frame  2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years including standard warranty. No possibility to extend total warranty beyond 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  2N IP Base - 125kHz RFID card reader  2N IP Base - 13.56MHz RFID card reader, reads UID  2N IP Base - backplate for easier surface installation  2N IP Uni - 1 button	\$ \$ \$	59.00 35.00 665.00 40.00 90.00 135.00 60.00
01354-001 01354-600 01355-001 01355-600 01357-001 01357-600 01358-001 01359-001 01360-001	2N IP SAFETY - 2 BTN  EW 2N IP SAFETY - 2 BTN  2N IP SAFETY - RED BTN  EW 2N IP SAFETY - RED BTN  2N IP SAFETY - FRAME  2N IP BASE - CAM BLACK  EW 2N IP BASE - CAM BLACK  2N IP BASE - 125kHz RFID  2N IP BASE - 13.56MHz RFID  2N IP BASE - BACKPLATE	Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  2N IP Safety - 2 buttons + 10W speaker  2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  2N IP Safety - red emergency button + 10W speaker  2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  2N IP Safety - metal frame (orange color)  2N IP Base - camera, black frame  2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty, No possibility to extend total warranty beyond 5 years including standard warranty on cameras/encoders/decoders/access control is 5 years including standard warranty on cameras/encoders/decoders/access control is 5 years including standard warranty on cameras/encoders/decoders/access control is 5 years including standard warranty on cameras/encoders/decoders/access control is 5 years including standard warranty on cameras/encoders/decoders/access control is 5 years including standard warranty on cameras/encoders/decoders/access control is 5 years including standard warranty on cameras/encoders/access control is 5 years including standard warranty on cameras/encoders/access control is 5 years including standard warranty on cameras/encoders/access control is 5 years including standard warranty on cameras/encoders/access control is 5 years including standard warranty on cameras/encoders/access control is 5 years including standard warranty on cameras/encoders/access control is 5 years i	\$ \$ \$	59.00 35.00 665.00 40.00 90.00 135.00 60.00
01354-001 01354-600 01355-001 01355-600 01357-001 01357-600 01358-001 01359-001 01360-001	2N IP SAFETY - 2 BTN  EW 2N IP SAFETY - 2 BTN  2N IP SAFETY - RED BTN  EW 2N IP SAFETY - RED BTN  2N IP SAFETY - FRAME  2N IP BASE - CAM BLACK  EW 2N IP BASE - CAM BLACK  2N IP BASE - 125kHz RFID  2N IP BASE - 13.56MHz RFID  2N IP BASE - BACKPLATE	Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  2N IP Safety - 2 buttons + 10W speaker  2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  2N IP Safety - red emergency button + 10W speaker  2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  2N IP Safety - metal frame (orange color)  2N IP Base - camera, black frame  2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years including standard warranty. No possibility to extend total warranty beyond 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  2N IP Base - 125kHz RFID card reader  2N IP Base - 13.56MHz RFID card reader, reads UID  2N IP Base - backplate for easier surface installation  2N IP Uni - 1 button	\$ \$ \$	59.00 35.00 665.00 40.00 90.00 135.00 60.00

01362-001	2N IP UNI - 2 BTN	2N IP Uni - 2 buttons	\$	420.00
		2 years outcoming of the warranty posited		
		2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.		
01362-600	EW 2N IP UNI - 2 BTN	Note 2: The warranty code must be redeemed within	\$	25.00
01363-001	2N IP UNI - 1 BTN, PICTOGRAMS	2N IP Uni - 1 button, pictograms	\$	425.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
01363-600	FIAN ON ID LINE 4 DENI DICTOCDAME	including standard warranty. No possibility to extend total warranty beyond 5 years.	\$	26.00
01364-001	EW 2N IP UNI - 1 BTN, PICTOGRAMS  2N IP UNI - SURFACE MOUNT BOX	Note 2: The warranty code must be redeemed within 2N IP Uni - surface mount box	\$	80.00
01304-001	ZIVIF ONI - SONI ACE MOONI BOX	2N Access Unit - RFID 125kHz. Comes without frame and/or flush box - those are from IP	+	80.00
01365-001	2N AU - RFID 125kHz	Verso.	\$	400.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.		
01365-600	EW 2N AU - RFID 125kHz	Note 2: The warranty code must be redeemed within	\$	24.00
04055 004	201 411 2512 42 551411 1150 25121	2N Access Unit - RFID 13.56MHz NFC ready. Comes without frame and/or flush box - those		400.00
01366-001	2N AU - RFID 13.56MHz NFC READY	are from IP Verso.	\$	400.00
		2 years automaion of the warranty navied		
		2 years extension of the warranty period  Note 1: Maximum warranty on cameras (ancoders /decoders /access control is 5 years		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.		
01366-600	EW 2N AU - RFID 13.56MHz NFC READY	Note 2: The warranty code must be redeemed within	\$	24.00
		2N Access Unit - Fingerprint (9137423E USB reader needed for user enrollment)Comes	Ť	2-7.00
01367-001	2N AU - FINGERPRINT	without frame and/or flush box - those are from IP Verso.	\$	640.00
			T	
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.		
01367-600	EW 2N AU - FINGERPRINT	Note 2: The warranty code must be redeemed within	\$	38.00
		2N Access Unit - Bluetooth. Comes without frame and/or flush box - those are from IP		
01368-001	2N AU - BLUETOOTH	Verso.	\$	440.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
01368-600	EW 3N ALL BUILTOOTU	including standard warranty. No possibility to extend total warranty beyond 5 years.	\$	20.00
01369-001	EW 2N AU - BLUETOOTH  2N AU - NFC LICENSE	Note 2: The warranty code must be redeemed within  2N Access Unit - NFC license for 916010 NFC ready type	\$	26.00 25.00
01309-001	ZIN AU - INFC LICENSE	2N Access Unit - Touch keypad Comes without frame and/or flush box - those are from IP	+	23.00
01370-001	2N AU - TOUCH KEYPAD	Verso.	\$	320.00
01370 001	ENTO TOOCHTETTIO	76.50	Ť	520.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.		
01370-600	EW 2N AU - TOUCH KEYPAD	Note 2: The warranty code must be redeemed within	\$	19.00
01371-001	2N AU - RJ45 CONNECTOR CABLE	2N Access Unit - RJ45 connector cable	\$	10.00
01372-001	2N AC - LIC +5 DEVICES	2N Access Commander - license for adding 5 devices (block of 5 licenses)	\$	70.00
01373-001	2N AC - LIC +25 USERS	2N Access Commander - license for adding 25 users (block of 25 licenses)	\$	245.00
01374-001	2N AC - INTEGRATION LICENSE	2N Access Commander - LDAP license	\$	231.00
01375-001	2N IP INTERCOM AND SIP AUDIO - G729 LIC	2N IP Intercom and SIP Audio - license for G.729 audio codec	\$	37.00
01376-001	2N IP INTERCOM ENHANCED AUDIO LIC	2N IP Intercom License - Enhanced Audio	\$	63.00
01377-001	2N IP INTERCOM ENHANCED VIDEO LIC	2N IP Intercom Enhanced Video lic	\$	98.00
01378-001 01379-001	2N IP INTERCOM ENHANCED INTEGRATION LIC 2N IP INTERCOM ENHANCED SECURITY LIC	2N IP Intercom Enhanced Integration lic 2N IP Intercom License - Enhanced Security	\$	63.00 98.00
01379-001	2N IP INTERCOM GOLD LICENSE	2N IP Intercom License - Cold License	\$	225.00
01381-001	2N IP INTERCOM AND SIP AUDIO- INFORMACAST	2N IP Intercom and SIP AudioLicense - Informacast License	\$	85.00
01382-001	2N IP INTERCOM AND SIF ADDIG-INI ONWACAST	2N IP Intercom - NFC License	\$	24.00
01384-001	MIFARE RFID SMART CARD 13.56MHz	Mifare RFID smart card 13.56MHz	\$	5.00
01385-001	MIFARE RFID SMART KEY FOB 13.56MHz	Mifare RFID smart key fob 13.56MHz	\$	5.00
01386-001	2N SECURITY RELAY	2N Security Relay	\$	110.00
01387-001	2N WIEGAND ISOLATOR	2N Wiegand Isolator	\$	150.00
01388-001	2N MAGNETIC DOOR CONTACT	2N Magnetic door contact	\$	20.00
01389-001	WIEGAND 125 kHz RFID CARD READER	External 125 kHz EMarine RFID card reader, Wiegand	\$	95.00
01390-001	WIEGAND 13.56 MHz RFID CARD READER	External 13.56MHz Mifare RFID card reader, Wiegand	\$	95.00
01391-001	2N INDUCTION LOOP	2N External induction loop for IP Intercom	\$	140.00
01392-001	2N IND. LOOP EXT. ANTENNA	2N External antenna for the induction loop	\$	90.00
01393-001	2N INDUCTION LOOP - POWER SUPPLY	2N Power supply for the induction loop	\$	40.00
01394-001	POE INJECTOR WITHOUT CABLE	PoE injector PSA16U-480(POE), external PoE; 1port 15.4W ACDC - without cable	\$	55.00
01395-001 01396-001	EMARINE RFID PROX CARD 125kHz EMARINE RFID PROX KEY FOb 125kHz	Proximity Card Emarine 125kHz Proximity Key Fob Emarine 125kHz	\$	5.00
01396-001	WEB RELAY - 1 OUTPUT, 1 INPUT	Web IP Relay - 1 output, 1 input	\$	240.00
01398-001	WEB RELAY - 4 OUTPUTS, 0 INPUT, Poe	weed it itelay - I output, I input	\$	310.00
01399-001	USB RFID READER 125kHz	External RFID Reader 125kHz EMarine (USB interface)	\$	65.00
01400-001	USB RFID READER 123KHz	External RFID Reader 13.56MHz + 125kHz (USB interface)	\$	335.00
01401-001	USB FINGERPRINT READER	External fingerprint reader (USB interface)	\$	250.0
01402-001	USB BLUETOOTH READER	External Bluetooth reader (USB interface)	\$	28.0
01403-001	POE INJECTOR WITH CABLE	PoE injector PSA16U-480(POE), external PoE; 1port 15.4W ACDC - with US cable	\$	65.0
01404-001	2N 2WIRE - SET WITH US PLUG	2N 2Wire - set of 2 adaptors and power source for the US plug	\$	340.0
		· ·		
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
01416-600	EW 2N IDT - POE, BLACK	including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within	\$	45.0

		2 of the constant	ĺ	
		2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years	ĺ	
		including standard warranty. No possibility to extend total warranty beyond 5 years.	i	
01417-600	EW 2N IDT - PoE, WHITE	Note 2: The warranty code must be redeemed within	\$	45.00
01417-000	2N IDT - UNLOCKING LICENSE	2N Indoor Touch - unlocking license for uploading apps	\$	65.00
01410-001	ZN IDT - ONLOCKING LICENSE	2N Indoor Touch - unlocking license for uploading apps	,	03.00
		2 years extension of the warranty period	ĺ	
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years	i	
		including standard warranty. No possibility to extend total warranty beyond 5 years.	i	
01419-600	EW 2N IDT - PoE, WIFI, BLACK	Note 2: The warranty code must be redeemed within	\$	49.00
		2 years extension of the warranty period	i	
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years	i	
		including standard warranty. No possibility to extend total warranty beyond 5 years.	i	
01420-600	EW 2N IDT - PoE, WIFI, WHITE	Note 2: The warranty code must be redeemed within	\$	49.00
01421 001	CV/227F ID DIJONIE	Crandatroom CVV 227F Multimodia ID abone with 7" to usb serson Andreid Wife DoF	\$	E00.00
01421-001	GXV3275 IP PHONE	Grandstream GXV 3275 Multimedia IP phone with 7" touch screen, Android, Wifi, PoE	,	590.00
		2 years extension of the warranty period	i	
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years	i	
		including standard warranty. No possibility to extend total warranty beyond 5 years.	i	
01421-600	EW GXV3275 IP PHONE	Note 2: The warranty code must be redeemed within	Ś	28.00
			Ť	
01422-001	GXV3240 IP PHONE	Grandstream GXV 3240 Multimedia IP phone with 4.3" digital color LCD, Android, Wifi, PoE	\$	370.00
		2 years extension of the warranty period	i	
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years	ĺ	
		including standard warranty. No possibility to extend total warranty beyond 5 years.	ĺ	
01422-600	EW GXV3240 IP PHONE	Note 2: The warranty code must be redeemed within	\$	20.00
01423-001	2N IDT - POWER SUPPLY FLUSH	2N Indoor Touch External power supply, 12V 2A DC, flush mounted	\$	100.00
01424-001	2N IDT - HTTP API LICENSE	2N Indoor Touch HTTP API license	\$	75.00
01425-001	2N IDT - DESK STAND BLACK	2N Indoor Touch - Desk stand black	\$	80.00
01426-001	2N IDT - DESK STAND WHITE	2N Indoor Touch - Desk stand white 2N SIP Audio Converter (SIP Audio to analogue audio converter)	\$	80.00
01429-001	2N SIP AUDIO CONVERTER	2N SIP Audio Converter (SIP Audio to analogue audio converter)	\$	410.00
		2 years extension of the warranty period	i	
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years	i	
		including standard warranty. No possibility to extend total warranty beyond 5 years.	i	
01429-600	EW 2N SIP AUDIO CONVERTER	Note 2: The warranty code must be redeemed within	\$	25.00
01430-001	2N SIP AUDIO CONVERTER SET	2N SIP Audio Converter set with Speaker and Mic	\$	425.00
			Ė	
		2 years extension of the warranty period	i	
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years	i	
		including standard warranty. No possibility to extend total warranty beyond 5 years.	i	
01430-600	EW 2N SIP AUDIO CONVERTER SET	Note 2: The warranty code must be redeemed within	\$	26.00
01431-001	2N SIP SPEAKER - WALL MOUNTED, B	2N SIP Speaker - Loudspeaker Set, wall mounted (SIP based active speaker)	\$	460.00
			i	
		2 years extension of the warranty period	ĺ	
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years	i	
		including standard warranty. No possibility to extend total warranty beyond 5 years.		
01431-600	EW 2N SIP SPEAKER - WALL MOUNTED,B	Note 2: The warranty code must be redeemed within	\$	28.00
01432-001	2N SIP SPEAKER - WALL MOUNTED, W	2N SIP Speaker - Loudspeaker Set,wall mounted (SIP based active speaker)	\$	460.00
		2 years extension of the warranty period	i	
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years	i	
		including standard warranty. No possibility to extend total warranty beyond 5 years.	i	
01432-600	EW 2N SIP SPEAKER - WALL MOUNTED, W	Note 2: The warranty code must be redeemed within	\$	28.00
01433-001	2N SIP SPEAKER - HORN	2N SIP Speaker - Horn (outdoor SIP based active hornspeaker)	\$	518.00
		2 years extension of the warranty period	ĺ	
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years	ĺ	
		including standard warranty. No possibility to extend total warranty beyond 5 years.	i	
01433-600	EW 2N SIP SPEAKER - HORN	Note 2: The warranty code must be redeemed within	\$	31.00
01435-001	2N IP AUDIO POWER SUPPLY - US PLUG	2N IP Audio Power Supply - US plug	\$	75.00
		Replacement front window assembly for AXIS Q8685-E/-LE. Window in clear tempered	i .	
01440-001	AXIS Q86 FRONT KIT A	glass. Includes built-in heater, wiper mechanism, and heat sink.	\$	349.00
		Replacement wiper blades for AXIS Q8685-E/-LE. Made from long-life, UV-resistant silicone		
01441-001	AXIS Q86 WIPER KIT A 5P	rubber.	\$	49.00
		Outdoor 4-port managed PoE switch for surveillance applications. 4 PoE ports with up to	i	
		60W PoE per port and one SFP port for uplink. Robust metal enclosure with wide	ĺ	
01449-001	AXIS T8504-E OUTDOOR POE SWITCH	temperature range, IP67 and surge protection for demanding installations. Managed switc	\$	1,199.00
- +		, and a grant of the state of t	Ċ	,,
		AXIS T94V01C Dual Camera Mount allows back-to-back installation of two Axis cameras for	ĺ	
		panoramic coverage. Compatible with a wide range of Axis dome cameras, box cameras,	ĺ	
01457-001	AXIS T94V01C DUAL CAMERA MOUNT	and bullet cameras. Compatible with Axis mounting accessories with 1.5" NPS threade	\$	99.00
		Outdoor pendant kit for AXIS M30-PLVE Series. Weathershield made from impact-, UV-, and		
		heat-resistant polymer. Compatible with wide range of Axis mounts with 1.5" NPS threaded	i .	
01461-001	AXIS T94T02D PENDANT KIT	interface.	\$	49.00
		Indoor recessed mount for ceiling/wall installations. Compatible with AXIS M3057/58-PLVE	i	
04.460		cameras. Single-screw ceiling attachment for quick and easy installation. Not suitable for air-		
01462-001	AXIS T94S02L RECESSED MOUNT	handling (plenum) spaces.	\$	49.00
		4-pack. Outdoor-ready skin covers compatible with AXIS M3057/58-PLVE cameras for changing the appearance of the camera, simplify re-painting and covering screws. Black	i	
01463-001	AXIS M30 SKIN COVER A BLACK 4P	color.	\$	79.00
01463-001	AND WISO SKIN COVER A BLACK 4P	color.	٧	79.00

01464-001 01467-001				
		10-pack threaded ceiling mount for quick installation under ceiling tiles. Compatible with		
	AXIS T91A13 THREADED CEIL MOUNT 10P	cameras with standard 1/4"-20 UNC tripod thread. Total length 80mm (3") with thread length 65mm (2.5"). Threaded rod in nylon, counter nut with friction pad. 10-pie	\$	39.00
01467-001		4-pack of lighting track mounts. Color: white. Compatible with universal 3-circuit lighting	,	
01467-001		track systems and selected linear trunking systems. Compatible with a wide range of Axis		
	AXIS T91A33 LIGHT TRACK MNT 4P	cameras and camera stands.	\$	79.00
		AXIS T8643 PoE+ over Coax Compact enables legacy coax cabling to be kept when		
		converting an analog system to digital. The design allows for improved installation and		
01468-001	AXIS T8643 POE+ OVER COAX COMPACT	cable management as it can easily be integrated in housings and backboxes. It delivers st	\$	207.00
01460 001	TANADON FNAD I FNIC D IDIC O FO MAN F1 C	Varifocal 8-50 MM, 5 MP telephoto IR-corrected lens with P-Iris. Recommended for AXIS P1367 and AXIS P1367-E.	\$	240.00
01469-001	TAMRON 5MP LENS P-IRIS 8-50 MM F1.6	P1507 dilu AXIS P1507-E.	Ş	249.00
		1 pair marine-grade (SS316L) stainless steel straps with TX30 screw interface for ease-of-		
		installation. Length 1450mm (57"). Width 14.3mm (0.57"). Thickness 0.68mm (0.03").		
01471-001	AXIS STEEL STRAPS TX30 1450MM 1PAIR	Compatible with a wide range of Axis pole mounts. Pole diameter range 100-410mm (4	\$	39.00
		1 pair marine-grade (SS316L) stainless steel straps with TX30 screw interface for ease-of-		
		installation. Length 570mm (22.5"). Width 14.3mm (0.57"). Thickness 0.68mm (0.03").		
01472-001	AXIS STEEL STRAPS TX30 570MM 1PAIR	Compatible with a wide range of Axis pole mounts. Pole diameter range 50-150mm (2	\$	29.00
		4-pack of lighting track mounts. Color: black. Compatible with universal 3-circuit lighting		
01474-001	AXIS T91A33 LIGHT TRACK MNT BLK 4P	track systems and selected linear trunking systems. Compatible with a wide range of Axis cameras and camera stands.	\$	79.00
01478-001	2N IP AUDIO KIT - MIC & SPK SET	2N IP Audio Kit - microphone & speaker set	\$	30.00
01479-001	2N IP AUDIO KIT - BUTTON	2N IP Audio Kit - stainless steel backlit button	\$	30.00
		AXIS T8645 PoE+ over Coax Compact Kit enables legacy coax cabling to be kept when		
		converting an analog system to digital, and comprises AXIS T8641 PoE+ Over Coax Base and AXIS T8643 PoE+ over Coax Compact.		
		ANIS 18043 FOLT OVEL COMA COMPACT.		
01489-001	AXIS T8645 PoE+ COAX COMPACT KIT	It delivers standard Power over Ethernet (PoE)	\$	414.00
		AXIS T8648 PoE+ Coax Blade Compact Kit contains one (1) AXIS T8646 PoE+ over Coax Blade		
01490-001	AXIS T8648 PoE+ COAX BLADE COMP KIT	and six (6) AXIS T8643 POE+ over Coax Compact for a complete 6 channel solution with improved installation and cable management as it can easily be integrated in housi	\$	1,699.00
01130 001	TAND TOO TO F DE Y COY AN DE NEE COMM. KIT	improved installation and caste management as it can easily be integrated in roas	Ť	2,033.00
		AXIS Surveillance Card 128 GB is a high endurance microSDXC™ card optimized for video		
04404 004	ANIE SURVEIU ANIES CARR 400 CR	surveillance. It has support for health status monitoring with Axis cameras. The card		400.00
01491-001	AXIS SURVEILLANCE CARD 128 GB	enables flexible edge recording solutions with de-centralized video recording, elim  4-pack of black accessory cover ring for AXIS M3015-V/16-V. Magnetic attachment.	\$	109.00
01492-001	AXIS M30 COVER RING A BLACK 4P	Replaces the original white cover ring. Dome not included.	\$	59.00
01508-001	AXIS MAINS ADAPTER 48V DC 90W	Standard power supply for AXIS Companion Recorder. IEC-C13 mains cable is not included.	\$	99.00
01509-001 01512-001	AXIS MAINS ADAPTER 12V DC 40W AXIS 3/4" CONDUIT LOCKNUT A 4P	Standard power supply for AXIS FA54. IEC-C13 mains cable is not included.  4-pack of 3/4" conduit locknut. Suitable for AXIS T91B53 Telescopic Ceiling Mount.	\$	59.00 15.00
01519-021	AXIS AUDIO MANAGER DEVICE PACK 10	Extra device licenses for AXIS Audio Manager (10 extra licenses)	\$	200.00
01519-041	AXIS AUDIO MANAGER DEVICE PACK 100	Extra device licenses for AXIS Audio Manager (100 extra licenses)	\$	1,000.00
		316L Stainless steel wall mount for use with D201-S AXIS Q6055 explosion-protected		
01521-001	WALL MOUNT D201-S XPT	camera.  316L Stainless steel pole mount adapter for the D201-S AXIS Q6055 explosion-protected	\$	449.00
01522-001	POLE MOUNT D201-S XPT	camera. To be used together with Wall Mount D201-S.	\$	749.00
01523-001	2N IP VERSO BLIND BUTTON BLACK	2N IP Verso - Blind button. Covers one button, on the main unit or 5 button module. Black	\$	22.00
01524-001 01525-001	2N IP VERSO - 1M GANG PLATE 2N IP VERSO - 2M GANG PLATE	2N IP Verso - 2 modules backplate for surface installation on a 2-gang backbox 2N IP Verso - 2 modules backplate for surface installation on a 2-gang backbox	\$	48.00 56.00
01526-001	2N IP AUDIO KIT	2N IP Audio Kit – SIP module for embedded installation	\$	322.00
01527-001	USB SEC RFID READER 13MHz & 125kHz	External RFID secured reader 13.56MHz + 125kHz (USB interface)	\$	430.00
		2-pack of skin covers in black, compatible with AXIS Q35-VE/-LVE outdoor cameras. Simple		
01529-001	AXIS Q35-LVE SKIN COVER A BLACK 2P	to repaint in other colors, and prevents unwanted access to the cameras' screws. Black in color. 2 pieces per pack.	\$	79.00
01323 001	AND QOD EVE SKIN COVER A BEACK 21	color. 2 pieces per puec.	7	75.00
		Black accessory casing for AXIS P33-V/-LV indoor cameras. Replaces the white original		
	AXIS P33 CASING A BLACK	casing. Includes anti-loss screws, conduit side covers. Domes sold separately.	<u> </u>	49.00
01546-001			\$	45.00
	AVIS D22 SMOVED DOME A ADCS	Smoked dome with anti-scratch hard coating for indoor and outdoor AXIS P337X cameras.		
01546-001 01547-001	AXIS P33 SMOKED DOME A 4PCS	Smoked dome with anti-scratch hard coating for indoor and outdoor AXIS P337X cameras.  4x domes per pack.	\$	119.00
	AXIS P33 SMOKED DOME A 4PCS  AXIS P33 SEMI-SMOKED DOME A 4PCS	Smoked dome with anti-scratch hard coating for indoor and outdoor AXIS P337X cameras.		
01547-001 01548-001	AXIS P33 SEMI-SMOKED DOME A 4PCS	Smoked dome with anti-scratch hard coating for indoor and outdoor AXIS P337X cameras.  4x domes per pack.  Semi-smoked dome with anti-scratch hard coating for indoor and outdoor AXIS P337X-LV/- LVE cameras. 4x domes per pack.  Clear dome with anti-scratch hard coating for indoor and outdoor AXIS P337X-V/-VE	\$	119.00 119.00
01547-001 01548-001 01549-001	AXIS P33 SEMI-SMOKED DOME A 4PCS  AXIS P33 CLEAR DOME A 4PCS	Smoked dome with anti-scratch hard coating for indoor and outdoor AXIS P337X cameras.  4x domes per pack.  Semi-smoked dome with anti-scratch hard coating for indoor and outdoor AXIS P337X-LV/- LVE cameras. 4x domes per pack.  Clear dome with anti-scratch hard coating for indoor and outdoor AXIS P337X-V/-VE cameras. 4x domes per pack.	\$ \$	119.00 119.00 119.00
01547-001 01548-001	AXIS P33 SEMI-SMOKED DOME A 4PCS	Smoked dome with anti-scratch hard coating for indoor and outdoor AXIS P337X cameras.  4x domes per pack.  Semi-smoked dome with anti-scratch hard coating for indoor and outdoor AXIS P337X-LV/- LVE cameras. 4x domes per pack.  Clear dome with anti-scratch hard coating for indoor and outdoor AXIS P337X-V/-VE cameras. 4x domes per pack.  2N IP Force and Safety - Gooseneck stand double, 45" / 80"	\$	119.00 119.00
01547-001 01548-001 01549-001	AXIS P33 SEMI-SMOKED DOME A 4PCS  AXIS P33 CLEAR DOME A 4PCS	Smoked dome with anti-scratch hard coating for indoor and outdoor AXIS P337X cameras.  4x domes per pack.  Semi-smoked dome with anti-scratch hard coating for indoor and outdoor AXIS P337X-LV/- LVE cameras. 4x domes per pack.  Clear dome with anti-scratch hard coating for indoor and outdoor AXIS P337X-V/-VE cameras. 4x domes per pack.	\$ \$	119.00 119.00 119.00
01547-001 01548-001 01549-001 01550-001 01566-001	AXIS P33 SEMI-SMOKED DOME A 4PCS  AXIS P33 CLEAR DOME A 4PCS  2N IP FORCE /SAFETY - DBL GOOSENECK  AXIS T94T02S MOUNTING BRACKET	Smoked dome with anti-scratch hard coating for indoor and outdoor AXIS P337X cameras. 4x domes per pack.  Semi-smoked dome with anti-scratch hard coating for indoor and outdoor AXIS P337X-LV/- LVE cameras. 4x domes per pack.  Clear dome with anti-scratch hard coating for indoor and outdoor AXIS P337X-V/-VE cameras. 4x domes per pack.  2N IP Force and Safety - Gooseneck stand double, 45" / 80"  Spare part mounting brackets for AXIS M3057/58-PLVE, single pack. Includes spring clips for ease-of-installation.  Standard clear dome with anti-scratch hard coating. Compatible with AXISM3057/58-PLVE.	\$ \$ \$ \$ \$	119.00 119.00 119.00 495.00
01547-001 01548-001 01549-001 01550-001	AXIS P33 SEMI-SMOKED DOME A 4PCS  AXIS P33 CLEAR DOME A 4PCS  2N IP FORCE /SAFETY - DBL GOOSENECK	Smoked dome with anti-scratch hard coating for indoor and outdoor AXIS P337X cameras.  4x domes per pack.  Semi-smoked dome with anti-scratch hard coating for indoor and outdoor AXIS P337X-LV/- LVE cameras. 4x domes per pack.  Clear dome with anti-scratch hard coating for indoor and outdoor AXIS P337X-V/-VE cameras. 4x domes per pack.  2N IP Force and Safety - Gooseneck stand double, 45" / 80"  Spare part mounting brackets for AXIS M3057/58-PLVE, single pack. Includes spring clips for ease-of-installation.  Standard clear dome with anti-scratch hard coating. Compatible with AXISM3057/58-PLVE. 4-piece bulk pack.	\$ \$ \$	119.00 119.00 119.00 495.00
01547-001 01548-001 01549-001 01550-001 01566-001	AXIS P33 SEMI-SMOKED DOME A 4PCS  AXIS P33 CLEAR DOME A 4PCS  2N IP FORCE /SAFETY - DBL GOOSENECK  AXIS T94T02S MOUNTING BRACKET	Smoked dome with anti-scratch hard coating for indoor and outdoor AXIS P337X cameras.  4x domes per pack.  Semi-smoked dome with anti-scratch hard coating for indoor and outdoor AXIS P337X-LV/- LVE cameras. 4x domes per pack.  Clear dome with anti-scratch hard coating for indoor and outdoor AXIS P337X-V/-VE cameras. 4x domes per pack.  2N IP Force and Safety - Gooseneck stand double, 45" / 80"  Spare part mounting brackets for AXIS M3057/58-PLVE, single pack. Includes spring clips for ease-of-installation.  Standard clear dome with anti-scratch hard coating. Compatible with AXISM3057/58-PLVE. 4-piece bulk pack.  Note: Before the order is processed, this product requires an End User Information	\$ \$ \$ \$ \$	119.00 119.00 119.00 495.00
01547-001 01548-001 01549-001 01550-001 01566-001	AXIS P33 SEMI-SMOKED DOME A 4PCS  AXIS P33 CLEAR DOME A 4PCS  2N IP FORCE /SAFETY - DBL GOOSENECK  AXIS T94T02S MOUNTING BRACKET	Smoked dome with anti-scratch hard coating for indoor and outdoor AXIS P337X cameras.  4x domes per pack.  Semi-smoked dome with anti-scratch hard coating for indoor and outdoor AXIS P337X-LV/- LVE cameras. 4x domes per pack.  Clear dome with anti-scratch hard coating for indoor and outdoor AXIS P337X-V/-VE cameras. 4x domes per pack.  2N IP Force and Safety - Gooseneck stand double, 45" / 80"  Spare part mounting brackets for AXIS M3057/58-PLVE, single pack. Includes spring clips for ease-of-installation.  Standard clear dome with anti-scratch hard coating. Compatible with AXISM3057/58-PLVE. 4-piece bulk pack.	\$ \$ \$ \$ \$	119.00 119.00 119.00 495.00
01547-001 01548-001 01549-001 01550-001 01566-001	AXIS P33 SEMI-SMOKED DOME A 4PCS  AXIS P33 CLEAR DOME A 4PCS  2N IP FORCE /SAFETY - DBL GOOSENECK  AXIS T94T02S MOUNTING BRACKET	Smoked dome with anti-scratch hard coating for indoor and outdoor AXIS P337X cameras.  4x domes per pack.  Semi-smoked dome with anti-scratch hard coating for indoor and outdoor AXIS P337X-LV/- LVE cameras. 4x domes per pack.  Clear dome with anti-scratch hard coating for indoor and outdoor AXIS P337X-V/-VE cameras. 4x domes per pack.  2N IP Force and Safety - Gooseneck stand double, 45" / 80"  Spare part mounting brackets for AXIS M3057/58-PLVE, single pack. Includes spring clips for ease-of-installation.  Standard clear dome with anti-scratch hard coating. Compatible with AXISM3057/58-PLVE. 4-piece bulk pack.  Note: Before the order is processed, this product requires an End User Information	\$ \$ \$ \$ \$	119.00 119.00 119.00 495.00
01547-001 01548-001 01549-001 01550-001 01566-001 01567-001	AXIS P33 SEMI-SMOKED DOME A 4PCS  AXIS P33 CLEAR DOME A 4PCS  2N IP FORCE /SAFETY - DBL GOOSENECK  AXIS T94T02S MOUNTING BRACKET  AXIS M30-PLVE CLEAR DOME A 4P	Smoked dome with anti-scratch hard coating for indoor and outdoor AXIS P337X cameras.  4x domes per pack.  Semi-smoked dome with anti-scratch hard coating for indoor and outdoor AXIS P337X-LV/-LVE cameras. 4x domes per pack.  Clear dome with anti-scratch hard coating for indoor and outdoor AXIS P337X-V/-VE cameras. 4x domes per pack.  2N IP Force and Safety - Gooseneck stand double, 45" / 80"  Spare part mounting brackets for AXIS M3057/58-PLVE, single pack. Includes spring clips for ease-of-installation.  Standard clear dome with anti-scratch hard coating. Compatible with AXISM3057/58-PLVE.  4-piece bulk pack.  Note: Before the order is processed, this product requires an End User Information statement to be submitted to order@axis.com  Professional photography meets video surveillance	\$ \$ \$ \$ \$	119.00 119.00 119.00 495.00 25.00 59.00
01547-001 01548-001 01549-001 01550-001 01566-001	AXIS P33 SEMI-SMOKED DOME A 4PCS  AXIS P33 CLEAR DOME A 4PCS  2N IP FORCE /SAFETY - DBL GOOSENECK  AXIS T94T02S MOUNTING BRACKET	Smoked dome with anti-scratch hard coating for indoor and outdoor AXIS P337X cameras.  4x domes per pack.  Semi-smoked dome with anti-scratch hard coating for indoor and outdoor AXIS P337X-LV/- LVE cameras. 4x domes per pack.  Clear dome with anti-scratch hard coating for indoor and outdoor AXIS P337X-V/-VE cameras. 4x domes per pack.  2N IP Force and Safety - Gooseneck stand double, 45" / 80"  Spare part mounting brackets for AXIS M3057/58-PLVE, single pack. Includes spring clips for ease-of-installation.  Standard clear dome with anti-scratch hard coating. Compatible with AXISM3057/58-PLVE. 4-piece bulk pack.  Note: Before the order is processed, this product requires an End User Information statement to be submitted to order@axis.com  Professional photography meets video surveillance  AXIS Q1659 Network Camera offers ultra-high image resolution for surveillanc	\$ \$ \$ \$ \$	119.00 119.00 119.00 495.00
01547-001 01548-001 01549-001 01550-001 01566-001 01567-001	AXIS P33 SEMI-SMOKED DOME A 4PCS  AXIS P33 CLEAR DOME A 4PCS  2N IP FORCE /SAFETY - DBL GOOSENECK  AXIS T94T02S MOUNTING BRACKET  AXIS M30-PLVE CLEAR DOME A 4P	Smoked dome with anti-scratch hard coating for indoor and outdoor AXIS P337X cameras.  4x domes per pack.  Semi-smoked dome with anti-scratch hard coating for indoor and outdoor AXIS P337X-LV/-LVE cameras. 4x domes per pack.  Clear dome with anti-scratch hard coating for indoor and outdoor AXIS P337X-V/-VE cameras. 4x domes per pack.  2N IP Force and Safety - Gooseneck stand double, 45" / 80"  Spare part mounting brackets for AXIS M3057/58-PLVE, single pack. Includes spring clips for ease-of-installation.  Standard clear dome with anti-scratch hard coating. Compatible with AXISM3057/58-PLVE.  4-piece bulk pack.  Note: Before the order is processed, this product requires an End User Information statement to be submitted to order@axis.com  Professional photography meets video surveillance	\$ \$ \$ \$ \$	119.00 119.00 119.00 495.00 25.00 59.00
01547-001 01548-001 01549-001 01550-001 01566-001 01567-001	AXIS P33 SEMI-SMOKED DOME A 4PCS  AXIS P33 CLEAR DOME A 4PCS  2N IP FORCE /SAFETY - DBL GOOSENECK  AXIS T94T02S MOUNTING BRACKET  AXIS M30-PLVE CLEAR DOME A 4P  AXIS Q1659 BAREBONE	Smoked dome with anti-scratch hard coating for indoor and outdoor AXIS P337X cameras.  4x domes per pack.  Semi-smoked dome with anti-scratch hard coating for indoor and outdoor AXIS P337X-LV/-LVE cameras. 4x domes per pack.  Clear dome with anti-scratch hard coating for indoor and outdoor AXIS P337X-V/-VE cameras. 4x domes per pack.  2N IP Force and Safety - Gooseneck stand double, 45" / 80"  Spare part mounting brackets for AXIS M3057/58-PLVE, single pack. Includes spring clips for ease-of-installation.  Standard clear dome with anti-scratch hard coating. Compatible with AXISM3057/58-PLVE. 4-piece bulk pack.  Note: Before the order is processed, this product requires an End User Information statement to be submitted to order@axis.com  Professional photography meets video surveillance  AXIS Q1659 Network Camera offers ultra-high image resolution for surveillanc  Lens RICOM 2 MP DC-iris CS-Mount Varifocal 8-26MM F0.9. Recommended for AXIS Q1645/-LE.	\$ \$ \$ \$ \$	119.00 119.00 119.00 495.00 25.00 59.00
01547-001 01548-001 01549-001 01550-001 01566-001 01567-001	AXIS P33 SEMI-SMOKED DOME A 4PCS  AXIS P33 CLEAR DOME A 4PCS  2N IP FORCE /SAFETY - DBL GOOSENECK  AXIS T94T02S MOUNTING BRACKET  AXIS M30-PLVE CLEAR DOME A 4P  AXIS Q1659 BAREBONE	Smoked dome with anti-scratch hard coating for indoor and outdoor AXIS P337X cameras. 4x domes per pack.  Semi-smoked dome with anti-scratch hard coating for indoor and outdoor AXIS P337X-LV/- LVE cameras. 4x domes per pack.  Clear dome with anti-scratch hard coating for indoor and outdoor AXIS P337X-V/-VE cameras. 4x domes per pack.  2N IP Force and Safety - Gooseneck stand double, 45" / 80"  Spare part mounting brackets for AXIS M3057/58-PLVE, single pack. Includes spring clips for ease-0f-installation.  Standard clear dome with anti-scratch hard coating. Compatible with AXISM3057/58-PLVE. 4-piece bulk pack.  Note: Before the order is processed, this product requires an End User Information statement to be submitted to order@axis.com  Professional photography meets video surveillance  AXIS Q1659 Network Camera offers ultra-high image resolution for surveillanc  Lens RICOM 2 MP DC-iris CS-Mount Varifocal 8-26MM F0.9. Recommended for AXIS Q1645/-	\$ \$ \$ \$ \$	119.00 119.00 119.00 495.00 25.00 59.00

Axis Camera Station S1032 Recorder rack server validated and tested with AXIS products. Preloaded with AXIS Camera Station software with preconfigured AXIS Camera Station settings and all other necessary software e.g. Windows 10IoT. Includes licenses for \$ 6.  Axis Camera Station S1048 Recorder rack server validated and tested with AXIS products. Preloaded with AXIS Camera Station software with preconfigured AXIS Camera Station software with preconfigured AXIS Camera Station software set in cludes licenses for \$ 6.  Axis Camera Station s1048 Recorder rack server validated and tested with AXIS products. Preloaded with AXIS Camera Station software dient sees for \$ 9.  High performance Desktop Terminal to be used with Axis S1048 recording servers. Optimized for surveillance purposes with four monitors and supports up to three 4k streams. The terminal is preloaded with AXIS Camera Station software client an \$ 3.  10. 19° rack unit with three expansions slots, compatible with all Axis Blade video servers. Universal built-in power supply. One 10/100/10008ase-T output. No power cable. \$ 10. 19° rack unit with three expansions slots, compatible with all Axis Blade video servers. Universal built-in power supply. One 10/100/10008ase-T output. No power cable. \$ 10. 19° rack unit with three expansions slots, compatible with all Axis Blade video servers. Universal built-in power supply. One 10/100/10008ase-T output. \$ 2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty on a cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty on cameras/encoders/decoders/access control is 5 years including s					
No. 16 - 1 Manusima marrantsy on camera-broader-independent spreases, companies of Spears includings activated variation, to possible for each cold state state below the broad of years included was actived and state of activation of the cold state of the state of t			2 years outonsion of the warranty period		
respondent description, bio possibility to exercit stall were shall be provided that survey to the most state described with the provided that survey to the most state the exercision of the provided that survey to the provided					
Mail 2					
A Ricerse document that grants installation of ANS MPICG-4 and ANC decoder onto 30 improve companies. Applicable for all Ancie products that supports MPICA Provided from the provided of the products of the support of the provided from the provided of the provided from all and an explaination and explaina	01586-600	FW 2N YEALINK SIP T58A		Ś	30.00
				-	
1818-060   MIS MARG 4 AAC decoder Source Ference			A license document that grants installation of AXIS MPEG-4 and AAC decoder onto 50		
A Recrue decomment that grants installation of NAS AVEVI. 24 decide for the support 1 108-050  MS N 25 55 Student decoder Recrue paid.  MS N 25 55 Student decoder Recrue paid.  MS N 25 25 Student Recrue Paid Average Recrue			-		
A Record document that greats installation of ANS AVEY, 254 of concerned to support 1	0160-040	AXIS MPEG-4 +AAC decoder 50-user license	models that supports AAC audio encoding (e.g. models: 207, 207W, 207MW, 212PTZ, 216F	\$	69.00
200.00   SASE IL 28 de Suere decoder from pack   Alemand decomment that grants installation of ASS AVC JL 204 and ACC decoder ratio 20 separate computer. Applicable for all ASS products that uppers a Light that also have a support of the subset of the					
A Riseare dourment that grants includations of ANS ANCINE 248 and ACC decoder onto 50 per particular computers, pages for computers, pages for a page of the page			computers. Applicable for all AXIS products that supports H.264 but does not have support		
Separate Computers - Applicable for all XXIS products that supports X_2044 that also have support for audio.	0160-050	AXIS H. 264 50-user decoder license pack	for audio.	\$	45.00
Jack Did Solid Mark Hand Genome in Survey Pass of the Control Pass			A license document that grants installation of AXIS AVC/H.264 and ACC decoder onto 50		
288-04.00  VERSO/SOLO SPEARTR COVER, Sx  29 IP Verso and Solo speaker cover—plastic cover of speaker on the main unit - Spec 5  2064-2001  VERSO/MODOW MODE ANABERS. 2  29 IP Verso and Solo camera version, plastic cover on the main unit - Spec 5  2064-2001  VERSO/MODOW MODE ANABERS. 2  29 IP Verso and Solo camera version, plastic cover on the main unit - Spec 5  2064-2001  VERSO/MODOW MODE ANABERS. 2  20 IP Verso and Solo camera version plastic cover on the main unit - Spec 5  2064-2001  VERSO/MODOW MODE ANABERS. 2  20 IP Verso and Solo buttor nametar, plastic floor with manneting - Topics - Spec 5  2064-2001  VERSO/MODOW MODE ANABERS. 2  20 IP Verso Plastic and surface bottom fisture - metal flature to hold the former - Spec 5  2064-2001  VERSO/MODOW FURSO/MODOW FURSOR COVER PRES. 2  20 IP Verso Plastic and surface bottom fisture - metal flature to hold the former - Spec 5  2064-2001  VERSO/MODOW FURSO FURSOR COVER PRES. 2  20 IP Verso and Solo flush mount upgore finature - metal gast to hold the former - Spec 5  2064-2001  VERSO/MODOW FURSOR COVER PRES. 2  20 IP Verso and Solo flush mount upgore finature - metal gast to hold the former - Spec 5  20 IP Verso and Solo flush mount upgore finature - metal gast to hold the former - Spec 5  20 IP Verso and Solo flush mount upgore finature - metal gast to hold the former - Spec 5  20 IP Verso and Solo flush mount upgore finature - metal gast to hold the former - Spec 5  20 IP Verso and Solo flush mount upgore finature - metal gast to hold the former - Spec 5  20 IP Verso and Solo flush mount upgore finature - metal gast to hold the former - Spec 5  20 IP Verso and Solo flush mount upgore finature - metal gast to hold the former - Spec 5  20 IP Verso and Solo flush mount upgore finature - metal gast to hold the former - Spec 5  20 IP Verso and Solo flush mount upgore finature - metal gast to hold the former - Spec 5  20 IP Verso and Solo flush mount upgore finature - metal gast to hold the former - Spec 5  20 IP Verso and Solo flush mount - Spec 5  20 IP Verso and Sol			separate computers. Applicable for all AXIS products that supports H.264 that also have		
1981-1-001   VERSONOLO CAMERA WINDOW, SV   22 IP Verso and solo camera window. Camera version glastic cover on the mail unit - Spc. 5	0160-060	AXIS H.264 +AAC decoder 50-user decoder license pack	support for audio.	\$	55.00
2981-1001   VPRSO/SOIQ CAMERA WINDOW, ss					
2014-2-001   VPRSO WINDOW NON-CAMERA, Sx	01640-001	VERSO/SOLO SPEAKER COVER,5x	2N IP Verso and Solo speaker cover - plastic cover of speaker on the main unit - 5pcs	\$	45.00
2916-2-001   VPRSO/SUNDOW NON-CAMERA, 5x   291 PVerso camera window-non-camera version-plastic cover on the main unit - 5pcs   5   30948-3001   VPRSO/SUOL DEFECTOR, NO. 1006-3x   291 PVerso and 500 feelector with 7x ligor. plastic part under the camera - 5pcs   5   30164-6001   VPRSO/SUOL DEFECTOR, NO. 1006-3x   291 PVerso and 500 feelector with 7x ligor. plastic part under the camera - 5pcs   5   30164-6001   VPRSO/SUOL DEFECTOR, NO. 1006-3x   291 PVerso and 500 feelector with 7x ligor. plastic part under the camera - 5pcs   5   30164-6001   VPRSO/SUOL DEFUSE TOP RIX.   291 PVerso and 500 feelector mixture - metal feature to hold the farme - 5pcs   5   30164-6001   VPRSO/SUOL SPURSOR TOP RIX.   291 PVerso and 500 feelector mixture - metal part to hold the farme - 5pcs   5   30164-7001   VPRSO/SUOL SPURSOR TOP RIX.   291 PVerso and 500 feelector monet upper facture - metal part to hold the farme - 5pcs   5   30164-7001   VPRSO/SUOL SPURSOR TOP RIX.   291 PVerso and 500 feelector monet upper facture - metal part to hold the farme - 5pcs   5   30164-7001   VPRSO/SUOL SPURSOR TOP RIX.   291 PVerso and 500 feelector monet upper facture - metal part to hold the farme - 5pcs   5   30164-7001   VPRSO/SUOL SPURSOR TOP RIX.   291 PVerso and 500 feelector monet upper facture - metal part to hold the farme - 5pcs   5   30164-7001   VPRSO/SUOL SPURSOR TOP RIX.   291 PVerso and 500 feelector monet upper facture - metal part to hold the farme - 5pcs   5   30164-7001   VPRSO/SUOL SPURSOR TOP RIX.   291 PVerso and 500 feelector monet upper facture - metal part to hold the farme - 5pcs   5   30164-7001   VPRSO/SUOL SPURSOR TOP RIX.   291 PVerso and 500 feelector monet the modules - 10pcs   5   30165-7001   VPRSO/SUOL SPURSOR TOP RIX.   291 PVerso and 500 feelector monet the modules - 10pcs   5   30165-7001   VPRSO/SUOL SPURSOR TOP RIX.   291 PVerso and 500 feelector monet the modules - 10pcs   5   30165-7001   VPRSO/SUOL SPURSOR TOP RIX.   291 PVerso and 500 feelector monet the modules - 10pcs   5   30165-7001   VPRSO/SUOL SP	01641 001	VERSO/SOLO CAMERA WINDOW EV	2N ID Verse and Sale camera window, camera version, plastic sever on the main unit. Ence	خ	35.00
0.004-0.01   VIRSO/SOLO SERVECTOR AND TRACE   20 Per vers and Solo Reflector with 2N lego. plastic grant with charges 1 place   5	01041-001	VERSO/30EO CAMIERA WINDOW,3X	2N IF Verso and 3010 carriera window- carriera version-plastic cover on the main unit - 3pcs	y	33.00
0.004-0.01   VIRSO/SOLO SERVECTOR AND TRACE   20 Per vers and Solo Reflector with 2N lego. plastic grant with charges 1 place   5	01642-001	VERSO WINDOW NON-CAMERA 5x	2N IP Verso camera window- non-camera version -plastic cover on the main unit - 5ncs	\$	40.00
01646-001					55.00
1965-001   VERSO PLUSH/SURFACE LOWER FIX.SX   28 IP Verso Plush and surface bottom fixture - metal fixture to hold the frame - Spcs   5				_	85.00
2016-6-001   VFRSO/SCHO FLUSH TOP FIX.5s   22 HP Verso and Solo Flush mount upper findrum - metal facture to hold the frame - Spot. 5				-	
2016-6-001   SOLO FUSH/SURFACE LOWIR FIX.Sx   29 LIP Solo Flush and surface bottom fixture - metal facture to hold the frame - Spcs   3	01645-001	VERSO FLUSH/SURFACE LOWER FIX,5x	2N IP Verso Flush and surface bottom fixture - metal fixture to hold the frame - 5pcs	\$	35.00
DISPARCED   VERSO/SOLO FLUSH TOP FIX.5x   2N IP Verso and Solo Flush mount upper fixture - metal part to hold the frame - Spcs   5					
1918-8-001   VERSO/SOLD SURFACETOP FIX.5x   231 P Verso and Solo Surface mount upger fixture - metal part to hold the frame - Spex   5   1918-9-001   VERSO BUS SHORT, 20MM, 10x   231 P Verso bus short, 20mm - vibus cabel to connect the modules - 10pcs   5   1918-9-001   VERSO BUS SHORT, 20MM, 10x   231 P Verso bus short, 20mm - vibus cabel to connect the modules - 10pcs   5   1918-9-001   VERSO BUS SHORT, 20MM, 10x   231 P Verso bus short, 20mm - vibus cabel to connect the modules - 10pcs   5   1918-9-001   VERSO MICROPHONE SET, 10x   231 P Porce and Safety Speaker TW, 16 Ohm, 77mm - Spex   5   1918-9-001   FORECSAFETY SHARKER TW.5x   231 P Porce and Safety Speaker TW, 16 Ohm, 77mm - Spex   5   1918-9-001   FORECSAFETY SHARKER TW.5x   231 P Porce and Safety Speaker TW, 16 Ohm, 77mm - Spex   5   1918-9-001   FORECSAFETY GANCET FOR MICE, 5x   231 P Porce and Safety Speaker TW, 16 Ohm, 77mm - Spex   5   1918-9-001   FORECSAFETY MC. WITH CARLES, 5x   231 P Porce and Safety Speaker TW, 16 Ohm, 77mm - Spex   5   1918-9-001   FORECS BUTTON MANAPORT, 5x   231 P Porce and safety force Button nameter to place part - Spex   5   1918-9-001   FORECS BUTTON BOARD, 15   5   1918-9	01646-001	SOLO FLUSH/SURFACE LOWER FIX,5x	2N IP Solo Flush and surface bottom fixture - metal fixture to hold the frame - 5pcs	\$	25.00
OLISAB-001   VERSIO BUSS-PROFIZEDMIN_10X   2N IP Versio and Sole Surface mount upger feature - metal part to hold the frame - Spes   5					
10155-001   VFRSO BLY SHORT, 200MM, 10c   20155-001   VFRSO BLY SHORT, 200MM, 10c   20155-001   VFRSO MICROPHONE SET, 10c   20165-001   VFRSO MICROPHONE SET, 20165-001   VFRSO MICROP	01647-001	VERSO/SOLO FLUSH TOP FIX,5x	2N IP Verso and Solo Flush mount upper fixtrue - metal part to hold the frame - 5pcs	\$	10.00
10155-001   VFRSO BLY SHORT, 200MM, 10c   20155-001   VFRSO BLY SHORT, 200MM, 10c   20155-001   VFRSO MICROPHONE SET, 10c   20165-001   VFRSO MICROPHONE SET, 20165-001   VFRSO MICROP	04540 004	VEDGO (60) O SUBSA OF TOD SIV S		_	45.00
2869-001   VERSO MICROPHONE SET, 100   2N IP Verso bus that PL 220mm - vbus caleel to connect the modules - 10pcs   5					15.00
VERSO MICROPHONE SET_106					30.00
10552-001   FORECEARTEY SPEAKER 11W_5S   2N IP Force and Safety Speaker LOW, 40 Fnm:—Spex   5   10554-001   FORECEARTEY SPEAKER 10W SK   2N IP Force and Safety Speaker LOW, 40 Fnm:—Spex   5   10555-001   FORECEARTEY MC WITH CABLE, 5X   2N IP Force and Safety Speaker LOW, 40 Fnm:—Spex   5   10555-001   FORECEARTEY MC WITH CABLE, 5X   2N IP Force and Safety More Plays   5   10555-001   FORECE BUTTON NOMETAG. 5X   2N IP Force and Safety more phone with cable - 10pcs   5   10555-001   FORECE BUTTON NOMETAG. 5X   2N IP Force and analog Force Button namateg to plastic part - 5pcs   5   10555-001   FORECE BUTTON BOARD, 1x   2N IP Force and analog Force I button board - 1pc   5   10555-001   FORECE BUTTON BOARD, PICTOGRAM, 5x   2N IP Force and analog Force I button board - 1pc   5   10555-001   FORECE BUTTON BOARD, PICTOGRAM, 5x   2N IP Force and analog Force I button board - 1pc   5   10555-001   FORECE BUTTON BOARD, 1x   2N IP Force and analog Force I button board - 1pc   5   10555-001   FORECE BUTTON BOARD, 1x   2N IP Force and analog Force I button board - 1pc   5   10555-001   FORECE BUTTON BOARD, 1x   2N IP Force and analog Force I button board - 1pc   5   10555-001   FORECE BUTTON BOARD, 1x   2N IP Force and analog Force I button board - 1pc   5   10555-001   FORECE BUTTON BOARD, 1x   2N IP Force and analog Force I button board - 1pc   5   10555-001   FORECE BUTTON BOARD, 1x   2N IP Force and analog Force I button board - 1pc   5   10555-001   FORECE BUTTON BOARD, 1x   2N IP Force and analog Force Button board - 1pc   5   10555-001   AVIS 51016 MNII   5   10555-001   FORCE BUTTON BOARD, 1x   5   10555-001   AVIS 51016 MNII   5   10555-001   AV	01650-001	VERSU BUS SHURT,22UMIMI,1UX	ZN IP Verso bus snort, 220mm - vous cabel to connect the modules - 10pcs	\$	50.00
10552-001   FORECEASTEY SPEAKER 1 M	01651 001	VEDEO MICROPHONE SET 104	2N ID Verse microphene set microphene with coble to 2 module extension. 10ncs	_	60.00
1965-9-001   FORCE/SAFETY SPEAKER10W/S   2N IP Force and Safety Speaker 10W, 4 Ohm, 76mm - Spcs   S   1965-9-001   FORCE/SAFETY MIC WITH CABLE.SX   2N IP Force and Safety Microphone with cable - 10pcs   S   1965-9-001   FORCE PLATIC BUTTON NAMERAS, SX   2N IP Force and Safety microphone with cable - 10pcs   S   1965-9-001   FORCE PLATIC BUTTON NAMERAS, SX   2N IP Force and analog Force Button namete plastic part - Spcs   S   1965-9-001   FORCE PLATIC BUTTON ON PCB.SX   2N IP Force and analog Force Button on the PCB board - 10pcs   S   1965-9-001   FORCE 1 BUTTON BOARD, IN CITY ON PCB.SX   2N IP Force and analog Force I button board - 10pc   S   1965-9-001   FORCE 1 BUTTON BOARD, IX   2N IP Force and analog Force I button board - 10pc   S   1966-9-001   FORCE 1 BUTTON BOARD, IX   2N IP Force and analog Force I button board - 10pc   S   1966-9-001   FORCE 1 BUTTON BOARD, IX   2N IP Force and analog Force I button board - 10pc   S   1966-9-001   FORCE 1 BUTTON BOARD, IX   2N IP Force and analog Force Button board - 10pc   S   1966-9-001   FORCE 1 BUTTON BOARD, IX   2N IP Force and analog Force Button board - 10pc   S   1966-9-001   FORCE 1 BUTTON BOARD, IX   2N IP Force and analog Force Button board - 10pc   S   1966-9-001   FORCE 1 BUTTON BOARD, IX   2N IP Force and analog Force Button board - 10pc   S   1966-9-001   FORCE 2 BUTTON BOARD, IX   2N IP Force and analog Force Button board - 10pc   S   1966-9-001   FORCE 2 BUTTON BOARD, IX   2N IP Force and analog Force Button board - 10pc   S   1966-9-001   FORCE 3 BUTTON BOARD, IX   2N IP Force and analog Force Button board - 10pc   S   1966-9-001   FORCE 2 BUTTON BOARD, IX   2N IP Force and analog Force Button Board - 10pc   S   1966-9-001   FORCE 3 BUTTON BOARD, IX   2N IP Force and analog Force Button Board - 10pc   S   1966-9-001   FORCE 4 BUTTON BOARD, IX   2N IP Force and analog Force Button Board - 10pc   S   1966-9-001   FORCE 4 BUTTON BOARD, IX   2N IP Force and End A Button Board - 10pc   S   1966-9-001   FORCE 4 BUTTON BOARD - 10pc   S   1966-9-001   FO		, ,			70.00
DISS-9-01				_	65.00
ORSES-SOLI   FORCESAFETY MICHAGNES   2NIP Force and analog force Button namater to plastic part - Spots   S					10.00
OBSS-901   FORCE BUTTON NAMETAG.5S   2N IP Force and analog Force Button namateg to plastic part - Spcs   S					45.00
DISS-9-001   FORCE PLASTIC BUTTON DA PCB, 5x   2NIP Force and analog Force 1 button to the PCB board - 10pcs   5   DISS-9-001   FORCE 1 BUTTON BOARD, PICTOGRAM, 5x   2NIP Force and analog Force 1 button board - 1pc   5   DISS-9-001   FORCE 2 BUTTON BOARD, PICTOGRAM, 5x   2NIP Force and analog Force 2 button board, pictograms - 1pc   5   DISS-9-001   FORCE 2 BUTTON BOARD, PICTOGRAM, 5x   2NIP Force and analog Force 2 button board, pictograms - 1pc   5   DISS-0-001   FORCE 4 BUTTON BOARD, 1x   2NIP Force and analog Force 2 button board - 1pc   5   DISS-0-001   FORCE 4 BUTTON BOARD, 1x   2NIP Force and analog Force 2 button board - 1pc   5   DISS-0-001   FORCE 4 BUTTON BOARD, 1x   2NIP Force and analog Force 2 button board - 1pc   5   DISS-0-001   FORCE 4 BUTTON BOARD, 1x   2NIP Force and analog Force 2 button board - 1pc   5   DISS-0-002   Axis S1016 Mkill   Statings and all other necessary software e.g. Windows 1001-1 includes licenses for   5   3, axis Camera Station S1016 Recorder rack server validated and tested with AXIS products. Preloaded with AXIS Camera Station software with preconfigured AXIS Camera Station S1018 Recorder rack server validated and tested with AXIS products. Preloaded with AXIS Camera Station software with preconfigured AXIS Camera Station S1018 Recorder rack server validated and tested with AXIS products. Preloaded with AXIS Camera Station software with preconfigured AXIS Camera Station S1018 Recorder rack server validated and tested with AXIS products. Preloaded with AXIS Camera Station software with preconfigured AXIS Camera Station S1018 Recorder rack server validated and tested with AXIS products. Preloaded with AXIS Camera Station software with preconfigured AXIS Camera Station S1018 Recorder rack server validated and tested with AXIS products. Preloaded with AXIS Camera Station software with preconfigured AXIS Camera Station S1018 Recorder rack server validated and tested with AXIS s1018 Recorder rack server validated with AXIS s1018 Recorder rack server validated with AXIS s101					15.00
D0558-001   FORCE 1 BUTTON BOARD,   D0760   S   D0768-001   FORCE 1 BUTTON BOARD, PICTOGRAM,   S   N   P Force and analoge Force 1 button board - 1pc   S   D0569-001   FORCE 2 BUTTON BOARD, PICTOGRAM,   S   N   P Force and analoge Force 1 button board - 1pc   S   D0560-001   FORCE 2 BUTTON BOARD, 1x   2N   P Force and analoge Force 2 buttons board - 1pc   S   D0561-001   FORCE 4 BUTTON BOARD, 1x   2N   P Force and analoge Force 2 buttons board - 1pc   S   D0561-001   FORCE 4 BUTTON BOARD, 1x   2N   P Force and analoge Force 2 buttons board - 1pc   S   D0561-001   FORCE 4 BUTTON BOARD, 1x   2N   P Force and analoge Force 2 buttons board - 1pc   S   D0561-001   Axis Camera Station software with preconfigured AXIS Camera Station on Station software with preconfigured AXIS Camera Station on Station software with preconfigured AXIS Camera Station Software e.g., Windows 100-11 includes licenses for   S   3, Axis Camera Station software with preconfigured AXIS Camera Station Software e.g., Windows 100-11 includes licenses for   S   6, Axis Camera Station Software e.g., Windows 100-11 includes licenses for   S   6, Axis Camera Station Software e.g., Windows 100-11 includes licenses for   S   6, Axis Camera Station Software e.g., Windows 100-11 includes licenses for   S   6, Axis Camera Station Software e.g., Windows 100-11 includes licenses for   S   6, Axis Camera Station Software e.g., Windows 100-11 includes licenses for   S   6, Axis Camera Station Software e.g., Windows 100-11 includes licenses for   S   9, William Station Software e.g., Windows 100-11 includes licenses for   S   9, William Station Software e.g., Windows 100-11 includes licenses for   S   9, William Station Software e.g., Windows 100-11 includes licenses for   S   9, William Station Software e.g., Windows 100-11 includes licenses for   S   9, William Station Software e.g., Windows 100-11 includes licenses for   S   9, William Station Software e.g., Windows 100-11 includes licenses for   S   9, William Station Software e.g., Windows 100-11 includ				_	15.00
DISS9-901   FORCE 1 BUTTON BOARD, PICTOGRAM/SS   ZN IP Force and analog Force 2 button board, pictograms - 1pc   S				_	25.00
Dis60-001   FORCE 2 BUTTONS BOARD,1x   2N IP Force and analog Force 2 buttons board -1 pc   \$					25.00
2N IP Force and analog Force 4 buttons board - 1pc  Axis Camera Station S1016 Recorder workstation tested and validated with AXIS products. Preloaded with AXIS Camera Station s1016 Recorder workstation tested and validated with AXIS Camera Station s2002-820  AXIS S1016 MixII  Settings and all other necessary software e.g. Windows 10107. Includes licenses for \$ 3, 3, 43 Camera Station s1032 Recorder rack server validated and tested with AXIS Camera Station s2002-830  AXIS S1032 MixII  Settings and all other necessary software e.g. Windows 10107. Includes licenses for \$ 6, 6, 6, 6, 7, 7, 7, 7, 7, 7, 7, 7, 7, 7, 7, 7, 7,				_	35.00
Axis Camera Station S1016 Recorder workstation tested and validated with AXIS products. Preloaded with AXIS Camera Station settings and all other necessary software e.g., Windows 1010.1 includes licenses for \$ 3, Axis Camera Station S1032 Recorder rack server validated and tested with AXIS potales. Preloaded with AXIS Camera Station S1032 Recorder rack server validated and tested with AXIS camera Station S1032 Recorder rack server validated and tested with AXIS potales. Preloaded with AXIS Camera Station S1032 Recorder rack server validated and tested with AXIS products. Preloaded with AXIS Camera Station S1048 Recorder rack server validated and tested with AXIS products. Preloaded with AXIS Camera Station S1048 Recorder rack server validated and tested with AXIS products. Preloaded with AXIS Camera Station S1048 Recorder rack server validated and tested with AXIS products. Preloaded with AXIS Camera Station S1048 Recorder rack server validated and tested with AXIS products. Preloaded with AXIS Camera Station S1048 Recorder rack server validated and tested with AXIS products. Preloaded with AXIS S1048 Recorder rack server validated and tested with AXIS products. Preloaded with AXIS Camera Station S1048 Recorder rack server validated and tested with AXIS products. Preloaded with AXIS Camera Station S1048 Recording servers. Optimized for surveillance purposes with four monitors and supports up to three 4 Ks trams. The terminal to be used with AXIS Camera Station S0148 Recording servers. Optimized for surveillance purposes with four monitors and supports up to three 4 Ks trams. The terminal is preloaded with AXIS Camera Station S0148 Recording servers. Optimized for surveillance purposes with four monitors and supports up to three 4 Ks trams. The terminal is preloaded with AXIS Camera Station S0148 Recording servers. Universal built-in power supply. One 10/100/1000Base-T output. No power cable. S 10/15 Frack unit with three expansions slots, compatible with all AXIS Blade video servers. Universal built-in power su				\$	40.00
Preloaded with AVIS Camera Station software with preconfigured AXIS Camera Station settings and all other necessary software e.g. Windows 10loT. Includes licenses for \$ 3, axis Camera Station software swith preconfigured AXIS Camera Station settings and all other necessary software e.g. Windows 10loT. Includes licenses for \$ 5, axis Camera Station software with preconfigured AXIS Camera Station settings and all other necessary software e.g. Windows 10loT. Includes licenses for \$ 6, axis Camera Station software with preconfigured AXIS Camera Station settings and all other necessary software e.g. Windows 10loT. Includes licenses for \$ 6, axis Camera Station software with preconfigured AXIS Camera Station settings and all other necessary software e.g. Windows 10loT. Includes licenses for \$ 9, axis Camera Station software with preconfigured AXIS Camera Station settings and all other necessary software e.g. Windows 10loT. Includes licenses for \$ 9, axis Camera Station software licent settings and all other necessary software e.g. Windows 10loT. Includes licenses for \$ 9, axis Camera Station software client and settings and all other necessary software e.g. Windows 10loT. Includes licenses for \$ 9, axis Camera Station software client and settings and all other necessary software e.g. Windows 10loT. Includes licenses for \$ 9, axis Camera Station software client and settings and all other necessary software e.g. Windows 10loT. Includes licenses for \$ 9, axis Camera Station software client and settings and all other necessary software e.g. Windows 10loT. Includes licenses for \$ 9, axis Camera Station software client and settings and all other necessary software e.g. Windows 10loT. Includes licenses for \$ 9, axis Camera Station software client and settings and all other necessary software e.g. Windows 10loT. Includes licenses for \$ \$ 9, axis Camera Station software client with all Axis Station and settings					
AXIS S1016 MkII settings and all other necessary software e.g. Windows 1010T. Includes licenses for \$ 3, Axis Camera Station \$1032 Recorder rack server validated and tested with AXIS products. Preloaded with AXIS Camera Station software with preconfigured AXIS Camera Station settings and all other necessary software e.g. Windows 1010T. Includes licenses for \$ 5 6, Axis Camera Station \$1038 Recorder rack server validated and tested with AXIS products. Preloaded with AXIS Camera Station software with preconfigured AXIS Camera Station software with preconfigured AXIS Camera Station software with preconfigured AXIS Camera Station settings and all other necessary software e.g. Windows 1010T. Includes licenses for \$ 9, AXIS \$1048 MkII settings and all other necessary software e.g. Windows 1010T. Includes licenses for \$ 9, High performance Desktop e.g. Windows 1010T. Includes licenses for \$ 9, AXIS \$1048 recording servers. Optimized for surveillance purposes with four monitors and supports up to three 4K streams. The terminal is preloaded with AXIS Camera Station software client an \$ 3, AXIS \$1048 recording servers. Optimized for surveillance purposes with four monitors and supports up to three 4K streams. The terminal is preloaded with AXIS Camera Station software client an \$ 3, AXIS \$291 1U VIDEO SERVER RACK < GENERIC > Universal built-in power supply. One 10/100/10008ase-To output. No power cable. \$ 10.19" rack unit with three expansions slots, compatible with all Axis Blade video servers. Universal built-in power supply. One 10/100/10008ase-To output. No power cable. \$ 10.19" rack unit with three expansions slots, compatible with all Axis Blade video servers. Universal built-in power supply. One 10/100/10008ase-To output. \$ \$ 2 years extension of the warranty period Note 1: Maximum warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty period Note 1: Maximum warranty on cameras/encoders/access control is 5 years including standard warranty period			Axis Camera Station S1016 Recorder workstation tested and validated with AXIS products.		
Axis Camera Station S1032 Recorder rack server validated and tested with AXIS products. Preloaded with AXIS Camera Station software with preconfigured AXIS Camera Station settings and all other necessary software e.g. Windows 101oT. Includes licenses for \$ 6.  Axis Camera Station S1048 Recorder rack server validated and tested with AXIS products. Preloaded with AXIS Camera Station software with preconfigured AXIS Camera Station settings and all other necessary software e.g. Windows 101oT. Includes licenses for \$ 6.  Axis Camera Station S1048 Recorder rack server validated and tested with AXIS products. Preloaded with AXIS Camera Station software with preconfigured AXIS Camera Station settings and all other nexal systems your ware given to the settings and all other nexal systems your ware with preconfigured AXIS Camera Station software station settings and all other nexal systems your ware with preconfigured AXIS Camera Station software station settings and all other nexal systems your ware station software client an \$ 9.  AXIS S9002  AXIS S9004  AXIS S9002  AXIS S9002  AXIS S9004  AXIS S9002  AXIS S9002			Preloaded with AXIS Camera Station software with preconfigured AXIS Camera Station		
Preloaded with AXIS Camera Station software with preconfigured AXIS Camera Station settings and all other necessary software e.g., Windows 10ioT. Includes licenses for settings and all other necessary software e.g., Windows 10ioT. Includes licenses for AXIS ST048 MXIS DAVIS products.  AXIS S1048 MXII S1048 MXII settings and all other necessary software e.g., Windows 10ioT. Includes licenses for S9, High performance Desktop Terminal to be used with AXIS Camera Station software with preconfigured AXIS Camera Station settings and all other necessary software e.g., Windows 10ioT. Includes licenses for S9, High performance Desktop Terminal to be used with Axis S1032 or Axis S1048 recording servers. Optimized for surveillance purposes with four monitors and supports up to three 4K streams. The terminal is preloaded with AXIS Camera Station software client an S3, 1U 19" rack unit with three expansions slots, compatible with all Axis Blade video servers. Universal built-in power supply. One 10/100/1000Base-T output. No power cable. S1U 19" rack unit with three expansions slots, compatible with all Axis Blade video servers. Universal built-in power supply. One 10/100/1000Base-T output. No power cable. S2 Universal built-in power supply. One 10/100/1000Base-T output. S2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within S2 thannel video encoder. Multiple, individually configurable H.264 and Motion JPEG streams; max. D1 resolution at 30/25 fps. Video motion detection. Active tampering alarm. Two-way audio and audio detection. Power over Ethernet (IEEE 802.3af) with power on Packs  Bare bone 1 channel video encoder (PCB without mechanics). Multiple, individually configurable H.264 and Motion JPEG streams; max. D1 resolution at 30/25 fps. Video motion detection. Power over Ethernet (IEEE 802.3af) with power on Packs  AXIS Q7	0202-820	AXIS S1016 MkII	settings and all other necessary software e.g. Windows 10IoT. Includes licenses for	\$	3,499.00
Preloaded with AXIS Camera Station software with preconfigured AXIS Camera Station settings and all other necessary software e.g., Windows 10ioT. Includes licenses for settings and all other necessary software e.g., Windows 10ioT. Includes licenses for AXIS ST048 MXIS DAVIS products.  AXIS S1048 MXII S1048 MXII settings and all other necessary software e.g., Windows 10ioT. Includes licenses for S9, High performance Desktop Terminal to be used with AXIS Camera Station software with preconfigured AXIS Camera Station settings and all other necessary software e.g., Windows 10ioT. Includes licenses for S9, High performance Desktop Terminal to be used with Axis S1032 or Axis S1048 recording servers. Optimized for surveillance purposes with four monitors and supports up to three 4K streams. The terminal is preloaded with AXIS Camera Station software client an S3, 1U 19" rack unit with three expansions slots, compatible with all Axis Blade video servers. Universal built-in power supply. One 10/100/1000Base-T output. No power cable. S1U 19" rack unit with three expansions slots, compatible with all Axis Blade video servers. Universal built-in power supply. One 10/100/1000Base-T output. No power cable. S2 Universal built-in power supply. One 10/100/1000Base-T output. S2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within S2 thannel video encoder. Multiple, individually configurable H.264 and Motion JPEG streams; max. D1 resolution at 30/25 fps. Video motion detection. Active tampering alarm. Two-way audio and audio detection. Power over Ethernet (IEEE 802.3af) with power on Packs  Bare bone 1 channel video encoder (PCB without mechanics). Multiple, individually configurable H.264 and Motion JPEG streams; max. D1 resolution at 30/25 fps. Video motion detection. Power over Ethernet (IEEE 802.3af) with power on Packs  AXIS Q7					
AXIS S1032 MKII  Settings and all other necessary software e.g. Windows 10loT. Includes licenses for \$ 6, Axis Camera Station \$1048 Recorder rack server validated and tested with AXIS products. Preloaded with AXIS Camera Station software with preconfigured AXIS Camera Station \$ 29, AXIS \$1048 MKII  AXIS \$1048 MKII  Settings and all other necessary software e.g. Windows 10loT. Includes licenses for \$ 9, High performance Desktop Terminal to be used with AXIS \$1032 or AXIS \$1048 recording servers. Optimized for surveillance purposes with four monitors and supports up to three 4K streams. The terminal is preloaded with AXIS Camera Station software client an \$ 3, 1U 19" rack unit with three expansions slots, compatible with all Axis Blade video servers. Universal built-in power supply. One 10/100/10008ase-T output. No power cable. \$ 1U 19" rack unit with three expansions slots, compatible with AXIS Bade video servers. Universal built-in power supply. One 10/100/10008ase-T output. No power cable. \$ 1U 19" rack unit with three expansions slots, compatible with AXIS Bade video servers. Universal built-in power supply. One 10/100/10008ase-T output. \$ 2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within \$ 2 years and a standard warranty. One must be redeemed within \$ 2 years and a standard warranty one cameras/encoders/decoders/access control is 5 years including standard warranty. One possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within \$ 2 years and a standard warranty. One possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within \$ 2 years and a standard warranty. One possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within \$ 2 years and a year and year and year and year and year			Axis Camera Station S1032 Recorder rack server validated and tested with AXIS products.		
Axis Camera Station S1048 Recorder rack server validated and tested with AXiS products. Preloaded with AXIS Camera Station software with preconfigured AXIS Camera Station settings and all other necessary software e.g. Windows 101oT. Includes licenses for \$ 9, High performance Desktop Terminal to be used with AXIS 51032 or Axis 51048 recording servers. Optimized for surveillance purposes with four monitors and supports up to three 4 streams. The terminal is preloaded with AXIS Camera Station software client an \$ 3, 1 U 19° rack unit with three expansions slots, compatible with all Axis Blade video servers. Universal built-in power supply. One 10/100/10008ase-T output. No power cable. \$ 1 U 19° rack unit with three expansions slots, compatible with all Axis Blade video servers. Universal built-in power supply. One 10/100/10008ase-T output. No power cable. \$ 1 U 19° rack unit with three expansions slots, compatible with all Axis Blade video servers. Universal built-in power supply. One 10/100/10008ase-T output. S \$ 1 U 19° rack unit with three expansions slots, compatible with all Axis Blade video servers. Universal built-in power supply. One 10/100/10008ase-T output. \$ \$ 2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within \$ 1 channel video encoder. Multiple, individually configurable H.264 and Motion JPEG streams; max. D1 resolution at 30/25 fps. Video motion detection. Active tampering alarm. Two-way audio and audio detection. Power over Ethernet (IEEE 802.3af) with power o AXIS Q7401 vIDEO ENCODER BULK 10PCS  Bare bone 1 channel video encoder (PCB without mechanics). Multiple, individually configurable H.264 and Motion JPEG streams; max. D1 resolution at 30/25 fps. Video motion detection. Active tampering alarm. Two-way audio and audio detection. Power over Ethernet (IEEE 802.3af) with power o AXIS Q7401 vIDEO			· · ·		
Preloaded with AXIS Camera Station software with preconfigured AXIS Camera Station settings and all other necessary software e.g. Windows 10ioT. Includes licenses for \$ 9, which preconstants are presented by the precipitation of the warranty of the warranty because the precipitation of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. Days audio and audio detection. AXIS Q7401 VIDEO ENCODER BULK 10PCS  AXIS Q7401 VIDEO ENCODER BULK 10PCS  AXIS Q7401 VIDEO ENCODER BARE BONE  Preloaded with AXIS Camera Station software clients and support up to three setting and all other necessary software e.g., Windows 10ioT. Includes licenses for \$ 9, which are prevented by the processory of the warranty below the work of the warranty below with AXIS Camera Station software clients and \$ 3, and \$ 4 K treams. The terminal to be used with AXIS 1032 or Axis \$1032 or Axis \$103	0202-830	AXIS S1032 MkII	settings and all other necessary software e.g. Windows 10IoT. Includes licenses for	\$	6,899.00
Preloaded with AXIS Camera Station software with preconfigured AXIS Camera Station settings and all other necessary software e.g. Windows 10ioT. Includes licenses for \$ 9, which preconstants are presented by the precipitation of the warranty of the warranty because the precipitation of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. Days audio and audio detection. AXIS Q7401 VIDEO ENCODER BULK 10PCS  AXIS Q7401 VIDEO ENCODER BULK 10PCS  AXIS Q7401 VIDEO ENCODER BARE BONE  Preloaded with AXIS Camera Station software clients and support up to three setting and all other necessary software e.g., Windows 10ioT. Includes licenses for \$ 9, which are prevented by the processory of the warranty below the work of the warranty below with AXIS Camera Station software clients and \$ 3, and \$ 4 K treams. The terminal to be used with AXIS 1032 or Axis \$1032 or Axis \$103					
Settings and all other necessary software e.g. Windows 10ioT. Includes licenses for \$ 9,			·		
High performance Desktop Terminal to be used with Axis S1032 or Axis S1048 recording servers. Optimized for surveillance purposes with four monitors and supports up to three 4k streams. The terminal is preloaded with AXIS Camera Station software client an \$ 3, 1U 19" rack unit with three expansions slots, compatible with all Axis Blade video servers. Universal built-in power supply. One 10/100/1000Base-T output. No power cable. \$ 1U 19" rack unit with three expansions slots, compatible with all Axis Blade video servers. Universal built-in power supply. One 10/100/1000Base-T output. No power cable. \$ 2 years extension of the warranty period Note 1: Maximum warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within \$ 1 channel video encoder. Multiple, individually configurable H.264 and Motion JPEG streams; max. D1 resolution at 30/25 fps. Video motion detection. Active tampering alarm. Two-way audio and audio detection. Power over Ethernet (IEEE 802.3af) with power 0 \$ AXIS Q7401 VIDEO ENCODER BULK 10PCS Packs  AXIS Q7401 In 10-pack. Power supply not included. Cannot be sold separately as single packs  AXIS Q7401 VIDEO ENCODER BULK 10PCS Bare bone 1 channel video encoder (PCB without mechanics). Multiple, individually configurable H.264 and Motion JPEG streams; max. D1 resolution at 30/25 fps. Video motion detection. Power over Ethernet (IEEE 802.3af) with power 0 \$ AXIS Q7401 VIDEO ENCODER BULK 10PCS  AXIS Q7401 Bare Bone 1 channel video encoder (PCB without mechanics). Multiple, individually configurable H.264 and Motion JPEG streams; max. D1 resolution at 30/25 fps. Video motion detection. Active tampering alarm. Two-way audio and audio detection. Power over Ethernet (IEEE 802.3af) with power 0 \$ AXIS Q7401 VIDEO ENCODER BARE BONE			Preloaded with AXIS Camera Station software with preconfigured AXIS Camera Station		
servers. Optimized for surveillance purposes with four monitors and supports up to three  4K streams. The terminal is preloaded with AXIS Camera Station software client an \$ 3,  1U 19" rack unit with three expansions slots, compatible with all Axis Blade video servers.  Universal built-in power supply. One 10/100/10008ase-T output. No power cable. \$  1U 19" rack unit with three expansions slots, compatible with all Axis Blade video servers.  Universal built-in power supply. One 10/100/10008ase-T output. No power cable. \$  1U 19" rack unit with three expansions slots, compatible with all Axis Blade video servers.  Universal built-in power supply. One 10/100/10008ase-T output. No power cable. \$  2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty, no possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within  \$  1 channel video encoder. Multiple, individually configurable H.264 and Motion JPEG streams; max. D 1 resolution at 30/25 fps. Video motion detection. Active tampering alarm.  Two-way audio and audio detection. Power over Ethernet (IEEE 802.3af) with power o \$  AXIS Q7401 VIDEO ENCODER BULK 10PCS  Bare bone 1 channel video encoder (PCB without mechanics). Multiple, individually configurable H.264 and Motion JPEG streams; max. D1 resolution at 30/25 fps. Video motion detection. Power over the configurable H.264 and Motion JPEG streams; max. D1 resolution at 30/25 fps. Video motion detection. Power over over the configurable H.264 and Motion JPEG streams; max. D1 resolution at 30/25 fps. Video motion detection. Power over over the configurable H.264 and Motion JPEG streams; max. D1 resolution at 30/25 fps. Video motion detection. Power over over the configurable H.264 and Motion JPEG streams; max. D1 resolution at 30/25 fps. Video motion detection. Power over the configurable H.264 and Motion JPEG streams; max. D1 resolution at 30/25 fps. Video motion detection. Power	0202-840	AXIS S1048 MkII	settings and all other necessary software e.g. Windows 10IoT. Includes licenses for	\$	9,599.00
servers. Optimized for surveillance purposes with four monitors and supports up to three  4K streams. The terminal is preloaded with AXIS Camera Station software client an \$ 3,  1U 19" rack unit with three expansions slots, compatible with all Axis Blade video servers.  Universal built-in power supply. One 10/100/10008ase-T output. No power cable. \$  1U 19" rack unit with three expansions slots, compatible with all Axis Blade video servers.  Universal built-in power supply. One 10/100/10008ase-T output. No power cable. \$  1U 19" rack unit with three expansions slots, compatible with all Axis Blade video servers.  Universal built-in power supply. One 10/100/10008ase-T output. No power cable. \$  2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty, no possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within  \$  1 channel video encoder. Multiple, individually configurable H.264 and Motion JPEG streams; max. D 1 resolution at 30/25 fps. Video motion detection. Active tampering alarm.  Two-way audio and audio detection. Power over Ethernet (IEEE 802.3af) with power o \$  AXIS Q7401 VIDEO ENCODER BULK 10PCS  Bare bone 1 channel video encoder (PCB without mechanics). Multiple, individually configurable H.264 and Motion JPEG streams; max. D1 resolution at 30/25 fps. Video motion detection. Power over the configurable H.264 and Motion JPEG streams; max. D1 resolution at 30/25 fps. Video motion detection. Power over over the configurable H.264 and Motion JPEG streams; max. D1 resolution at 30/25 fps. Video motion detection. Power over over the configurable H.264 and Motion JPEG streams; max. D1 resolution at 30/25 fps. Video motion detection. Power over over the configurable H.264 and Motion JPEG streams; max. D1 resolution at 30/25 fps. Video motion detection. Power over the configurable H.264 and Motion JPEG streams; max. D1 resolution at 30/25 fps. Video motion detection. Power					
AXIS S9002  4K streams. The terminal is preloaded with AXIS Camera Station software client an \$ 3,  1U 19" rack unit with three expansions slots, compatible with all Axis Blade video servers.  Universal built-in power supply. One 10/100/1000Base-T output. No power cable. \$  1U 19" rack unit with three expansions slots, compatible with all Axis Blade video servers.  Universal built-in power supply. One 10/100/1000Base-T output. No power cable. \$  2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within \$  \$ 1 channel video encoder. Multiple, individually configurable H.264 and Motion JPEG streams; max. D1 resolution at 30/25 fps. Video motion detection. Active tampering alarm. Two-way audio and audio detection. Power over Ethernet (IEEE 802.3af) with power o  AXIS Q7401 VIDEO ENCODER BULK 10PCS  Bare bone 1 channel video encoder (PCB without mechanics). Multiple, individually configurable H.264 and Motion JPEG streams; max. D1 resolution at 30/25 fps. Video motion detection. Power over Ethernet (IEEE 802.3af) with power o  AXIS Q7401 VIDEO ENCODER BULK 10PCS  Bare bone 1 channel video encoder (PCB without mechanics). Multiple, individually configurable H.264 and Motion JPEG streams; max. D1 resolution at 30/25 fps. Video motion detection. Power over Ethernet (IEEE 802.3af) with power over Ethernet Redeemed within 10-pack. Power supply not included. Cannot be sold separately as single			1 9 1		
1U 19" rack unit with three expansions slots, compatible with all Axis Blade video servers. Universal built-in power supply. One 10/100/1000Base-T output. No power cable.  \$ 1U 19" rack unit with three expansions slots, compatible with all Axis Blade video servers. Universal built-in power supply. One 10/100/1000Base-T output. No power cable. \$ 1U 19" rack unit with three expansions slots, compatible with all Axis Blade video servers. Universal built-in power supply. One 10/100/1000Base-T output. \$ 2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within \$ 1 channel video encoder. Multiple, individually configurable H.264 and Motion JPEG streams; max. D1 resolution at 30/25 fps. Video motion detection. Active tampering alarm.  10288-004  AXIS Q7401 VIDEO ENCODER  AXIS Q7401 viDEO ENCODER BULK 10PCS  AXIS Q7401 in 10-pack. Power supply not included. Cannot be sold separately as single packs  \$ 3, Bare bone 1 channel video encoder (PCB without mechanics). Multiple, individually configurable H.264 and Motion JPEG streams; max. D1 resolution at 30/25 fps. Video motion detection. Active tampering alarm. Two-way audio and audio detection. Power over the sold separately as single packs.  \$ 3, Bare bone 1 channel video encoder (PCB without mechanics). Multiple, individually configurable H.264 and Motion JPEG streams; max. D1 resolution at 30/25 fps. Video motion detection. Active tampering alarm. Two-way audio and audio detection. Power over the sold separately as single packs. No power over the sold separately as single packs. No power over the sold separately as single packs. No power over the sold separately as single packs. No power over the sold separately as single packs. No power over the sold separately as single packs. No power over the sold separately as single packs. No power over the sold separately as single pa	0202.000	AVIC COOCS		_	2 400 00
O267-001   AXIS 291 1U VIDEO SERVER RACK < GENERIC > Universal built-in power supply. One 10/100/1000Base-T output. No power cable.   \$ 10 19" rack unit with three expansions slots, compatible with all Axis Blade video servers.   Universal built-in power supply. One 10/100/1000Base-T output.   \$	0202-860	AXIS 59002	4K Streams. The terminal is preloaded with AXIS Camera Station software client an	\$	3,199.00
O267-001   AXIS 291 1U VIDEO SERVER RACK < GENERIC > Universal built-in power supply. One 10/100/1000Base-T output. No power cable.   \$ 10 19" rack unit with three expansions slots, compatible with all Axis Blade video servers.   Universal built-in power supply. One 10/100/1000Base-T output.   \$			11110" rock unit with three expansions slots compatible with all Avis Blade video convers		
1U 19" rack unit with three expansions slots, compatible with all Axis Blade video servers. Universal built-in power supply. One 10/100/1000Base-T output.  2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  1 channel video encoder. Multiple, individually configurable H.264 and Motion JPEG streams; max. D1 resolution at 30/25 fps. Video motion detection. Active tampering alarm. Two-way audio and audio detection. Power over Ethernet (IEEE 802.3af) with power o AXIS Q7401 VIDEO ENCODER  AXIS Q7401 in 10-pack. Power supply not included. Cannot be sold separately as single packs Bare bone 1 channel video encoder (PCB without mechanics). Multiple, individually configurable H.264 and Motion JPEG streams; max. D1 resolution at 30/25 fps. Video motion detection. Active tampering alarm. Two-way audio and audio detection. Power over ethernet (IEEE 802.3af) with power o \$ 3, Bare bone 1 channel video encoder (PCB without mechanics). Multiple, individually configurable H.264 and Motion JPEG streams; max. D1 resolution at 30/25 fps. Video motion detection. Active tampering alarm. Two-way audio and audio detection. Power over ethernet (IEEE 802.3af) with power o \$ 3, Bare bone 1 channel video encoder (PCB without mechanics). Multiple, individually configurable H.264 and Motion JPEG streams; max. D1 resolution at 30/25 fps. Video motion detection. Active tampering alarm. Two-way audio and audio detection. Power over ethernet (PCB without mechanics). Multiple, individually configurable H.264 and Motion JPEG streams; max. D1 resolution at 30/25 fps. Video motion detection. Active tampering alarm. Two-way audio and audio detection. Power over ethernet (PCB without mechanics). Multiple, individually configurable H.264 and Motion JPEG streams; max. D1 resolution at 30/25 fps. Video motion detection. Power over over over over over	0267 001	AVIS 201 111 VIDEO SERVER BACK - CENERIC >		خ	399.00
0267-004  AXIS 291 1U VIDEO SERV RACK  Universal built-in power supply. One 10/100/1000Base-T output.  2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  1 channel video encoder. Multiple, individually configurable H.264 and Motion JPEG streams; max. D1 resolution at 30/25 fps. Video motion detection. Active tampering alarm.  1 channel video encoder. Multiple, individually configurable H.264 and Motion JPEG streams; max. D1 resolution at 30/25 fps. Video motion detection. Active tampering alarm.  1 channel video encoder. Multiple, individually configurable H.264 and Motion JPEG streams; max. D1 resolution at 30/25 fps. Video motion detection. Active tampering alarm.  2 AXIS Q7401 VIDEO ENCODER BULK 10PCS  Bare bone 1 channel video encoder (PCB without mechanics). Multiple, individually configurable H.264 and Motion JPEG streams; max. D1 resolution at 30/25 fps. Video motion detection. Active tampering alarm. Two-way audio and audio detection. Power over the configurable H.264 and Motion JPEG streams; max. D1 resolution at 30/25 fps. Video motion detection. Active tampering alarm. Two-way audio and audio detection. Power over the configurable H.264 and Motion JPEG streams; max. D1 resolution at 30/25 fps. Video motion detection. Active tampering alarm. Two-way audio and audio detection. Power over the configurable H.264 and Motion JPEG streams; max. D1 resolution at 30/25 fps. Video motion detection. Active tampering alarm. Two-way audio and audio detection. Power over the configurable H.264 and Motion JPEG streams; max. D1 resolution at 30/25 fps. Video motion detection. Active tampering alarm. Two-way audio and audio detection. Power over the configurable H.264 and Motion JPEG streams; max. D1 resolution at 30/25 fps. Video motion detection. Active tampering alarm. Two-way audio and audio detection. Power ov	0267-001	AXIS 291 10 VIDEO SERVER RACK < GENERIC >		Ş	399.00
2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  1 channel video encoder. Multiple, individually configurable H.264 and Motion JPEG streams; max. D1 resolution at 30/25 fps. Video motion detection. Active tampering alarm. Two-way audio and audio detection. Power over Ethernet (IEEE 802.3af) with power o  AXIS Q7401 VIDEO ENCODER  AXIS Q7401 VIDEO ENCODER BULK 10PCS  Bare bone 1 channel video encoder (PCB without mechanics). Multiple, individually configurable H.264 and Motion JPEG streams; max. D1 resolution at 30/25 fps. Video motion detection. Active tampering alarm.  AXIS Q7401 VIDEO ENCODER BULK 10PCS  Bare bone 1 channel video encoder (PCB without mechanics). Multiple, individually configurable H.264 and Motion JPEG streams; max. D1 resolution at 30/25 fps. Video motion detection. Active tampering alarm. Two-way audio and audio detection. Power over the configurable H.264 and Motion JPEG streams; max. D1 resolution at 30/25 fps. Video motion detection. Active tampering alarm. Two-way audio and audio detection. Power over the configurable H.264 and Motion JPEG streams; max. D1 resolution at 30/25 fps. Video motion detection. Active tampering alarm. Two-way audio and audio detection. Power over the configurable H.264 and Motion JPEG streams; max. D1 resolution at 30/25 fps. Video motion detection. Active tampering alarm. Two-way audio and audio detection. Power over the configurable H.264 and Motion JPEG streams; max. D1 resolution at 30/25 fps. Video motion detection. Active tampering alarm. Two-way audio and audio detection. Power over the configurable H.264 and Motion JPEG streams; max. D1 resolution at 30/25 fps. Video motion detection. Active tampering alarm. Two-way audio and audio detection. Power over the configurable H.264 and Motion JPEG streams; max. D1 resolution at 30/25 fps. Video motion de	0267-004	AXIS 291 111 VIDEO SERV RACK		ج	399.00
Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within  1 channel video encoder. Multiple, individually configurable H.264 and Motion JPEG streams; max. D1 resolution at 30/25 fps. Video motion detection. Active tampering alarm.  Two-way audio and audio detection. Power over Ethernet (IEEE 802.3af) with power o \$  AXIS Q7401 VIDEO ENCODER BULK 10PCS  Packs  AXIS Q7401 in 10-pack. Power supply not included. Cannot be sold separately as single packs  \$ 3,  Bare bone 1 channel video encoder (PCB without mechanics). Multiple, individually configurable H.264 and Motion JPEG streams; max. D1 resolution at 30/25 fps. Video motion detection. Active tampering alarm. Two-way audio and audio detection. Power over ethernet (IEEE 802.3af) with power o \$  AXIS Q7401 VIDEO ENCODER BARE BONE  Et \$  AXIS Q7401 BARE BONE in 20-pack. Cannot be sold separately as single packs. No power	0207-004	AXIS 291 10 VIDEO SERV RACK	Oniversal built-in power supply. One 10/100/1000base-1 output.	٧	333.00
Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within  1 channel video encoder. Multiple, individually configurable H.264 and Motion JPEG streams; max. D1 resolution at 30/25 fps. Video motion detection. Active tampering alarm.  Two-way audio and audio detection. Power over Ethernet (IEEE 802.3af) with power o \$  AXIS Q7401 VIDEO ENCODER BULK 10PCS  Packs  AXIS Q7401 in 10-pack. Power supply not included. Cannot be sold separately as single packs  \$ 3,  Bare bone 1 channel video encoder (PCB without mechanics). Multiple, individually configurable H.264 and Motion JPEG streams; max. D1 resolution at 30/25 fps. Video motion detection. Active tampering alarm. Two-way audio and audio detection. Power over ethernet (IEEE 802.3af) with power o \$  AXIS Q7401 VIDEO ENCODER BARE BONE  Et \$  AXIS Q7401 BARE BONE in 20-pack. Cannot be sold separately as single packs. No power			2 years extension of the warranty period		
including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within  1 channel video encoder. Multiple, individually configurable H.264 and Motion JPEG streams; max. D1 resolution at 30/25 fps. Video motion detection. Active tampering alarm.  Two-way audio and audio detection. Power over Ethernet (IEEE 802.3af) with power o \$  AXIS Q7401 VIDEO ENCODER BULK 10PCS  Packs  AXIS Q7401 in 10-pack. Power supply not included. Cannot be sold separately as single packs  Bare bone 1 channel video encoder (PCB without mechanics). Multiple, individually configurable H.264 and Motion JPEG streams; max. D1 resolution at 30/25 fps. Video motion detection. Active tampering alarm. Two-way audio and audio detection. Power over the packs are supplyed to the pack of the pack					
0287-600 EXT. WARRANTY AXIS 291 1U VIDEO SERV RACK  Note 2: The warranty code must be redeemed within  1 channel video encoder. Multiple, individually configurable H.264 and Motion JPEG streams; max. D1 resolution at 30/25 fps. Video motion detection. Active tampering alarm.  1 Two-way audio and audio detection. Power over Ethernet (IEEE 802.3af) with power o  AXIS Q7401 VIDEO ENCODER  AXIS Q7401 in 10-pack. Power supply not included. Cannot be sold separately as single packs  AXIS Q7401 VIDEO ENCODER BULK 10PCS  Bare bone 1 channel video encoder (PCB without mechanics). Multiple, individually configurable H.264 and Motion JPEG streams; max. D1 resolution at 30/25 fps. Video motion detection. Active tampering alarm. Two-way audio and audio detection. Power over ethernet (IEEE 802.3af) with power					
1 channel video encoder. Multiple, individually configurable H.264 and Motion JPEG streams; max. D1 resolution at 30/25 fps. Video motion detection. Active tampering alarm.  Two-way audio and audio detection. Power over Ethernet (IEEE 802.3af) with power o \$  AXIS Q7401 VIDEO ENCODER BULK 10PCS  AXIS Q7401 in 10-pack. Power supply not included. Cannot be sold separately as single packs  \$ 3,  Bare bone 1 channel video encoder (PCB without mechanics). Multiple, individually configurable H.264 and Motion JPEG streams; max. D1 resolution at 30/25 fps. Video motion detection. Active tampering alarm. Two-way audio and audio detection. Power over the pack of the p	0267-600	EXT. WARRANTY AXIS 291 1U VIDEO SERV RACK		\$	24.00
streams; max. D1 resolution at 30/25 fps. Video motion detection. Active tampering alarm.  Two-way audio and audio detection. Power over Ethernet (IEEE 802.3af) with power o \$  AXIS Q7401 VIDEO ENCODER BULK 10PCS  AXIS Q7401 in 10-pack. Power supply not included. Cannot be sold separately as single packs  Bare bone 1 channel video encoder (PCB without mechanics). Multiple, individually configurable H.264 and Motion JPEG streams; max. D1 resolution at 30/25 fps. Video motion detection. Active tampering alarm. Two-way audio and audio detection. Power over  Et  AXIS Q7401 VIDEO ENCODER BARE BONE  Et  AXIS Q7401 BARE BONE in 20-pack. Cannot be sold separately as single packs. No power					
0288-004 AXIS Q7401 VIDEO ENCODER Two-way audio and audio detection. Power over Ethernet (IEEE 802.3af) with power o \$  AXIS Q7401 in 10-pack. Power supply not included. Cannot be sold separately as single packs \$ 3,  Bare bone 1 channel video encoder (PCB without mechanics). Multiple, individually configurable H.264 and Motion JPEG streams; max. D1 resolution at 30/25 fps. Video motion detection. Active tampering alarm. Two-way audio and audio detection. Power over the stream of the str			1 channel video encoder. Multiple, individually configurable H.264 and Motion JPEG		
AXIS Q7401 in 10-pack. Power supply not included. Cannot be sold separately as single  288-021  AXIS Q7401 VIDEO ENCODER BULK 10PCS  Bare bone 1 channel video encoder (PCB without mechanics). Multiple, individually configurable H.264 and Motion JPEG streams; max. D1 resolution at 30/25 fps. Video motion detection. Active tampering alarm. Two-way audio and audio detection. Power over the solution of the solution at 30/25 fps. Video and sudio detection. Power over the solution at 30/25 fps. Video and sudio detection. Power over the solution at 30/25 fps. Video and sudio detection. Power over the solution at 30/25 fps. Video and sudio detection. Power over the solution at 30/25 fps. Video and sudio detection. Power over the solution at 30/25 fps. Video and sudio detection. Power over the solution at 30/25 fps. Video and sudio detection. Power over the solution at 30/25 fps. Video and sudio detection. Power over the solution at 30/25 fps. Video and sudio detection. Power over the solution at 30/25 fps. Video and sudio detection. Power over the solution at 30/25 fps. Video and sudio detection. Power over the solution at 30/25 fps. Video and sudio detection. Power over the solution at 30/25 fps. Video and sudio detection. Power over the solution at 30/25 fps. Video and sudio detection. Power over the solution at 30/25 fps. Video and sudio detection. Power over the solution at 30/25 fps. Video and sudio detection. Power over the solution at 30/25 fps. Video and sudio detection. Power over the solution at 30/25 fps. Video and sudio detection at 30/25 fps. Video and sudio detection. Power over the solution at 30/25 fps. Video and sudio detection at 30/25 fps. Video a			· _ · _ · _ · _ · _ · _ · _ · _ ·		
0288-021 AXIS Q7401 VIDEO ENCODER BULK 10PCS packs \$ 3,  Bare bone 1 channel video encoder (PCB without mechanics). Multiple, individually configurable H.264 and Motion JPEG streams; max. D1 resolution at 30/25 fps. Video motion detection. Active tampering alarm. Two-way audio and audio detection. Power over over the configurable H.264 and Motion JPEG streams; max. D1 resolution at 30/25 fps. Video motion detection. Active tampering alarm. Two-way audio and audio detection. Power over over the configurable H.264 and Motion JPEG streams; max. D1 resolution at 30/25 fps. Video motion detection. Active tampering alarm. Two-way audio and audio detection. Power over over the configurable H.264 and Motion JPEG streams; max. D1 resolution at 30/25 fps. Video motion detection. Active tampering alarm. Two-way audio and audio detection. Power over the configurable H.264 and Motion JPEG streams; max. D1 resolution at 30/25 fps. Video motion detection. Active tampering alarm. Two-way audio and audio detection. Power over the configurable H.264 and Motion JPEG streams; max. D1 resolution at 30/25 fps. Video motion detection. Active tampering alarm. Two-way audio and audio detection. Power over the configurable H.264 and Motion JPEG streams; max. D1 resolution at 30/25 fps. Video motion detection. Active tampering alarm. Two-way audio and audio detection. Power over the configurable H.264 and Motion JPEG streams; max. D1 resolution at 30/25 fps. Video motion detection. Active tampering alarm. Two-way audio and audio detection. Power over the configurable H.264 and Motion JPEG streams; max. D1 resolution at 30/25 fps. Video motion detection. Active tampering alarm. Two-way audio and audio detection. Power over the configurable H.264 and Motion JPEG streams; max. D1 resolution at 30/25 fps. Video motion detection. Active tampering alarm. Two-way audio and audio detection. Power over the configurable H.264 and Motion JPEG streams; max. D1 resolution at 30/25 fps. Video motion detection. Active tampering alarm. Two-way audio and	0288-004	AXIS Q7401 VIDEO ENCODER		\$	399.00
Bare bone 1 channel video encoder (PCB without mechanics). Multiple, individually configurable H.264 and Motion JPEG streams; max. D1 resolution at 30/25 fps. Video motion detection. Active tampering alarm. Two-way audio and audio detection. Power over the AXIS Q7401 VIDEO ENCODER BARE BONE  Et  AXIS Q7401 BARE BONE in 20-pack. Cannot be sold separately as single packs. No power					
configurable H.264 and Motion JPEG streams; max. D1 resolution at 30/25 fps. Video motion detection. Active tampering alarm. Two-way audio and audio detection. Power over 0288-041  AXIS Q7401 VIDEO ENCODER BARE BONE  Et  XIS Q7401 BARE BONE in 20-pack. Cannot be sold separately as single packs. No power	0288-021	AXIS Q7401 VIDEO ENCODER BULK 10PCS		\$	3,990.00
motion detection. Active tampering alarm. Two-way audio and audio detection. Power over  8288-041 AXIS Q7401 VIDEO ENCODER BARE BONE  Et  AXIS Q7401 BARE BONE in 20-pack. Cannot be sold separately as single packs. No power					
0288-041 AXIS Q7401 VIDEO ENCODER BARE BONE Et \$ AXIS Q7401 BARE BONE in 20-pack. Cannot be sold separately as single packs. No power					
AXIS Q7401 BARE BONE in 20-pack. Cannot be sold separately as single packs. No power	0200 044	AVIC 07404 VIDEO 51/20050 0.05	· - · · · · · · · · · · · · · · · · · ·	,	200 51
	∪∠88-041	AXI2 CLANT AIDEO ENCODER RAKE BONE		>	399.00
INTO PATE TAKE MALE MALE ROUNE ROLLY STAFF ROLLY TO THE ROLLY STAFF ROLL	0200 051	AVIC OZADA VIDEO ENCODER RARE ROME RUIL V 20000		ے ا	7 000 00
	0288-051	AXIS Q7401 VIDEO ENCODER BARE BONE BULK 20PCS	supplies.	\$	7,980.00

		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
0288-600	EXT. WARRANTY AXIS Q7401 VIDEO ENCODER	including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within	\$	24.00
0200 000	EXTENSION OF THE EXTENSION		<u> </u>	
		Four-channel video encoder. Multiple, induvidually configurable H.264 and Motion JPEG streams per channel; max. D1 resolution at 30/25 (NTSC/PAL) fps. Video motion detection.		
0291-004	AXIS Q7404 VIDEO ENCODER	Active tampering alarm. Two-way audio and audio detection on one channel. PTZ sup	\$	899.00
0291-024	AXIS Q7404 BULK 10PCS	AXIS Q7404 in 10-pack. Cannot be sold separately as single packs. Power supplies included.	\$	8,540.00
		2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.		
0291-600	EXT. WARRANTY AXIS Q7404 VIDEO ENCODER	Note 2: The warranty code must be redeemed within	\$	54.00
		Outdoor vandal resistant network PTZ Dome camera with 360° endless rotation, auto-flip,		
2225		and auto-tracking capabilities. 30x optical zoom, auto focus, and day/night switching.		2 055 75
0305C001	CANON NETWORK CAMERA VB-R11VE	Multiple H.264 and Motion JPEG streams; max 1.3MP 720p resolution at 30fps. Smar	\$	2,855.75
		Indoor PTZ Dome network camera with 360° endless rotation, auto-flip, and auto-tracking		
0306C001	CANON NETWORK CAMERA VB-R11	capabilities. 30x optical zoom, auto focus, and day/night switching. Multiple H.264 and Motion JPEG streams; max 1.3MP 720p resolution at 30fps. Smart Shade Control -	\$	2,689.44
03000001	CANON NETWORK CAWIERA VB-KII	Motion FEG streams, max 1.5MF 720p resolution at 50 ps. Smart Shade Control -	Ş	2,003.44
		Outdoor vandal resistant network PTZ Dome camera with 360° endless rotation, auto-flip,		
0307C001	CANON NETWORK CAMERA VB-R10VE	and auto-tracking capabilities. 30x optical zoom, auto focus and day/night switching.  Multiple H.264 and Motion JPEG streams; max 1.3MP 720p resolution at 30fps. Smart	\$	3,029.10
		, , , , , , , , , , , , , , , , , , ,		
		Outdoor vandal resistant fixed dome network camera with remote PTRZ configuration. 2.4x		
0308C001	CANON NETWORK CAMERA VB-M641VE	optical zoom and day/night switching. Multiple H.264 and Motion JPEG streams; max  1.3MP 720p resolution at 30fps. Smart Shade Control - dynamic contrast. ADSR - Area-s	\$	1,069.11
		Indoor vandal resistant fixed dome network camera with remote PTRZ configuration. 2.4x optical zoom, day/night switching. Multiple H.264 and Motion JPEG streams; max 1.3MP		
0309C001	CANON NETWORK CAMERA VB-M641V	720p resolution at 30fps. Smart Shade Control - dynamic contrast. ADSR - Area-speci	\$	759.49
		Outdoor vandal resistant fixed dome network camera with PTRZ configuration. 2.4x optical		
		zoom, day/night switching. Multiple H.264 and Motion JPEG streams; max 1.3MP 720p		
0310C001	CANON NETWORK CAMERA VB-M640VE	resolution at 30fps. Smart Shade Control - dynamic contrast. ADSR - Area-specific Da	\$	769.05
		Indoor vandal resistant fixed dome network camera with remote PTRZ configuration. 2.4x		
		optical zoom, day/night switching. Multiple H.264 and Motion JPEG streams; max 1.3MP		
0311C001	CANON NETWORK CAMERA VB-M640V	720p resolution at 30fps. Smart Shade Control - dynamic contrast. ADSR - Area-speci	\$	619.46
		Outdoor fixed box network camera with IR LED illumination up to 30m. 2.4x optical zoom,		
		day/night switching. Multiple H.264 and Motion JPEG streams; max 1.3MP 720p resolution		
0312C001	CANON NETWORK CAMERA VB-M741LE	at 30fps. Smart Shade Control - dynamic contrast. ADSR - Area-specific Data Size	\$	1,199.26
		Outdoor fixed box network camera. 2.4x optical zoom, day/night switching. Multiple H.264		
0313C001	CANON NETWORK CAMERA VB-M740E	and Motion JPEG streams; max 1.3MP 720p resolution at 30fps. Smart Shade Control - dynamic contrast. ADSR - Area-specific Data Size Reduction technology. 6 in-built v	\$	835.00
05150001	GARGA NETWORK GARGEST TO MY 102	dynamic contrast. Next specific acts size reduction recumology, o in duit i	Ť	
		1 channel network video decoder. Decodes H.264 and MPEG-4 Part 2 in max. D1 resolution		
0319-004	AXIS P7701	at 30/25 (NTSC/PAL) fps and 720p in Motion JPEG. Decodes AAC, G726 and G.711 audio streams in mono. Supports video source sequencing. Power over Ethernet enabled. Inclu	\$	499.00
		Bare bone 1 channel video decoder (PCB without any mechanics). Decodes H.264 and		
		MPEG-4 Part 2 in max. D1 resolution at 30/25 (NTSC/PAL) fps and 720p in Motion JPEG.  Decodes AAC, G726 and G.711 audio streams in mono. Supports video source sequencing.		
0319-041	AXIS P7701 VIDEO DECODER BARE BONE	Powe	\$	499.00
0319-051	AXIS P7701 VIDEO DEC BB BULK 20PCS	AXIS P7701 BARE BOARD in 20-pack. Cannot be sold separately as single packs. No power supplies.	\$	9,980.00
0319-031	AXIS F7701 VIDEO DEC BB BOLK 20FCS	supplies.	Ş	9,560.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.		
0319-600	EXT. WARRANTY AXIS P7701	Note 2: The warranty code must be redeemed within	\$	30.00
		Network I/O and audio module. Eight digital ports configurable as inputs or outputs. Two-		
		way audio configurable to simplex, half or full duplex. Built-in pre-amp, phantom power and		
0321-004	AXIS P8221	gain control for a balanced microphone. Line and speaker output. Serial po	\$	349.00
0321-021	AXIS P8221 BULK 10PCS	AXIS P8221 in 10-pack/bulk. Cannot be sold separately as single pack. NO midspans. Power supplies not included.	\$	3,449.00
		2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.		
0321-600	EXT. WARRANTY AXIS P8221	Note 2: The warranty code must be redeemed within	\$	21.00
0333-011	Axis Cross Line Detection	Single unit license for AXIS Cross Line Detection, a basic cross line video analytic. Visit www.axis.com for supported products and application download.	\$	29.00
		Ten (10) unit license for AXIS Cross Line Detection, a basic cross line video analytic. Visit		
0333-031	Axis Cross Line Detection 10-pack	www.axis.com for supported products and application download.  Fifty (50) unit license for AXIS Cross Line Detection, a basic cross line video analytic. Visit	\$	279.00
0333-051	Axis Cross Line Detection 50-pack	www.axis.com for supported products and application download.	\$	1,359.00
	The state of the s	Single unit e-license for AXIS Motion Guard, a robust, installer-friendly motion detection		

0333-601	ACAP AXIS MOTION GUARD 10 E-LICENSE	Ten (10) unit e-license for AXIS Motion Guard, a robust, installer-friendly motion detection video analytic. Visit www.axis.com for supported products and application download.	\$	589.00
		Single unit e-license for AXIS Loitering Guard, a robust, installer-friendly loitering detection		
0333-602	ACAP AXIS LOITERING GUARD 1 E-LICENSE	video analytic. Visit www.axis.com for supported products and application download.	\$	59.00
		Ten (10) unit e-license for AXIS Loitering Guard, a robust, installer-friendly loitering		
0333-603	ACAP AXIS LOITERING GUARD 10 E-LICENSE	detection video analytic. Visit www.axis.com for supported products and application download.	\$	589.00
0000 000	TOTAL TOUS CONTENING CONTROL TO E EIGENSE	download.	¥	303.00
		Single unit e-license for AXIS Fence Guard, a robust, installer-friendly perimeter protection		
0333-604	ACAP AXIS FENCE GUARD 1 E-LICENSE	video analytic. Visit www.axis.com for supported products and application download.  Ten (10) unit e-license for AXIS Fence Guard, a robust, installer-friendly perimeter	\$	59.00
		protection video analytic. Visit www.axis.com for supported products and application		
0333-605	ACAP AXIS FENCE GUARD 10 E-LICENSE	download.	\$	589.00
		Single unit license for AXIS Perimeter Defender, a scalable and flexible video analytics application for perimeter surveillance and protection. Visit www.axis.com for supported		
0333-606	ACAP AXIS PERIMETER DEFENDER 1 LICENSE	products and application download.	\$	299.00
		Ten (10) unit license for AXIS Perimeter Defender, a scalable and flexible video analytics		
		application for perimeter surveillance and protection. Visit www.axis.com for supported		
0333-607	ACAP AXIS PERIMETER DEFENDER 10 LICENSE	products and application download.  Single unit e-license for AXIS Perimeter Defender, a scalable and flexible video analytics	\$	2,989.00
		application for perimeter surveillance and protection. Visit www.axis.com for supported		
0333-608	ACAP AXIS PERIMETER DEFENDER 1 E-LICENSE	products and application download.	\$	299.00
		Ten (10) unit e-license for AXIS Perimeter Defender, a scalable and flexible video analytics		
0333-609	ACAP AXIS PERIMETER DEFENDER 10 E-LICENSE	application for perimeter surveillance and protection. Visit www.axis.com for supported products and application download.	\$	2,989.00
5555 505	ACCULANCE ENWICHEN DELENDER TO E-EIGENSE	р. озиссь или аррисаціон асмінови.	7	_,,,00,,00
		Protective camera housing for P13XX, M11XX, Q16XX and Q1755. Die cast aluminum casing		
		and wallbracket, polycarbonate sunshield. The housing is IP66-, Nema 4X rated and IK10		40
0344-001	AXIS T92E05 PROTECTIVE HOUSING	impact-resistant. Sunshield, wallbracket and screwdriver included.	\$	199.00
		Four channel video encoder blade. Multiple, individually configurable H.264 and Motion		
		JPEG streams; max. D1 resolution at 30/25 fps per channel. Four bi-directional audio		
0354-001	AXIS Q7414 VIDEO ENCODER BLADE	channels with AAC encoding. Video motion detection. Active tampering alarm. COMPATI	\$	999.00
0354-021	AXIS Q7414 VIDEO ENCODER BULK 10PCS	AXIS Q7414 in 10-pack. Cannot be sold separately as single packs.	\$	9,491.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.		
0354-600	EXT. WARRANTY AXIS Q7414 VIDEO ENC BLADE	Note 2: The warranty code must be redeemed within	\$	60.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.		
0398-600	EXT. WARRANTY AXIS M5013	Note 2: The warranty code must be redeemed within	\$	40.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.		
0399-600	EXT. WARRANTY AXIS M5014	Note 2: The warranty code must be redeemed within	\$	48.00
		5MP, day/night, fixed dome with discreet, vandal-resistant indoor casing. Varifocal 3-9 mm		
		P-iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion		
0406-001	AXIS P3367-V	JPEG streams; max 5MP resolution at 12 fps or HDTV 1080p at 30 fps. WDR. Vi	\$	999.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.		
0406-600	EXT. WARRANTY AXIS P3367-V	Note 2: The warranty code must be redeemed within	\$	70.00
		5MP, day/night, fixed dome with vandal-resistant, IP66-rated outdoor casing. Varifocal		
		3-9 mm P-iris lens, remote focus and zoom. Multiple, individually configurable H.264 and		
0407-001	AXIS P3367-VE	Motion JPEG streams; max 5MP resolution at 12 fps or HDTV 1080p at 30 fps. WDR	\$	1,199.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.		
0407-600	EXT. WARRANTY AXIS P3367-VE	Note 2: The warranty code must be redeemed within	\$	72.00
		Four-channel video encoder. Dual streaming H.264 and Motion JPEG on all channels. Max		
		D1 resolution at 15 (NTSC/PAL) fps on all streams. Video motion detection. Active		
0415-004	AXIS M7014 Video Encoder	tampering alarm. Power over Ethernet (IEEE 802.3af). Local storage using microSDHC card	\$	299.00
0445 034	AVIC MATOM A VIDEO ENCODED SURVIVIDADO	AXIS M7014 in 10-pack. Power supply not included. Cannot be sold separately as single		2.000 =
0415-021	AXIS M7014 VIDEO ENCODER BULK 10PCS	packs.	\$	2,899.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.	١.	
0415-600	EXT. WARRANTY AXIS M7014 VIDEO ENCODER	Note 2: The warranty code must be redeemed within	\$	18.00
		Four-channel video encoder. Dual streaming H.264 and Motion JPEG on all channels. Max		
1		D1 resolution at 30/25 (NTSC/PAL) fps on all streams. Video motion detection. Active		
		DI resolution de 50/25 (11750/1712) ips on an streams? Trace motion detection receive		

0417-021	AXIS P7214 VIDEO ENCODER BULK 10PCS	AXIS P7214 in 10-pack. Power supply not included. Cannot be sold separately as single packs.	\$	3,869.00
		Four-channel bare bone video encoder (PCB without mechanics). Dual streaming H.264 and		
0417-031	AXIS P7214 VIDEO ENC BARE BONE	Motion JPEG on all channels. Max D1 resolution at 30/25 (NTSC/PAL) fps on all streams.  Video motion detection. Active tampering alarm. Two-way audio with audio detectio	Ś	399.00
0417 031	PARSTYZET VIDEO ENG BARE BONE	video motion detection. Active tampering diams. Two way addio with addio detection	7	333.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.		
0417-600	EXT. WARRANTY AXIS P7214 VIDEO ENCODER	Note 2: The warranty code must be redeemed within	\$	24.00
		AVIC DZ224		
		AXIS P7224: Four-channel video encoder blade. Dual streaming H.264 and Motion JPEG on all channels.		
		Max D1 resolution at 30/25 (NTSC/PAL) fps on all streams. Video motion detection. Active		
0418-001	AXIS P7224 Video Encoder Blade	tampering alarm. Two-way audio with audio detection. PTZ support.	\$	399.00 3,869.00
0418-021	AXIS P7224 VID ENC BLADE BULK 10PCS	AXIS P7224 in 10-pack. Cannot be sold separately as single packs.	Ş	3,809.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
0418-600	EXT. WARRANTY AXIS P7224 VIDEO ENC BLADE	including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within	\$	24.00
		Outdoor PoE camera housing with window-/camera heaters and fan for P13XX, M11XX, Q16XX and Q1755. Die cast aluminum casing and wallbracket, polycarbonate sunshield. The		
0433-001	AXIS T92E20 OUTDOOR HOUSING	housing is IP66-, Nema 4X-, Vibration 4M3 rated and IK10 impact-resistant. Sunshield,	\$	329.00
		2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.		
0465-600	EXT. WARRANTY AXIS P3354 6MM	Note 2: The warranty code must be redeemed within	\$	42.00
		2 years extension of the warranty period		
		2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.		
0467-600	EXT. WARRANTY AXIS P3354 12MM	Note 2: The warranty code must be redeemed within	\$	42.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
0474 600	EVT AVADDANTY AVIC DOOGA VADAMA	including standard warranty. No possibility to extend total warranty beyond 5 years.	\$	40.00
0471-600	EXT. WARRANTY AXIS P3364-V 12MM	Note 2: The warranty code must be redeemed within	Ş	48.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
0473-600	EXT. WARRANTY AXIS P3364-LVE 12MM	including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within	\$	64.00
		·		
		2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.		
0476-600	EXT. WARRANTY AXIS P3364-LVE 6MM	Note 2: The warranty code must be redeemed within	\$	64.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
0404 600	EVT. WARRANTY AVIS DOOGA V CAARA	including standard warranty. No possibility to extend total warranty beyond 5 years.	<u>,</u>	40.00
0481-600	EXT. WARRANTY AXIS P3364-V 6MM	Note 2: The warranty code must be redeemed within	\$	48.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
0482-600	EXT. WARRANTY AXIS P3364-VE 6MM	including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within	\$	58.00
		,		
		2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.		
0484-600	EXT. WARRANTY AXIS P3364-VE 12MM	Note 2: The warranty code must be redeemed within	\$	58.00
		2 years extension of the warranty period		
		2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.		
0485-600	EXT. WARRANTY AXIS P3364-LV 6MM	Note 2: The warranty code must be redeemed within	\$	54.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
0486-600	EXT. WARRANTY AXIS P3364-LV 12MM	including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within	\$	54.00
	The state of the s		Ŧ	54.00
		Outdoor, IP66 and NEMA 4X-rated, 1080p HDTV camera with 18x optical zoom, auto focus		
0509-001	AXIS Q1765-LE	and day/night mode. Integrated IR LED illumination. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p resolution at 25/30 fps. WDR- dynami	\$	1,399.00
		,		,
[		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.		
		1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		

			1	
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.		
0511-600	EXT. WARRANTY AXIS P3384-V	Note 2: The warranty code must be redeemed within	\$	60.00
		2 years outonsian of the warranty navied		
		2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.		
0512-600	EXT. WARRANTY AXIS P3384-VE	Note 2: The warranty code must be redeemed within	\$	70.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
0515-600	EXT. WARRANTY AXIS M3007-PV	including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within	\$	33.00
0313-000	EAT. WARRANTI AAIS WISOO7-F V	Video Encoder with H.264 (Main and Base profile) and Motion JPEG support. Supports	٦	33.00
		60/50 frames per second. Coax PTZ Control, video motion detection, two-way audio,		
		configurable I/O connectors and ACAP support. 8-28 VD and Power over Ethernet (IEEE		
0518-004	AXIS Q7411 VIDEO ENCODER	802.3a	\$	399.00
0540 004	ANIC 07444 VIDEO ENGODED DI II V 40000	AXIS Q7411 in 10-pack. Power supply not included. Cannot be sold separately as single		2 252 22
0518-021	AXIS Q7411 VIDEO ENCODER BULK 10PCS	packs.	\$	3,869.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.		
0518-600	EXT. WARRANTY AXIS Q7411 VIDEO ENCODER	Note 2: The warranty code must be redeemed within	\$	24.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.		
0526-600	EXT. WARRANTY AXIS P1357	Note 2: The warranty code must be redeemed within	\$	54.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.		
0530-600	EXT. WARRANTY AXIS P1357-E	Note 2: The warranty code must be redeemed within	\$	69.00
		Miniature HDTV pinhole camera for discreet surveillance. Cable from sensor unit going in		
		the direction of the lens. Edge storage using microSD card or NAS. ACAP support, I/O port,		
0532-001	AXIS P1214	multiple video streams in H.264 and Motion JPEG. 25/30 fps in all resolutio	\$	499.00
0532-021	AXIS P1214 BULK 10 PCS	AXIS P1214 in pack of 10 units	\$	4,949.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.		
0532-600	EXT. WARRANTY AXIS P1214	Note 2: The warranty code must be redeemed within	\$	30.00
		Miniature HDTV camera for discreet outdoor surveillance. Cable from sensor unit going in		
		the direction of the lens. Edge storage using microSD card or NAS. ACAP support, I/O port,		
0533-001	AXIS P1214-E	multiple video streams in H.264 and Motion JPEG. 25/30 fps in all resolutio	\$	499.00
0533-021	AXIS P1214-E BULK 10 PCS	AXIS P1214-E in pack of 10 units	\$	4,949.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.		
0533-600	EXT. WARRANTY AXIS P1214-E	Note 2: The warranty code must be redeemed within	\$	30.00
		Compact, day/night fixed mini dome in a vandal-resistant casing for outdoor or indoor		
0535-001	AXIS M3024-LVE	installation. Fixed lens and built-in IR illumination. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1 MP resolution at 30 fps. Mem	\$	549.00
0333 001	7/13 W3024 EVE	and Wottomar Ed Streams, max 11517-7256 of 1 Will resolution at 50 lps. Well	,	343.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.		
0535-600	EXT. WARRANTY AXIS M3024-LVE	Note 2: The warranty code must be redeemed within	\$	33.00
		Compact, day/night fixed mini dome in a vandal-resistant casing for outdoor or indoor		
		installation. Fixed lens. Multiple, individually configurable H.264 and Motion JPEG streams;		
0536-001	AXIS M3025-VE	max HDTV 1080p resolution at 30 fps. Memory card slot for optional local vid	\$	549.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
0536-600	EXT. WARRANTY AXIS M3025-VE	including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within	\$	33.00
0.530-000	LAT. WARRANTT AAIS WISUZS-VE	Note 2: The warranty code must be redeemed within  AXIS A1001 Network Door Controller is an open, non-proprietary platform for access	۶	33.00
		management. The controller is installed by each door and data is automatically		
		synchronized between the controllers in the system. The controller supports most Wiegand		
0540-001	AXIS A1001 Network Door Controller	and	\$	599.00
		AXIS A1001 Network Door Controller is an open, non-proprietary platform for access		
		management. The controller is installed by each door and data is automatically		
0540-021	AXIS A1001 BULK 10PCS Network Door Controller	synchronized between the controllers in the system. The controller supports most Wiegand and	\$	5,990.00
00 10 021	2007 BOLK TO CO NETWORK DOOF CONTROLLED	una l	7	3,330.00
	1	2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
0540-600	EXT. WARRANTY AXIS A1001		\$	36.00

		Sixteen-channel video encoder. Dual streaming H.264 and Motion JPEG on all channels.  Max D1 resolution at 30/25 (NTSC/PAL) fps on all streams. Video motion detection. Active		
0541-004	AXIS M7016 VIDEO ENCODER	tampering alarm. Unit includes 4 x micro SD card slots for edge storage. PTZ supp	\$	999.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.		
0541-600	EXT. WARRANTY AXIS M7016 VIDEO ENCODER	Note 2: The warranty code must be redeemed within	\$	60.00
		Sixteen-channel video encoder. Dual streaming H.264 and Motion JPEG on all channels.		
0542.004	AVIC DZ24C VIDEO ENCODER	Max D1 resolution at 30/25 (NTSC/PAL) fps on all streams. Video motion detection. Active	,	4 200 00
0542-004	AXIS P7216 VIDEO ENCODER	tampering alarm. Two-way audio with audio detection. SFP slot for optional fiber	\$	1,299.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.		
0542-600	EXT. WARRANTY AXIS P7216 VIDEO ENCODER	Note 2: The warranty code must be redeemed within	\$	78.00
		2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.		
0543-600	EXT. WARRANTY AXIS M3007-P	Note 2: The warranty code must be redeemed within	\$	33.00
		Compact, day/night fixed mini dome in a vandal-resistant casing for outdoor or indoor		
		installation. Fixed, 106° lens. Multiple, individually configurable H.264 and Motion JPEG		
0547-001	AXIS M3026-VE	streams; max HDTV 1080p resolution at 30 fps or 3 MP resolution at 20 fps. Memo	\$	649.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
0547-600	EXT. WARRANTY AXIS M3026-VE	including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within	Ś	39.00
0347 000	EXT. WARRANT PAIS WISO20 VE	Note 2. The warranty code must be redeemed within	7	33.00
		Compact, day/night fixed mini dome in a vandal-resistant casing for outdoor or indoor		
0548-001	AXIS M3037-PVE	installation, offering 360°/270°/180° panoramic views as well as quad and digital PTZ views. Multiple, individually configurable H.264 and Motion JPEG streams in up to 5	\$	799.00
		2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.		
0548-600	EXT. WARRANTY AXIS M3037-PVE	Note 2: The warranty code must be redeemed within	\$	48.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
0540.600	EVT. MARDANITY AVIC MA2014 F	including standard warranty. No possibility to extend total warranty beyond 5 years.	Ś	24.00
0549-600	EXT. WARRANTY AXIS M2014-E	Note 2: The warranty code must be redeemed within	Ş	24.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.		
0550-600	EXT. WARRANTY AXIS Q1614	Note 2: The warranty code must be redeemed within	\$	66.00
		2 of the comment of the		
		2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.		
0551-600	EXT. WARRANTY AXIS Q1614-E	Note 2: The warranty code must be redeemed within	\$	84.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
0552-600	EXT. WARRANTY AXIS M5013-V	including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within	\$	48.00
		2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.		
0553-600	EXT. WARRANTY AXIS M5014-V	Note 2: The warranty code must be redeemed within	\$	56.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
0555-600	EXT. WARRANTY AXIS M1025	including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within	s	18.00
5555 000	EAT. WARRANT I PAID WILDED	Note 2. The warranty code must be redeemed within	1	10.00
		Compact, day/night fixed mini dome in a vandal-resistant casing for outdoor or indoor		
0556-001	AXIS M3027-PVE	installation, offering 360°/180° panoramic views as well as quad and digital PTZ views.  Multiple, individually configurable H.264 and Motion JPEG streams in up to 5MP re	\$	749.00
			Ė	
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.		
0556-600	EXT. WARRANTY AXIS M3027-PVE	Note 2: The warranty code must be redeemed within	\$	45.00
		5 U rack-mount video encoder chassis, providing an expandable solution for migrating large- scale analog installations to network video. Holds up to 14 hot-swappable video encoder		
0575-004	AXIS Q7920 VIDEO ENCODER CHASSIS	blades supporting up to 84 analog cameras.	\$	2,599.00

		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.	١.	
0575-600	EXT. WARRANTY AXIS Q7920	Note 2: The warranty code must be redeemed within	\$	156.00
		6 channel video encoder blade. Multiple, individually configurable H.264 (Base, Main and		
		High profile) and Motion JPEG streams; max. D1 resolution at 60/50 fps per channel. Video		
0584-001	AXIS Q7436 VIDEO ENCODER BLADE	motion detection. Active tampering alarm. Coax PTZ Control (Coaxitron). Comp	\$	1,199.00
0584-021	AXIS Q7436 VIDEO ENCODER BLADE BULK 10 PCS	AXIS Q7436 in 10-pack. Cannot be sold separately as single packs.	\$	11,399.00
		2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.		
0584-600	EXT. WARRANTY AXIS Q7436 VIDEO ENC BLADE	Note 2: The warranty code must be redeemed within	\$	72.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.		
0586-600	EXT. WARRANTY AXIS P3365-V	Note 2: The warranty code must be redeemed within	\$	48.00
		,		
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
0587-600	EXT. WARRANTY AXIS P3365-VE	including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within	\$	60.00
0387-000	EXT. WARRAINTT AXIS FS505-VE	Note 2. The warranty code must be redeemed within	,	00.00
		Intelligent Direct Drive PTZ camera with HDTV 720p, day/night and 18x zoom, designed for		
		mounting on a wall or building. No extra bracket are needed, build in junction box. Audio		
0588-001	AXIS P5414-E 60HZ	In/Out, full size SD card, 24 V DC, 4 configurable I/Os and Ethernet connect	\$	1,599.00
		2 other in of the common to a mind		
		2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.		
0588-600	EXT. WARRANTY AXIS P5414-E 60HZ	Note 2: The warranty code must be redeemed within	\$	128.00
		Intelligent Direct Drive PTZ camera with HDTV 1080p, day/night and 18x zoom, designed for		
0589-001	AXIS P5415-E 60HZ	mounting on a wall or building. No extra bracket are needed, build in junction box. Audio In/Out, full size SD card, 24 V DC, 4 configurable I/Os and Ethernet connec	Ś	1,999.00
0505 001	PARS 1 3413 E GOTIE	in out, run size so card, 24 v oc, 4 configuration y os and enternet confice	7	1,555.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.		
0589-600	EXT. WARRANTY AXIS P5415-E 60HZ	Note 2: The warranty code must be redeemed within	\$	160.00
		HDTV camera for day and night surveillance with varifocal 3-10.5mm P-iris lens. Remote 3.5		
		x optical zoom and focus with automatic IR cut filter. Multiple, individually configurable		
0590-001	AXIS M1145	H.264 and Motion JPEG streams; max HDTV 1080p or 2MP resolution at 30 fps	\$	499.00
0590-021	AXIS M1145 BULK 10PCS	AXIS M1145 in 10-pack/bulk. Cannot be sold separately as single packs.	\$	4,949.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.		
0590-600	EXT. WARRANTY AXIS M1145	Note 2: The warranty code must be redeemed within	\$	30.00
		HDTV camera for day and night surveillance with varifocal 3-10.5mm P-iris lens. Remote 3.5 x optical zoom and focus with automatic IR cut filter. Multiple, individually configurable		
0591-001	AXIS M1145-L	H.264 and Motion JPEG streams; max HDTV 1080p or 2MP resolution at 30 fps	Ś	549.00
0591-021	AXIS M1145-L BULK 10PCS	AXIS M1145-L in 10-pack/bulk. Cannot be sold separately as single packs.	\$	5,449.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.		
0591-600	EXT. WARRANTY AXIS M1145-L	Note 2: The warranty code must be redeemed within	Ś	33.00
			<u> </u>	
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
0613 600	EXT. WARRANTY AXIS P3214-V	including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within	Ś	30.00
0612-600	EAT. WARRANTT AAIS PSZ14-V	Note 2. The warranty code must be redeemed within	۶	30.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
l		including standard warranty. No possibility to extend total warranty beyond 5 years.		
0613-600	EXT. WARRANTY AXIS P3214-VE	Note 2: The warranty code must be redeemed within	\$	39.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.		
0614-600	EXT. WARRANTY AXIS P3215-V	Note 2: The warranty code must be redeemed within	\$	45.00
		2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.		
0615-600	EXT. WARRANTY AXIS P3215-VE	Note 2: The warranty code must be redeemed within	\$	45.00
	•	<del></del>		

0622-600	EXT. WARRANTY AXIS P1425-E	2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within	\$	39.00
0623-600	EXT. WARRANTY AXIS P1425-LE	2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within	\$	42.00
		2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.		
0625-600	EXT. WARRANTY AXIS P1427-LE	Note 2: The warranty code must be redeemed within  2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.	\$	49.00
0629-600	EXT. WARRANTY AXIS Q1615	Note 2: The warranty code must be redeemed within  2 years extension of the warranty period	\$	66.00
0630-600	EXT. WARRANTY AXIS Q1615-E	Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within	\$	84.00
0632-004	AXIS V5914 60HZ	Generic PTZ camera with 30x zoom, autofocus and HDTV 720p resolution at 60/fps for live streaming of video and audio. "Video conference" design, smooth pan and tilt, WDR, EIS. HDMI, 3G-SDI, XLR-3 for studio connectivity. CD-audio quality in stereo. Compli	\$	1,999.00
0632-600	EXT. WARRANTY AXIS V5914 60HZ < US >	2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within	\$	160.00
0634-004	AXIS V5915 60HZ	Generic PTZ camera with 30x zoom, autofocus and HDTV 1080p resolution at 60/fps for live streaming of video and audio. "Video conference" design, smooth pan and tilt, WDR, EIS. HDMI, 3G-SDI, XLR-3 for studio connectivity. CD-audio quality in stereo. Compl	\$	2,599.00
0634-600	EXT. WARRANTY AXIS V5915 60HZ < US >	2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within	\$	208.00
0637-600	EXT. WARRANTY AXIS P1428-E	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within	\$	59.00
0638-600	EXT. WARRANTY AXIS P3904-R M12	2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within	\$	27.00
		2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.		
0639-600	EXT. WARRANTY AXIS P3905-R M12	Note 2: The warranty code must be redeemed within  2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.	\$	33.00
0640-600	EXT. WARRANTY AXIS P3904-R	Note 2: The warranty code must be redeemed within  2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.	\$	27.00
0641-600 0642-600	EXT. WARRANTY AXIS P3905-R  EXT. WARRANTY AXIS P3915-R M12	Note 2: The warranty code must be redeemed within  2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within	\$	33.00 36.00
0643-600	EXT. WARRANTY AXIS P3915-R	2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within	\$	36.00
0644-001	AXIS Q1765-LE PTMOUNT	Outdoor, IP66 and NEMA 4X-rated, 1080p HDTV camera with 18x optical zoom, auto focus and day/night mode. Integrated IR LED illumination. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p resolution at 25/30 fps. WDR- dynami	\$	1,399.00
0644-600	EVT WARDANTY AVIS 0476F IS STAGULIT	2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.	\$	84.00
00-14-000	EXT. WARRANTY AXIS Q1765-LE PTMOUNT	Note 2: The warranty code must be redeemed within	ب ا	04.00

		AXIS Q2901-E Temperature alarm camera for wall and ceiling mount, IP66-rated, 336x256 resolution, 8.3 fps, and 35° angle of view. Six temperature alarm zones, isothermal palettes		
0645-001	AXIS Q2901-E 9MM 8.3 FPS	and spot temperature. It supports ONVIF, H.264, audio, local storage, I/O, P	\$	5,199.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
0645-600	EXT. WARRANTY AXIS Q2901-E 9MM 8.3 FPS	including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within	\$	312.00
0043-000	EAT. WARRANTI AND Q2301-E SIVINI 8.3113	Note 2. The warranty code must be redeemed within	,	312.00
		AXIS Q2901-E PT Mount Temperature alarm camera ready for pan/tilt motor head, IP66- rated, 336x256 resolution, 8.3 fps, and 35° angle of view. The product contains U.Sorigin		
0646-001	AXIS Q2901-E PTMOUNT 9MM 8.3 FPS	controlled technology/component, the US Export Administration Regulations (EAR)	\$	5,199.00
		2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.		
0646-600	EXT. WARRANTY AXIS Q2901-E PT MOUNT 9MM 8.3 FPS	Note 2: The warranty code must be redeemed within	\$	312.00
		AXIS Q2901-E Temperature alarm camera for wall and ceiling mount, IP66-rated, 336x256		
0047.004	1,115 0,2004 F 404 44 0 0 FPS	resolution, 8.3 fps, and 17° angle of view. The product contains U.Sorigin controlled	_	- 400 00
0647-001	AXIS Q2901-E 19MM 8.3 FPS	technology/component, the US Export Administration Regulations (EAR) are always a	\$	5,199.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.		
0647-600	EXT. WARRANTY AXIS Q2901-E 19MM 8.3 FPS	Note 2: The warranty code must be redeemed within	\$	312.00
		AVIC COOCAL FOR Maurat Tomographics plans and the first		
		AXIS Q2901-E PT Mount Temperature alarm camera ready for pan/tilt motor head, IP66- rated, 336x256 resolution, 8.3 fps, and 17° angle of view. The product contains U.Sorigin		
0648-001	AXIS Q2901-E PTMOUNT 19MM 8.3 FPS	controlled technology/component, the US Export Administration Regulations (EAR)	\$	5,199.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.		
0648-600	EXT. WARRANTY AXIS Q2901-E PT MOUNT 19MM 8.3 FPS	Note 2: The warranty code must be redeemed within	\$	312.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
0650-600	EXT. WARRANTY AXIS Q6114-E 60HZ	including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within	\$	216.00
		2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.		
0652-600	EXT. WARRANTY AXIS Q6115-E 60HZ	Note 2: The warranty code must be redeemed within	\$	240.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
0653-600	EXT. WARRANTY AXIS P8524 SILVER IMPERIAL	including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within	\$	36.00
		Miniature HDTV camera for discreet indoor/outdoor surveillance with 145° horizontal field of view. Edge storage using microSD card or NAS. ACAP support, I/O port, multiple video		
0654-001	AXIS P1224-E	streams in H.264 and Motion JPEG. 25/30 fps in all resolutions up to 720p. Po	\$	499.00
		2 years outonsian of the warranty navied		
		2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.	١.	
0654-600	EXT. WARRANTY AXIS P1224-E	Note 2: The warranty code must be redeemed within  14 x AXIS Q7436 Video Encoder Blade mounted in an AXIS Q7920 Video Encoder Chassis.	\$	30.00
0656-004	AXIS Q7436/Q7920 KIT	Country specific power cable.	\$	18,599.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.	١.	
0656-600	EXT. WARRANTY AXIS Q7436/Q7920 KIT	Note 2: The warranty code must be redeemed within	\$	1,116.00
		AXIS F41 Main Unit. To be used with any of AXIS F Series Sensor Units. Supports full HDTV		
0658-001	AVIS E41 MAIN LINIT	1080p and WDR - Forensic Capture. Two way audio, 4 configurable I/Os with 12 V output and RS232. Supports Edge Storage through NAS or SD card (optional). PoE and 8-2	\$	449.00
0658-001	AXIS F41 MAIN UNIT	and NO2022. Supports Edge Storage through NAS OF SD Card (optional). POE aild 8-2	۶	449.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.		
0658-600	EXT. WARRANTY AXIS F41	Note 2: The warranty code must be redeemed within	\$	27.00
		2 years extension of the warranty poriod		
		2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.		
0661-600	EXT. WARRANTY AXIS Q1635	Note 2: The warranty code must be redeemed within	\$	87.00
		Fixed dome mobile surveillance camera for outdoors use on buses, trams, trucks and		
0000 001	AVIS DOOS DE	emergency vehicles. IP69K and IK09 rated. Fixed 6 mm lens providing 55° horizontal FOV.	_	F 40 67
0662-001	AXIS P3905-RE	Flat, discreet and tamper-resistant casing. Supports H.264 and Motion JPEG streams;	\$	549.00

		Fixed dome mobile surveillance camera for outdoors use on buses, trams, trucks and		
		emergency vehicles. IP69K and IK09 rated. Fixed 6 mm lens providing 55° horizontal FOV.		
0662-021	AXIS P3905-RE BULK 10PCS	Flat, discreet and tamper-resistant casing. Supports H.264 and Motion JPEG streams;	\$	5,299.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
0662-600	EXT. WARRANTY AXIS P3905-RE	including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within	\$	39.00
		Fixed dome mobile surveillance camera for outdoors use on buses, trams, trucks and		
0663-001	AXIS P3905-RE M12	emergency vehicles. IP69K and IK09 rated. Fixed 6 mm Iens providing 55° horizontal FOV. Flat, discreet and tamper-resistant casing. Supports H.264 and Motion JPEG streams;	\$	549.00
		Fixed dome mobile surveillance camera for outdoors use on buses, trams, trucks and emergency vehicles. IP69K and IK09 rated. Fixed 6 mm lens providing 55° horizontal FOV.		
0663-021	AXIS P3905-RE M12 BULK 10PCS	Flat, discreet and tamper-resistant casing. Supports H.264 and Motion JPEG streams;	\$	5,299.00
		2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.		
0663-600	EXT. WARRANTY AXIS P3905-RE M12	Note 2: The warranty code must be redeemed within	\$	39.00
		Multi-sensor, day/night fixed dome in an IK10 vandal-resistant outdoor casing. Fixed focal,		
		multi-megapixel lenses, focused from factory. Multiple, individually configurable H.264 and		
0664-001	AXIS Q3709-PVE	Motion JPEG streams; high-quality 4K video in 30 fps from each of 3 sen	\$	2,399.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.		
0664-600	EXT. WARRANTY AXIS Q3709-PVE	Note 2: The warranty code must be redeemed within	\$	144.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
0000 000	EVT WARRANTY AVIC ORFOA VOMM	including standard warranty. No possibility to extend total warranty beyond 5 years.	۲.	49.00
0665-600	EXT. WARRANTY AXIS Q3504-V 9MM	Note 2: The warranty code must be redeemed within	\$	48.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
0667-600	EXT. WARRANTY AXIS Q3504-VE 9MM	including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within	\$	57.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.		
0670-600	EXT. WARRANTY AXIS P5635-E 60HZ	Note 2: The warranty code must be redeemed within	\$	160.00
		2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.		
0671-600	EXT. WARRANTY AXIS P5624-E 60HZ	Note 2: The warranty code must be redeemed within	\$	128.00
		AXIS A8004-VE Network Video Door Station is an open, IP-based door station for two-way		
		communication, video and remote entry control. By combining exceptional audio		
0673-001	AXIS A8004-VE	capabilities, including a high performing solution for echo cancellation and noise suppres	\$	1,249.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
0.570 500		including standard warranty. No possibility to extend total warranty beyond 5 years.		75.00
0673-600	EXT. WARRANTY AXIS A8004-VE	Note 2: The warranty code must be redeemed within	\$	75.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
0674-600	EXT. WARRANTY AXIS Q1635-E	including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within	\$	105.00
0071000	EXT. W. M. W. T. F. M. G. Q. 2005 E	Note 2.1 The Walland, code mast be reactified Walling	Ÿ	100.00
		AXIS F1005-E Sensor Unit with a 3 meter cable to the main unit. IP66 rated. To be used with		
0675-001	AXIS F1005-E SENSOR UNIT 3M	AXIS F Series Main Units. Fixed lens that provides 113° horizontal FOV. Full HDTV 1080p resolution and support for WDR - Forensic Capture together with AXIS F41 Ma	\$	249.00
0073 001	TAKIS Y 1005 E SENGGIN GINI SIN	resolution and support for Wash Forensie expedite together With 1880 F 12 Ind	· ·	2 13100
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.		
0675-600	EXT. WARRANTY AXIS F1005-E SENSOR UNIT 3M	Note 2: The warranty code must be redeemed within	\$	15.00
		AVICEARDS Forman Halbridge 42		
		AXIS F1005-E Sensor Unit with a 12 meter cable to the main unit. IP66 rated. To be used with AXIS F Series Main Units. Fixed lens that provides 113° horizontal FOV. Full HDTV		
0676-001	AXIS F1005-E SENSOR UNIT 12M	1080p resolution and support for WDR - Forensic Capture together with AXIS F41 M	\$	269.00
		2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.		
0676-600	EXT. WARRANTY AXIS F1005-E SENSOR UNIT 12M	Note 2: The warranty code must be redeemed within	\$	16.00
		AXIS F1015 Sensor Unit with a 3 meter cable to the main unit. To be used with AXIS F Series		
		Main Units. Vari-focal lens that provides 53° - 108° horizontal FOV. Full HDTV 1080p		
0677-001	AXIS F1015 SENSOR UNIT 3M	resolution and support for WDR - Forensic Capture together with AXIS F41 Main	\$	279.00

		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.		
0677-600	EXT. WARRANTY AXIS F1015 SENSOR UNIT 3M	Note 2: The warranty code must be redeemed within	\$	15.00
		AVIC 54045 Conseq Unit with a 42 makes while to the secience it. To be used with AVIC 5		
		AXIS F1015 Sensor Unit with a 12 meter cable to the main unit. To be used with AXIS F Series Main Units. Vari-focal lens that provides 53° - 108° horizontal FOV. Full HDTV 1080p		
0678-001	AXIS F1015 SENSOR UNIT 12M	resolution and support for WDR - Forensic Capture together with AXIS F41 Main	\$	299.00
			T	
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
0570.500	EVE 144 DD 4 1/2/ 4 1/2 E4 6 4 5 CENCOD 1 1/1/2 4 0 4	including standard warranty. No possibility to extend total warranty beyond 5 years.	_	45.00
0678-600	EXT. WARRANTY AXIS F1015 SENSOR UNIT 12M	Note 2: The warranty code must be redeemed within	\$	16.00
		HDTV 720p resolution, day/night, fixed camera with CS-mount varifocal 2.8-8.5 mm P-iris		
		lens and remote back focus (camera also supports DC-iris lenses). Multiple, individually		
0689-001	AXIS P1364	configurable H.264 and Motion JPEG streams; max HDTV 720p at 60 fps. WDR – For	\$	649.00
0689-021	AXIS P1364 BULK 10PCS	AXIS P1364 in 10-pack. Cannot be sold separately as single packs. No power supplies.	\$	6,399.00
0689-041	AXIS P1364 BAREBONE	AXIS P1364 Barebone. No lens. No power supply.  AXIS P1364 Barebone in 10-pack. Cannot be sold separately as single packs. No lenses. No	Ş	549.00
0689-051	AXIS P1364 BAREB BULK 10PCS	power supplies.	\$	5,489.00
		Fr. a step as		.,
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
0680 600	EVT MARRANTY AVIC D1264	including standard warranty. No possibility to extend total warranty beyond 5 years.	_ ا	20.00
0689-600	EXT. WARRANTY AXIS P1364	Note 2: The warranty code must be redeemed within	\$	39.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.		
0690-600	EXT. WARRANTY AXIS P1365	Note 2: The warranty code must be redeemed within	\$	45.00
		2		
		2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.		
0698-600	EXT. WARRANTY AXIS Q6045-S Mk II 60HZ	Note 2: The warranty code must be redeemed within	\$	480.00
		AXIS Q8414-LVS Network Camera Metal is a brushed stainless steel indoor corner camera		
0700 004	ANIC COMMA INC MAETAL	with an anti-grip/anti-ligature design to prevent self-harm. Ideal for correctional facilities	_	4 200 00
0709-001	AXIS Q8414-LVS METAL	and psychiatric wards. It supports IK10+ 50 joules impact rating. It is IP	\$	1,299.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.		
0709-600	EXT. WARRANTY AXIS Q8414-LVS METAL	Note 2: The warranty code must be redeemed within	\$	78.00
		AVIS ORALA LVC Naturali Comova White is a natural analysis at a linday source		
		AXIS Q8414-LVS Network Camera White is a powder coated stainless steel indoor corner camera with an anti-grip/anti-ligature design to prevent self-harm. Ideal for correctional		
0710-001	AXIS Q8414-LVS WHITE	facilities and psychiatric wards. It supports IK10+50 joules impact rating. It	\$	1,299.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
0710-600	EXT. WARRANTY AXIS Q8414-LVS WHITE	including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within	\$	78.00
0710-000	LAT. WARRANTI AAIS QO414-EVS WITTE	Note 2. The warranty code must be reucemed within	7	78.00
		HDTV 1080p height strip camera with a pinhole sensor unit inside the height strip and a		
		separate main unit. Silver aluminum housing with an imperial height indicator. When		
0711-001	AXIS P8535 SILVER IMPERIAL	mounted on a wall, it serves as an eye-level camera for face identification. WDR –	\$	799.00
		2 years outonsian of the warranty nariad		
		2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.		
0711-600	EXT. WARRANTY AXIS P8535 SILVER IMPERIAL	Note 2: The warranty code must be redeemed within	\$	48.00
0744007		Ceiling mount Back Box for VB-R1xVE outdoor PTZ Domes. Consisting of heavy duty metal		
0711C001	CANON CEILING MOUNTING KIT CM10-VB	hinged cable box and PA10-15-VE bayonet camera fitting - 342mm drop.	\$	367.00
		HDTV 1080p height strip camera with a pinhole sensor unit inside the height strip and a		
		separate main unit. Black aluminum housing with an imperial height indicator. When		
0712-001	AXIS P8535 BLACK IMPERIAL	mounted on a wall, it serves as an eye-level camera for face identification. WDR – F	\$	799.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.		
0712-600	EXT. WARRANTY AXIS P8535 BLACK IMPERIAL	Note 2: The warranty code must be redeemed within	\$	48.00
0712C001	CANON CONDUIT BOX CB740-VB	Conduit box for VB-H76x/H751LE/M74x outdoor bullets.	\$	118.00
		HDTV 1080p height strip camera with a pinhole sensor unit inside the height strip and a		
		separate main unit. Silver aluminum housing with a metric height indicator. When mounted	,	799.00
0712 001	AVIC DOCAL CILVED MATTRIC			
0713-001	AXIS P8535 SILVER METRIC	on a wall, it serves as an eye-level camera for face identification. WDR – For	\$	755.00
0713-001	AXIS P8535 SILVER METRIC		\$	755.00
0713-001	AXIS P8535 SILVER METRIC	on a wall, it serves as an eye-level camera for face identification. WDR – For  2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years	\$	755.00
0713-001	AXIS P8535 SILVER METRIC	2 years extension of the warranty period	\$	48.00

0740004	CANADA CONDUIT AD ADTED CASAS VD	lo l'il la Capacca ve al lo		400.00
0713C001	CANON CONDUIT ADAPTER CA640-VB	Conduit adaptor for VB-M64xVE outdoor Domes.	\$	103.00
		HDTV 1080p height strip camera with a pinhole sensor unit inside the height strip and a	1	
		separate main unit. Black aluminum housing with a metric height indicator. When mounted	1	
0714-001	AXIS P8535 BLACK METRIC	on a wall, it serves as an eye-level camera for face identification. WDR – Fore	\$	799.00
		2 years extension of the warranty period	1	
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years	1	
2714 600	EVT MARDANITY AVIC DOESE DI ACK METRIC	including standard warranty. No possibility to extend total warranty beyond 5 years.	Ś	48.00
0714-600	EXT. WARRANTY AXIS P8535 BLACK METRIC	Note 2: The warranty code must be redeemed within  Indoor recessed ceiling mount kit for VB-R13/R11 indoor PTZ Domes.	,	46.00
0714C001	CANON REC MOUNT KIT SR11-S-VB	Comprising of mounting template, in-ceiling cage and cover - Titanium White	\$	328.00
			Ċ	
		2 years extension of the warranty period	1	
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years	1	
		including standard warranty. No possibility to extend total warranty beyond 5 years.	۱.	
0715-600	EXT. WARRANTY AXIS Q8665-E 24V AC	Note 2: The warranty code must be redeemed within	\$	400.00
0715C001	CANON REC MOUNT KIT SR640-S-VB	Indoor recessed ceiling mount kit for VB-H651V/M64xV domes.  Comprising of in-ceiling cage and cover - Titanium White	\$	276.00
			Ť	
		2 years extension of the warranty period	1	
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years	1	
		including standard warranty. No possibility to extend total warranty beyond 5 years.	1	
0716-600	EXT. WARRANTY AXIS Q8665-E 230V AC	Note 2: The warranty code must be redeemed within	\$	400.00
07455004	CANON DI EN DECAMOUNE ME COMA DI VID	Indoor plenum recessed ceiling mount kit for VB-R13/R11 indoor PTZ Domes.		500.00
0716C001	CANON PLEN REC MOUNT KIT SR11-P-VB	Comprising of fire resistant in-ceiling cage and cover - Titanium White	\$	538.00
		2 years extension of the warranty period	1	
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years	1	ļ
		including standard warranty. No possibility to extend total warranty beyond 5 years.	1	
0717-600	EXT. WARRANTY AXIS Q8665-E 120V AC	Note 2: The warranty code must be redeemed within	\$	400.00
		Indoor recessed ceiling mount kit for VB-H651V/M64xV domes.		
0717C001	CANON PLEN REC MOUNTKIT SR640-P-VB	Comprising of in-ceiling cage and cover - Titanium White	\$	350.00
			1	
		2 years extension of the warranty period	1	
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.	1	
0718-600	EXT. WARRANTY AXIS Q8665-LE 24V AC	Note 2: The warranty code must be redeemed within	\$	480.00
0710 000	EXT. WARRANT PAIS GOOD EE 24V AC	1.5inch Pipe Adaptor for VB-R1xVE outdoor PTZ Domes with standard NPSM screw thread	,	400.00
0718C001	CANON 1.5 IN PIPE ADPT PA10-15-VB	and bayonet camera fitting - 100mm long.	\$	86.00
		2 years extension of the warranty period	1	
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years	1	
		including standard warranty. No possibility to extend total warranty beyond 5 years.		
0719-600	EXT. WARRANTY AXIS Q8665-LE 230V AC	Note 2: The warranty code must be redeemed within	\$	520.00
		Indoor pendant mounting cap for VB-R13/11 indoor PTZ Domes, VB-H65x/M64x domes, and VB-H76x/H751LE/M74x bullets.	1	
0719C001	CANON PENDANT MOUNTING KIT PC640-VB	Comprising of 1.5inch NPSM threaded pipe adaptor / cover - Titanium White.	\$	89.00
		2 years extension of the warranty period	1	
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years	1	
		including standard warranty. No possibility to extend total warranty beyond 5 years.		
0720-600	EXT. WARRANTY AXIS Q8665-LE 120V AC	Note 2: The warranty code must be redeemed within	\$	520.00
		Wall mount bracket for VB-R1xVE outdoor PTZ Domes. Consisting of heavy duty metal hinged cable box, right angle extender and PA10-15-VE bayonet camera fitting - 215mm	1	
0720C001	CANON WALL MOUNTING KIT WM10-VB	stand-off.	\$	456.00
		2 years extension of the warranty period	1	
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years	1	
0724 600	EVT WARDANTY AND COSCE IS ASSESSED.	including standard warranty. No possibility to extend total warranty beyond 5 years.		500
0721-600 0721C001	EXT. WARRANTY AXIS Q8665-LE 100V AC  CANON SMOKED DOME UNIT DU10-S-VB	Note 2: The warranty code must be redeemed within  Smoked dome cover for VB-R1xVE & VB-R1x PTZ Domes	\$	520.00 81.00
0721C001 0722C001	CANON SMOKED DOME UNIT DUID-S-VB	Smoked dome cover for VB-KIXVE & VB-KIX P12 Domes  Smoked dome cover for VB-H651VE/V & VB-M64xVE/V domes	\$	44.00
0.22001	S. STOR SHICKED DOINE SINIT DOUGO-3-VD	Sunshade cover for VB-H651LVE/VE outdoor Domes.	Ť	-14.00
0723C001	CANON SUNSHADE COVER SC640-VB	Includes securing bolts for easy installation.	\$	84.00
0724C001	CANON HEATER UNIT HU641-VB	Optional heater element for VB-H651VE/M641VE outdoor Domes. Requires 24V AC power.	\$	128.00
		2	1	
		2 years extension of the warranty period	1	
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.	1	
0728-600	EXT. WARRANTY AXIS Q8632-E 24V AC 35MM 8.3 FPS	Note 2: The warranty code must be redeemed within	\$	880.00
		2 years extension of the warranty period	1	
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years	1	
		including standard warranty. No possibility to extend total warranty beyond 5 years.	1.	
0729-600	EXT. WARRANTY AXIS Q8632-E 230V AC 35MM 8.3 FP	Note 2: The warranty code must be redeemed within	\$	880.00
		2 years outonsion of the warrants named	1	
		2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years	1	
		including standard warranty. No possibility to extend total warranty beyond 5 years.	1	
0732-600	EXT. WARRANTY AXIS Q8632-E 230V AC 35MM 30 FPS	Note 2: The warranty code must be redeemed within	\$	880.00
	2002 - 2007 / 6 05/1/10 05/1/10			223.00
		2 years extension of the warranty period	1	
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years	1	
		including standard warranty. No possibility to extend total warranty beyond 5 years.	ĺ.	
0733-600	EXT. WARRANTY AXIS Q8632-E 120V AC 35MM 30 FPS	Note 2: The warranty code must be redeemed within	\$	880.00

		AXIS F1025 Sensor Unit with a 12 meter cable to the main unit. To be used with AXIS F Series Main Units. Pinhole lens that provides 92° horizontal FOV. Full HDTV 1080p		
0734-001	AXIS F1025 SENSOR UNIT 12M	resolution and support for WDR - Forensic Capture together with AXIS F41 Main Unit. Inc	\$	269.00
		2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.		
0734-600	EXT. WARRANTY AXIS F1025 SENSOR UNIT 12M	Note 2: The warranty code must be redeemed within	\$	16.00
		AXIS F1025 Sensor Unit with a 3 meter cable to the main unit. To be used with AXIS F Series		
0735-001	AXIS F1025 SENSOR UNIT 3M	Main Units. Pinhole lens that provides 92° horizontal FOV. Full HDTV 1080p resolution and support for WDR - Forensic Capture together with AXIS F41 Main Unit. Incl	\$	249.00
0735-600	EXT. WARRANTY AXIS F1025 SENSOR UNIT 3M	2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within	\$	15.00
		AXIS F1035-E Sensor Unit with a 12 meter cable to the main unit. IP66 rated. To be used with AXIS F Series Main Units. Fisheye lens that provides 194° horizontal FOV. Full HDTV		
0736-001	AXIS F1035-E SENSOR UNIT 12M	1080p resolution and support for WDR - Forensic Capture together with AXIS F41	\$	269.00
0736-600	EXT. WARRANTY AXIS F1035-E SENSOR UNIT 12M	2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within	\$	16.00
0730 000	2		·	10.00
0737-001	AXIS F1035-E SENSOR UNIT 3M	AXIS F1035-E Sensor Unit with a 3 meter cable to the main unit. IP66 rated. To be used with AXIS F Series Main Units. Fisheye lens that provides 194° horizontal FOV. Full HDTV 1080p resolution and support for WDR - Forensic Capture together with AXIS F41	\$	249.00
		2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.		
0737-600	EXT. WARRANTY AXIS F1035-E SENSOR UNIT 3M	Note 2: The warranty code must be redeemed within	\$	15.00
		Outdoor, NEMA 4X, IP66/67 and IK10-rated, lightweight, HDTV 720p, day/night, fixed network camera with CS-mount varifocal 2.8-8.5 mm P-iris lens and remote back focus		
0739-001	AXIS P1364-E	(camera also supports DC-iris lenses). Multiple, individually configurable H.264 and Mot	\$	899.00
0739-600	EXT. WARRANTY AXIS P1364-E	2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within	\$	54.00
0740-600	EXT. WARRANTY AXIS P1365-E	2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within	\$	60.00
		Rugged Video Encoder with H.264 and Motion JPEG support. 1-4 video channels. Video motion detection. Two-way audio with audio detection. ACAP support on one channel.		
0742-001	AXIS Q7424-R MKII VIDEO ENCODER	Ethernet port and SFP slot for fiber connection. Support for Power over Ethernet (IEEE 80	\$	899.00
0742-021	AXIS Q7424-R MKII VID ENC BULK 10P	Rugged Video Encoder with H.264 and Motion JPEG support. 1-4 video channels. Video motion detection. Two-way audio with audio detection. ACAP support on one channel. Ethernet port and SFP slot for fiber connection. Support for Power over Ethernet (IEEE 80	\$	8,541.00
		2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.		
0742-600	EXT. WARRANTY AXIS Q7424-R MKII VIDEO ENC	Note 2: The warranty code must be redeemed within	\$	54.00
0743-001	AXIS Q3615-VE	Day/night fixed dome with 1/2" sensor, providing WDR – Forensic Capture and Lightfinder for demanding light conditions. IK10 vandal-resistant outdoor casing. Pan/tilt/roll/zoom for remote installation and readjustment. Motorized varifocal 4.1-9 mm P-Iris	\$	1,349.00
0742 500	EVT WARDANTY AVIS 0261E VE	2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.	٠	81.00
0743-600	EXT. WARRANTY AXIS Q3615-VE	Note 2: The warranty code must be redeemed within	\$	81.00
0744-001	AXIS Q3617-VE	Day/night fixed dome with 1/2" sensor, providing WDR – Forensic Capture and Lightfinder for demanding light conditions. IK10 vandal-resistant outdoor casing. Pan/tilt/roll/zoom for remote installation and readjustment. Motorized varifocal 4.1-9 mm P-Iris	\$	1,549.00
		2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.		
0744-600	EXT. WARRANTY AXIS Q3617-VE	Note 2: The warranty code must be redeemed within  AXIS A4011-E Reader is a generic touch-free reader with keypad and illuminated symbols. It	\$	93.00
0745-001	AXIS A4011-E READER	is a perfect match to the Network Door Controler A1001. The reader is intended for both indoor and outdoor use and it supports most smart card formats with 13.56 MH	\$	369.00

			l	
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.	١.	
0745-600	EXT. WARRANTY AXIS A4011-E READER	Note 2: The warranty code must be redeemed within	\$	22.00
		HDTV 720p resolution, day/night, fixed camera with CS-mount varifocal 3-10.5 mm DC-iris		
		lens. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p at		
0747-001	AXIS M1124	30 fps. WDR – Forensic Capture and Axis' Zipstream technology for reduced ban	\$	349.00
0747-021	AXIS M1124 BULK 10PCS	AXIS M1124 in 10-pack. Cannot be sold separately as single packs.	\$	3,449.00
0747-031	AXIS M1124 BAREBONE	AXIS M1124 Barebone. No lens.	\$	329.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.		
0747-600	EXT. WARRANTY AXIS M1124	Note 2: The warranty code must be redeemed within	\$	21.00
		Outdoor, NEMA 4X, IP66 and IK10-rated, lightweight, HDTV 720p resolution, day/night, fixed camera with CS-mount varifocal 3-10.5 mm DC-iris lens. Multiple, individually configurable		
0748-001	AXIS M1124-E	H.264 and Motion JPEG streams; max HDTV 720p at 30 fps. WDR – Forensic Cap	\$	449.00
			1	
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
2740 500	EVET 1111 DE 11171 A 1110 A 1111 A	including standard warranty. No possibility to extend total warranty beyond 5 years.		27.00
0748-600	EXT. WARRANTY AXIS M1124-E	Note 2: The warranty code must be redeemed within	\$	27.00
		HDTV 1080p resolution, day/night, fixed camera with CS-mount varifocal 3-10.5 mm DC-iris		
		lens. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p		
0749-001	AXIS M1125	at 30 fps. WDR – Forensic Capture and Axis' Zipstream technology for reduced b	\$	419.00
0749-021	AXIS M1125 BULK 10PCS	AXIS M1125 in 10-pack. Cannot be sold separately as single packs.	\$	4,149.00
0749-031	AXIS M1125 BAREBONE	AXIS M1125 Barebone. No lens.	\$	399.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.		
0749-600	EXT. WARRANTY AXIS M1125	Note 2: The warranty code must be redeemed within	\$	25.00
		Outdoor, NEMA 4X, IP66 and IK10-rated, lightweight, HDTV 1080p resolution, day/night,		
0750-001	AXIS M1125-E	fixed camera with CS-mount varifocal 3-10.5 mm DC-iris lens. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p at 30 fps. WDR – Forensic C	\$	519.00
0730 001	7410 171225 2	cominguitable in 20 tains motion of 20 streams) maximum 2000p at 50 hbs. White in ordinate	7	313.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
0750 000	EVET 114 DD 11 TV 1 1/10 144 105 5	including standard warranty. No possibility to extend total warranty beyond 5 years.		24.00
0750-600	EXT. WARRANTY AXIS M1125-E	Note 2: The warranty code must be redeemed within	\$	31.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.		
0751-600	EXT. WARRANTY AXIS Q1775	Note 2: The warranty code must be redeemed within	\$	78.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.		
0752-600	EXT. WARRANTY AXIS Q1775-E	Note 2: The warranty code must be redeemed within	\$	96.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.		
0759-600	EXT. WARRANTY AXIS P3224-LV	Note 2: The warranty code must be redeemed within	\$	36.00
		5MP resolution, day/night, fixed box camera providing Forensic WDR and Lightfinder		
		technology for demanding light conditions. Includes an IR corrected varifocal 2.8-8.5 mm		
0762-001 0762-031	AXIS P1367 AXIS P1367 BAREBONE	F1.2 P-iris lens and remote back focus (camera also supports i-CS and DC-iris lense	\$	799.00 699.00
0702-031	AXIS F1307 BAREDOINE	AXIS P1367 Barebone. No lens. No power supply.	3	033.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
0700 000		including standard warranty. No possibility to extend total warranty beyond 5 years.		
0762-600	EXT. WARRANTY AXIS P1367	Note 2: The warranty code must be redeemed within	\$	49.00
		Outdoor, 5MP resolution, day/night, fixed box camera providing Forensic WDR and		
		Lightfinder for demanding light conditions Includes an IR corrected varifocal 2.8-8.5 mm		
0763-001	AXIS P1367-E	F1.2 P-iris lens and remote back focus (camera also supports i-CS and DC-iris lenses w	\$	999.00
0763-031	AXIS P1367-E BAREBONE	AXIS P1367-E Barebone. No lens. Midspan not included	\$	899.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.		
0763-600	EXT. WARRANTY AXIS P1367-E	Note 2: The warranty code must be redeemed within	\$	59.00
		Single channel video encoder with H.264 (High, Main and Base profile) and Motion JPEG		
		support. Power over Ethernet (IEEE 802.3af). Edge storage using microSDHC card or NAS.		
	AXIS M7011 Video Encoder	AVHS and ACAP support. No midspan included.	\$	199.00

2 years extension of the warranty period Note 1: Maximum warranty no cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  AXIS F1004 SENSOR UNIT  Selling/wall mount kit is included.  2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  AXIS C3003-E NETWORK HORN SPEAKER  2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  AXIS C3003-E NETWORK HORN SPEAKER  2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  5 2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  5 2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  5 2 years extension of the wa	6 99.00 6 499.00 6 30.00
Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  AXIS F1004 SENSOR UNIT  AXIS F1004 SENSOR UNIT  Celling/wall mount kit is included.  2 years extension of the warranty period Note 1: Maximum warranty no mameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  AXIS C3003-E NETWORK HORN SPEAKER  AXIS C3003-E NETWO	6 99.00 6 499.00 6 30.00
Note 2: The warranty code must be redeemed within   S   AXIS F1004 SENSOR UNIT   Note 2: The warranty code must be redeemed within   S   AXIS F1004 SENSOR UNIT   Pigtail for a detachable 8-m (26-ft.) cable for connecting to an AXIS F Main Unit. A flush celling/wall mount kit is included.   S   S	6 99.00 6 499.00 6 30.00
AXIS F1004 SENSOR UNIT   Celling/wall mount kit is included.  2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty, No possibility to extend total warranty beyond 5 years.  AXIS C3003-E APETWORK HORN SPEAKER  AXIS C3003-E NETWORK H	6 99.00 6 499.00 6 30.00
Pigtail for a detachable 8-m (26-ft.) cable for connecting to an AXIS F Main Unit. A flush celling/wall mount kit is included.  2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within  AXIS C3003-E delivers high sound pressure and clear voice in demanding outdoor environments. The self-contained network speaker installs and powers with a single network cable. It integrates in your video management or VoIP system (SIP) and ensures reliab  2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  5 2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty no nameras/encoders/decoders/access control is 5 years including standard warranty no nameras/encoders/decoders/access control is 5 years including standard warranty on cameras/encoders/decoders/access control is 5 years including standard warranty no nameras/encoders/decoders/access control is 5 years including standard warranty no nameras/encoders/decoders/access control is 5 years including standard warranty no nameras/encoders/decoders/access control is 5 years including standard warranty no nameras/encoders/decoders/access control is 5 years including standard warranty no nameras/encoders/decoders/access control is 5 years including standard warranty no nameras/encoders/decoders/access control is 5 years including standard warranty no nameras/encoders/decoders/access control is 5 years including standard warranty be redeemed within  5 2 years extension of the warranty period Note 2: The warranty period warranty be redeemed within \$	6 6.00 6 499.00 8 30.00
2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within \$ AXIS C3003-E NETWORK HORN SPEAKER \$ 2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within \$ 2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty one material period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within \$ 2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within \$ 2 years extension of the warranty poriod Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within \$ 2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within \$ 2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/	6 6.00 6 499.00 8 30.00
Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within  AXIS C3003-E delivers high sound pressure and clear voice in demanding outdoor environments. The self-contained network speaker installs and powers with a single network cable. It integrates in your video management or VoIP system (SIP) and ensures reliab note 1: Maximum warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within  \$ 2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within  \$ 2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within  \$ 2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within  \$ 2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within  \$ 2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty period  Note 2: The warranty code must be redeemed within	3 499.00 3 30.00 3 80.00
Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within  AXIS C3003-E delivers high sound pressure and clear voice in demanding outdoor environments. The self-contained network speaker installs and powers with a single network cable. It integrates in your video management or VoIP system (SIP) and ensures reliab note 1: Maximum warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within  \$ 2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within  \$ 2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within  \$ 2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within  \$ 2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within  \$ 2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty period  Note 2: The warranty code must be redeemed within  \$ 2 years extension of the warranty period	3 499.00 3 30.00 3 80.00
including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within  AXIS C3003-E delivers high sound pressure and clear voice in demanding outdoor environments. The self-contained network speaker installs and powers with a single network cable. It integrates in your video management or VoIP system (SIP) and ensures reliab  2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  5 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  5 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  5 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  5 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty period Note 2: The warranty period Note 2: The warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty on cameras/encoders/decoders/access control is 5 years.	3 499.00 3 30.00 3 80.00
AXIS C3003-E delivers high sound pressure and clear voice in demanding outdoor environments. The self-contained network speaker installs and powers with a single network cable. It integrates in your video management or VoIP system (SIP) and ensures reliab  2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  5 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  5 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  5 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years warranty on the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years	3 499.00 3 30.00 3 80.00
environments. The self-contained network speaker installs and powers with a single network cable. It integrates in your video management or VoIP system (SIP) and ensures reliab  2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  5 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  5 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  5 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  5 years extension of the warranty period Note 2: The warranty code must be redeemed within  5 years extension of the warranty period Note 2: The warranty code must be redeemed within  5 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years	S 30.00
network cable. It integrates in your video management or VoIP system (SIP) and ensures reliab  2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  5 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  5 years extension of the warranty period Note 2: The warranty code must be redeemed within  5 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years including standard warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  5 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty on cameras/encoders/decoders/access control is 5 years including standard warranty on cameras/encoders/decoders/access control is 5 years including standard warranty on cameras/encoders/decoders/access control is 5 years including standard warranty on cameras/encoders/decoders/access control is 5 years including standard warranty on cameras/encoders/decoders/access control is 5 years including standard warranty on cameras/encoders/decoders/access control is 5 years including standard warranty on cameras/encoders/decoders/access control is 5 years including standard warranty on cameras/encoders/decoders/access control is 5 years including standard wa	S 30.00
2 years extension of the warranty period Note 1: Maximum warranty. No possibility to extend total warranty beyond 5 years including standard warranty on cameras/encoders/decoders/access control is 5 years including standard warranty code must be redeemed within  2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  5 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  5 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty on cameras/encoders/decoders/access control is 5 years including standard warranty on cameras/encoders/decoders/access control is 5 years including standard warranty on cameras/encoders/decoders/access control is 5 years including standard warranty on cameras/encoders/decoders/access control is 5 years including standard warranty on cameras/encoders/decoders/access control is 5 years	S 30.00
Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  5 years extension of the warranty one must be redeemed within  5 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  5 years extension of the warranty one must be redeemed within  5 years extension of the warranty one must be redeemed within  5 years extension of the warranty one must be redeemed within  5 years extension of the warranty period Note 2: The warranty one must be redeemed within  5 years extension of the warranty period Note 1: Maximum warranty one cameras/encoders/decoders/access control is 5 years	80.00
Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  5 years extension of the warranty one must be redeemed within  5 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  5 years extension of the warranty one must be redeemed within  5 years extension of the warranty one must be redeemed within  5 years extension of the warranty one must be redeemed within  5 years extension of the warranty period Note 2: The warranty one must be redeemed within  5 years extension of the warranty period Note 1: Maximum warranty one cameras/encoders/decoders/access control is 5 years	80.00
0769-600 EXT. WARRANTY AXIS C3003-E  Note 2: The warranty code must be redeemed within  2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/decoders/	80.00
2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  5 years extension of the warranty period Note 1: Maximum warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years	80.00
Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  5 2 years extension of the warranty on cameras/encoders/decoders/access control is 5 years whose 2: The warranty code must be redeemed within  5 2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years	
Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  5 2 years extension of the warranty on cameras/encoders/decoders/access control is 5 years whose 2: The warranty code must be redeemed within  5 2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years	
0769-600 EXT. WARRANTY AXIS P5514 60HZ  2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years  2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years	
2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years	
Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within  2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years	: 96.00
including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within  2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years	96.00
0770-600 EXT. WARRANTY AXIS P5515 60HZ Note 2: The warranty code must be redeemed within \$ 2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years	96.00
2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years	
Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years	30.00
including standard warranty. No possibility to extend total warranty beyond 5 years.	
0771-600 EXT. WARRANTY AXIS P5514-E 60HZ Note 2: The warranty code must be redeemed within \$	96.00
U771-000 EAT. WARRAINT AND F3514-E 0002 Note 2. The warrainty code must be redeemed within 3	96.00
2 years extension of the warranty period	
Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years	
including standard warranty. No possibility to extend total warranty beyond 5 years.    O772-600   EXT. WARRANTY AXIS P5515-E 60HZ   Note 2: The warranty code must be redeemed within   \$	112.00
Unit and the state of the state	112.00
Day/night fixed dome in a stainless steel (marine-grade SS 316L) outdoor casing with nylon	
dome cover, offering high corrosion resistance and IK10+ (50 joules) vandal resistance.  O773-001 AXIS Q3505-SVE 9MM MKII Support for WDR – Forensic Capture and Lightfinder. Varifocal 3-9 mm P-Iris \$	5 1,349.00
Support of the suppor	2,3 13100
2 years extension of the warranty period	
Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.	
0773-600 EXT. WARRANTY AXIS Q3505-SVE 9MM MKII Note 2: The warranty code must be redeemed within \$	81.00
Day/night fixed dome in a stainless steel (marine-grade SS 316L) outdoor casing with nylon dome cover, offering high corrosion resistance and IK10+ (50 joules) vandal resistance.	
0774-001 AXIS Q3505-SVE 22MM MKII Support for WIEINg Ingili cultivation and Lightfinder. Varifocal 9-22 mm P-tris	5 1,449.00
2 years extension of the warranty period	
Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.	
0774-600 EXT. WARRANTY AXIS Q3505-SVE 22MM MKII Note 2: The warranty code must be redeemed within \$	87.00
AXIS F4005-E Dome Sensor Unit with a 12-meter (39-feet) cable to an AXIS F Series Main Unit. Comes with a clear dome cover and damask at the back that makes it IK09 and IP66	
0775-001 AXIS F4005-E DOME SENSOR UNIT rated. Fixed lens that provides 110° horizontal FOV. Full HDTV 1080p resolution a \$	289.00
2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years	
including standard warranty. No possibility to extend total warranty beyond 5 years.	
0775-600 EXT. WARRANTY AXIS F4005-E SENSOR UNIT Note 2: The warranty code must be redeemed within \$	18.00
2 years outcoming of the ways and a	
2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years	
including standard warranty. No possibility to extend total warranty beyond 5 years.	
0776-600 EXT. WARRANTY AXIS P1435-E Note 2: The warranty code must be redeemed within \$	45.00
Compact and outdoor-ready HDTV camera for day and night surveillance, IP66-rated,	
varifocal 3-10.5 mm P-iris lens . Remote 3.5 x optical zoom and focus. Automatic IR cut	
0777-001 AXIS P1435-LE filter. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1 \$	599.00
2 years extension of the warranty period	
Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years	
including standard warranty. No possibility to extend total warranty beyond 5 years.	
0777-600 EXT. WARRANTY AXIS P1435-LE Note 2: The warranty code must be redeemed within \$	36.00
AXIS F34 Main Unit. 4-channel main unit to be used with any of AXIS F Sensor Units.	
Supports 1080p in 15/12.5 fps or 720p in full frame rate. Axis' Zipstream technology for	
0778-001 AXIS F34 MAIN UNIT reduced bandwidth and storage needs. Video motion detection and active tampering a \$	399.00

0778-600	EXT. WARRANTY AXIS F34 MAIN	2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within	\$	24.00
0778-000	LAT. WARRANT AND 134 WARR	AXIS F34 Surveillance System. Includes one AXIS F34 Main Unit, 4 x AXIS F1004 Sensor Units, 4 x AXIS F8214 Dome Accessory, 4 x AXIS F8224 Recessed Mount, 4 x AXIS F7315	,	24.00
0779-004	AXIS F34 SURVEILLANCE SYSTEM	Cable White 15 m (49 ft) for connecting sensor units to the main unit and 2 x AXIS Sur	\$	799.00
0779-600	EXT. WARRANTY AXIS F34 SURVEILLANCE SYSTEM	2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within	\$	48.00
0700 004		Outdoor thermal network camera for wall and ceiling mount, 384x288 resolution, 8.3 fps, and 7 mm lens with 55° angle of view. It supports Electronic Image Stabilization, Zipstream,		2 700 00
0782-001	AXIS Q1941-E 7MM 8.3 FPS	ONVIF, H.264, audio, I/O ports and local storage. It includes Video motion  2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.	\$	2,799.00
0782-600	EXT. WARRANTY AXIS Q1941-E 7MM 8.3 FPS	Note 2: The warranty code must be redeemed within  Outdoor thermal network camera for wall and ceiling mount, 384x288 resolution, 8.3 fps,	\$	168.00
0783-001	AXIS Q1941-E 13MM 8.3 FPS	and 13 mm lens with 28° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, audio, I/O ports and local storage. It includes Video motio	\$	2,799.00
0783-600	EXT. WARRANTY AXIS Q1941-E 13MM 8.3 FPS	2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within	\$	168.00
0784-001	AXIS Q1941-E 35MM 8.3 FPS	Outdoor thermal network camera for wall and ceiling mount, 384x288 resolution, 8.3 fps, and 35 mm lens with 10.7° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, audio, I/O ports and local storage. It includes Video mot	\$	3,799.00
0784-600	EXT. WARRANTY AXIS Q1941-E 35MM 8.3 FPS	2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within	\$	228.00
0785-001	AXIS Q1941-E 60MM 8.3 FPS	Outdoor thermal network camera for wall and ceiling mount, 384x288 resolution, 8.3 fps, and 60 mm lens with 6.2° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, audio, I/O ports and local storage. It includes Video moti	Ś	5,299.00
0785-600	EXT. WARRANTY AXIS Q1941-E 60MM 8.3 FPS	2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within	\$	318.00
0786-001	AXIS Q1941-E 7MM 30 FPS	Outdoor thermal network camera for wall and ceiling mount, 384x288 resolution, 30 fps, and 7 mm lens with 55° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, audio, I/O ports and local storage. It includes Video motion	\$	2,799.00
		2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.		
0786-600	EXT. WARRANTY AXIS Q1941-E 7MM 30 FPS	Note 2: The warranty code must be redeemed within  Outdoor thermal network camera for wall and ceiling mount, 384x288 resolution, 30 fps,	\$	168.00
0787-001	AXIS Q1941-E 13MM 30 FPS	and 13 mm lens with 28° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, audio, I/O ports and local storage. It includes Video motion	\$	2,799.00
		2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.		
0787-600	EXT. WARRANTY AXIS Q1941-E 13MM 30 FPS	Note 2: The warranty code must be redeemed within  Outdoor thermal network camera for wall and ceiling mount, 384x288 resolution, 30 fps,	\$	168.00
0788-001	AXIS Q1941-E 35MM 30 FPS	and 35 mm lens with 10.7° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, audio, I/O ports and local storage. It includes Video moti	\$	3,799.00
0788-600	EXT. WARRANTY AXIS Q1941-E 35MM 30 FPS	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within	\$	228.00
		Outdoor thermal network camera for wall and ceiling mount, 384x288 resolution, 30 fps, and 60 mm lens with 6.2° angle of view. It supports Electronic Image Stabilization,		
0789-001	AXIS Q1941-E 60MM 30 FPS	Zipstream, ONVIF, H.264, audio, I/O ports and local storage. It includes Video motio  2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years	\$	5,299.00
0789-600	EXT. WARRANTY AXIS Q1941-E 60MM 30 FPS	including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within	\$	318.00

		AXIS F4005 Dome Sensor Unit with a 12-meter (39-feet) cable to an AXIS F Series Main Unit.  Recessed dome without a clear dome cover. Fixed lens that provides 113° horizontal FOV.		
0798-001	AXIS F4005 DOME SENSOR UNIT	Full HDTV 1080p resolution and support for WDR - Forensic Capture together w	\$	279.00
		2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.		
0798-600	EXT. WARRANTY AXIS F4005 SENSOR UNIT	Note 2: The warranty code must be redeemed within  Compact, top performance 4K Comparable with SMPTE 2036 3840x2160 resolution in  30fps, (8MP). With 12x optical zoom for outdoor as well as indoor use. Day/night,	\$	17.00
0700 004	A.W. 0.5100 5 501/3	Automatic defog, DNR 2D/3D and EIS. IP66, Active gatekeeper, tour recording and	_	2 400 00
0799-004	AXIS Q6128-E 60HZ	autotracking.	\$	3,199.00
0799-600	EXT. WARRANTY AXIS Q6128-E 60HZ	2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within	\$	240.00
		180° multi-sensor, day/night fixed dome in an IK10 vandal-resistant outdoor casing. Fixed focal, multi-megapixel lenses, focused from factory. 3 x QHD resolution, up to 15MP total in		
0801-001	AXIS Q3708-PVE	4:3 format. WDR Forensic Capture, Zipstream and one single IP address. O	\$	1,999.00
0801-600	EXT. WARRANTY AXIS Q3708-PVE	2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within	\$	120.00
0001 000	200000000000000000000000000000000000000	Ultra-compact, indoor fixed mini dome with dust- and vandal-resistant casing for easy	Ť	120.00
0802-001	AXIS M3044-V	mounting on wall or ceiling, Fixed lens. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p resolution at 30 fps with WDR. Axis' Zipstream	\$	199.00
0003 500	EVT. WADDANTY AVE MOOMAY	2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.	<u> </u>	12.00
0802-600	EXT. WARRANTY AXIS M3044-V	Note 2: The warranty code must be redeemed with  Ultra-compact, indoor fixed mini dome with dust- and vandal-resistant casing for easy	\$	12.00
0803-004	AXIS M3044-WV	mounting on wall or ceiling. Fixed lens. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p at 30 fps with WDR. Axis' Zipstream technology	\$	229.00
		2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.		
0803-600	EXT. WARRANTY AXIS M3044-WV	Note 2: The warranty code must be redeemed within	\$	14.00
0804-001	AXIS M3045-V	Ultra-compact, indoor fixed mini dome with dust- and vandal-resistant casing for easy mounting on wall or ceiling. Fixed lens. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p at 30 fps with WDR. HDMI output (micro). Axis'	\$	269.00
		2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.		
0804-600	EXT. WARRANTY AXIS M3045-V	Note 2: The warranty code must be redeemed within	\$	16.00
0805-004	AXIS M3045-WV	Ultra-compact, indoor fixed mini dome with dust- and vandal-resistant casing for easy mounting on wall or ceiling. Fixed lens. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p at 30 fps with WDR. HDMI output (micro). Axis'	\$	299.00
0003 004	NIS NISOS WV	2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.	<b>Y</b>	233.00
0805-600	EXT. WARRANTY AXIS M3045-WV	Note 2: The warranty code must be redeemed within	\$	18.00
0806-001	AXIS M3046-V 2.4mm	Ultra-compact, indoor fixed mini dome with dust- and vandal-resistant casing for easy mounting on wall or ceiling. Fixed lens. Multiple, individually configurable H.264 and Motion JPEG streams; max 4 MP at 30 fps with WDR. HDMI output (micro). Axis' Zipst	\$	369.00
0806-600	EXT. WARRANTY AXIS M3046-V	2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed with	\$	22.00
0000-000	LATE WARRANTT AAIS IVISUADA	Ultra-compact, indoor fixed mini dome with 6 MP sensor, fixed lens and and tamper-	ر	22.00
0808-001	AXIS M3047-P	resistant casing for easy mounting on wall or ceiling. Provides 360°/180° overview and dewarped panorama, quad, corner, corridor or digital PTZ views in up to 30 fps. Multip	\$	469.00
		2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.		
0808-600	EXT. WARRANTY AXIS M3047-P	Note 2: The warranty code must be redeemed within  Small, full-featured wireless indoor cube camera for day & night surveillance. 2.8mm fixed	\$	30.00
0810-004	AXIS M1065-LW	lens with 110° HFOV. Automatic IR cut filter. IR illumination up to 10 meters (33 feet) .  Multiple, individually configurable H.264 and Motion JPEG streams; max HDT	\$	299.00

0810-600	EXT. WARRANTY AXIS M1065-LW	2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within	\$	18.00
0811-001	AXIS M1065-L	Small, full-featured indoor cube camera for day & night surveillance. 2.8mm fixed lens with 110° HFOV. Automatic IR cut filter. IR illumination up to 10 meters (33 feet) . Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p a	Ś	279.00
0811-600	EXT. WARRANTY AXIS M1065-L	2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within	\$	17.00
0812-004	AXIS M1045-LW	Small, wireless indoor cube camera for day & night surveillance. 2.8mm fixed lens with 110° HFOV. Automatic IR cut filter. IR illumination up to 10 meters (33 feet). Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p at 30	\$	229.00
0812-600	EXT. WARRANTY AXIS M1045-LW	2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within	\$	14.00
0815-001	AXIS P3707-PE	Flexible multisensor fixed camera with four 1080p sensors. The lenses can be adjusted to provide a 108° to 54° horizontal field of view for either a wide, panoramic view, or detailed, zoomed-in views. The lenses can be rotated to support vertically orient	\$	1,199.00
0815-600	EXT. WARRANTY AXIS P3707-PE	2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within	\$	72.00
0820-001	AXIS A9188 NETWORK I/O RELAY MODULE	AXIS A9188 Network I/O Relay Module is an intelligent module with 8 configurable I/Os and 8 form C relays and supports supervised inputs. Open API, including VAPIX, for software integration. High level of integration with AXIS A1001 Network Door Controlle	\$	499.00
0820-600	EXT WAR AXIS RELAY MODULE A9188	2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within	\$	29.00
0821-001	AXIS A9161 NETWORK I/O RELAY MODULE	AXIS A9161 Network I/O Relay Module has 6 configurable I/Os with supervised inputs and a relay. The module reacts on inputs, such as signals from PIR motion detectors or switches, to trigger actions. Supplying power to I/O devices, it can extend the funct	\$	249.00
0821-600	EXT WAR A9161 NETW I/O RELAY MODULE	2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within	\$	15.00
0823-001	AXIS Q8741-E 35MM 8.3 FPS 24V	High accuracy outdoor PTZ positioning bispectral camera. Thermal sensor features a 384x288 resolution, 8.3 fps and 35 mm lens with 10.5° angle of view. Visual sensor have HDTV 1080p video resolution, 30x optical zoom, focus recall and are extremly light s	\$	9,999.00
		2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.		
0823-600	EXT. WARRANTY AXIS Q8741-E 35MM 8.3 FPS 24V	Note 2: The warranty code must be redeemed within  High accuracy outdoor PTZ positioning bispectral camera. Thermal sensor features a 384x288 resolution, 30 fps and 35 mm lens with 10.5° angle of view. Visual sensor have	\$	800.00
0824-001	AXIS Q8741-E 35MM 30 FPS 24V	HDTV 1080p video resolution, 30x optical zoom, focus recall and are extremly light se  2 years extension of the warranty period	\$	9,999.00
0824-600	EXT. WARRANTY AXIS Q8741-E 35MM 30 FPS 24V	Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within	\$	800.00
0827-001	AXIS Q8742-E 35MM 8.3 FPS 24V	High accuracy outdoor PTZ positioning bispectral camera. Thermal sensor features a 640x480 resolution, 8.3 fps and 35 mm lens with 17° angle of view. Visual sensor have HDTV 1080p video resolution, 30x optical zoom, focus recall and are extremly light sen	\$	12,999.00
0827-600	EXT. WARRANTY AXIS Q8742-E 35MM 8.3 FPS 24V	2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within	\$	1,040.00
0828-001	AXIS Q8742-E 35MM 30 FPS 24V	High accuracy outdoor PTZ positioning Bispectral camera. Thermal sensor features a 640x480 resolution, 30 fps and 35 mm lens with 17° angle of view. Visual sensor have HDTV 1080p video resolution, 30x optical zoom, focus recall and are extremly light sens	\$	12,999.00
		2 years extension of the warranty period     Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.	·	
0828-600	EXT. WARRANTY AXIS Q8742-E 35MM 30 FPS 24V	Note 2: The warranty code must be redeemed within	\$	1,040.00

			l	
		High accuracy outdoor PTZ positioning Bispectral camera. Thermal sensor features a		
		640x480 resolution, 8.3 fps and 35-105 mm thermal zoom lens. Visual sensor have HDTV	١.	
0829-001	AXIS Q8742-E ZOOM 8.3 FPS 24V	1080p video resolution, 30x optical zoom, focus recall and are extremly light sensitive	\$	21,999.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
0829-600	EXT. WARRANTY AXIS Q8742-E ZOOM 8.3 FPS 24V	including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within	\$	1,760.00
0023 000	EXT. WARRANT FAILS QU'AZ E 2001/10:511-5 244	Note 2. The warrancy code mass be redeemed within	7	1,700.00
		High accuracy outdoor PTZ positioning Bispectral camera. Thermal sensor features a		
0830-001	AXIS Q8742-E ZOOM 30 FPS 24V	640x480 resolution, 30 fps and 35-105 mm thermal zoom lens. Visual sensor have HDTV 1080p video resolution, 30x optical zoom, focus recall and are extremly light sensitive.	\$	21,999.00
0830-001	AXIS Q6742-E 200IVI 50 FF3 24V	1000p video resolution, 50x optical 200m, rocus recall and are extremity light sensitive.	۶	21,333.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
0830-600	EXT. WARRANTY AXIS Q8742-E ZOOM 30 FPS 24V	including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within	\$	1,760.00
	·	· ·		,
		AXIS A9188-VE Network I/O Relay Module comes with AXIS T98A15-VE Surveillance Cabinet		
0831-001	AXIS A9188-VE NETWORK I/O RELAY MODULE	making it outdoor-ready, vandal-resistant, and UL294-approved. With its 8 configurable I/Os and relays, its open platform enables a high level of integration with AXIS A	\$	799.00
0001 001	TWO TISSES VE HETWORK IN O NEBY I MOSSEE	y os and readys, to open placionn enables a night even of integration with vision	, , , , , , , , , , , , , , , , , , ,	733.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.		
0831-600	EXT WAR AXIS A9188-VE	Note 2: The warranty code must be redeemed within	\$	48.00
		AXIS Companion Recorder. Surveillance graded hard disk, 2 TB. Switch with 8 PoE ports, 1 LAN port. Compact, fanless design. Wireless access point for mobile devices. USB port for		
0832-004	AXIS COMPANION REC 8CH 2TB	exporting video. 3 year warranty. Comes with power supply. For use only with	\$	499.00
		AXIS C1004-E Network Cabinet Speaker (white) is an all-in-one speaker system connected		
0833-001	AXIS C1004-E NETW CAB SPEAKER WHITE	with a single network cable. It delivers out-of-the-box-ready high-quality sound without any need for fine-tuning. Background music can be played via the preinstalled A	\$	549.00
0000 001	THIS CLOSE ENERW GAB STEAMER WHITE	need to the talling beeng out a mose can be project via the premistance.	Ÿ	3 13.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
0833-600	EXT. WARRANTY AXIS C1004-E NETW CAB SPEAK WH	including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within	\$	39.00
			Ċ	
		AXIS C2005 Network Ceiling Speaker (white) is an all-in-one speaker system connected with		
0834-001	AXIS C2005 NETW CEILING SPEAK WHITE	a single network cable. It delivers out-of-the-box-ready high-quality sound without any need for fine-tuning. Background music can be played via the preinstalled AXI	\$	399.00
555 / 552		The state of the s	·	
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.		
0834-600	EXT. WARRANTY AXIS C2005 NETW CEILING SPEAK WH	Note 2: The warranty code must be redeemed within	\$	29.00
		High accuracy outdoor PTZ positioning camera. HDTV 1080p video, 30x optical zoom, focus recall, extreme light sensitivity and Axis Zipstream. Responsive absolute positioning with		
0862-001	AXIS Q8685-E 24V AC/DC	high-speed and ultra-smooth pan and tilt capabilities. Integrated long-life	\$	3,599.00
		2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.		
0862-600	EXT. WARRANTY AXIS Q8685-E 24V AC/DC	Note 2: The warranty code must be redeemed within	\$	288.00
		High accuracy outdoor PTZ positioning camera with IR illuminators. HDTV 1080p video, 30x		
		optical zoom, built-in IR pass filter for sharper images in mixed lighting conditions. IR range		
0864-001	AXIS Q8685-LE 24V AC/DC	up to 500m. Integrated long-life silicone wiper for remote maintenance	\$	5,199.00
		2 years outonsian of the warrant :		
		2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.		
0864-600	EXT. WARRANTY AXIS Q8685-LE 24V AC/DC	Note 2: The warranty code must be redeemed within	\$	416.00
		Day/night, compact mini dome with flat-faced design for indoor use. Built-in IR illumination		
		and WDR – Forensic Capture. Fixed lens. Multiple, individually configurable H.264 and		
0865-001	AXIS M3104-L	Motion JPEG streams; max HDTV 720p resolution at 30 fps. Axis' Zipstream tec	\$	249.00
		2 years outonsian of the warrant :		
		2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.		
0865-600	EXT. WARRANTY AXIS M3104-L	Note 2: The warranty code must be redeemed within	\$	15.00
		Day/aight compact mini domo in a yandal resistant cutdoes ready flat feed desire.		
		Day/night, compact mini dome in a vandal-resistant, outdoor-ready, flat-faced design. Built- in IR illumination and WDR – Forensic Capture. Fixed lens. Multiple, individually		
0866-001	AXIS M3104-LVE	configurable H.264 and Motion JPEG streams; max HDTV 720p resolution at 30 fps. A	\$	299.00
		2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.		

		Day/night, compact mini dome with flat-faced design for indoor use. Built-in IR illumination		
		and WDR – Forensic Capture. Fixed lens. Multiple, individually configurable H.264 and		
0867-001	AXIS M3105-L	Motion JPEG streams; max HDTV 1080p resolution at 30 fps. Axis' Zipstream te	\$	319.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
0067 600	EVT MADDANITY AVIC MOMORE I	including standard warranty. No possibility to extend total warranty beyond 5 years.	_	10.00
0867-600	EXT. WARRANTY AXIS M3105-L	Note 2: The warranty code must be redeemed within	\$	19.00
		Day/night, compact mini dome in a vandal-resistant, outdoor-ready, flat-faced design. Built-		
0060 001	ANIC MAZIOE LIVE	in IR illumination and WDR – Forensic Capture. Fixed lens. Multiple, individually	\$	360.00
0868-001	AXIS M3105-LVE	configurable H.264 and Motion JPEG streams; max HDTV 1080p resolution at 30 fps.	Ş	369.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.		
0868-600	EXT. WARRANTY AXIS M3105-LVE	Note 2: The warranty code must be redeemed within	\$	22.00
		2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.		
0869-600	EXT. WARRANTY AXIS M3106-L	Note 2: The warranty code must be redeemed within	\$	25.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.		
0870-600	EXT. WARRANTY AXIS M3106-LVE	Note 2: The warranty code must be redeemed within	\$	28.00
		AXIS A8105-E is a small and powerful network video door station. It operates as a		
		communication device and full-fledged security camera at the same time, providing HDTV		
0871-001	AXIS A8105-E	video, audiovisual identification, two-way communication and remote entry control as a	\$	799.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
0871-600	EXT. WARRANTY AXIS A8105-E	including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within	Ś	49.00
0871-000	EXT. WARRANT AND ADJUST	Note 2. The warranty code must be redeemed within	,	45.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.		
0872-600	EXT. WARRANTY AXIS Q3505-V 9MM MKII	Note 2: The warranty code must be redeemed within	\$	60.00
		2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.		
0873-600	EXT. WARRANTY AXIS Q3505-V 22MM MKII	Note 2: The warranty code must be redeemed within	\$	66.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
0074 600	EVE	including standard warranty. No possibility to extend total warranty beyond 5 years.	_	50.00
0874-600	EXT. WARRANTY AXIS Q3505-VE 9MM MkII	Note 2: The warranty code must be redeemed within	\$	69.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
0875-600	EXT. WARRANTY AXIS Q3505-VE 22MM MkII	including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within	Ś	75.00
			,	
		Outdoor thermal network camera for wall and ceiling mount, 384x288 resolution, 8.3 fps,		
0876-001	AXIS Q1941-E 19MM 8.3 FPS	and 19 mm lens with 19.4° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, audio, I/O ports and local storage. It includes Video mot	\$	2,799.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.		
0876-600	EXT. WARRANTY AXIS Q1941-E 19MM 8.3 FPS	Note 2: The warranty code must be redeemed within	\$	168.00
		Outdoor thermal network camera for wall and ceiling mount, 384x288 resolution, 30 fps,		
		and 19 mm lens with 19.4° angle of view. It supports Electronic Image Stabilization,		
0877-001	AXIS Q1941-E 19MM 30 FPS	Zipstream, ONVIF, H.264, audio, I/O ports and local storage. It includes Video moti	\$	2,799.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.		
0877-600	EXT. WARRANTY AXIS Q1941-E 19MM 30 FPS	Note 2: The warranty code must be redeemed within	\$	168.00
		AXIS FA54 is a modular camera Main Unit and can stream full frame rate HDTV 1080p		
		videos from four sensor units simultaneously using one IP address. It has an HDMI port for		
0878-004	AXIS FA54 MAIN UNIT	connection to a surveillance or public view monitor, Forensic WDR (wide dynamic ra	\$	449.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
0070 600	EVT WADDANTY AVICEAGA MAAN	including standard warranty. No possibility to extend total warranty beyond 5 years.	_	37.00
0878-600	EXT. WARRANTY AXIS FA54 MAIN UNIT	Note 2: The warranty code must be redeemed within	\$	27.00

		One (1) AXIS Camera Station version 5.0 Core Device license. Applicable for AXIS devices. A		
		total of 32 Core Device licenses may be registered on a system.		
0879-010	ACS CORE DEVICE E-LICENSE	AXIS Camera Station is a monitoring and recording system mid-size installations optimized to take	\$	79.00
		One (1) Universal Device license applicable for AXIS Camera Station version 5.0 and up.		
0879-020	ACS UNIVERSAL DEVICE E-LICENSE	AXIS Camera Station is a monitoring and recording system mid-size installations optimized to take full advantage of Axis leading network cameras and video encoders.	\$	149.00
		This license is primarily used when merging two or more version 5 systems into one large system. One (1) Upgrade license applicable for AXIS Camera Station version 5 Core Device license upgrade to Universal Device license.		
0879-030	ACS CORE TO UNIVERSAL UPG E-LICENSE	Delivered as eLicense key. Note	\$	79.00
		One (1) upgrade license applicable for existing licenses of AXIS Camera Station, version 1,2,3, 4. Each existing license in combination with this upgrade license enables upgrade to a AXIS Camera Station version 5 Universal Device license.		
0879-040	ACS 4 TO UNIVERSAL UPG E-LICENSE	Delivered as e	\$	19.00
		Day/night, full HD mini dome in a vandal-resistant, outdoor-ready, flat-faced design. Built-in IR illumination and WDR – Forensic Capture. Fixed lens. HDTV 1080p resolution at 30 fps.		
0880-001	AXIS COMPANION EYE LVE	Axis' Zipstream technology for reduced bandwidth and storage needs. Mem	\$	249.00
0881-001	AXIS COMPANION EYE L	Day/night, full HD mini dome with flat-faced design for indoor use. Built-in IR illumination and WDR – Forensic Capture. Fixed lens. HDTV 1080p resolution at 30 fps. Axis' Zipstream technology for reduced bandwidth and storage needs. Memory card slot for	\$	229.00
		HDTV, Day/night fixed camera providing WDR – Forensic Capture and Lightfinder for demanding light conditions. Varifocal 2.8-8.5 mm i-CS lens with remote zoom and focus for		
0883-001 0883-041	AXIS Q1615 Mk II AXIS Q1615 Mk II BAREBONE	installation. Support for P-Iris and DC-iris lenses, multiple, individually configu  AXIS Q1615 Mk II Barebone in single pack. No lens. No power supply.	\$	999.00 899.00
0883-600	EXT. WARRANTY AXIS Q1615 Mk II	2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within	\$	60.00
		Outdoor, NEMA 4X, IP66 and IK10-rated, HDTV, Day/night fixed camera providing WDR – Forensic Capture and Lightfinder for demanding light conditions. Varifocal 2.8-8.5 mm i-CS		
0884-001	AXIS Q1615-E Mk II	lens with remote zoom and focus for installation. Support for P-Iris and DC-iris	\$	1,299.00
		2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.		
0884-600	EXT. WARRANTY AXIS Q1615-E Mk II	Note 2: The warranty code must be redeemed within	\$	78.00
0885-001	AXIS P3227-LV	Day/night fixed dome with support for Forensic WDR, Lightfinder and OptimizedIR with built-in IR illumination. Discreet, dust- and IK08 vandal-resistant indoor casing. Varifocal 3.5-10 mm P-Iris lens with remote zoom and focus simplifying the installation	\$	779.00
0885-600	EXT. WARRANTY AXIS P3227-LV	2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within	\$	49.00
0003 000	2	Day/night fixed dome with support for Forensic WDR, Lightfinder and OptimizedIR with	Ÿ	13.00
0886-001	AXIS P3227-LVE	built-in IR illumination. IK10 vandal-resistant outdoor casing. Varifocal 3.5-10 mm P-Iris lens with remote zoom and focus simplifying the installation. Multiple, individ	\$	899.00
		2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.		
0886-600	EXT. WARRANTY AXIS P3227-LVE	Note 2: The warranty code must be redeemed within	\$	59.00
0887-001	AXIS P3228-LV	Day/night fixed dome with support for Forensic WDR, Lightfinder and OptimizedIR with built-in IR illumination. Discreet, dust- and IKO8 vandal-resistant indoor casing. Varifocal 3.5- 10 mm P-Iris lens with remote zoom and focus simplifying the installation	\$	979.00
0007 001	740.0220.27	2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years	·	373.00
0887-600	EXT. WARRANTY AXIS P3228-LV	including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within	\$	59.00
		Day/night fixed dome with support for Forensic WDR, Lightfinder and OptimizedIR with built-in IR illumination. IK10 vandal-resistant outdoor casing. Varifocal 3.5-10 mm P-Iris lens		
0888-001	AXIS P3228-LVE	with remote zoom and focus simplifying the installation. Multiple, individ	\$	1,099.00
0888 600	EXT. WARRANTY AND 22220 LVS	2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.	ć	50.00
0888-600	EXT. WARRANTY AXIS P3228-LVE	Note 2: The warranty code must be redeemed within	\$	69.00

		Compact and outdoor-ready HDTV camera for day and night surveillance, IP66-rated,		
0890-001	AXIS P1435-LE 22MM	varifocal 10-22 mm P-iris lens . Remote 2 x optical zoom and focus. Automatic IR cut filter.  Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080	\$	649.00
		2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.		
0890-600	EXT. WARRANTY AXIS P1435-LE 22MM	Note 2: The warranty code must be redeemed within  Day/night, full HD cube camera for indoor use. Built-in IR illumination, PIR sensor,	\$	39.00
		microphone, speaker and WDR. Fixed lens. HDTV 1080p resolution at 30 fps. Axis'		
	1.V/S 00140 1.V/S 1.	Zipstream technology for reduced bandwidth and storage needs. Memory card slot for	_	400.00
0891-001	AXIS COMPANION CUBE L	optiona	\$	199.00
		AXIS Companion Cube LW is a wireless day/night, full HD cube camera for indoor use.		
0892-004	AXIS COMPANION CUBE LW	Features high quality video in HDTV 1080p / 2 MP resolution and WDR. Built-in microphone for audio recording, and PIR motion sensor for detecting movement in darkness. IR	\$	279.00
0032 00 1	7VIII COINTAINON COSE EVI	lor dadio recording and rink modern sensor for detecting movement in darkness in	Ť	273.00
		AXIS Companion Recorder. Surveillance graded hard disk, 4 TB. Switch with 8 PoE ports, 1		
0893-004	AXIS COMPANION REC 8CH 4TB	LAN port. Compact, fanless design. Wireless access point for mobile devices. USB port for exporting video. 3 year warranty. Comes with power supply. For use only with	\$	599.00
		Indoor full HD mini dome with dust- and vandal-resistant casing for easy mounting on wall or ceiling. Fixed lens. max HDTV 1080p at 30 fps with WDR. HDMI output (micro). Axis'		
0894-001	AXIS COMPANION DOME V	Zipstream technology for reduced bandwidth and storage needs. Memory card slot	\$	169.00
		AXIS Companion Dome WV is a wireless full HD mini dome for indoor use. It features high		
		quality video in HDTV 1080p / 2 MP resolution and WDR. Dust- and vandal-resistant casing		
0895-004	AXIS COMPANION DOME WV	for easy mounting on wall or ceiling. HDMI output (micro). Connects over wirel	\$	249.00
		AXIS P1244 Network Camera is a modular camera based on a small-sized main unit (AXIS		
		P12 Mk II) and AXIS F1004 Sensor Unit. The camera provides HDTV 720p resolution and		
0896-001	AXIS P1244	102° horizontal FoV. Supports multiple streams in H.264 and Motion JPEG, Axis' Zipstre	\$	299.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
0896-600	EXT. WARRANTY AXIS P1244	including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within	Ś	18.00
		HDTV 1080p resolution, day/night, fixed camera with CS-mount varifocal 2.8-8 mm P-Iris lens and remote back focus (camera also supports DC-iris lenses). Multiple, individually		
0897-001	AXIS P1365 Mk II	configurable H.264 and Motion JPEG streams; max HDTV 1080p at 60 fps. WDR – For	\$	749.00
0897-021	AXIS P1365 Mk II BULK 10PCS	AVIC D13CE MILILIA 10 most Connet to cold congretatives single mosts. No neuros supplies	\$	7 200 00
0897-021	AXIS P1365 MK II BOEK 10PCS  AXIS P1365 MK II BAREB	AXIS P1365 Mk II in 10-pack. Cannot be sold separately as single packs. No power supplies.  AXIS P1365 Mk II Barebone. No lens. No power supply.	\$	7,399.00 649.00
0007.054	AVIS 24055 AND III 24255 BUILT 40255	AXIS P1365 Mk II Barebone in 10-pack. Cannot be sold separately as single packs. No lenses.		
0897-051	AXIS P1365 Mk II BAREB BULK 10PCS	No power supplies.	\$	6,489.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.		
0897-600	EXT. WARRANTY AXIS P1365 Mk II	Note 2: The warranty code must be redeemed within	\$	45.00
		Outdoor, NEMA 4X, IP66/67 and IK10-rated, lightweight, HDTV 1080p, day/night, fixed		
		network camera with CS-mount varifocal 2.8-8 mm P-Iris lens and remote back focus		
0898-001	AXIS P1365-E Mk II	(camera also supports DC-iris lenses). Multiple, individually configurable H.264 and Moti	\$	999.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
0898-600	EXT. WARRANTY AXIS P1365-E Mk II	including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed with	\$	60.00
			-	
		2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.		
0900-600	EXT. WARRANTY AXIS Q6052 60HZ	Note 2: The warranty code must be redeemed within	\$	168.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
0902-600	EXT. WARRANTY AXIS Q6052-E 60HZ	including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within	\$	208.00
	3332 2 3312		-	
		2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.		
0904-600	EXT. WARRANTY AXIS Q6054 60HZ	Note 2: The warranty code must be redeemed within	\$	188.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
0906-600	EXT. WARRANTY AXIS Q6054-E 60HZ	including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within	Ś	224.00
2330 000	EAT. WHITEHAT FAME QUODATE OUTE	Total 2. The warranty code must be redeemed within	,	224.00
		HDTV 1080p compliant, high-speed PTZ dome camera with 32x optical zoom for indoor use.		
0908-004	AXIS Q6055 60HZ	HDTV 1080p (1920x1080)@30 fps, 720P@60fps. Continuous 360º rotation and 220º tilt with E-flip. Day & Night, IP52, Zipstream, Shock detection, autotracking, tour recordi	\$	2,549.00
· · · · · · · · · · · · · · · · · · ·				,

0908-600	EXT. WARRANTY AXIS Q6055 60HZ	2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within	\$ 204.
		Top performance HDTV 1080p compliant, outdoor-ready, IP66, IK10 and NEMA 4X-rated PTZ dome camera with 32x optical zoom and Zipstream. Arctic Temperature Control	
0910-004	AXIS Q6055-E 60HZ  EXT. WARRANTY AXIS Q6055-E 60HZ	enables operation and start up from -50 °C to +50 °C (-58 °F to 122 °F). Auto day/night funct  2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within	\$ 3,099. \$ 248.
0911-001	AXIS M2025-LE	Day/night, compact and outdoor-ready bullet style HDTV camera, IP66- and IK08-rated. Built-in IR illumination and WDR – Forensic Capture. Fixed lens with 115° HFOV. Automatic IR cut filter. Multiple, individually configurable H.264 and Motion IPEG streams	\$ 329.
0911-021	AXIS M2025-LE BULK 10PCS	AXIS M2025-LE in 10-pack/bulk. Cannot be sold separately as single packs.	\$ 3,249.
0911-600	EXT. WARRANTY AXIS M2025-LE	2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within	\$ 20.
0912-600	EXT. WARRANTY AXIS M2026-LE	2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within	\$ 24.
0913-001	AXIS FA1105 SENSOR UNIT	AXIS FA1105 is a discreet indoor sensor unit with 111º horizontal field of view, for use with an AXIS FA Main Unit. It can be installed in tight places and flush-mounted in a wall, ceiling or metal panel with only a small hole visible for the lens. AXIS F	\$ 139.
0913-600	EXT. WARRANTY AXIS FA1105 SENSOR UNIT	2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within	\$ 9.
0914-001	AXIS FA1125 SENSOR UNIT	AXIS FA1125 is an extremely discreet indoor, pin hole lens, Sensor Unit with a 91º horizontal field of view, for use with an AXIS FA Main Unit. It can be installed in tight places and flushmounted in a wall, ceiling or metal panel with only a pinhole vi	\$ 149.
0914-600	EXT. WARRANTY AXIS FA1125 SENSOR UNIT	2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within	\$ 9.
0915-001	AXIS Q1942-E 10MM 8.3 FPS	Outdoor thermal network camera for wall and ceiling mount, 640x480 resolution, 8.3 fps, and 10mm lens with 63° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, audio, I/O ports and local storage. It includes Video motion	\$ 4,999.
0915-600	EXT. WARRANTY AXIS Q1942-E 10MM 8.3 FPS	2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within	\$ 300.
		Outdoor thermal network camera for wall and ceiling mount, 640x480 resolution, 30 fps, and 10mm lens with 63° angle of view. It supports Electronic Image Stabilization, Zipstream,	
0916-001	AXIS Q1942-E 10MM 30 FPS	ONVIF, H.264, audio, I/O ports and local storage. It includes Video motion  2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.	
0916-600	EXT. WARRANTY AXIS Q1942-E 10MM 30 FPS	Note 2: The warranty code must be redeemed within  Outdoor thermal network camera for wall and ceiling mount, 640x480 resolution, 8.3 fps,	\$ 300.
0917-001	AXIS Q1942-E 19MM 8.3 FPS	and 19 mm lens with 32* angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, audio, I/O ports and local storage. It includes Video motio  2 years extension of the warranty period	\$ 4,999.
0917-600	EXT. WARRANTY AXIS Q1942-E 19MM 8.3 FPS	Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within	\$ 300.
0918-001	AXIS Q1942-E 19MM 30 FPS	Outdoor thermal network camera for wall and ceiling mount, 640x480 resolution, 30 fps, and 19 mm lens with 32° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, audio, I/O ports and local storage. It includes Video motion	\$ 4,999.
		2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.	
0918-600	EXT. WARRANTY AXIS Q1942-E 19MM 30 FPS	Note 2: The warranty code must be redeemed within  Outdoor thermal network camera for wall and ceiling mount, 640x480 resolution, 8.3 fps, and 35 mm lens with 17° angle of view. It supports Electronic Image Stabilization,	\$ 300.
0919-001	AXIS Q1942-E 35MM 8.3 FPS	Zipstream, ONVIF, H.264, audio, I/O ports and local storage. It includes Video motio	\$ 5,999.

0919-600	EXT. WARRANTY AXIS Q1942-E 35MM 8.3 FPS	2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within	\$ 360.00
		Outdoor thermal network camera for wall and ceiling mount, 640x480 resolution, 30 fps, and 35 mm lens with 17° angle of view. It supports Electronic Image Stabilization,	
0920-001	AXIS Q1942-E 35MM 30 FPS	Zipstream, ONVIF, H.264, audio, I/O ports and local storage. It includes Video motion	\$ 5,999.00
0920-600	EXT. WARRANTY AXIS Q1942-E 35MM 30 FPS	2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within	\$ 360.00
0921-001	AXIS Q1942-E 60MM 8.3 FPS	Outdoor thermal network camera for wall and ceiling mount, 640x480 resolution, 8.3 fps, and 60 mm lens with 10° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, audio, I/O ports and local storage. It includes Video motio	\$ 7,499.00
0321 001	7NIS Q1542 E 00MM 0.5 11 5	2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.	7,423.00
0921-600	EXT. WARRANTY AXIS Q1942-E 60MM 8.3 FPS	Note 2: The warranty code must be redeemed within  Outdoor thermal network camera for wall and ceiling mount, 640x480 resolution, 30 fps,	\$ 450.00
0922-001	AXIS Q1942-E 60MM 30 FPS	and 60 mm lens with 10° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, audio, I/O ports and local storage. It includes Video motion	\$ 7,499.00
0922-600	EXT. WARRANTY AXIS Q1942-E 60MM 30 FPS	2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within	\$ 450.00
0923-001	AXIS C1004-E NETW CAB SPEAKER BLACK	AXIS C1004-E Network Cabinet Speaker (black) is an all-in-one speaker system connected with a single network cable. It delivers out-of-the-box-ready high-quality sound without any need for fine-tuning. Background music can be played via the preinstalled A	\$ 549.00
0923-600	EXT. WARRANTY AXIS C1004-E NETW CAB SPEAK BL	2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within	\$ 39.00
0924-001	AXIS P1254	AXIS P1254 Network Camera is a modular camera based on a small-sized main unit (AXIS P12 Mk II) and AXIS F1004 Bullet Sensor Unit that enables easy mounting on walls or ceilings and with the ability to tilt and rotate The camera provides HDTV 720p resolut	\$ 299.00
0924-600	EXT. WARRANTY AXIS P1254	2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within	\$ 18.00
0925-001	AXIS P1264	AXIS P1264 Network Camera is a modular camera based on a small-sized main unit (AXIS P12 Mk II) and AXIS F1004 Pinhole Sensor Unit that is designed for extremely discreet indoor installations. The camera provides HDTV 720p resolution and 57° horizontal Fo	\$ 299.00
		2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.	
0925-600	EXT. WARRANTY AXIS P1264	Note 2: The warranty code must be redeemed within	\$ 18.00
0926-001	AXIS P1245	AXIS P1245 Network Camera is a modular camera based on a small-sized main unit (AXIS P12 Mk II) and AXIS FA1105 Sensor Unit. The camera provides HDTV 1080p resolution, 111° horizontal FoV and WDR - Forensic Capture. Supports multiple streams in H.264 and	\$ 339.00
		2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.	
0926-600	EXT. WARRANTY AXIS P1245	Note 2: The warranty code must be redeemed within  AXIS P1265 Network Camera is a modular camera based on a small-sized main unit (AXIS P12 Mk II) and an AXIS FA1125 Pinhole Sensor Unit that is designed for extremely discreet	\$ 29.00
0927-001	AXIS P1265	indoor installations. The camera provides HDTV 1080p resolution, 91° horizontal	\$ 349.00
0027 500	EVT. WADDANTY AVIE 01255	2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 3: The warranty code must be code more durible.	\$ 29.00
0927-600	EXT. WARRANTY AXIS P1265	Note 2: The warranty code must be redeemed within  AXIS P1275 Network Camera is a modular camera based on a small-sized main unit (AXIS P12 Mk II) and an AXIS FA4115 Dome Sensor Unit with a varifocal lens that enables easy	\$ 29.00
0928-001	AXIS P1275	mounting on walls or ceilings. It can be manually directed with pan, tilt and rotat  2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years	\$ 379.00
0928-600	EXT. WARRANTY AXIS P1275	including standard warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within	\$ 29.00

		PTZ camera with continues 360° pan for both indoor and outdoor with 30x optical zoom		
0020 001	AVIS DECRE E MAY II COLIT	Autofocus and Focus Recall. HDTV 1080p @ 30fps (1920x1080) in H.264, Motion JPEG and Axis Zipstream. Two-way audio, 4xl/O, 24V and PoE, Day & Night, IP66 and NEMA 4X clas	Ś	1 000 00
0929-001	AXIS P5635-E MK II 60HZ	Axis Zipstream. Two-way audio, 4xi/O, 24v and PoE, Day & Night, IP66 and NEIMA 4X clas	\$	1,999.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.		
0929-600	EXT. WARRANTY AXIS P5635-E MK II 60HZ	Note 2: The warranty code must be redeemed within	\$	160.00
		PTZ camera with continues 360° pan for both indoor and outdoor with 23x optical zoom.		
		HDTV 720p @ 30fps (1280x720) in H.264, Motion JPEG and Axis Zipstream and Focus Recall,		
0932-001	AXIS P5624-E MK II 60HZ	Day & Night, IP66 and NEMA 4X classification. Advanced Gatekeeper, full-size SD-c	\$	1,599.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
0932-600	EXT. WARRANTY AXIS P5624-E MK II 60HZ	including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within	\$	128.00
			•	
		2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.		
0934-600	EXT. WARRANTY AXIS Q6155-E 60HZ US	Note 2: The warranty code must be redeemed within	\$	256.00
		AXIS F1004 Bullet Sensor Unit with a fixed lens. Bullet-style mechanics enabling easy		
0035 004	ANIC FACOA PULLET CENCOP LINIT	mounting on walls or ceilings and with the ability to tilt and rotate. Provides HDTV 720p and	<u>_</u>	110.00
0935-001	AXIS F1004 BULLET SENSOR UNIT	102° horizontal FOV. Pigtail for a detachable 8-m (26-ft.) cable for connec	\$	119.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.		
0935-600	EXT. WARRANTY AXIS F1004 BULLET	Note 2: The warranty code must be redeemed within	\$	7.00
		AXIS F44 Dual Audio Input Main Unit. 4-channel main unit to be used with any of AXIS F		
		Series Sensor Units. Supports 1080p in 15/12.5 fps or 720p in full frame rate. Two way		
0936-001	AXIS F44 DUAL AUDIO INPUT	audio, 4 configurable I/Os with 12 V output and RS232. Supports Edge Storage thro	\$	549.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
0936-600	EXT. WARRANTY AXIS F44 DUAL AUDIO INPUT	including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within	\$	33.00
		AXIS Camera Station S2008 Appliance is an eight channel compact desktop Client/ Server		
		including an integrated managed PoE switch validated and tested with Axis products.		
0937-004	AXIS S2008	Preloaded with AXIS Camera Station software with preconfigured AXIS Camera Station	\$	2,599.00
		AXIS Camera Station S2016 Appliance is an sixteen channel Client/ Server for rack-mount including an integrated managed PoE switch validated and tested with Axis products.		
0938-004	AXIS S2016	Preloaded with AXIS Camera Station software with preconfigured AXIS Camera Station	\$	4,199.00
		AXIS Camera Station S2024 Appliance is a twenty-four channel Client/ Server for rack-		
		mount including an integrated managed PoE switch validated and tested with Axis		
0030 004	AVIC 52024	products.	ć	4 000 00
0939-004	AXIS S2024	Preloaded with AXIS Camera Station software with preconfigured AXIS Camera Stat	\$	4,999.00
		AXIS P1280-E Thermal Network Camera is a modular thermal camera based on a small-sized		
0940-001	AXIS P1280-E 4MM 8.3 FPS	main unit (AXIS P12 Thermal) and an outdoor ready thermal sensor unit with a 12 m/ 39.4ft cable. The product contains U.Sorigin controlled technology/component, the U	\$	799.00
		Actively cooled, outdoor-ready high-speed PTZ dome camera with 32x optical zoom. IP66-, MIL-, IK10 and NEMA 4X-rated. Temperature range -20 °C to +75 °C. Auto day/night		
0943-001	AXIS Q6055-C 60HZ	functionality. Continuous 360º rotation and 220º tilt with E-flip. HDTV 1080p (1920x10	\$	4,099.00
		"2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
0943-600	EXT. WARRANTY AXIS Q6055-C 60HZ	including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed withi	Ś	328.00
25.5 000	EATT WARRANT FARIS QUUSS-C UUTIZ	The Warranty code must be redecimed with	Ÿ	320.00
		Stainless steel, (SS-316L) pressurized (5psi) Top performance HDTV 1080p compliant, outdoor-ready, IP66, IK10 and NEMA 4X-rated PTZ dome camera with 32x optical zoom.		
0945-001	AXIS Q6055-S 60HZ	Auto day/night functionality. Continuous 360º rotation and 220º tilt with E-flip. HDTV 1	\$	4,499.00
		2 years extension of the warranty period		
		2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
0045 600	EVT WARDANTY AVIS OCCUP S COUR	including standard warranty. No possibility to extend total warranty beyond 5 years.	ċ	200.00
0945-600	EXT. WARRANTY AXIS Q6055-S 60HZ	Note 2: The warranty code must be redeemed within	\$	360.00
		AXIS F8804 Stereo Sensor Unit is made up of two AXIS F1004 Sensor Units and provides		
0948-001	AXIS F8804 STEREO SENSOR UNIT	synchronized stereo imaging when used with an AXIS F34 or AXIS F44 Main Unit. When combined with analytics software from an Axis partner, the units enable the creation of	\$	229.00
		2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.		
0948-600	EXT. WARRANTY AXIS F8804 STEREO SENSOR UNIT	Note 2: The warranty code must be redeemed within	\$	14.00

		Day/night fixed dome with support for WDR – Forensic Capture and Lightfinder. Discreet,		
2050 004	AVIE D2224 VANIEL	dust and IKO8 vandal-resistant indoor casing. Varifocal 2.8-10 mm P-Iris lens, remote focus	<u> </u>	440.00
0950-001	AXIS P3224-V MKII	and zoom. Multiple, individually configurable H.264 and Motion JPEG streams	\$	419.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.		
0950-600	EXT. WARRANTY AXIS P3224-V MKII	Note 2: The warranty code must be redeemed within	\$	30.00
		Day/night fixed dome with support for WDR – Forensic Capture and Lightfinder. Discreet,		
		dust and IK08 vandal-resistant indoor casing. Varifocal 3-10.5 mm P-Iris lens, remote focus		
0952-001	AXIS P3225-V MKII	and zoom. Multiple, individually configurable H.264 and Motion JPEG streams	\$	499.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.		
0952-600	EXT. WARRANTY AXIS P3225-V MKII	Note 2: The warranty code must be redeemed within	\$	36.00
		Day/night fixed dome with support for WDR – Forensic Capture and Lightfinder. IK10 vandal-		
		resistant outdoor casing. Varifocal 3-10.5 mm P-Iris lens, remote focus and zoom. Multiple,		
0953-001	AXIS P3225-VE MKII	individually configurable H.264 and Motion JPEG streams. HDTV 1080p at 30	\$	619.00
		2 years outcosing of the warranty paried		
		2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.		
0953-600	EXT. WARRANTY AXIS P3225-VE MKII	Note 2: The warranty code must be redeemed within	\$	45.00
		Day/night fixed dome with support for WDR – Forensic Capture, Lightfinder and OptimizedIR with built-in IR illumination. Discreet, dust and IK08 vandal-resistant indoor		
0954-001	AXIS P3225-LV MKII	casing. Varifocal 3-10.5 mm P-Iris lens, remote focus and zoom. Multiple, individually	\$	579.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
0954-600	EXT. WARRANTY AXIS P3225-LV MKII	including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within	\$	42.00
		Day/night fixed dome with support for WDR – Forensic Capture, Lightfinder and		
	1.445 P2225 1.45 1.441	OptimizedIR with built-in IR illumination. IK10 vandal-resistant outdoor casing. Varifocal 3-		500.00
0955-001	AXIS P3225-LVE MKII	10.5 mm P-Iris lens, remote focus and zoom. Multiple, individually configurable H.26	\$	699.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.		
0955-600	EXT. WARRANTY AXIS P3225-LVE MKII	Note 2: The warranty code must be redeemed within	\$	51.00
		Day/night, outdoor-ready, full HD bullet-style camera. Built-in IR illumination and WDR –		
		Forensic Capture. Fixed lens with 115° HFOV. Automatic IR cut filter. HDTV 1080p resolution		
0959-001	AXIS COMPANION BULLET LE	at 30 fps. Axis' Zipstream technology for reduced bandwidth and storage n	\$	229.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.		
0960-600	EXT. WARRANTY AXIS P1425-LE Mk II	Note 2: The warranty code must be redeemed within	\$	39.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.		
0961-600	EXT. WARRANTY AXIS P1405-LE Mk II	Note 2: The warranty code must be redeemed within	\$	36.00
		Professional photography meets video surveillance		
		AXIS Q1659 Network Camera offers ultra-high image resolution for surveillance in superb		
		detail at 8 frames per second, achieving unprecedented levels of detail for observing open		
0962-001	AXIS Q1659 24MM F/2.8		\$	4,999.00
0962-001	AXIS Q1659 24MM F/2.8	detail at 8 frames per second, achieving unprecedented levels of detail for observing open spaces and across long di	\$	4,999.00
0962-001	AXIS Q1659 24MM F/2.8	detail at 8 frames per second, achieving unprecedented levels of detail for observing open spaces and across long di  2 years extension of the warranty period	\$	4,999.00
0962-001	AXIS Q1659 24MM F/2.8	detail at 8 frames per second, achieving unprecedented levels of detail for observing open spaces and across long di  2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years	\$	4,999.00
	AXIS Q1659 24MM F/2.8  EXT. WARRANTY AXIS Q1659 24MM F/2.8	detail at 8 frames per second, achieving unprecedented levels of detail for observing open spaces and across long di  2 years extension of the warranty period	\$	
		detail at 8 frames per second, achieving unprecedented levels of detail for observing open spaces and across long di  2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.		
		detail at 8 frames per second, achieving unprecedented levels of detail for observing open spaces and across long di  2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within  Professional photography meets video surveillance		
		detail at 8 frames per second, achieving unprecedented levels of detail for observing open spaces and across long di  2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within Professional photography meets video surveillance  AXIS Q1659 Network Camera offers ultra-high image resolution for surveillance in superb		
0962-600		detail at 8 frames per second, achieving unprecedented levels of detail for observing open spaces and across long di  2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within  Professional photography meets video surveillance		300.00
0962-600	EXT. WARRANTY AXIS Q1659 24MM F/2.8	detail at 8 frames per second, achieving unprecedented levels of detail for observing open spaces and across long di  2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within Professional photography meets video surveillance  AXIS Q1659 Network Camera offers ultra-high image resolution for surveillance in superb detail at 8 frames per second, achieving unprecedented levels of detail for observing open spaces and across long di	\$	300.00
0962-600	EXT. WARRANTY AXIS Q1659 24MM F/2.8	detail at 8 frames per second, achieving unprecedented levels of detail for observing open spaces and across long di  2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within Professional photography meets video surveillance  AXIS Q1659 Network Camera offers ultra-high image resolution for surveillance in superb detail at 8 frames per second, achieving unprecedented levels of detail for observing open spaces and across long di  2 years extension of the warranty period	\$	300.00
0962-600	EXT. WARRANTY AXIS Q1659 24MM F/2.8	detail at 8 frames per second, achieving unprecedented levels of detail for observing open spaces and across long di  2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within Professional photography meets video surveillance  AXIS Q1659 Network Camera offers ultra-high image resolution for surveillance in superb detail at 8 frames per second, achieving unprecedented levels of detail for observing open spaces and across long di  2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years	\$	300.00
0962-600 0963-001	EXT. WARRANTY AXIS Q1659 24MM F/2.8	detail at 8 frames per second, achieving unprecedented levels of detail for observing open spaces and across long di  2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within Professional photography meets video surveillance  AXIS Q1659 Network Camera offers ultra-high image resolution for surveillance in superb detail at 8 frames per second, achieving unprecedented levels of detail for observing open spaces and across long di  2 years extension of the warranty period	\$	300.00 5,899.00
0962-600 0963-001	EXT. WARRANTY AXIS Q1659 24MM F/2.8  AXIS Q1659 35MM F/2	detail at 8 frames per second, achieving unprecedented levels of detail for observing open spaces and across long di  2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within Professional photography meets video surveillance  AXIS Q1659 Network Camera offers ultra-high image resolution for surveillance in superb detail at 8 frames per second, achieving unprecedented levels of detail for observing open spaces and across long di  2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.	\$	300.00 5,899.00
0962-001 0962-600 0963-001	EXT. WARRANTY AXIS Q1659 24MM F/2.8  AXIS Q1659 35MM F/2	detail at 8 frames per second, achieving unprecedented levels of detail for observing open spaces and across long di  2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within Professional photography meets video surveillance  AXIS Q1659 Network Camera offers ultra-high image resolution for surveillance in superb detail at 8 frames per second, achieving unprecedented levels of detail for observing open spaces and across long di  2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within Professional photography meets video surveillance	\$	300.00 5,899.00
0962-600 0963-001	EXT. WARRANTY AXIS Q1659 24MM F/2.8  AXIS Q1659 35MM F/2	detail at 8 frames per second, achieving unprecedented levels of detail for observing open spaces and across long di  2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within Professional photography meets video surveillance  AXIS Q1659 Network Camera offers ultra-high image resolution for surveillance in superb detail at 8 frames per second, achieving unprecedented levels of detail for observing open spaces and across long di  2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within	\$	300.00 5,899.00

			1	
0964-600	EXT. WARRANTY AXIS Q1659 50MM F/1.4	2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within	\$	324.00
		Professional photography meets video surveillance		
0965-001	AXIS Q1659 85MM F/1.2	AXIS Q1659 Network Camera offers ultra-high image resolution for surveillance in superb detail at 8 frames per second, achieving unprecedented levels of detail for observing open spaces and across long di	\$	8,149.00
		2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.		
0965-600	EXT. WARRANTY AXIS Q1659 85MM F/1.2	Note 2: The warranty code must be redeemed within	\$	489.00
		Professional photography meets video surveillance		
0966-001	AXIS Q1659 100MM F/2.8	AXIS Q1659 Network Camera offers ultra-high image resolution for surveillance in superb detail at 8 frames per second, achieving unprecedented levels of detail for observing open spaces and across long di	\$	6,499.00
		2 years outcoming of the warrants pagind		
0966-600	EXT. WARRANTY AXIS Q1659 100MM F/2.8	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within Professional photography meets video surveillance	\$	390.00
		AXIS Q1659 Network Camera offers ultra-high image resolution for surveillance in superb		
0967-001	AXIS Q1659 10-22MM F/3.5-4.5	detail at 8 frames per second, achieving unprecedented levels of detail for observing open spaces and across long di	\$	5,899.00
0067.600	EVT. WARRANTY AVIS O15F0 10 22MM F	2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.	ć	354.00
0967-600	EXT. WARRANTY AXIS Q1659 10-22MM F	Note 2: The warranty code must be redeemed within  Professional photography meets video surveillance	\$	354.00
		AXIS Q1659 Network Camera offers ultra-high image resolution for surveillance in superb detail at 8 frames per second, achieving unprecedented levels of detail for observing open		
0968-001	AXIS Q1659 70-200MM F/2.8	spaces and across long di	\$	8,399.00
0968-600	EXT. WARRANTY AXIS Q1659 70-200MM F/2.8	2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within	\$	504.00
0300 000	2		Ť	30 1100
0969-001	AXIS Q1941-E PT MOUNT 7MM 8.3 FPS	Outdoor Thermal Network Camera for positioning unit, 384x288 resolution, 8.3 fps, and 7 mm lens with 55° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, PoE and local storage. It includes Video motion detection, shock d	\$	2,799.00
0969-600	EXT. WARRANTY AXIS Q1941-E PT MOUNT 7MM 8.3 FPS	2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within	\$	168.00
0303-000	EXT. WARRANT AXIS Q1541-ETT MODINT /MIN 6.5 TFS		,	108.00
		Outdoor Thermal Network Camera for positioning unit, 384x288 resolution, 8.3 fps, and 13 mm lens with 28° angle of view. It supports Electronic Image Stabilization, Zipstream,		
0970-001	AXIS Q1941-E PT MOUNT 13MM 8.3 FPS	ONVIF, H.264, PoE and local storage. It includes Video motion detection, shock	\$	2,799.00
0970-600	EXT. WARRANTY AXIS Q1941-E PT MOUNT 13MM 8.3 FPS	2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within	\$	168.00
0370-000	EXT. WARRANTI AXIS Q1541-E FT WOUNT 15WW 6.5 FF5		3	108.00
0971-001	AXIS Q1941-E PT MOUNT 35MM 8.3 FPS	Outdoor Thermal Network Camera for positioning unit, 384x288 resolution, 8.3 fps, and 35 mm lens with 10.7° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, PoE and local storage. It includes Video motion detection, shoc	\$	3,799.00
0071 600	EVT IMADDANITY AVIC 04044 E DT MOUNT 25MM 9 2 EDS	2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.	\$	228.00
0971-600	EXT. WARRANTY AXIS Q1941-E PT MOUNT 35MM 8.3 FPS	Note 2: The warranty code must be redeemed within	,	220.00
		Outdoor Thermal Network Camera for positioning unit, 384x288 resolution, 8.3 fps, and 60 mm lens with 6.2° angle of view. It supports Electronic Image Stabilization, Zipstream,		
0972-001	AXIS Q1941-E PT MOUNT 60MM 8.3 FPS	ONVIF, H.264, PoE and local storage. It includes Video motion detection, shock	\$	5,299.00
0972-600	EXT. WARRANTY AXIS Q1941-E PT MOUNT 60MM 8.3 FPS	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within	\$	318.00
		Outdoor Thermal Network Camera for positioning unit, 384x288 resolution, 30 fps, and 7 mm lens with 55° angle of view. It supports Electronic Image Stabilization, Zipstream,		
0973-001	AXIS Q1941-E PT MOUNT 7MM 30 FPS	ONVIF, H.264, PoE and local storage. It includes Video motion detection, shock de	\$	2,799.00

		2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.		
0973-600	EXT. WARRANTY AXIS Q1941-E PT MOUNT 7MM 30 FPS	Note 2: The warranty code must be redeemed within	\$	168.00
		Outdoor Thermal Network Camera for positioning unit, 384x288 resolution, 30 fps, and 13		
0974-001	AXIS Q1941-E PT MOUNT 13MM 30 FPS	mm lens with 28° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, PoE and local storage. It includes Video motion detection, shock d	\$	2,799.00
		2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.		
0974-600	EXT. WARRANTY AXIS Q1941-E PT MOUNT 13MM 30 FPS	Note 2: The warranty code must be redeemed within	\$	168.00
0975-001	AXIS Q1941-E PT MOUNT 35MM 30 FPS	Outdoor Thermal Network Camera for positioning unit, 384x288 resolution, 30 fps, and 35 mm lens with 10.7° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, PoE and local storage. It includes Video motion detection, shock	\$	3,799.00
		2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.		
0975-600	EXT. WARRANTY AXIS Q1941-E PT MOUNT 35MM 30 FPS	Note 2: The warranty code must be redeemed within	\$	228.00
0977-001	AXIS Q1941-E PT MOUNT 60MM 30 FPS	Outdoor Thermal Network Camera for positioning unit, 384x288 resolution, 30 fps, and 60 mm lens with 6.2° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, PoE and local storage. It includes Video motion detection, shock	Ś	5,299.00
			_	
0977-600	EXT. WARRANTY AXIS Q1941-E PT MOUNT 60MM 30 FPS	2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within	\$	318.00
0978-001	AXIS Q1941-E PT MOUNT 19MM 8.3 FPS	Outdoor Thermal Network Camera for positioning unit, 384x288 resolution, 8.3 fps, and 19 mm lens with 19.4" angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, POE and local storage. It includes Video motion detection, shoc	\$	2,799.00
		2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.		
0978-600	EXT. WARRANTY AXIS Q1941-E PT MOUNT 19MM 8.3 FPS	Note 2: The warranty code must be redeemed within	\$	168.00
0979-001	AXIS Q1941-E PT MOUNT 19MM 30 FPS	Outdoor Thermal Network Camera for positioning unit, 384x288 resolution, 30 fps, and 19 mm lens with 19.4° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, PoE and local storage. It includes Video motion detection, shock	\$	2,799.00
0979-600	EXT. WARRANTY AXIS Q1941-E PT MOUNT 19MM 30 FPS	2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within	\$	168.00
0980-001	AXIS Q1942-E PT MOUNT 10MM 8.3 FPS	Outdoor Thermal Network Camera for positioning unit. 640x480 resolution, 8.3 fps, and 10mm lens with 63° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, PoE and local storage. It includes Video motion detection, shock d	\$	4,999.00
		2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.		
0980-600	EXT. WARRANTY AXIS Q1942-E PT MOUNT 10MM 8.3 FPS	Note 2: The warranty code must be redeemed within	\$	300.00
0981-001	AXIS Q1942-E PT MOUNT 10MM 30 FPS	Outdoor Thermal Network Camera for positioning unit. 640x480 resolution, 30 fps, and 10mm lens with 63° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, PoE and local storage. It includes Video motion detection, shock de	ś	4,999.00
		2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		,
0981-600	EXT. WARRANTY AXIS Q1942-E PT MOUNT 10MM 30 FPS	including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within	\$	300.00
	22.2.2	O1942-E PT mount 19mm Outdoor Thermal Network Camera for positioning unit. 640x480 resolution, 8.3 fps, and 19mm lens with 32° angle of view. It supports Electronic Image Stabilization, Zipstream,	·	220.00
0982-001	AXIS Q1942-E PT MOUNT 19MM 8.3 FPS	ONVIF, H.264, PoE and local storage. It includes Video mo	\$	4,999.00
		2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
0982-600	EXT. WARRANTY AXIS Q1942-E PT MOUNT 19MM 8.3 FPS	including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within  Q1942-E PT mount 19mm	\$	300.00
		Outdoor Thermal Network Camera for positioning unit. 640x480 resolution, 30 fps, and 19mm lens with 32° angle of view. It supports Electronic Image Stabilization, Zipstream,		
0983-001	AXIS Q1942-E PT MOUNT 19MM 30 FPS	ONVIF, H.264, PoE and local storage. It includes Video mot  2 years extension of the warranty period	\$	4,999.00
0983-600	EXT. WARRANTY AXIS Q1942-E PT MOUNT 19MM 30 FPS	Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within	\$	300.00
2232 000	LEVIT AND MINISTEL WIND OF DATE LE LI MIDOUAL TOMMIN ON LLO	proce 2. The warrancy code must be redeemed within	١,٧	300.00

			1	
		Outdoor Thermal Network Camera for positioning unit. 640x480 resolution, 8.3 fps, and		
		35mm lens with 17° angle of view. It supports Electronic Image Stabilization, Zipstream,		
0984-001	AXIS Q1942-E PT MOUNT 35MM 8.3 FPS	ONVIF, H.264, PoE and local storage. It includes Video motion detection, shock d	\$	5,999.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.		
0984-600	EXT. WARRANTY AXIS Q1942-E PT MOUNT 35MM 8.3 FPS	Note 2: The warranty code must be redeemed within	\$	360.00
		Outdoor Thermal Network Camera for positioning unit. 640x480 resolution, 30 fps, and 35mm lens with 17° angle of view. It supports Electronic Image Stabilization, Zipstream,		
0985-001	AXIS Q1942-E PT MOUNT 35MM 30 FPS	ONVIF, H.264, PoE and local storage. It includes Video motion detection, shock de	\$	5,999.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.	١.	
0985-600	EXT. WARRANTY AXIS Q1942-E PT MOUNT 35MM 30 FPS	Note 2: The warranty code must be redeemed within	\$	360.00
		Outdoor Thermal Network Camera for positioning unit. 640x480 resolution, 8.3 fps, and		
0005 004	AVIC 04042 F DT MAQUINIT COMMA 0 2 FDC	60mm lens with 10° angle of view. It supports Electronic Image Stabilization, Zipstream,	,	7 400 00
0986-001	AXIS Q1942-E PT MOUNT 60MM 8.3 FPS	ONVIF, H.264, PoE and local storage. It includes Video motion detection, shock d	\$	7,499.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.		
0986-600	EXT. WARRANTY AXIS Q1942-E PT MOUNT 60MM 8.3 FPS	Note 2: The warranty code must be redeemed within	\$	450.00
		Outdoor Thermal National Comment for a stitution with C40,400 and their 20 for and		
		Outdoor Thermal Network Camera for positioning unit. 640x480 resolution, 30 fps, and 60mm lens with 10° angle of view. It supports Electronic Image Stabilization, Zipstream,		
0987-001	AXIS Q1942-E PT MOUNT 60MM 30 FPS	ONVIF, H.264, PoE and local storage. It includes Video motion detection, shock de	\$	7,499.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.		
0987-600	EXT. WARRANTY AXIS Q1942-E PT MOUNT 60MM 30 FPS	Note 2: The warranty code must be redeemed within	\$	450.00
		Day/night, compact and outdoor-ready bullet style HDTV camera in black color, IP66- and		
0000 004	AVIC MARRIE LE DI ACIV	IKO8-rated Built-in IR illumination and WDR – Forensic Capture. Fixed lens with 115° HFOV.	_	220.00
0988-001	AXIS M2025-LE BLACK	Automatic IR cut filter. Multiple, individually configurable H.264 and Motio	\$	329.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.		
0988-600	EXT. WARRANTY AXIS M2025-LE BLACK	Note 2: The warranty code must be redeemed within	\$	20.00
		2 of the comment of the comme		
		2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.		
0989-600	EXT. WARRANTY AXIS M2026-LE BLACK	Note 2: The warranty code must be redeemed within	\$	24.00
		Day/night fixed dome with support for WDR – Forensic Capture, Lightfinder and		
0000 001	AXIS P3224-LV MKII	OptimizedIR with built-in IR illumination. Discreet, dust and IK08 vandal-resistant indoor	\$	499.00
0990-001	AAIS P3224-LV IVINII	casing. Varifocal 2.8-10 mm P-Iris lens, remote focus and zoom. Multiple, individually	Ş	499.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.		
0990-600	EXT. WARRANTY AXIS P3224-LV MKII	Note 2: The warranty code must be redeemed within	\$	36.00
		Outdoor vandal resistant fixed dome network camera with IR LED illumination up to 20m,		
		and NTSC video out for manual PT configuration. 2.4x optical zoom, day/night switching.		
1061C001	CANON NETWORK CAMERA VB-H652LVE	Multiple H.264 and Motion JPEG streams; max Full HD 1080p resolution at 30fps. S	\$	1,439.36
		Outdoor vandal resistant fixed box network camera with IR LED illumination up to 60m. 20x		
		optical zoom, auto focus, day/night switching, Enhanced Digital Zoom capabilities and Clear		
1062C001	CANON NETWORK CAMERA VB-H761LVE	IR Mode. Multiple H.264 and Motion JPEG streams; max Full HD 1080p resolu	\$	1,451.00
		Outdoor vandal resistant fixed box network camera. 20x optical zoom, auto focus,		
		day/night switching and Enhanced Digital Zoom capabilities. Multiple H.264 and Motion		
1063C001	CANON NETWORK CAMERA VB-H760VE	JPEG streams; max Full HD 1080p resolution at 30fps. Smart Shade Control - dynamic contr	\$	1,308.00
		Indoor PTZ network camera with 348° rotation and large aperture lens ideal for low light		
1064C001	CANON NETWORK CAMERA VP MACOR	applications. 5x optical zoom, auto focus, day/night switching and Clear IR Mode. Multiple	¢	3,399.35
10040001	CANON NETWORK CAMERA VB-M50B	H.264 and Motion JPEG streams; max 1.3MP 720p resolution at 30fps. Smart Sh Indoor plenum recessed ceiling mount kit for VB-S30D/S31D/S80xD mini-domes.	\$	3,339.35
1065C001	CANON PLE. REC MOUNT KIT SR30-P-VB	Comprising of fire resistant in-ceiling cage and cover - Titanium White	\$	121.00
		Outdoor vandal resistant PTZ Dome network camera with 360° endless rotation, auto-flip,		
		and auto-tracking capabilities. 30x optical zoom, auto focus, day/night switching and		
	I	Enhanced Digital Zoom capabilities. Multiple H.264 and Motion JPEG streams; max F	\$	3,678.61
1381C001	CANON NETWORK CAMERA VB-R13VE			
1381C001	CANON NETWORK CAMERA VB-R13VE	Wall mount 7" clear vandal dome 24VAC with heater & blower (0.126" thickness		
1381V097	CANON A-ODW7C(OW)	polycarbonate capsule, IP66 or IPX4 selectable) for VB-H43, VB-H41, VB-M42, VB-M40, VB-C60, VB-C300, VB-C500D, VB-C50IR w/VB-EX50, and VC-C50IR	\$	468.00
		polycarbonate capsule, IP66 or IPX4 selectable) for VB-H43, VB-H41, VB-M42, VB-M40, VB-	\$ \$ \$	468.00 618.00 115.00

1381V102	CANON A-CP100NPT	Coupling for dome housing for 1 1/2" NPT. Steel construction with powder coat finish	\$	64.00
1381V102	CANON A-CP100NP1  CANON A-RCP5T	Replacement capsule, 5" Tinted (for A-ODW5 / A-ID5 / A-SWD5)	\$	95.00
1381V104	CANON A-RCP7T	Replacement capsule, 7" Tinted (for A-ODW7 / A-ID7)	\$	102.00
1381V105	CANON A-PS2412	24VAC-12VDC Converter (for A-ODW / A-ID / A-OH15)	\$	106.00
1381V103	CANON A-1 32412	24VAC-12VDC CONVERTED (IOI A-ODW / A-ID / A-OH13)	٧	100.00
1381V106	CANON A-BK3S(OW)	Pole Mount Adapter and 59" length Non-Tool Stainless Clamp (Minimum Pole Diameter 4")	\$	122.00
1381V107	CANON A-CM3	Corner Mount Adapter  Corner Mount Adapter	\$	104.00
1381V108	CANON A-VC50BRK	Adapter bracket for VC-C50iR	\$	31.00
15017100	GARCIAN VOSOSIAN	Indoor clear recessed 7" dome for VB-H43, VB-H41, VB-M42, VB-M40, VB-C60, VB-C300, VB-	Ÿ	52.00
1381V111	CANON A-ID7CF	C500D, VB-C50FSi, VB-C50iR w/VB-EX50, and VC-C50iR	\$	181.00
15017111	CARON A 187CI	Indoor tinted recessed 7" dome for VB-H43, VB-H41, VB-M42, VB-M40, VB-C60, VB-C300,	7	101.00
1381V112	CANON A-ID7TF	VB-C500D, VB-C50FSi, VB-C50iR w/VB-EX50, and VC-C50iR	\$	181.00
15017111	G.M.O.I.V.15711	Tough Dome. Vandal surface mount dome 5" clear for VB-H43, VB-H41, VB-M42, VB-M40,	· ·	101.00
		VB-C60, VB-C300, VB-C500D, VB-C50iR, and VC-C50iR. (Capsule made of 0.118" thickness		
1381V118	CANON A-SWD5VC	Polycarbonate with Cast Aluminum Body)	\$	256.00
		Tough Dome. Vandal surface mount dome 5" tinted for VB-H43, VB-H41, VB-M42, VB-M40,	-	
		VB-C60, VB-C300, VB-C500D, VB-C50iR, and VC-C50iR. (Capsule made of 0.118" thickness		
1381V119	CANON A-SWD5VT	Polycarbonate with Cast Aluminum Body)	\$	256.00
1381V120	CANON A-SWD5VCHB	A-SWD5VC with Heater & Blower	\$	349.00
1381V121	CANON A-SWD5VTHB	A-SWD5VT with Heater & Blower	\$	349.00
1381V122	CANON A-PS2412SWD5	24VAC-12VDC Converter (for A-SWD5)	\$	106.00
1381V124	CANON A-SWD5CA	Ceiling adapter for A-SWD5 (Pipe is not provided)	\$	102.00
		(	-	
1381V125	CANON A-VSM4TL	Vandal Resistant M4 Screws & Tool Set; consists of 7 vandal resistant M4 screws and 1 tool	\$	22.00
		Outdoor camera housing with heater & blower and Wall bracket in Steel for VB-H730F, VB-	-	
1381V126	CANON A-OH15FBHSET(OW)	H710F, VB-M720F, VB-M700F, and VB-C50FSi	\$	238.00
1381V127	CANON A-CA15G	Ceiling mount adapter	\$	36.00
1381V128	CANON A-SY15	Sunshield	\$	43.00
			-	.5.50
		Outdoor vandal resistant PTZ Dome network camera with 360° endless rotation, auto-flip,		
		and auto-tracking capabilities. 30x optical zoom, auto focus, day/night switching and		
1382C001	CANON NETWORK CAMERA VB-R12VE	Enhanced Digital Zoom capabilities. Multiple H.264 and Motion JPEG streams; max F	\$	3,399.40
			-	0,000
		Indoor PTZ Dome network camera with 360° endless rotation, auto-flip, and auto-tracking		
		capabilities. 30x optical zoom, auto focus, day/night switching and Enhanced Digital Zoom		
1383C001	CANON NETWORK CAMERA VB-R13	capabilities. Multiple H.264 and Motion JPEG streams; max Full HD 1080p resol	\$	2,918.76
			т	2,0 20.1 0
		Outdoor vandal resistant fixed dome network camera with remote PTRZ configuration. 2.4x		
		optical zoom, day/night switching. Multiple H.264 and Motion JPEG streams; max Full HD		
1384C001	CANON NETWORK CAMERA VB-H651VE	1080p resolution at 30fps. Smart Shade Control - dynamic contrast. ADSR - Area-s	\$	1,231.00
				,
		Indoor vandal resistant fixed dome network camera with remote PTRZ configuration. 2.4x		
		optical zoom, day/night switching. Multiple H.264 and Motion JPEG streams; max Full HD		
1385C001	CANON NETWORK CAMERA VB-H651V	1080p resolution at 30fps. Smart Shade Control - dynamic contrast. ADSR - Area-sp	\$	888.85
		Outdoor fixed box network camera with IR LED illumination up to 30m. 2.4x optical zoom,		
		day/night switching. Multiple H.264 and Motion JPEG streams; max Full HD 1080p		
1386C001	CANON NETWORK CAMERA VB-H751LE	resolution at 30fps. Smart Shade Control - dynamic contrast. ADSR - Area-specific Data S	\$	1,319.00
		Outdoor compact network camera with lite-PTZ operation. 3.5x optical zoom, auto focus,		
		digital night mode and built-in Omni-directional microphone. Multiple H.264 and Motion		
1387C001	CANON NETWORK CAMERA VB-S30VE	JPEG streams; max Full HD 1080p resolution at 30fps. Smart Shade Control - dynami	\$	736.00
		Outdoor compact fixed dome network camera. Fixed 2.7mm wide-angle lens (93.8° AOV		
		16:9), digital night mode and built-in Omni-directional microphone. Multiple H.264 and		
1388C001	CANON NETWORK CAMERA VB-S800VE	Motion JPEG streams; max Full HD 1080p resolution at 30fps. Smart Shade Control - dyna	\$	505.00
		Indoor compact fixed box network camera. 3.5x optical zoom, auto focus, digital night		
		mode and built-in Omni-directional microphone. Multiple H.264 and Motion JPEG streams;		
1389C001	CANON NETWORK CAMERA VB-S910F	max Full HD 1080p resolution at 30fps. Smart Shade Control - dynamic contrast, ADS	\$	439.00
1497C001	CANON SMOKED DOME UNIT DU652-S-VB	Smoked Dome Unit for VB-H652LVE outdoor dome	\$	65.00
1498C001	CANON HEATER UNIT HU652-VB	Optional heater element for VB-H652LVE outdoor Dome. Requires AC24V power	\$	150.00
		Wall mount 7" tinted vandal dome 24VAC with heater & blower		
		(0.126" thickness polycarbonate capsule, IP66 or IPX4 selectable) for VB-H43, VB-H41, VB-		
		M42,		
1586V919	CANON A-ODW7T(OW)	VB-M40, VB-C60, VB-C300, VB-C500D, VB-C50iR w/VB-EX50, and VC-C50iR	\$	468.00
1586V921	CANON A-ODW7TS(OW)	A-ODW7T(OW) with sunshield	\$	618.00
		Outdoor camera housing with Wall bracket for VB-H730F, VB-H710F, VB-M720F, VB-M700F,		
1588V039	CANON A-OH15F	and VB-C50FSi	\$	165.00
1735C001	CANON CONDUIT BOX CB30VE-VB	Conduit Box for VB-S30VE/S800VE mini-domes	\$	80.00
1736C001	CANON PENDANT CAP PC30VE-VB	Indoor Pendant mounting Cap for VB-S30VE/S800VE mini-domes	\$	54.00
		Wall mount 7" clear vandal dome 12VDC with heater & blower (0.126" thickness		
		polycarbonate		
		capsule, IP66 or IPX4 selectable) for VB-H43, VB-H41, VB-M42, VB-M40, VB-C60, VB-C300,		
1923V396	CANON A-ODW7C12(OW)	VB-C500D, VB-C50iR w/VB-EX50, and VC-C50iR	\$	468.00
		Wall mount 7" tinted vandal dome 12VDC with heater & blower	_	
		(0.126" thickness polycarbonate capsule, IP66 or IPX4 selectable) for VB-H43, VB-H41, VB-		
		M42,		
1923V397	CANON A-ODW7T12(OW)	VB-M40, VB-C60, VB-C300, VB-C500D, VB-C50iR w/VB-EX50, and VC-C50iR	\$	468.00
1923V398	CANON A-ODW7C12S(OW)	A-ODW7C12(OW) with sunshield	\$	618.00
1923V399	CANON A-ODW7T12S(OW)	A-ODW7T12(OW) with sunshield	\$	618.00
19273	ACC RACK HOLDER 2400/2401 EUR	19" Rack mount holder for up to 8 2401/2400 Video Servers.	\$	449.00
1968V994	CANON A-SWD5ZWB	Wall bracket for A-SWD5V & A-SWD5Z	\$	205.00
2030V463	CANON A-RCP5C	Replacement capsule, 5" Clear (for A-ODW5 / A-ID5 / A-SWD5)	\$	97.00

2028/640	CANION A 1124	Additional Hostorfor A CDW	ć	22.00
2038V640	CANON A-H24	Additional Heater for A-ODW  Outdoor camera housing with heater & blower and Wall bracket in Stainless for VB-H730F,	\$	32.00
2038V641	CANON A-OH15FBHSET-S(OW)	VB-H710F, VB-M720F, VB-M700F, and VB-C50FSi	\$ 2	287.00
		Attachment Plate for A-SWD5ZWB (Required if installing VB-M641, VB-M640, VB-H630, VB-		
2038V642	CANON A-SWD5ZWB-2	H610, VB-M620, and VB-M600)	\$	56.00
		Tough Dome Lite. Vandal surface mount dome 5" clear for VB-H43, VB-H41, VB-M42, VB-M40, VB-C60,		
		VB-C300, VB-C500D, VB-C50iR, and VC-C50iR. (Capsule made of 0.118" thickness		
2064V111	CANON A-SWD5ZC	Polycarbonate)	\$ 2	205.00
		Tough Dome Lite. Vandal surface mount dome 5" tinted for VB-H43, VB-H41, VB-M42, VB-		
		M40, VB-C60,		
2064V112	CANON A-SWD5ZT	VB-C300, VB-C500D, VB-C50iR, and VC-C50iR. (Capsule made of 0.118" thickness Polycarbonate)	\$ 2	205.00
20017112	o week a second of the second	Pole Mount Adapter and 59" length Non-Tool Aluminum Clamp (Minimum Pole Diameter	· -	05.00
2120V066	CANON A-BK3(OW)	4")		75.00
2120V067	CANON A-SWD5BH2	Blower & Heater for A-SWD5, A-SWD5Z, A-SWD5V	\$	90.00
21764	AXIS PS-24 Pole bracket	Outdoor pole mount bracket for PS-24 and AXIS T97A10. Requires the Wall Mount AXIS PS-	\$	45.00
21774	ACC MOUNT KIT 23XD DOME IN SMOKE	24 (5000-011) and a mounting tool for straps (21776 or similar).  Smoked dome, indoor for AXIS 231/232D.		28.00
21776	ACC TOOL STEEL STRAP	Tool for steel strap tensioning. For use with 21764 and AXIS T91A67		45.00
		Clear dome, indoor for AXIS 231/232D (included with AXIS 231D/232D), available as spare		
21777	ACC DOME 23XD INDOOR PLASTIC CLEAR	part.		28.00
2178V433 2206C001	CANON A-SWD5ZWB600 CANON WEATHER SHIELD WS700-VB	Wall bracket kit for VB-M641, VB-M640, VB-H630, VB-H610, VB-M620, and VB-M600  Weather Shield for VB-M741LE/M740E, VB-H751LE/H761LVE/H760VE		28.00
22512	ACC PS-RACK	Power supply for the Axis Video Server Rack		199.00
2384V844	CANON A-RCP5VC	Replacement capsule, 5" Clear (for A-SWD5V / A-SWD5Z)		97.00
2384V845	CANON A-RCP5VT	Replacement capsule, 5" Tinted (for A-SWD5V / A-SWD5Z)	\$	97.00
		CHATE VEDCION Is does DTZ astronol and the Control of the Control		
		SILVER VERSION Indoor PTZ network camera with 340° rotation. 20x optical zoom, auto focus, and day/night switching. Multiple H.264 and Motion JPEG streams; max Full HD		
2541C001	CANON NETWORK CAMERA VB-H45S	1080p resolution at 30fps. Smart Shade Control - dynamic contrast. 6 in-built video & a	\$ 2,3	849.35
			, , , , ,	
		BLACK VERSION Indoor PTZ network camera with 340° rotation. 20x optical zoom, auto		
		focus, and day/night switching. Multiple H.264 and Motion JPEG streams; max Full HD		
2541C002	CANON NETWORK CAMERA VB-H45B	1080p resolution at 30fps. Smart Shade Control - dynamic contrast. 6 in-built video & au	\$ 2,3	349.35
		SILVER VERSION Indoor PTZ network camera with 340° rotation. 20x optical zoom, auto		
		focus, and day/night switching. Multiple H.264 and Motion JPEG streams; max 1.3MP 720p		
2542C001	CANON NETWORK CAMERA VB-M44S	resolution at 30fps. Smart Shade Control - dynamic contrast. 6 in-built video & audi	\$ 1,5	09.00
		214 214 (TDC) 214   277   1   1   1   210   1   1   20   1   1		
		BLACK VERSION Indoor PTZ network camera with 340° rotation. 20x optical zoom, auto focus, and day/night switching. Multiple H.264 and Motion JPEG streams; max 1.3MP 720p		
2542C002	CANON NETWORK CAMERA VB-M44B	resolution at 30fps. Smart Shade Control - dynamic contrast. 6 in-built video & audio	\$ 1,5	09.00
		.,	, ,-	
		Indoor compact network camera with lite-PTZ operation. 3.5x optical zoom, auto focus, and		
25.45.0001	CANON NETWORK CANAERA VA COOR MAN	digital night mode. Multiple H.264 and Motion JPEG streams; max Full HD 1080p resolution	\$ 5	98.78
2545C001	CANON NETWORK CAMERA VB-S30D MkII	at 30fps. Smart Shade Control - dynamic contrast. 6 in-built video & audio i	\$ 5	96.76
		Indoor compact network camera with lite-PT operation. Fixed 2.7mm wide angle lens (95.0°		
		AOV 16:9) and digital night mode. Multiple H.264 and Motion JPEG streams; max Full HD		
2546C001	CANON NETWORK CAMERA VB-S31D MkII	1080p resolution at 30fps. Smart Shade Control - dynamic contrast. 6 in-built vi	\$ 5	69.13
		Indoor fixed box network camera with remote Zoom configuration. 2.4x optical zoom and		
		day/night switching. Multiple H.264 and Motion JPEG streams; max Full HD 1080p		
2551C001	CANON NETWORK CAMERA VB-H730F MkII	resolution at 30fps. Smart Shade Control - dynamic contrast. 6 in-built video & audio inte	\$ 6	49.15
		Indoor compact fixed dome network camera. Fixed 2.7mm wide-angle lens (95.0° AOV		
2552C001	CANON NETWORK CAMERA VB-S800D MkII	16:9) and digital night mode. Multiple H.264 and Motion JPEG streams; max Full HD 1080p resolution at 30fps. Smart Shade Control - dynamic contrast. 6 in-built video & audio	\$ 3	898.75
25520001	CANON NETWORK CAMIERA VB-3800D WKII	resolution at 301ps. Smart Shade Control - dynamic Contrast. O in-built video & addio	, J	36.73
		Indoor compact fixed box network camera. Fixed 2.7mm wide angle lens (96.0° AOV 16:9)		
		and digital night mode. Multiple H.264 and Motion JPEG streams; max Full HD 1080p		
2553C001	CANON NETWORK CAMERA VB-S900F MkII	resolution at 30fps. Smart Shade Control - dynamic contrast. 6 in-built video & audio i	\$ 4	29.31
		Indoor compact fixed dome network camera. Fixed 2.7mm wide-angle lens (95° AOV 16:9)		
		and digital night mode. Multiple H.264 and Motion JPEG streams; max 1.3MP 720p		
2554C001	CANON NETWORK CAMERA VB-S805D MkII	resolution at 30fps. Smart Shade Control - dynamic contrast. 6 in-built video & audio intel	\$ 3	349.06
				-
		Indoor compact fixed box network camera. Fixed 2.7mm wide angle lens (96.0° AOV 16:9),		
2556C001	CANON NETWORK CAMERA VB-S905F MkII	digital night mode. Multiple H.264 and Motion JPEG streams; max 1.3MP 720p resolution at 30fps. Smart Shade Control - dynamic contrast. 6 in-built video & audio intelli	\$ 3	849.48
25740	SMOKED BUBBLE FUSIONDOMES	Smoked Bubble for AXIS Pendant Fusion Domes (Spare Part)		69.00
25741	CLEAR BUBBLE FUSIONDOMES	Clear Bubble for AXIS Pendant Fusion Dome (Spare Part)		69.00
27761/242	CANON 12VDC TO DOE MIDCDAN	Single port midspan PoE compliant power injector, 12VDC, IEEE 802.3af (15W) compliant for	ė	60.00
2776V312	CANON 12VDC TO POE MIDSPAN	VB cameras with a power consumption under 12 watts. (Power supply not included) Wall bracket for VB-H43, VB-H41, VB-M42, VB-M40, VB-S30D, VB-S31D, VB-S800D, VB-	\$	60.00
2787V308	CANON A-SWD5WB3	\$805D	\$ 1	04.00
2943V528	CANON ITS-S-RK RECESSED KIT	Recessed Mounting Kit for VB-S30D, VB-S31D, VB-S800D, VB-S805D		09.00
			_	
3063V605	CANON A-BK4	Pole Mount Adapter and Stainless U-Bolt for 1 1/2" NPT (2x) (Pole Diameter 1.5" - 2.0")  Wall mount 6" clear dame 24/46 with heater 8, blower (IDE6 or IDX4 selectable)	\$ 1	102.00
		Wall mount 6" clear dome 24VAC with heater & blower (IP66 or IPX4 selectable) for VB-M50, VB-H43, VB-H41, VB-M42, VB-M40, VB-C60, VB-C300, VB-C500D, VB-C50iR, and		
20571400	CANON A ODWEC(OM)			106.00
3067V199	CANON A-ODW5C(OW)	VC-C50iR	\$ 4	+00.00

		Wall mount 6" tinted dome 24VAC with heater & blower (IP66 or IPX4 selectable) for VB-M50, VB-H43, VB-H41, VB-M42, VB-M40, VB-C60, VB-C300, VB-C500D, VB-C50iR, and	
3067V201	CANON A-ODW5T(OW)	VC-C50iR  Wall mount 6" clear dome 12VDC with heater & blower (IP66 or IPX4 selectable) for VB-	\$ 406.00
		M50, VB-H43,	
3067V202 3067V203	CANON A-ODW5C12(OW) CANON A-ODW5C12S(OW)	VB-H41, VB-M42, VB-M40, VB-C60, VB-C300, VB-C500D, VB-C50iR, and VC-C50iR A-ODW5C12(OW) with sunshield	\$ 406.00 \$ 511.00
3007 V203	CANON A-OBWSC125(OW)	Wall mount 6" tinted dome 12VDC with heater & blower (IP66 or IPX4 selectable) for VB-	\$ 511.00
3067V204	CANON A-ODW5T12(OW)	M50, VB-H43, VB-H41, VB-M42, VB-M40, VB-C60, VB-C300, VB-C500D, VB-C50iR, and VC-C50iR	\$ 401.00
3067V205	CANON A-ODW5T12S(OW)	A-ODWST12(OW) with sunshield	\$ 511.00
20671/206	CANON A SWIDEC	Surface mount dome 6" clear for VB-M50, VB-H43, VB-H41, VB-M42, VB-M40, VB-C300, VB-C5000, VB-C50000, VB-C5000, VB-C50000, VB	\$ 129.00
3067V206	CANON A-SWD5C	C500D, VB-C50iR, and VC-C50iR  Surface mount dome 6" tinted for VB-M50, VB-H43, VB-H41, VB-M42, VB-M40, VB-C300, VB-	\$ 129.00
3067V207	CANON A-SWD5T	C500D, VB-C50iR, and VC-C50iR  A-SWD5C w/ heater and blower for VB-M50, VB-H43, VB-H41, VB-M42, VB-M40, VB-C300,	\$ 129.00
3067V208	CANON A-SWD5CHB	VB-C500D, VB-C50iR, and VC-C50iR	\$ 225.00
3067V209	CANON A-SWD5THB	A-SWD5T w/ heater and blower for VB-M50, VB-H43, VB-H41, VB-M42, VB-M40, VB-C300, VB-C500D, VB-C50iR, and VC-C50iR	\$ 225.00
3067V210	CANON A-ID5T5	Indoor tinted recessed 6" dome for VB-M50, VB-H43, VB-H41, VB-M42, VB-M40, VB-C60, VB-C300, VB-C500D, VB-C50iR, and VC-C50iR	\$ 137.00
3067V211	CANON A IDECE	Indoor clear recessed 6" dome for VB-M50, VB-H43, VB-H41, VB-M42, VB-M40, VB-C60, VB-C300, VB-C500D, VB-C50iR, and VC-C50iR	\$ 137.00
3067V211 3067V212	CANON A-ID5C5 CANON A-ODW5TS(OW)	A-ODWST(OW) with sunshield	\$ 137.00 \$ 511.00
		Indoor universal wall mount bracket suitable for VB-R13/R11 indoor PTZ Domes, and VB-	
3072V366	CANON A-SWD5WB2	H/M domes. 172mm standoff to centre Indoor surface mount ceiling cover (Silver) for VB-H43/M42 PTZ's	\$ 112.00
4962B001	CANON CEILIN MOUNT COV S SS40-S-VB	Comprising of a metal mounting plate and "skirt" cover - Silver	\$ 62.00
		Indoor surface mount ceiling cover (Black) for VB-H43B/M42B PTZ's.	
4962B002 5000-001	CANON CEILIN MOUNT COV B SS40-B-VB ACC MAINS ADAPTOR AXIS PS24	Comprising of a metal mounting plate and "skirt" cover - Black  24VAC power adapter for outdoor use. Output max 63VA.	\$ 62.00 \$ 149.00
5000-001	WALL MOUNT AXIS PS24	Metal box to mount AXIS PS24 to a wall.	\$ 79.00
5003-011	ACC DOME AXIS 225FD GLASS SMOKED	Smoked dome glass for AXIS 225FD	\$ 59.00
5004B001	CANON JUNCT BOX MOUNT KIT PS600-VB	Indoor junction box mounting plate for VB-H630VE/D & VB-M620VE/D domes.	\$ 34.00
5005-001	ACC DOME AXIS 216FD GLASS SMOKED	Casing with smoked transparent cover for AXIS 216FD/216MFD/P3301	\$ 29.00
5005-011	ACC DOME AXIS 216FD GLASS CLEAR	Casing with clear transparent cover for AXIS 216FD/216MFD/P3301	\$ 29.00
5005-051	ACC DOME AXIS 216FD-V GLASS CLEAR	Vandal-resistant casing with clear transparent cover. Can also upgrade an AXIS 216FD/216MFD/P330X/M320X to an AXIS 216FD-V/216MFD-V/P330X-V/M320X-V.	\$ 69.00
5005-061	ACC DOME AXIS 216FD-V GLASS SMOKED	Vandal-resistant casing with smoked transparent cover. Can also upgrade an AXIS 216FD/216MFD/P330X/M320X to an AXIS 216FD-V/216MFD-V/P330X-V/M320X-V	\$ 69.00
		Power over Ethernet (802.3af) compatible. Use with Power over Ethernet-midspans or PoE- enabled switches to enable Power over Ethernet for AXIS M1011/-W, AXIS M1031-W, AXIS	
5008-001	AXIS POE ACTIVE SPLITTER 5V AF	M1043-W and AXIS 1044-W.	\$ 59.00
		Corner bracket for AXIS T98A-VE Surveillance Cabinet and AXIS Positioning Cameras. When	
5010-641	AXIS T95A64 BRACKET CORNER	used with AXIS Positioning Cameras, AXIS T94J01A Wall Mount is required.	\$ 89.00 \$ 129.00
5010-671	AXIS T95A67 BRACKET POLE	Pole bracket for AXIS T98A-VE Surveillance Cabinet. No straps required.	\$ 129.00
F042 004	AVIC DOE MIDERAN O DORT	802.3af compliant power injector for standard Cat 5 network cables. Maximum cable length	\$ 599.00
5012-004	AXIS POE MIDSPAN 8-PORT	is 328ft/100m. Supporting up to eight Axis Network cameras/video servers. Metal casing.	\$ 599.00
5012-014	AXIS POE MIDSPAN 16-PORT	802.3af compliant power injector for standard Cat 5 network cables. Maximum cable length	\$ 799.00
5013-611	AXIS POE MIDSPAN 16-PORT  AXIS T90A61 BRACKET SINGLE	is 328ft/100m. Supporting up to sixteen Axis Network cameras/video servers. Metal casing.  Mounting bracket for one AXIS T90A illuminator.	\$ 799.00
5013-621	AXIS T90A01 BRACKET TWIN	Mounting bracket for the AXIS 190A illuminators.  Mounting bracket for two AXIS 190A illuminators.	\$ 65.00
		L shaped wall bracket which provides up/down and left/right adjustment when used with	7 00.00
5013-631	AXIS T90A63 BRACKET WALL L MOUNT	the standard brackets on AXIS T90A/T90B series illuminators.	\$ 39.00
5013-661	AXIS T90A66 BRACKET POLE CLAMP	Pole bracket for AXIS T90A illuminators.	\$ 89.00
5017-027	AXIS T91A02 DIN RAIL CLIP 77MM	DIN rail clip for AXIS Q7401, AXIS P8221 and AXIS 7701.	\$ 12.00
5017-028	AXIS T91A02 DIN RAIL CLIP 86MM	DIN rail clip for AXIS M7014 and AXIS P7214  Holding device for pendant mounted cameras. For use with 3/4" pipes with NPS or NPT	\$ 12.00
5017-041	AXIS T91A04 CAMERA HOLDER ¾" NPS	threading. Compatible with all cameras with standard tripod threading.	\$ 29.00
		Holding device for pendant mounted cameras. For use with 1,5" pipes with NPS or NPT	
5017-051	AXIS T91A05 CAMERA HOLDER 1.5" NPS	threading. Compatible with all cameras with standard tripod threading.	\$ 29.00
5017-111	AXIS T91A11 STAND WHITE	Plastic camera stand. Original stand for the AXIS M11-series.	\$ 15.00
		Corner Bracket. Requires AXIS T91A61 Wall Bracket. AXIS P55-series, AXIS Q60-series PTZ  Dome Network Cameras, AXIS P33 Series Pendant kit, AXIS P33-VE Series Pendant kit, AXIS	
5017-641	AXIS T91A64 BRACKET CORNER	225 Pendant kit and AXIS 216/P3301 Pendant kit. White.	\$ 79.00
		Modular control board for professional camera and video management.	
		AXIS T8310 Control Board is a complete control board solution which includes AXIS T8311	
F020 004	AVIC TOOMS CONTROL BOARD	Joystick, AXIS T8312 Keypad and AXIS T8313 Jog Dial. Includes required USB cables inter-	ć 1110.00
5020-001	AXIS T8310 CONTROL BOARD	connecting	\$ 1,149.00
		Professional joystick for accurate control of Axis pan/tilt/zoom and dome network cameras.	
		Connects to the workstation over USB. Features a three-axis joystick with X/Y-axis for	
5020-101	AXIS T8311 JOYSTICK	positioning and turning knob for zoom and 6 push-buttons. Includes a 2 meter	\$ 399.00
		Professional 22 button keypad for quick navigation between workspaces, camera views and PTZ. Connects to the workstation over USB. Includes a 2 meter USB cable for connection to	
		the workstation.	
5020-201	AXIS T8312 KEYPAD	AXIS T8312 Keypad is supported in ACS ver. 3.3 or later.	\$ 449.00
3020-201		Professional video surveillance jog dial for high precision playback, facilitating functions	
3020-201			
3020-201		such as play, pause, index, image steps and fast search. 6 built-in push buttons additionally	
	AYIS TRATA IOG DIAI	simplifies video forensics.	\$ 200.00
5020-301	AXIS T8313 JOG DIAL		\$ 399.00
	AXIS T8313 JOG DIAL	simplifies video forensics. AXIS T8313 Jog Dial is supported in ACS	\$ 399.00

5024-101	AXIS T90C10 FIXED DOME IR-LED	IR-illuminator for AXIS P334X-VE cameras. 18-56 VDC input. Operating temperature -40 °C to 55 °C (-40 °F to 131 °F). IP66-, Nema 4X rated, vandal resistant. Premounted 5m power cable cable with gaskets.	\$	349.00
		IR-illuminator for AXIS P334X-VE cameras. PoE IEEE802.3af compliant. Operating	-	
		temperature -40 °C to 55 °C (-40 °F to 131 °F). IP66-, Nema 4X rated, vandal resistant.		
5024-201	AXIS T90C20 FIXED DOME IR-LED	Premounted 5m network cable cable with gaskets.	\$	349.00
		Power over Ethernet extender repeates the data signal and forward the PoE to the camera,		
		PoE+ compliant it is compatible with all Axis cameras. No additional power supply is		
5025-281	AXIS T8129 POE EXTENDER	required. The maximum total distance between switch and camera depends on the pow	\$	199.00
		Provides power over Ethernet to Axis network video products with built-in PoE support.  AXIS T8120 is IEEE 802.3af compliant, ensuring compatibility with all Axis PoE Class 1-3		
5026-204	AXIS T8120 15W MIDSPAN 1-PORT	products. The midspan can be installed on a wall or shelf.	\$	59.00
		Provides power over Ethernet to Axis network video products with built-in PoE support.		
		AXIS T8120 is IEEE 802.3af compliant, ensuring compatibility with all Axis PoE Class 1-3		
5026-224	AXIS T8120 15W MIDSPAN 10PCS	products. The midspan can be installed on a wall or shelf. 10 pcs.	\$	529.00
		Pair of Ethernet over COAX adapters that enable use of COAX cables for PoE applications,		
		supports IEEE802.3af/at. Powered by either PoE or power supply, dependent on power		
5026-401	AXIS T8640 POE+ OVER COAX ADAP	requirement at the device end. Diagnosics LEDs for power and link status in both ba	\$	414.00
F02C 444	AVIC TOCAO MALL MOUNT DRACKET	Well as such has due for AVIC TOCAO Februare to such Consumbation has a such discussion with	,	25.00
5026-411 5026-421	AXIS T8640 WALL MOUNT BRACKET AXIS T8640 RACK MOUNT BRACKET	Wall mount bracket for AXIS T8640 Ethernet over Coax adapter base or device unit.  Rack mount bracket for AXIS T8640 Ethernet over Coax adapter (8 units in 1U).	\$	25.00 62.00
5026-431	AXIS T8640 DIN RAIL CLIP	DIN rail clip for AXIS 8640 Ethernet over Coax adapter.	\$	22.00
		Ethernet over COAX blade (6ch) that enable use of COAX cables for PoE applications,		
		supports IEEE802.3af/at. For use with Axis video encoder chassis together with our AXIS		
5026-461	AXIS T8646 POE+ OVER COAX BLADE	T8082 or AXIS T8085 power supplies.  Requires one AXIS T8642 POE+ OVER COAX DEVICE f	\$	699.00
3020-401	AXIS 18040 FOET OVER COAX BEADE	A Kit that contains one (1) AXIS T8646 POE+ OVER COAX BLADE and six (6) AXIS T8642 POE+	7	033.00
5026-471	AXIS T8646 POE+ OVER COAX BLADE KIT	OVER COAX DEVICE for a complete 6 channel solution.	\$	1,699.00
		Four port media converter switch with 2 RJ45 ports and 2 SFP slots for optical fiber		
F027 044	AVIC TOCOA MEDIA COMMEDTED CAMITOLI	connection (SFP modules not inluded). Shelf or DIN-rail mount. Temp spec: -40°C to +75°C (-	\$	200.00
5027-041	AXIS T8604 MEDIA CONVERTER SWITCH	40°F to 167°F).	\$	399.00
5027-421	AXIS T8642 POE+ OVER COAX DEVI	Single Device unit of Ethernet over COAX adapter. The package contains one device unit.	\$	207.00
		Original Media converter switch for AXIS Q60-C series. 2 RJ45 ports and 2 SFP slots for		
5028-051	AXIS T8605 MEDIA CONVERTER SWITCH	optical fiber connection (SFP modules not included). Two I/O ports (only active when connected to an AXIS Q60-C camera) and a combined communication and powering port	\$	449.00
5020-031	AXIS 18003 WEDIA CONVENTER SWITCH	connected to an Axio Quo-e camera, and a combined communication and powering port	7	445.00
5028-411	AXIS T8641 POE+ OVER COAX BASE	Single Base unit of Ethernet over COAX adapter. The package contains one base unit.	\$	207.00
		Power supply for the AXIS T8640 Coax Over Ethernet Adapter. If connected to the base end COAX adapter part, it powers up the connection, the device end unit and the PoE camera		
5029-034	AXIS T8003 PS57	and thereby removes the need for a separate midspan. Can also be connected to t	\$	54.00
		Power supply with extended temperature specification -40°C to +75°C (-40°F to +167°F)		
5030-064	AXIS T8006 PS12	providing 12 V DC to units such as AXIS T8604 and AXIS Q7424-R.	\$	89.00
		Outdoor ready IP66-rated midspan compliant with IEEE802.3af and 802.3at. Built in surge		
		protection and IP66-rated male RJ45 connector is included. Delivers up to 30W.		
5030-234	AXIS T8123-E OUTDOOR MIDSPAN 30w	Temperature specification: -40°C to 55°C (-40° to 131°F) for 30W and -40°C to 65°C (-40°	\$	249.00
		Outdoor ready IP66-rated midspan for AXIS Q60-E. Built in surge protection and IP66-rated		
5031-244	AXIS T8124-E OUTDOOR MIDSPAN 60W	male RJ45 connector is included. Delivers up to 60W. Temperature specification: -40°C to 50°C (-40° to 122°F).	\$	319.00
3031-244	AXIS 18124-L GG1DGGK WIDSF AN GGW	30 C (~40 to 122 i ).	7	313.00
		AXIS T8351 Microphone 3.5mm is an omnidirectional microphone with a 3.5mm connector,		
		compatible with all Axis network video products supporting a 3.5mm jack for microphone		
5031-511	AXIS T8351 MICROPHONE 3.5MM	input. Flexible to install, AXIS T8351 adapts to different installation scenarios t  White vandal resistant housing for AXIS M50 series. IK10 and IP66 rated.	\$	139.00 129.00
5032-051 5032-061	AXIS T96A05-V DOME HOUSING WHITE  AXIS T96A05-V DOME HOUSING BLACK	Black vandal resistant housing for AXIS M50 series. IK10 and IP66 rated.	\$	129.00
			T	
		AXIS T8353A Microphone 3.5mm is an omnidirectional microphone with a 3.5mm adaptor,		
5000 504	AVIG T00504 AVIG000 VOLUT 0 5444	compatible with all Axis network video products supporting a 3.5mm jack for microphone	_	440.00
5032-531	AXIS T8353A MICROPHONE 3.5MM	input. AXIS T8353A Microphone offers great details and resolution, the capsule has a  AXIS T8353B Microphone Phantom Power is an omnidirectional microphone with an XLR	\$	449.00
		contact and a pigtail adaptor. Power ranges between 12-48V DC. It is compatible with		
		phantom power devices, such as AXIS P8221 Network I/O Audio Module. AXIS T8353B		
5033-541	AXIS T8353B MICROPHONE PHANTOM POWER	Micropho	\$	449.00
E024 111	AVIS TO A HOLD CONDITION OF THE PACKETON	Vandal resistant aluminum back box accessory for AXIS P33-/V series indoor cameras	\$	20.00
5034-111 5091B001	AXIS T94H01P CONDUIT BACKBOX  CANON RECESSED MOUNT KIT SR600-VB	(except P3301/04) which enables safe cabling through 3/4" conduits.  Indoor recessed ceiling mount kit for VB-H630VE/D & VB-M620VE/D domes.	\$	39.00 81.00
5092B001	CANON HEATER UNIT HU600-VB	Optional heater element for VB-H630VE/M620VE outdoor Domes. Requires 24V AC power.	\$	143.00
		PoE splitter. Can deliver both 12 and 24 V DC (user selectable) from High PoE 60W midspan.		
5500-001	AXIS T8127 60 W SPLITTER 12/24 V DC	Useful to power and connect non-PoE devices like IP cameras, magnetic locks for access control systems, WiFi AP, thin clients etc.	\$	89.00
5500-051	ACC LENS CS VARIF 3-8MM DC-IR	CS mount Varifocal 3-8 mm DC-Iris for 211	\$	99.00
5500-061	ACC LENS CS VARIF 3-8MM DC-IR D/N	CS mount Varifocal 3-8 mm DC-Iris for 221	\$	125.00
5500-201	ACC DOME AXIS 23XD+ SMOKED COVER	Smoked plastic dome for AXIS 231/232D+ dome cameras	\$	28.00
5500-301 5500-331	ACC TOP COVER AXIS 209FD-R 10PCS MAINS ADAPTOR PS-H	Replaceable cover for AXIS 209FD-R, 10 pcs. Includes dry bags 5V DC 2A power supply with 1.35x3.5 plug. Center (+) polarity.	\$	249.00 39.00
5500-331	ACC ALLEN-KEY M3 TAMP PROOF 10PACK	Allen-key for AXIS 209FD-R 10-pack	\$	39.00
5500-601	ACC DOME UPGR KIT AXIS 233D CL/SM	Clear and Smoked plastic dome for AXIS 233D dome cameras	\$	69.00
5500-704	ACC MAINS ADAPTOR PS-P	Power supply PS-P for AXIS 215 PTZ	\$	39.00
5500-821	ACC TOP CLEAR ASS 216FD BLACK	Interchangeable black casing for AXIS 216FD, AXIS M32 Series, AXIS P3301 and P3304 Network Cameras with transparent cover.	\$	29.00
3300-021	LUCC TOL CTEMIN WOO STOLD BENCK	recework Cameras with transparent cover.	ب	23.00

5500-831	SPR CONN KIT AXIS Q7401	Connectors for AXIS Q7410 as spare parts. Includes two 2pin STR 2.50MM, one 6pin STR 2.50MM and one 2pin STR 3.81MM. In total 4 connectors.	\$	19.00
		Kit for the AXIS P13XX-series. Content: one terminal connector 4P str 250mm BP LF and one		
5500-851	CONN KIT AXIS P1311	2P STR 3.81MM BP LF. CS mount Varifocal Megapixel Lens 2.4-6mm DC Iris for AXIS P1344 and AXIS 211M/223M.	\$	9.00
5500-871	Varifocal MegaPixel Lens 2.4-6mm	Includes CS mount ring for AXIS 223M.	\$	199.00
5502-051	ACC MALE RJ45 AXIS 209FD-R 10PCS	Vibration resistant male RJ-45 connector suitable for AXIS 209FD-R/MFD-R Network Camera. 10 pack	\$	149.00
		Vibration resistant male RJ-45 connector suitable for RJ-45 version of AXIS M31XX-R and		
5502-061	ACC MALE RJ45 AXIS 209FD-R	AXIS 209FD-R/MFD-R Network Cameras.	\$	15.00
5502-091	ACC DOME AXIS 212PTZ-V GLASS CLEAR	Vandal-resistant casing with clear transparent cover as a spare part for AXIS 212PTZ-V.	\$	69.00
5502-131	CONNECTOR M12 MALE 4P 10PCS	Rugged, male D-coded M12 connector compatible with AXIS M31XX-R M12 and Connector M12 Female 4P . Field installable with screw-in contacts. 10 pcs	\$	149.00
		Rugged, female D-coded M12 connector compatible with Connector M12 male 4P, 209FD-R		
5502-141 5502-261	CONNECTOR M12 FEMALE 4P 10PCS  ACC MAINS ADAP PS-P T-C	M12 /209MFD-R M12. Field installable with screw-in contacts. 10 pcs Power supply PS-P T-C for AXIS Q1755 and AXIS Q7404	\$	149.00 39.00
3302 201	ACC MAINS ADAL 13 1 1 C	Tower supply 13 1 1 C for AND Q1733 and AND Q1744	7	33.00
		With AXIS P33-VE Series PENDANT KIT it is possible to mount the AXIS P3343-VE, AXIS P3344-VE, AXIS P3346-VE AXIS P3363-VE and AXIS P3364-VE, AXIS P3367-VE, AXIS P3384-VE		
5502-321	PENDANT KIT AXIS P334X-VE	Fixed Dome Network Cameras on AXIS 79364-VE, AXIS 79364-VE, AXIS 79364-VE	\$	49.00
5500 004	100 010 5 1/0 110 0 5 1 100 10 15	Audio and I/O extension cable for AXIS P33 Series. Includes 4 pin terminal connector 2.5mm		20.00
5502-331	ACC CABLE I/O AUDIO 5M P3343-VE	Female to Male, 2 x stereo plug 3.5mm Male to Female. 5 meter.  Mixed pack of M12 Megapixel lenses. Focal lenght: 2.8mm, 3.6mm, 6mm, 8mm and 16mm	\$	39.00
		for AXIS M3113-R, AXIS M3114-R, AXIS 209FD, AXIS 209MFD, AXIS M3011, AXIS 3014. With		
5502-421	LENS M12 MEGAPIXEL 10PCS	IR filter. 10pcs=2 pcs of each lens.  Pendant kit for the AXIS Q60-series and AXIS P55-series PTZ Network Cameras, enables	\$	149.00
5502-431	AXIS T94A01D PENDANT KIT	mount on standard '1,5" NPT threaded brackets. White.	\$	49.00
5502-471	YP3040 WALL BRACKET	Aluminum wall bracket for YP3040 Pan Tilt Motor. White	\$	79.00
5502-491	AXIS P55/Q60 MULTI CONN CABLE 5M	Multi-connector cable for power, audio and I/O. Used for Indoor AXIS P55-series and Indoor Q60-series PTZ Dome Network Camera.	\$	109.00
5502-551	ACC PL ADAPTER CURVED AXIS M311X 10PCS	Optional adapter for mounting AXIS M311X on curved surfaces. 10 pack	\$	29.00
5502-661	AXIS LENS CLOTH 10PCS	Axis accessory lens cloth. 10 pack	\$	39.00
5502-701 5502-711	M10 STAND EXTENSION 10CM 10PCS  CABLE SEALING IP65 FOR Q8108-R	AXIS M10-series 10 cm stand extension. 10 pcs. Cable clip included.  Accessory cable sealing to meet IP65 rating for Q8108-R.	\$	29.00 249.00
5502-711	AXIS LENS CLOTH 50PCS	Axis accessory lens cloth. 50 pack		169.00
5502 721	TANG LENG GLOTTI SOLOS	Outdoor CAT6 Ethernet cable for outdoor AXIS PTZ and panoramic cameras. IP66-rated	<b>Y</b>	103.00
5500 704	AVIS OUTTOOD DATE OAD I - FA	male push pull connector on one end, IP20 rated male RJ45 connector on the other end.		70.00
5502-731 5502-751	AXIS OUTDOOR RJ45 CABLE 5M  LENS CS VF 2.2-6MM F1.3 DC-I MP	Length: 5m (16ft). Color: black.  Varifocal 2.2-6mm DC-Iris Megapixel Lens, F1.3, CS mount for AXIS M1113/4	\$	79.00 149.00
5502-751	LENS CS VF 15-50MM F1.5 DC-I MP	Varifocal Mega Pixel DC-Iris Lens 15-50mm, F1.5, CS mount, for AXIS M1113/14		199.00
	1545 5001 4 7/5 4 4045	Tool kit for simplifying adjustment of viewing direction and focus setting. Compatible with		24.00
5502-771 5502-811	LENS TOOL AXIS M311X 4PCS SURVEILLANCE STICKER ENG 10PCS	AXIS M311X (except 2mm lens version). Content: Lens tool and Opening tool 4 pcs of each.  Axis branded sticker showing a Camera. Text: Video surveillance in operation	\$	24.00 8.00
5502-821	SURVEILLANCE STICKER ENG 10PCS SURVEILLANCE STICKER ENG 50PCS	Axis branded sticker showing a Camera. Text: Video surveillance in operation  Axis branded sticker showing a Camera. Text: Video surveillance in operation	\$	50.00
		Stand alone clear dome for the AXIS Q603X-E with slightly decreased optical quality		
FF02 001	AVIS OCCOUNT CLEAR DOME	compared to the HD dome version, but with the line higher up to enable greater tilt without distortion.	ć	20.00
5503-001 5503-061	AXIS Q603X-E CLEAR DOME ADAPTER CURV L GREY M311X 10PCS	Optional light grey adapter for mounting AXIS M311X on curved surfaces. 10 pack	\$	39.00 29.00
		Optional light grey plastic adapter for mounting AXIS M311X on flat surfaces. Used when		
5503-071	PL ADAPTER FLAT L GREY M311X 10 PCS	the cable must enter from the side. 10 pack	\$	29.00
5503-091	AXIS T91A06 PIPE ADAPTER 3/4-1.5"	Pipe adapter step up from 3/4" NPT thread to 1.5" NPS thread. Compatible with all pendant kits that are made for the AXIS T91A range of brackets.	\$	12.00
5503-104	AXIS T8007 PS24	Indoor mains power supply. Output 24V DC 1.5A.	\$	69.00
5502.424	AVIC DOOMY VERYILANDS AD ADT	Stainless steel adapter used for mounting 3/4" NPS or NPT pipes to AXIS P33XX-VE cameras		20.00
5503-131 5503-151	AXIS P33XX-VE ¾" NPS ADAPT  AXIS P3346 DOME KIT CL BLACK	for cable protection.  Black cover with clear dome for AXIS P3346.	\$	29.00
		Barrel distortion corrected and IR corrected wideangle lens for cameras up to 5 mega pixel	т	
		resolution. Compatible with e.g. AXIS M1114/-E, AXIS P1353/-E, P1354/-E, P1355/-E, P1357/-		
5503-161	THEIA LENS CS VARIF 1.8-3MM DC-IRIS	E, AXIS Q1602/-E, Q1604/-E, Q1614/-E, Q1615/-E.  Varifocal IR-corrected lens for cameras up to 5 mega pixel resolution. Compatible with e.g.	\$	289.00
5503-171	LENS CS VARIF 9-40MM DC-IRIS D/N	AXIS M1114/-E, P1354/-E, P1355/-E, P1357/-E, Q1602/-E, Q1604/-E.	\$	259.00
5503-181	LENS CS 2.4-6MM MANUAL IRIS	Manual iris lens, varifocal 2.4-6MM compatible with AXIS M1103 and M1104.	\$	79.00
5503-191	AXIS M320X DOME KIT SM BLK	Interchangeable black casing with smoked dome for AXIS 216FD, AXIS M32 Series, AXIS P3301 and P3304.	\$	29.00
133 131	. SIGNOZON SOME NIT SINI BEN			23.00
5503-192	ADAPTER AXIS 209 TO M31/P39 50 PCS	Adapter plate for mounting an AXIS M31 using the same foot print as the AXIS 209. 50 PCS		249.00
5503-194	AXIS T91A03 DIN RAIL MOUNT	DIN rail clip for AXIS Q7424-R.  Female/female RI45 coupler. Slim and compact size. For indoor use. Perfect when you need	\$	19.00
5503-272	NETWORK CABLE COUPLER INDOOR SLIM	to extend a pre-terminated cable.	\$	19.00
5502-421	LENS CS 15-50NAM E1 E DC LAAD D AL	Varifocal Maganiyal DC-Iris Long 15 F0mm E1 E CC mount Dou/Might for AVIS C4503	\$	100.00
5503-421	LENS CS 15-50MM F1.5 DC-I MP D/N	Varifocal Megapixel DC-Iris Lens 15-50mm, F1.5, CS mount, Day/Night for AXIS Q1602.  Compact IP66-rated female/female RJ45 cable coupler. Perfect when you need to extend a	ý.	199.00
5503-431	NETWORK CABLE COUPLER IP66	pre-terminated outdoor cable.	\$	29.00
5503-451	POWER SUPPLY AXIS Q872X-E 230V	IP66 rated power supply for AXIS Q872X-E with 230 V AC input.		379.00
5503-461	POWER SUPPLY AXIS Q872X-E 120V	IP66 rated power supply for AXIS Q872X-E with 120 V AC input.  Electrical safety kit for AXIS T98A in countries where the mains power is 120 V DC. Included	\$	379.00
ĺ		products: Surge protector class 2, Fuse/main switch, terminal blocks and an intrusion door		
	FUECTRUCAL CAFETY WIT A 420YAC	switch.	\$	199.00
5503-521	ELECTRICAL SAFETY KIT A 120VAC			
		Metal sunshield for AXIS T98A-VE Surveillance Cabinet series. Reduces the temperature inside the cabinet, caused by sun radiation, with up to 15°C (27°F).	Ś	74.00
5503-521 5503-551	AXIS T98A SUNSHIELD	inside the cabinet, caused by sun radiation, with up to 15°C (27°F).	\$	74.00
5503-551	AXIS T98A SUNSHIELD	inside the cabinet, caused by sun radiation, with up to 15°C (27°F).  Tool kit for simplifying adjustment of viewing direction and focus setting. Compatible with		
		inside the cabinet, caused by sun radiation, with up to 15°C (27°F).	\$	74.00

Alternation cable cover with characters coted adapter sace for mounting 34° MFP of MFP pages 505-721	Amment code cover with districtions cold displace used for resumpt 26 May 9 MF per	FF02 694	ACC MAINS ADAD DS I/ TEDM COMM	Douges supply for AVIC D1211/A2/AA and AVIC O7401 as a spare part	\$	39.00
500.711	Section   Sect	5503-681	ACC MAINS ADAP PS-K TERM-CONN	Power supply for AXIS P1311/43/44 and AXIS Q7401 as a spare part.  Aluminum cable cover with stainless steel adapter used for mounting 3/4" NPS or NPT pipes	\$	39.00
Section	2007 F130	5503-711	AXIS P33XX-VE ¾ NPS CONDUIT ADAPTER	· · · · · · · · · · · · · · · · · · ·	\$	39.00
2002-731	SSS-2711					
SECURITY   CALLED STATE AND CONTROL   SECURITY ADDITIONAL LEARNING STATES   MODIFICATION CONTROL   SECURITY CONTROL CASE   CONTROL   SECURITY CONTROL CASE   CONTROL   SECURITY CONTROL   SEC	MAGE   MACRIT AND ADMILED   MAGE					144.00
SEGN_751    CARREST HAND CARREST E 135MA IRCS	SAME   SAME AND ADDRESS   MAD COMMENT   SAME ADDRESS   SAME ADDR				_	59.00 9.00
Section   Sect	September   Sept		·			9.00
SIGNATION   STATE	SERVICE AND STATE OF THE PRODUCT   SERVICE AND ST				_	9.00
SIGNS 7911   AND 1914-06 PPT SALE 1979 SALE 1970 SALE	S007-915			Female/female RJ45 coupler. For indoor use. Perfect when you need to extend a pre-		
S009-921   SASSET CMS CABLE 6-17 MM SDPCS   MbD Gasted for cable 8-17 mm. 3D pos.	SECURITY   SAME PLANE & 17 MAN 1975CS   MOST PLANE & 17 MAN 1975C   MOST PLANE & 17					11.00
ANS PLZIOS SERSOR UNIT	Original servor unit for ASS F1204 with premounted cibbs. Cover six and mounting int No. 1975					11.00
Sociation	Society   Society   Society Seption (URT   Opinite sensor unif for XXS P1214 with permanented called. Float mount broked included.   5   20	5505-791	GASKET C M25 CABLE 8-17/MINI 10PCS		Ş	9.00
2039-811   ANS P121-6 SERSOR UNIT	2009-8911   ANS PF2144 SINGON UNIT	5503-801	AXIS P1204 SENSOR UNIT	= :	\$	199.00
ANS 1921-4E SPECON UNIT	Spirate   Spir					
Separation   Sep	SSSE_BERT   SINCE   SUBSTITUTE   SINCE UNITE   SINCE	5503-811	AXIS P1214 SENSOR UNIT	<del> </del>	\$	199.00
SSS08-841	SAME CAME CAME A MASS SPCS			=		
Septiment   Sept	SSS9.841   ANS DODR SWITCH A					199.00 19.00
Index president into ASS MIDDIOP, ASS MIDIOP, ASS MIDI	Indicor pending into face XIS MS0000FX, XIS MS024-VE/2022-VE. to enable use of ANS 1980 APPLIES OF 1/97 For YMS Throstophologible, The come and the ST ST ST ST ST ST A Rands for 5 VE/1/97 For YMS Throstophologible, The Come and ST ST ST ST ST ST A Rands for 5 VE/1/97 For YMS Throstophologible, The Come and ST					29.00
ANS 1914 Brackets on 1.5 (File IP All Packets on 1.5 (File	ANS TRAPA PROJECT BY A DESCRIPTION OF The Threshold pipes. The camera network cable fits into some product and all BMS restored. Calle Couple's included.   S   S   3   S   S   S   S   S   S   S	3303-841	ANS DOOK SWITCH A		Ÿ	23.00
Indoor recessed mount for drop ceiling installations. RIAS network cable coupler included.	Sold-910					
S039-901   ANTS T9400LE RECESSED MOUNT   Compatible with AXIS M300e-V/PASON 93024-VE/PASON-VEV   S	S039-911	5503-881	AXIS T94F01D PENDANT KIT	the product and a RJ45 network cable coupler is included.	\$	39.00
S039-901   ANTS T9400LE RECESSED MOUNT   Compatible with AXIS M300e-V/PASON 93024-VE/PASON-VEV   S	S039-911					
White mount bracket for mounting on standard ripod threading (147-20 UNC) or single- graing junction box. Compatible with ASSM 93006-V, 25   54	White mount bracket for mounting on strandard tripod threading (14.4"-20 INIC) or single-gain junction box. (Ampsile) with AMS MADQA (15.4" or ST 15.60 AMS AMS THE ST 15.60 AMS AMS THE ST 15.60 AMS AMS THE ST 15.60 AMS	5502.004	AVIC TO AFOAL DECECCED \$ 101117		_	20.05
Society   Soci	SASS 3111	DDU3-901	AXIS 194FUIL RECESSED MOUNT		>	89.00
Sinchest for mounting on 4" square, 4" Ordagon, Single or double-gang junction box. R345	Service for mounting on if "square, if "catagon, angle or foothele gaing jump of space in the companition with. Compatible with ACM ST M0006/7, ASS 503-931   ANS M005PAN DIN CLIP A	5503-911	AXIS T94B01S MNT BRACKET WHITE 10PCS	, , , ,	Ś	49.00
network cable coupler included. Compatible with. Compatible with AXIS M3006/7, AXIS						.5.00
5003-931	S0839431			network cable coupler included. Compatible with. Compatible with AXIS M3006/7, AXIS		
S039.991   AXIS M3006-V LENS M12 2 DAMM   Optional lens for AXIS M3006-V, 2 Dmm, HFOV. 105'. Including lens tool.   S 95 5030.9961   AXIS G00-E/C SMOKED DOME D   Stand alone smoked dome for AXIS G00-E/C series   S 77	S039-941					29.00
S503-951   CABLE GLAND MZOLD, 5 NATS DEC.   MZO Cable gland for RAS. Ease of installation, no need of cutting the cable.   \$ 1503-951	S039-951					19.00
Stand alone moked dome for ANTS GROBE/C SMORED DOME D   Stand alone moked dome for ANTS GROBE/C series   S   75	S503-9616				_	99.00 19.00
Pole mount bracket compatible with all cameras with standard tripod threading (1/4"-20   \$ 2503-991   AXIS 19302F VERN M12 2.8MM   Optional lens for AXIS M3006-V.2.8mm, Including lens tool. \$ 7.75	Pole mount bracket compatible with all cameras with standard tripod threading (1/4"-20 UNC)				_	79.00
S039-971   AXIS T91A22 POLE MOUNT LIPICS   UNC)   S 275	SS03-971	3303 301	AND GOO E/C SWOKED DOWNED		, , , , , , , , , , , , , , , , , , ,	75.00
Mount bracket for AXIS P1214, P1214-E, Allows to mount the sensor unit in 5030-991 P1214/P1214-E/P1224-E MOUNT BRACKET SPCS different horizontal and vertical angles ex. AXIS M3006, 5pcs. \$ 5504-011 AXIS M3006 SMOKED DOME SPCS Original white top cover with smoked dome for AXIS M3006, 5pcs. \$ 245 Backbos for AXIS M3006-AXIS M3006-AXIS M3007-E/PV. AXIS M3007-E/PV. AXIS M3007-E/PV. AXIS M3006-VY. AXIS M3006-VY. AXIS M3006-VY. AXIS M3006-VY. AXIS M3007-E/PV. AXIS M3	Mount bracket for AVIS P1214, P1214 E and P124 E. Allows to mount the sensor unit in different horizontal and vestical angles.	5503-971	AXIS T91A27 POLE MOUNT 10PCS	· · · · · · · · · · · · · · · · · · ·	\$	29.00
\$ 5504-91	\$503-991	5503-981	AXIS M3006-V LENS M12 2.8MM	Optional lens for AXIS M3006-V, 2.8mm. Including lens tool.	\$	79.00
ASIS M3006 SMOKED DOME 5PCS   Driginal white top cover with smoked dome for AXIS M3006, Spcs.   5 245	S504-011					
Backbox for AXIS M3006 // AXIS M3002-I/-PV_AXIS M3002-I/-PV_AXIS M3002-I/-PV_AXIS M3024-IV2/3025-VE/3027-VE/S04-061  AXIS M3024/25/26/27 COVER BLK 10PCS  S04-061  AXIS M3024/25/26/27 COVER BLK 10PCS  AXIS M3024/25/26/27 COVER BLK 10PCS  AXIS M3024/25/26/27 COVER BLK 10PCS  AXIS M3024/25/26/27 COVER WHT 10PCS  Black cover skins compatible with AXIS M3024/M3025/M3026/M3027 for covering screws or simplify the painting process.  AXIS M3024/25/26/27 COVER WHT 10PCS  Black mount bracket for mounting on standard tripod threading (1/4"-20 UNC) or single-gang junction box. Compatible with AXIS M3024/M3025/M3027 for covering screws or simplify the painting process.  AXIS M3025-VE LENS M12 6MM  Optional lens for AXIS M3025-WILL MISS M3004-V/5-V.  Chromated and powder coated aluminum parapet mount compatible with fixed dome pendark list and AXIS PS5-series and AXIS 640-Series PTZ dome cameras. Cable routing from behind or through 3/4" conduit hole on the side. Includes mounting plate, pipe seal, co  Chromated and powder coated aluminum ceiling mount 75 cm / 29.5 inch compatible with fixed dome pendark kits and AXIS PS5-series and AXIS 605-series PTZ dome cameras. Cable routing from behind or through 3/4" conduit hole on the side. Includes mounting plate, pipe seal, co  Chromated and powder coated aluminum ceiling mount 75 cm / 29.5 inch compatible with fixed dome pendark kits and AXIS PS5-series and AXIS 605-series PTZ dome cameras. Cable routing from behind or through 3/4" conduit hole on the side. Includes mounting plate, pipe seal, co  Chromated and powder coated aluminum ceiling mount 75 cm / 29.5 inch compatible with fixed dome pendark kits. AXIS 6005-ceil PTZ and panoramic cameras. IPG6-rated male push pull connector on one and AXIS 605-series PTZ dome cameras. Cable routing from behind or through 3/4" conduit hole on the side. Includes mounting plate, pipe seal, co  Chromated and powder coated aluminum came	Sackbox for AXIS M3006-V, AXIS M3007-FPV, AXIS M3024-VIF/3025-VF/3027-VF/3027-VF/3026-VF/3027-VF/3026-VF/3027-VF/3026-VF/3027-VF/3026-VF/3027-VF/3026-VF/3027-VF/3026-VF/3027-VF/3026-VF/3027-VF/3026-VF/3027-VF/3026-VF/3027-VF/3026-VF/3027-VF/3026-VF/3027-VF/3026-VF/3027-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/3026-VF/302			-		59.00
SS04-041   AXIS T94F01P CONDUIT BACK BOX   PPE, P14 Series, which enables safe cabling through 1/2" (M20) conduits.   S 25	SS04-061   XXIS T940DI CONDUIT BACK BOX   PVE, PLA Series, which enables as fac cabling through JL2* (MIXD) conduits.   \$ 2	5504-011	AXIS MI3006 SMORED DOME SPCS		\$	249.00
Black cover skins compatible with AXIS M3024/M3025/M3026/M3027 for covering screws or simplify the painting process.  S 125 White cover skins compatible with AXIS M3024/M3025/M3026/M3027 for covering screws or simplify the painting process.  S 125 White cover skins compatible with AXIS M3024/M3025/M3026/M3027 for covering screws or simplify the painting process.  AXIS M3024/25/26/27 COVER WHT 10PCS or simplify the painting process.  S 125 S304-531 AXIS M3034/S75/6/27 COVER WHT 10PCS gang junction box. Compatible with AXIS M3004-V/5-V.  S 125 S304-531 AXIS M3025-VE LENS M12 6MM Optional lens for AXIS M3025, fem. Including flocus ring.  S 45 Optional lens for AXIS M3025-Fem. Including flocus ring.  S 45 Chromated and powder coated aluminum parapet mount compatible with fixed dome pendant kits and AXIS P55-series and AXIS G80-series PTZ dome cameras. Cable routing from behind or through 3/4" conduit hole on the side. Includes mounting plate, pipe seal, cohen cohen axis for through 3/4" conduit hole on the side. Includes mounting plate, pipe seal, cohen axis for through 3/4" conduit hole on the side. Includes mounting plate, pipe seal, cohen axis for through 3/4" conduit hole on the side. Includes mounting plate, pipe seal, cohen axis for through 3/4" conduit hole on the side. Includes mounting plate, pipe seal, cohen axis for through 3/4" conduit hole on the side. Includes mounting plate, pipe seal, cohen axis for through 3/4" conduit hole on the side. Includes mounting plate, pipe seal, cohen axis for through 3/4" conduit hole on the side. Includes mounting plate, pipe seal, cohen axis for through 3/4" conduit hole on the side. Includes mounting plate, pipe seal, cohen axis for through 3/4" conduit hole on the side. Includes mounting plate, pipe seal, cohen axis for through 3/4" conduit hole on the side. Includes mounting plate, pipe seal, cohen axis for through 3/4" conduit hole on the side. Includes make push pull connector on one end, IP20 rated male RJ45 connector on the other end. Length: 15m (Side) For thro	Black cover skins compatible with AXIS M3024/M3025/M3025/M3027 for covering screws or simplify the painting process.  AXIS M3024/25/26/27 COVER BLK 10PCS  white cover skins compatible with AXIS M3024/M3025/M3026/M3027 for covering screws or simplify the painting process.  AXIS M3024/25/26/27 COVER WHT 10PCS  Black mount bracket for mounting on standard tripod threading (1/4"-20 UNC) or single-special screws or simplify the painting process.  AXIS M3024/25/26/27 COVER WHT 10PCS  Black mount bracket for mounting on standard tripod threading (1/4"-20 UNC) or single-special screws or simplify the painting process.  AXIS M3025-VE LENS M12 6MM  Optional lens for XAIS M3025-VE Inch SM12 6MM  Optional lens for XAIS M3025-VE Inch SM12 6MM  Chromated and powder coated aluminum parager mount compatible with fixed dome pendant kits and AXIS GOO-eries PTZ dome cameras. Cable rome thing from behind or through 3/4" conduit hole on the side. Includes mounting plate, pipe seal, compatible with fixed dome pendant kits and AXIS P55-series and AXIS GOO-eries PTZ dome cameras. Cable of the dome pendant kits and AXIS P55-series and AXIS GOO-eries PTZ dome cameras. Cable of the dome pendant kits and AXIS P55-series and AXIS GOO-eries PTZ dome cameras. Cable of the dome pendant kits and AXIS P55-series and AXIS GOO-eries PTZ dome cameras. Cable of the dome pendant kits and AXIS P55-series and AXIS GOO-eries PTZ dome cameras. Cable of the dome pendant kits and AXIS P55-series and AXIS GOO-eries PTZ dome cameras. Cable of the dome pendant kits and AXIS P55-series and AXIS GOO-eries PTZ dome cameras. Cable p5504-531  AXIS OUTDOOR RJAS CABLE 15M  Cable between AXIS GOOX-C and connection box AXIS T8605. Lenght: 12m (39th). \$ 24  Dutoor CATS Ethernet cable for outdoor AXIS T8605. Lenght: 12m (39th). \$ 24  S504-731  AXIS OUTDOOR RJAS CABLE 15M  Carpit 15m (60ft). Color: black of the dome pendant kits. Cameras. P56-rated male push pull connector on one end p.720 rated male RJAS connector on the other end. Length: 15m (60ft). Color: black of t	5504-041	AXIS T94F01P CONDUIT BACK BOX		Ś	29.00
White cover skins compatible with AXIS M3024/M3025/M3026/M3027 for covering screws or simplify the painting process.  AXIS T948015 MNT BRACKET BLACK 10PCS Black mount bracket for mounting on standard tripod threading (1/4"-20 UNC) or single-gang junction box. Compatible with AXIS M3004-V/5-V.  Black mount bracket for mounting on standard tripod threading (1/4"-20 UNC) or single-gang junction box. Compatible with XMS M3004-V/5-V.  AXIS M3025-VE LENS M12 6MM Optional lens for AXIS M3016 focus ring.  5 45  Chromated and powder coated aluminum parapet mount compatible with fixed dome pendant kits and AXIS P56-series P17 dome cameras. Cable routing from behind or through 3/4" conduit hole on the side. Includes mounting plate, pipe seal, co  Chromated and powder coated aluminum ceiling mount 75 cm / 29.5 inch compatible with fixed dome pendant kits and AXIS P55-series and AXIS G60-series P17 dome cameras. Cable routing from behind or through 3/4" conduit hole on the side. Includes mounting plate, pipe seal, co  Chromated and powder coated aluminum ceiling mount 75 cm / 29.5 inch compatible with fixed dome pendant kits and AXIS P55-series and AXIS G60-series P17 dome cameras. Cable routing from behind or through 3/4" conduit hole on the side. Includes mounting plate, pipe seal, co  Chromated and powder coated aluminum ceiling mount 75 cm / 29.5 inch compatible with fixed dome pendant kits and AXIS P55-series and AXIS G60-series P17 dome cameras. Cable routing from behind or through 3/4" conduit hole on the side. Includes mounting plate, pipe seal, co  Chromated and powder coated aluminum ceiling mount 75 cm / 29.5 inch compatible with fixed dome pendant kits and AXIS P55-series and AXIS G60-series P17 dome cameras. Cable routing from behind or through 3/4" conduit hole on the side. Includes male push pull compatible view with AXIS P55-series P17 dome cameras. Designed to provide cameras and push pull compatible view with AXIS P55-series P17 cameras and ps. P55-series P17 cameras and ps. P55-series P17 cameras and ps.	White cover skins compatible with AXIS M3024/M3025/M3027 for covering screws or simplify the patiniting process.  S120 S1304-031 AXIS M3024/25/26/27 COVER WHT 10PCS or simplify the patiniting process.  Black mount bracket for mounting on standard tripod threading (1/4*-20 UNC) or single-gang junction box. Compatible with AXIS M3004-V/5-V.  S1504-531 AXIS M3025-VE LENS M12 GMM Optional lens for from. Including focus ring. Chromated and powder coated aluminum parapet mount compatible with fixed dome pendant kits and AXIS P55-series and AXIS 950-series PT2 dome cameras. Cable routing from behind or through 3/4* conduit hole on the side. Includes mounting plate, pipe seal, co.  Chromated and powder coated aluminum reiling mount 75 cm / 29.5 inch compatible with fixed dome pendant kits and AXIS 955-series and AXIS 960-series PT2 dome cameras. Cable routing from behind or through 3/4* conduit hole on the side. Includes mounting plate, pipe seal, co.  Chromated and powder coated aluminum ceiling mount 75 cm / 29.5 inch compatible with fixed dome pendant kits and AXIS 955-series and AXIS 960-series PT2 dome cameras. Cable routing from behind or through 3/4* conduit hole on the side. Includes mounting plate, pipe seal, co.  Chromated and powder coated aluminum ceiling mount 75 cm / 29.5 inch compatible with fixed dome pendant kits and AXIS 955-series and AXIS 960-series PT2 dome cameras. Cable routing from behind or through 3/4* conduit hole on the side. Includes mounting plate, pipe seal, and AXIS 975-series   S204-731 AXIS GROXX-C MULTI CONNECT CABLE 12M Cable between AXIS GROXX-C and connection box AXIS 78605. Length: 12m (39ft). S204-731 AXIS TAPOBLE CORNER BRACKET Corner mount for AXIS P341-E/15-E, AXIS G175-E, AXIS G1931-E and AXIS 973-Y-Series. S204-731 AXIS GROXX-C MULTI CONNECT CABLE 12M Carlor AXIS 7864-E/15-E, AXIS G175-E, AXIS G175-E, AXIS G175-E-L AXIS G175-E-L AXIS G175-E-L AXIS G175-E-L					
AXIS M3024/25/26/27 COVER WHT 10PCS or simplify the painting process.  Black mount bracket for mounting on standard tripod threading (1/4":20 UNC) or single-gang junction box. Compatible with AXIS M3004-V/5-V.  AXIS T94801S MNT BRACKET BLACK 10PCS gang junction box. Compatible with AXIS M3004-V/5-V.  AXIS M3025-VE, EMS M12 6MM Optional lens for AXIS M3025-VE, firm, including focus ring.  Chromated and powder coated alluminum parapet mount compatible with fixed dome pendant kits and AXIS 965-series and AXIS Q60-series PTZ dome cameras. Cable routing from behind or through 3/4" conduit hole on the side. Includes mounting plate, pipe seal, compatible with fixed dome pendant kits and AXIS 955-series and AXIS Q60-series PTZ dome cameras. Cable routing from behind or through 3/4" conduit hole on the side. Includes mounting plate, pipe seal, compatible with fixed dome pendant kits and AXIS 955-series and AXIS Q60-series PTZ dome cameras. Cable routing from behind or through 3/4" conduit hole on the side. Includes mounting plate provided from behind or through 3/4" conduit hole on the side. Includes mounting plate provided from behind or through 3/4" conduit hole on the side. Includes mounting plate provided from behind or through 3/4" conduit hole on the side. Includes mounting plate provided from behind or through 3/4" conduit hole on the side. Includes mounting plate provided from behind or through 3/4" conduit hole on the side. Includes mounting plate pipe seal and compatible with fixed dome pendant kits. Cable between AXIS Q60XX-C and connection box AXIS T8081 PS3 MDDDOR RIAS CABLE 15M Length: 15m (50ft). Color: black.  Corner mount for AXIS P5414-F/15-E, AXIS Q1765-1E, AXIS Q1931-E and AXIS P33-VE series.  75 Outdoor CATG Ethernet cable for outdoor AXIS PTZ and panoramic cameras. P66-rated male public plum plum connection on end, IP20 rated male RIAS connector on the other end.  Length: 15m (50ft). Color: black.  S504-781 AXIS R081 PS57 MDDULE 1000W Power Supply module (1/W) for use with AXIS T8082 PS57 CHASSIS 2	AXIS M3024/25/26/27 COVER WHT 10PCS  or simplify the painting process.  Black mount tracket for mounting on standard tripod threading (1/4"-20 UNC) or single-gang junction box. Compatible with AXIS M3004-V/5-V.  AXIS M3025-VE LENS M12 6MM  Optional lens for AXIS M3025-VE, 6mm. Including focus ring.  Chromated and powder coated aluminum parapet mount compatible with fixed dome pendant kits and AXIS P55-series and AXIS Q60-series P7Z dome cameras. Cable routing from behind or through 3/4" conduit hole on the side. Includes mounting plate, pipe seal, co.  AXIS T91862 PARAPET MOUNT  Chromated and powder coated aluminum celling mount 75 cm / 29.5 inch compatible with fixed dome pendant kits and AXIS P55-series and AXIS Q60-series P7Z dome cameras. Cable routing from behind or through 3/4" conduit hole on the side. Includes mounting plate, pipe seal, co.  AXIS T91863 CELING MOUNT  routing from behind or through 3/4" conduit hole on the side. Includes mounting pl 504-641  AXIS T949018 CORNEC MULTI CONNECT CABLE 12M  Cable between AXIS Q60X/C and connection box AXIS T8605. Length: 12m (39ft).  \$\$704-711  AXIS T949018 CORNEC BRACKET  Corner mount for AXIS P518-E, AXIS Q165-E, EAXIS Q1931-E and AXIS P33-VE series. \$ 70400007 CAXIE Ethernet cable for outdoor AXIS P1Z and panoramic cameras. P66-rated male push pull connector on one end, IP20 rated male RXIS Connector on the other end. Length: 15m (50ft). Coloris black.  S504-731  AXIS G00XC-C MULTI CONNECT CABLE 15M  Length: 15m (50ft). Coloris black.  Chromated and powder coated aluminum wall mount with 1.5" NPS thread for fixed dome pendant kits. Cable routing from behind or through 3/4" conduit hole on the side. Includes mounting pl pate, pipe seal and conduit hole on the side. Includes mounting pl pate, pipe seal and conduit hole on the side. Includes mounting pl pate, pipe seal and conduit hole on the side. Includes mounting plate, pipe seal and conduit hole on the side. Includes mounting plate, pipe seal and conduit hole on the side. Includes plate plate power supply	5504-061	AXIS M3024/25/26/27 COVER BLK 10PCS	or simplify the painting process.	\$	129.00
Black mount bracket for mounting on standard tripod threading (1/4"-20 UNC) or single-gang junction box. Compatible with AXIS M3004-V/S-V.  AXIS M3025-VE LENS M12 6MM  Optional lens for AXIS M3025-VE, 6mm. Including focus ring.  Chromated and powder coated aluminum parapet mount compatible with fixed dome pendant kits and AXIS P55-series and AXIS (606-series PTZ dome cameras. Cable routing from behind or through 3/4" conduit hole on the side. Includes mounting plate, pipe seal, co  Chromated and powder coated aluminum ceiling mount 75 cm / 29.5 inch compatible with fixed dome pendant kits and AXIS P55-series and AXIS (606-series PTZ dome cameras. Cable routing from behind or through 3/4" conduit hole on the side. Includes mounting plate, pipe seal, co  Chromated and powder coated aluminum ceiling mount 75 cm / 29.5 inch compatible with fixed dome pendant kits and AXIS P55-series and AXIS G00-series PTZ dome cameras. Cable routing from behind or through 3/4" conduit hole on the side. Includes mounting pl  S 115  504-611 AXIS T91863 CEILING MOUNT convector CABLE 12M Cable between AXIS G60XX-C and connection box AXIS T8605. Lenght: 12m (39ft). 5 245  504-711 AXIS G0XX-C MULTI CONNECT CABLE 12M Cable between AXIS G60XX-C and connection box AXIS T8605. Lenght: 12m (39ft). 5 245  504-731 AXIS OUTDOOR RIAS CABLE 15M Length: 15m (50ft). Color: black. 5 75  AXIS OUTDOOR RIAS CABLE 15M Length: 15m (50ft). Color: black. 5 145  504-781 AXIS RACK SLIDE RAILS A Rack slides for AXIS G700 video Encoder Chassis 5 5 65  504-804 AXIS T8081 PS57 MODULE 1000W Power Supply module (1KW) for use with AXIS T8082 PS57 CHASSIS ZKW 1U \$ 995  Chromated and powder coated aluminum wall mount with 1.5" NP5 thread for fixed dome pendant kits. Cable routing from behind or through 3/4" conduit hole on the side. Includes mounting plate, pipe and axides for AXIS G7000 video Encoder Chassis 5 5 66  1486 POE+ OVER COAX BLADE. 5 2,995  504-884 AXIS T8085 PS57 CHASSIS ZKW 1U Power supply solution consisting of a power supply chassis (178080), 2x1 KW p	Black mount bracket for mounting on standard tripod threading (1/4"-20 UNC) or single-gang junction box. Compatible with XIX 93004/5-V.					
AXIS T94801S MNT BRACKET BLACK 10PCS  gang junction box. Compatible with AXIS M3004-V/5-V.  AXIS M3025-VE LENS M12 6MM  Optional lens for AXIS M3025-VE, 6mm. Including focus ring.  Chromated and powder coated aluminum parapet mount compatible with fixed dome pendant kits and AXIS P55-series and AXIS Q60-series PT2 dome cameras. Cable routing from behind or through 3/4" conduit hole on the side. Includes mounting plate, pipe seal, compatible with fixed dome pendant kits and AXIS P55-series and AXIS Q60-series PT2 dome cameras. Cable routing from behind or through 3/4" conduit hole on the side. Includes mounting plate, pipe seal, compatible with fixed dome pendant kits and AXIS P55-series and AXIS Q60-series PT2 dome cameras. Cable routing from behind or through 3/4" conduit hole on the side. Includes mounting plate pipe seal, compatible with fixed dome pendant kits and AXIS P55-series and AXIS Q60-series PT2 dome cameras. Cable routing from behind or through 3/4" conduit hole on the side. Includes mounting plate pipe seal, compatible with fixed dome pendant kits and AXIS P55-series and AXIS Q60-series PT2 dome cameras. Cable routing from behind or through 3/4" conduit hole on the side. Includes mounting plate pipe seal, compatible with fixed dome pendant kits and AXIS P55-series and AXIS Q60xx-C multing from behind or through 3/4" conduit hole on the side. Includes mounting plate, pipe seal, compatible with fixed dome pendant kits and AXIS P5414-E/15-E, AXIS Q1931-E and AXIS P33-VE series. S 75 Quitdoor CARIS PT2 and panoramic cameras. P66-rated male push pull connector on one end, P202 rated male R145 connector on the other end. Length: 15m [50ft], Color: black. S 145 S504-781 AXIS G00X-C and CARIS AXIS AXIS AXIS AXIS AXIS AXIS AXIS AX	AXIS T94801S MNT BRACKET BLACK 10PCS  angigunction box. Compatible with AXIS M3004-V/S-V.  AXIS M3025-VE LENS M12 6MM  Optional lens for AXIS M3025-min. Including focus ring,  AXIS M3025-VE LENS M12 6MM  Chromated and powder coated aluminum parapet mount compatible with fixed dome pendart kits and AXIS F38-series and AXIS 606-series PT2 dome cameras. Cable routing from behind or through 3/4" conduit hole on the side. Includes mounting plate, pipe seal, compatible with fixed dome pendart kits and AXIS P35-series and AXIS G60-series PT2 dome cameras. Cable routing from behind or through 3/4" conduit hole on the side. Includes mounting plate, pipe seal, compatible with fixed dome pendart kits and AXIS P55-series and AXIS G60-series PT2 dome cameras. Cable routing from behind or through 3/4" conduit hole on the side. Includes mounting plate pla	5504-071	AXIS M3024/25/26/27 COVER WHT 10PCS		\$	129.00
S504-551 AXIS M3025-VE LENS M12 6MM Optional lens for AXIS M3025-VE, 6mm. Including focus ring. Chromated and powder coated aluminum parapet mount compatible with fixed dome pendant kits and AXIS P55-series and AXIS Q60-series PTZ dome cameras. Cable routing from behind or through 3/4" conduit hole on the side. Includes mounting plate, pipe seal, co Chromated and powder coated aluminum ceiling mount 75 cm / 29.5 inch compatible with fixed dome pendant kits and AXIS P55-series and AXIS Q60-series PTZ dome cameras. Cable routing from behind or through 3/4" conduit hole on the side. Includes mounting plate, pipe seal, co Chromated and powder coated aluminum ceiling mount 75 cm / 29.5 inch compatible with fixed dome pendant kits and AXIS P55-series and AXIS Q60-series PTZ dome cameras. Cable routing from behind or through 3/4" conduit hole on the side. Includes mounting pl S504-611 AXIS T91B63 CEILING MOUNT Cable between AXIS Q60X-C and connection box AXIS T8605. Lenght: 12m (39ft). S504-651 AXIS Q60X-C MULTI CONNECT CABLE 12M Cable between AXIS Q60X-C and connection box AXIS T8605. Lenght: 12m (39ft). S504-711 AXIS T94P01B CORNER BRACKET Corner mount for AXIS P5414-E/15-E, AXIS Q1765-LE, AXIS Q1931-E and AXIS P33-VE series. OUtdoor CATE Ethernet cable for outdoor AXIS PTZ and panoramic cameras. P66-rated male push pull connector on one end, IP20 rated male RIA5 connector on the other end. Length: 15m (50ft). Color: black. S504-781 AXIS GUDDOR RIA5 CABLE 15M Length: 15m (50ft). Color: black. S504-804 AXIS T8081 PS57 MODULE 1000W Power Supply module (1KW) for use with AXIS T8082 PS57 CHASSIS 2KW 1U S995 Chromated and powder coated aluminum wall mount with 1.5" NPS thread for fixed dome pendant kits. Cable routing from behind or through 3/4" conduit hole on the side. Includes with AXIS T8082 PS57 CHASSIS 2KW 1U Power supply modules (AXIS T8081) and one power supply chassis (T8080), 2x1 KW power supply modules (AXIS T8081) and one power distribution board (T8080) for use with AXIS 5504-864 AXIS T8082 PS57 CHASSIS 2KW	S504-551 AXIS M3025-VE LENS M12 6MM Optional lens for AXIS M3025-VE, 6mm. Including focus ring.  Chromated and powder coaled ulminum parapet mount compatible with fixed dome pendant kits and AXIS P55-series and AXIS G90-series PT2 dome cameras. Cable routing from behind or through 3/4" conduit hole on the side. Includes mounting plate, pipe seal, compatible with fixed dome pendant kits and AXIS P55-series and AXIS G90-series PT2 dome cameras. Cable routing from behind or through 3/4" conduit hole on the side. Includes mounting plate, pipe seal, and the side dome pendant kits and AXIS P55-series and AXIS G90-series PT2 dome cameras. Cable routing from behind or through 3/4" conduit hole on the side. Includes mounting plate, pipe seal, and AXIS G90X-ceries PT2 dome cameras. Cable routing from behind or through 3/4" conduit hole on the side. Includes mounting plate, pipe seal, and AXIS G90X-ceries PT2 dome cameras. Cable routing from behind or through 3/4" conduit hole on the side. Includes mounting plate, pipe seal, and AXIS G90X-ceries PT2 dome cameras. PG6-rated male push pull connection on end, p20 rated male R45 connection on the other end.  S504-731 AXIS OUTDOOR R45 CABLE 15M Length: 15m (50ft), Color: black.  AXIS T8081 P557 MODULE 1000W Power Supply module (1kW) for use with AXIS T8082 P557 CHASSIS 2kW 1U \$ 99 (Chromated and powder coated aluminum wall mount with 1.5" NP5 thread for fixed dome pendant kits. Cable routing from behind or through 3/4" conduit hole on the side. Includes mounting plate, pipe seal and one power supply chassis (T8080), 2x1 kW power supply solution consisting of a power supply chassis (T8080), 2x1 kW power supply solution consisting of a power supply chassis (T8080), 2x1 kW power supply solution and powder coated aluminum wall mount with 1.5" NP5 thread for fixed dome pendant kits. Cable routing from behind or through 3/4" conduit hole cover. Color: white \$ 504-821 AXIS T8082 P557 CHASSIS 2kW 1U \$ 790-84 F60 P60-P60-P60-P60-P60-P60-P60-P60-P60-P60-	EE04 E21	AVIS TO ADO 15 MANT DRACKET DI ACK 10DCS		ė	49.00
Chromated and powder coated aluminum parapet mount compatible with fixed dome pendant kits and AXIS PSS-reies and AXIS GO-series PTZ dome cameras. Cable routing from behind or through 3/4" conduit hole on the side. Includes mounting plate, pipe seal, co co Chromated and powder coated aluminum ceiling mount 75 cm / 29.5 inch compatible with fixed dome pendant kits and AXIS PSS-series and AXIS GO-series PTZ dome cameras. Cable routing from behind or through 3/4" conduit hole on the side. Includes mounting plate pipe seal, co Chromated and powder coated aluminum ceiling mount 75 cm / 29.5 inch compatible with fixed dome pendant kits and AXIS PSS-series and AXIS GO-series PTZ dome cameras. Cable course of the side includes mounting plate pipe seal, co Chromated and powder coated aluminum ceiling mount 75 cm / 29.5 inch compatible with fixed dome pendant kits and AXIS PSS-series and AXIS GO-series PTZ dome cameras. Cable course of the side includes mounting plate pipe seal, co Chromated and powder coated aluminum ceiling mount 75 cm / 29.5 inch compatible with fixed dome pendant kits and AXIS PSS-series and AXIS GO-series PTZ dome cameras. Cable course of the side includes mounting plate pipe seal and connection box AXIS PTZ and pancramic cameras. PGG-rated male push pull connector on one end, IP2O rated male RJ45 connector on the other end. Leght: 15m GOJ-Coor: black.  AXIS GO-FASIA	Chromated and powder coated aluminum parapert mount compatible with fixed dome pendant kits and AXIS P55-series and AXIS G06-series PTZ dome cameras. Cable routing from behind or through 3/4" conduit hole on the side. Includes mounting plate, pipe seal, co   Chromated and powder coated aluminum celling mount 75 cm / 29.5 inch compatible with fixed dome pendant kits and AXIS P55-series and AXIS Q66-series PTZ dome cameras. Cable routing from behind or through 3/4" conduit hole on the side. Includes mounting plate, pipe seal, and AXIS P55-series and AXIS Q66-series PTZ dome cameras. Cable routing from behind or through 3/4" conduit hole on the side. Includes mounting pl \$ 11 S504-651 AXIS G60X-C MULTI CONNECT CABLE 12M Cable between AXIS Q60X-C and connection box AXIS T8805. Lenght: 12m (39ft). \$ 24 Control of the side. Includes mounting pl \$ 5 11 AXIS G60X-C MULTI CONNECT CABLE 12M Cable between AXIS Q60X-C and connection box AXIS T8805. Lenght: 12m (39ft). \$ 24 Control of AXIS T807 PTZ and panoramic cameras. IP66-rated male push pull connector on one end, IP20 rated male RJ45 connector on the other end. Length: 15m (50ft). Color: black.  Length: 15m (50ft). Color: black.  AXIS GUTDOOR RJ45 CABLE 15M Length: 15m (50ft). Color: black.  AXIS T8081 P557 MODULE 1000W Power Supply module (1KW) for use with AXIS T8082 P557 CHASSIS 2KW 1U \$ 99 Chromated and powder coated aluminum wall mount with 1.5" NP5 thread for fixed dome pendant kits. Cable routing from behind or through 3/4" conduit hole on the side. Includes mounting plate, pipe seal and conduit hole cover. Color: White \$ 5 99 Chromated and powder coated aluminum wall mount with 1.5" NP5 thread for fixed dome pendant kits. Cable routing from behind or through 3/4" conduit hole on the side. Includes mounting plate, pipe seal and conduit hole cover. Color: White \$ 5 99 Chromated AXIS T8082 P557 CHASSIS 2KW 1U \$ 500-484 AXIS T8082 P557 CHASSIS 2KW 1U \$ 500-484 AXIS T8082 P557 CHASSIS 2KW 1U \$ 5 90 Chromated AXIS R5085 P557 S00W 1U \$ 5 90 Chromated AXIS R5085 P557 S				_	49.00
from behind or through 3/4" conduit hole on the side. Includes mounting plate, pipe seal,  Co  Chromated and powder coated aluminum ceiling mount 75 cm / 29.5 inch compatible with fixed dome pendant kits and AXIS P555-series and AXIS Q60-series PTZ dome cameras. Cable routing from behind or through 3/4" conduit hole on the side. Includes mounting pl  S504-651  AXIS T91863 CEILING MOUNT  AXIS T91863 CEILING MOUNT  Conter mount for AXIS P555-series and AXIS Q60-series PTZ dome cameras. Cable routing from behind or through 3/4" conduit hole on the side. Includes mounting pl  S504-711  AXIS T94P01B CORNER BRACKET  Corner mount for AXIS P5414-E/15-E, AXIS Q1765-LE, AXIS Q1931-E and AXIS P33-VE series.  Corner mount for AXIS P5414-E/15-E, AXIS Q1765-LE, AXIS Q1931-E and AXIS P33-VE series.  Corner mount for AXIS P5414-E/15-E, AXIS Q1765-LE, AXIS Q1931-E and AXIS P33-VE series.  Corner mount for AXIS P5414-E/15-E, AXIS Q1765-LE, AXIS Q1931-E and AXIS P33-VE series.  AXIS T94P01B CORNER BRACKET  Corner mount for AXIS P5414-E/15-E, AXIS Q1765-LE, AXIS Q1931-E and AXIS P33-VE series.  Corner mount for AXIS P5414-E/15-E, AXIS Q1765-LE, AXIS Q1931-E and AXIS P33-VE series.  T9504-731  AXIS OUTDOOR RJ45 CABLE 15M  Length: 15m [50ft). Color: black.  Length: 15m [50ft). Color: black.  S504-804  AXIS T8081 P557 MODULE 1000W  Power Supply module (1kW) for use with AXIS T8082 P557 CHASSIS 2kW 1U  Chromated and powder coated aluminum wall mount with 1.5" NP5 thread for fixed dome pendant kits. Cable routing from behind or through 3/4" conduit hole on the side. Includes  S504-821  AXIS T8081 P557 MODULE 1000W  Power Supply module (1kW) for use with AXIS T8082 P557 CHASSIS 2kW 1U  T864F POE+ OVER COAX BLADE.  S64-824  AXIS T8082 P557 CHASSIS 2kW 1U  T864F POE+ OVER COAX BLADE in a 1U rack.  S94-834  AXIS T8085 P557 500W 1U  Power supply 500W for use with AXIS T864F POE+ OVER COAX BLADE in a 1U rack.  S94-834  AXIS T8085 P557 500W 1U  Power supply 500W for use with AXIS T864F POE+ OVER COAX BLADE in a 1U rack.  S94-834  AXIS WEATHER	from behind or through 3/4" conduit hole on the side. Includes mounting plate, pipe seal, conformated and powder coated aluminum celling mount 75 cm / 29.5 inch compatible with fixed dome pendant kits and AXIS 7955-series and AXIS G60-series PTZ dome cameras. Cable counting from behind or through 3/4" conduit hole on the side. Includes mounting pl \$ 11.5504-641 AXIS 791863 CEILING MOUNT routing from behind or through 3/4" conduit hole on the side. Includes mounting pl \$ 11.5504-651 AXIS G60XV-C MULTI CONNECT CABLE 12M Cable between AXIS G60XX-C and connection box AXIS T8605. Lenght: 12m (39ft). \$ 24 2504-711 AXIS D4018 CORNER BRACKET Corner mount for AXIS P5414-E/15-E, AXIS G1765-LE, AXIS G1931-E and AXIS P34-VE series. \$ 7 2504-711 AXIS D4018 CORNER BRACKET Corner mount for AXIS P5414-E/15-E, AXIS G1765-LE, AXIS G1931-E and AXIS P34-VE series. \$ 7 2504-731 AXIS OUTDOOR RIAS CABLE 15M Length: 15m (50ft), Color black. \$ 1 4 25504-731 AXIS G1765-LE, AXIS				т.	
Chromated and powder coated aluminum celling mount 75 cm / 29.5 inch compatible with fixed dome pendant kits and AXIS P55-series and AXIS Q60-series PTZ dome cameras. Cable routing from behind or through 3/4" conduit hole on the side. Includes mounting pi 5 115  5504-641 AXIS Q60XX-C MULTI CONNECT CABLE 12M Cable between AXIS Q60XX-C and connection box AXIS T8605. Lenght: 12m (39ft). \$ 245  5504-751 AXIS Q60XX-C MULTI CONNECT CABLE 12M Cable between AXIS Q50XX-C and connection box AXIS T8605. Lenght: 12m (39ft). \$ 245  5504-711 AXIS T94P01B CORNER BRACKET Corner mount for AXIS P5414-E/15-E, AXIS Q1931-E and AXIS P33-VE series. \$ 75  Outdoor CAT6 Ethernet cable for outdoor AXIS PTZ and panoramic cameras. P66-rated male push pull connector on one end, IP20 rated male R145 connector on the other end. Length: 15m (50ft). Color: black. \$ 145  5504-781 AXIS RACK SLIDE RAILS A Rack slides for AXIS Q7920 video Encoder Chassis \$ 566  5504-804 AXIS T8081 PS57 MODULE 1000W Power Supply module (1KW) for use with AXIS T8082 PS57 CHASSIS 2KW 1U \$ 995  Chromated and powder coated aluminum wall mount with 1.5" NPS thread for fixed dome pendant kits. Cable routing from behind or through 3/4" conduit hole on the side. Includes mounting plate, pige seal and conduit hole cover. Color: White \$ 84  19" rack power supply solution consisting of a power supply chassis (T8080), 2x1 KW power supply modules (AXIS T8081) and one power distribution board (T8088) for use with AXIS T8082 PS57 CHASSIS 2KW 1U Power supply solution consisting of a power supply chassis (T8080), 2x1 KW power supply modules (AXIS T8081) and one power distribution board (T8088) for use with AXIS T8664 POE+ OVER COAX BLADE in a 1U rack. \$ 1,295  4 AXIS T8085 PS57 500W 1U Power supply 500W that AXIS T8646 POE+ OVER COAX BLADE in a 1U rack. \$ 1,295  4 Heavy duty outdoor weathershield for wall mounted AXIS fixed dome cameras. Designed to protect the dome from rain, snow and sun. The underside of the cover is coated with matte black anti-reflective coating, for suitable	Chromated and powder coated aluminum ceiling mount 75 cm / 29.5 inch compatible with fixed dome pendant kits and AXIS P55-series and AXIS Q60-series PTZ dome cameras. Cable routing from behind or horupals / 34" conduit hole on the side. Includes mounting pl \$ 11 15504-651   AXIS T91863 CEILING MOUNT			pendant kits and AXIS P55-series and AXIS Q60-series PTZ dome cameras. Cable routing		
Chromated and powder coated aluminum ceiling mount 75 cm / 29.5 inch compatible with fixed dome pendant kits and AXIS P55-series and AXIS Q60-series PTZ dome cameras. Cable routing from behind or through 3/4" conduit hole on the side. Includes mounting pl \$ 115 504-651 AXIS Q60XX-C MULTI CONNECT CABLE 12M Cable between AXIS Q60XX-C and connection box AXIS T8605. Lenght: 12m (39ft). \$ 245 504-711 AXIS T94P01B CORNER BRACKET Corner mount for AXIS P5414-E/15-E, AXIS Q1765-LE, AXIS Q1931-E and AXIS P33-VE series. \$ 75 Outdoor CAT6 Ethernet cable for outdoor AXIS PTZ and panoramic cameras. IP66-rated male push pull connector on one end, IP20 rated male RV45 connector on the other end. Length: 15m (50ft). Color: black. \$ 145 504-781 AXIS GUITDOOR RI45 CABLE 15M Length: 15m (50ft). Color: black. \$ 65 504-804 AXIS T8081 P557 MODULE 1000W Power Supply module (1kW) for use with AXIS T8082 P557 CHASSIS 2KW 1U \$ 995 Chromated and powder coated aluminum wall mount with 1.5" NP5 thread for fixed dome pendant kits. Cable routing from behind or through 3/4" conduit hole on the side. Includes mounting plate, pipe seal and conduit hole cover. Color: White \$ 19" rack power supply solution consisting of a power supply chassis (T8080), 2x1 KW power supply modules (AXIS T8081) and one power distribution board (T8088) for use with AXIS T8045 P557 CHASSIS 2KW 1U Power supply modules (AXIS T8081) and one power distribution board (T8088) for use with AXIS T8045 P557 CHASSIS 2KW 1U Power supply 500W for use with AXIS T8046 POE+ OVER COAX BLADE in a 1U rack. \$ 2,995 Chasses AXIS T8045 P557 S00W 1U Power supply 500W for use with AXIS T8646 POE+ OVER COAX BLADE in a 1U rack. \$ 1,295 Chasses AXIS WEATHERSHIELD KIT C black anti-reflective coating, for suitable use with camera's built-in IR LEDS \$ 5504-881	Chromated and powder coated aluminum ceiling mount 75 cm / 29.5 inch compatible with fixed dome pendant kits and AXIS P55-series and AXIS Q60-series P7Z dome cameras. Cable routing from behind or through 3/4" conduit hole on the side. Includes mounting p1 \$ 11 \$ 1504-651					
fixed dome pendant kits and AXIS P55-series and AXIS Q60-series PTZ dome cameras. Cable routing from behind or through 3/4" conduit hole on the side. Includes mounting pl \$ 115 5504-651 AXIS Q60XX-C MULTI CONNECT CABLE 12M Cable between AXIS Q60XX-C and connection box AXIS T8605. Lenght: 12m (39ft). \$ 245 5504-711 AXIS T94P01B CORNER BRACKET Corner mount for AXIS P5414-E/15-E, AXIS Q1765-LE, AXIS Q1931-E and AXIS P33-VE series. \$ 75  Outdoor CAT6 Ethernet cable for outdoor AXIS PTZ and panoramic cameras. IP66-rated male push pull connector on one end, IP20 rated male RJ45 connector on the other end. Length: 15m (50ft). Color: black. \$ 145 5504-731 AXIS OUTDOOR RJ45 CABLE 15M Length: 15m (50ft). Color: black. \$ 145 5504-781 AXIS RACK SLIDE RAILS A Rack slides for AXIS Q7920 Video Encoder Chassis \$ 65 5504-804 AXIS T8081 P557 MODULE 1000W Power Supply module (1KW) for use with AXIS T8082 P557 CHASSIS 2KW 1U \$ 995  Chromated and powder coated aluminum wall mount with 1.5" NPS thread for fixed dome pendant kits. Cable routing from behind or through 3/4" conduit hole on the side. Includes mounting plate, pipe seal and conduit hole cover. Color: White \$ 84 19" rack power supply solution consisting of a power supply chassis (T8080), 2x1 KW power supply modules (AXIS T8081) and one power distribution board (T8088) for use with AXIS 5504-864 AXIS T8082 P557 CHASSIS 2KW 1U Power supply S00W for use with AXIS T8646 POE+ OVER COAX BLADE: \$ 2,995 5504-864 AXIS T8082 P557 S00W 1U Power supply 500W for use with AXIS T8646 POE+ OVER COAX BLADE in a 1U rack. \$ 1,295 Heavy duty outdoor weathershield for wall mounted AXIS fixed dome cameras. Designed to protect the dome from rain, snow and sun. The underside of the cover is coated with matte black anti-reflective coating, for suitable use with camera's built-in IR LEDs \$ 5504-881	fixed dome pendant kits and AXIS P55-series and AXIS Q60-series PTZ dome cameras. Cable routing from behind or through 3/4" conduit hole on the side. Includes mounting pt 15504-651  AXIS G60XX-C MULTI CONNECT CABLE 12M  Cable between AXIS Q60XX-C and connection box AXIS T8605. Lenght: 12m (39ft). \$ 24  S504-751  AXIS T94P018 CORNER BRACKET  Corner mount for AXIS P5414-E/15-E, AXIS Q1765-LE, AXIS Q1931-E and AXIS P33-VE series. \$ 70  Outdoor CATG Ethernet cable for outdoor AXIS PTZ and panoramic cameras. IP66-rated male push pull connector on one end, IP20 rated male RI45 connector on the other end. Length: 15m (501-clor: black.)  Length: 15m (501-clor: black.)  AXIS GALE SALE SALE SALE SALE SALE SALE SALE S	5504-631	AXIS T91B62 PARAPET MOUNT	СО	\$	189.00
fixed dome pendant kits and AXIS P55-series and AXIS Q60-series PTZ dome cameras. Cable routing from behind or through 3/4" conduit hole on the side. Includes mounting pl \$ 115 5504-651 AXIS Q60XX-C MULTI CONNECT CABLE 12M Cable between AXIS Q60XX-C and connection box AXIS T8605. Lenght: 12m (39ft). \$ 245 5504-711 AXIS T94P01B CORNER BRACKET Corner mount for AXIS P5414-E/15-E, AXIS Q1765-LE, AXIS Q1931-E and AXIS P33-VE series. \$ 75  Outdoor CAT6 Ethernet cable for outdoor AXIS PTZ and panoramic cameras. IP66-rated male push pull connector on one end, IP20 rated male RJ45 connector on the other end. Length: 15m (50ft). Color: black. \$ 145 5504-731 AXIS OUTDOOR RJ45 CABLE 15M Length: 15m (50ft). Color: black. \$ 145 5504-781 AXIS RACK SLIDE RAILS A Rack slides for AXIS Q7920 Video Encoder Chassis \$ 65 5504-804 AXIS T8081 P557 MODULE 1000W Power Supply module (1KW) for use with AXIS T8082 P557 CHASSIS 2KW 1U \$ 995  Chromated and powder coated aluminum wall mount with 1.5" NPS thread for fixed dome pendant kits. Cable routing from behind or through 3/4" conduit hole on the side. Includes mounting plate, pipe seal and conduit hole cover. Color: White \$ 84 19" rack power supply solution consisting of a power supply chassis (T8080), 2x1 KW power supply modules (AXIS T8081) and one power distribution board (T8088) for use with AXIS 5504-864 AXIS T8082 P557 CHASSIS 2KW 1U Power supply S00W for use with AXIS T8646 POE+ OVER COAX BLADE: \$ 2,995 5504-864 AXIS T8082 P557 S00W 1U Power supply 500W for use with AXIS T8646 POE+ OVER COAX BLADE in a 1U rack. \$ 1,295 Heavy duty outdoor weathershield for wall mounted AXIS fixed dome cameras. Designed to protect the dome from rain, snow and sun. The underside of the cover is coated with matte black anti-reflective coating, for suitable use with camera's built-in IR LEDs \$ 5504-881	fixed dome pendant kits and AXIS P55-series and AXIS Q60-series PTZ dome cameras. Cable routing from behind or through 3/4" conduit hole on the side. Includes mounting pt 15504-651  AXIS G60XX-C MULTI CONNECT CABLE 12M  Cable between AXIS Q60XX-C and connection box AXIS T8605. Lenght: 12m (39ft). \$ 24  S504-751  AXIS T94P018 CORNER BRACKET  Corner mount for AXIS P5414-E/15-E, AXIS Q1765-LE, AXIS Q1931-E and AXIS P33-VE series. \$ 70  Outdoor CATG Ethernet cable for outdoor AXIS PTZ and panoramic cameras. IP66-rated male push pull connector on one end, IP20 rated male RI45 connector on the other end. Length: 15m (501-clor: black.)  Length: 15m (501-clor: black.)  AXIS GALE SALE SALE SALE SALE SALE SALE SALE S			Chromatod and newdor coated aluminum coiling mount 75 cm / 20 5 inch compatible with		
South   Store   Stor	AXIS T91B63 CEILING MOUNT   routing from behind or through 3/4" conduit hole on the side. Includes mounting pl   \$ 11					
Cable between AXIS Q60XX-C MULTI CONNECT CABLE 12M   Cable between AXIS Q60XX-C and connection box AXIS T8605. Lenght: 12m (39ft).   \$ 245	AXIS T94P01B CORNER BRACKET  Corner mount for AXIS P5414-E/15-E, AXIS Q1765-LE, AXIS Q1931-E and AXIS P33-VE series.  Outdoor CAT6 Ethernet cable for outdoor AXIS PT2 and panoramic cameras, IP66-rated male push pull connector on one end, IP20 rated male RJ45 connector on the other end.  Length: 15m (50th). Color: black.  AXIS T94D01B RACK SLIDE RAILS A  AXIS T8081 PS57 MODULE 1000W  Power Supply module (1KW) for use with AXIS T8082 PS57 CHASSIS 2KW 1U  AXIS T8082 PS57 CHASSIS 2KW 1U  T8646 POE+ OVER COAX BLADE.  AXIS T8082 PS57 S00W 1U  Power supply 500W for use with AXIS T8646 POE+ OVER COAX BLADE in a 1U rack.  AXIS T8085 PS57 S00W 1U  Chardred and powder outside for wall mounted AXIS fixed dome cameras. Designed to protect the dome from rain, snow and sun. The underside of the cover is coated with matte black and the cover coating. The control of the cover is coated with matte black and the cover coating. The compatible with AXIS T8082 PS57 CHASSIS PS57-E, AXIS COMPACE.  AXIS T8081 PS7 S00W 1U  Power supply 500W for use with AXIS T8646 POE+ OVER COAX BLADE in a 1U rack.  5504-881  AXIS T8082 PS57 CHASSIS 2KW 1U  T8646 POE+ OVER COAX BLADE.  AXIS T8083 PS57 S00W 1U  Power supply 500W for use with AXIS T8646 POE+ OVER COAX BLADE in a 1U rack.  5504-881  AXIS WEATHERSHIELD KIT C  black anti-reflective coating, for suitable use with camera's built-in IR LEDs  5504-891  AXIS T94D01S MT BRACKET FL WT 10PCS  Volte plastic adapter for mounting AXIS P3904-R and AXIS P3905-R on flat surfaces. Does not fit with AXIS P3915-R. Used when the cable must enter from the side. 10 pack.  Volte plastic adapter for mounting AXIS P3904-R, AXIS P3905-R on flat surfaces. Does on fit with AXIS P3915-R. Used when the cable must enter from the side. 10 pack.  Volte plastic adapter for mounting AXIS P3904-R, AXIS P3905-R and AXIS P3915-R on	5504-641	AXIS T91B63 CEILING MOUNT		\$	119.00
Outdoor CAT6 Ethernet cable for outdoor AXIS PTZ and panoramic cameras. IP66-rated male push pull connector on one end, IP20 rated male RJ45 connector on the other end.  5504-731  AXIS OUTDOOR RJ45 CABLE 15M  5504-781  AXIS RACK SLIDE RAILS A  Rack slides for AXIS Q7920 Video Encoder Chassis  \$ 65  5504-804  AXIS T8081 PS57 MODULE 1000W  Power Supply module (1KW) for use with AXIS T8082 PS57 CHASSIS 2KW 1U  \$ 995  Chromated and powder coated aluminum wall mount with 1.5" NPS thread for fixed dome pendant kits. Cable routing from behind or through 3/4" conduit hole on the side. Includes mounting plate, pipe seal and conduit hole cover. Color: White  \$ 40  10" rack power supply solution consisting of a power supply chassis (T8080), 2x1 KW power supply modules (AXIS T8081) and one power distribution board (T8088) for use with AXIS 5504-844  AXIS T8082 PS57 CHASSIS 2KW 1U  T8646 POE+ OVER COAX BLADE.  \$ 2,995  5504-864  AXIS T8085 PS57 500W 1U  Power supply 500W for use with AXIS T8646 POE+ OVER COAX BLADE in a 1U rack.  \$ 1,295  Heavy duty outdoor weathershield for wall mounted AXIS fixed dome cameras. Designed to protect the dome from rain, snow and sun. The underside of the cover is coated with matte black anti-reflective coating, for suitable use with camera's built-in IR LEDS  \$ 5504-881	Outdoor CAT6 Ethernet cable for outdoor AXIS PTZ and panoramic cameras. IP66-rated male push pull connector on one end, IP20 rated male RJ45 connector on the other end.  Length: 15m (50ft). Color: black.  5504-781  AXIS RACK SLIDE RAILS A  Rack slides for AXIS Q7920 Video Encoder Chassis  \$ 6  5504-804  AXIS T8081 PS57 MODULE 1000W  Power Supply module (1KW) for use with AXIS T8082 PS57 CHASSIS 2KW 1U  \$ 99  Chromated and powder coated aluminum wall mount with 1.5" NPS thread for fixed dome pendant kits. Cable routing from behind or through 3/4" conduit hole on the side. Includes mounting plate, pipe seal and conduit hole cover. Color: White  AXIS T91061 WALL MOUNT  10° rack power supply solution consisting of a power supply chassis (18080), 2x1 KW power supply modules (AXIS T8081) and one power distribution board (18088) for use with AXIS T8042 PS57 CHASSIS 2KW 1U  T8646 POE+ OVER COAX BLADE.  \$ 2,99  S504-864  AXIS T8082 PS57 CHASSIS 2KW 1U  Power supply 500W for use with AXIS T8646 POE+ OVER COAX BLADE in a 1U rack.  \$ 1,29  Heavy duty outdoor weathershield for wall mounted AXIS fixed dome cameras. Designed to protect the dome from rain, snow and sun. The underside of the cover is coated with matte black anti-reflective coating, for suitable use with camera's built-in IR LEDs  \$ 5  Varifocal IR-corrected P-iris teel lens compatible with AXIS AXIS P1355/-E, P1357/-E, AXIS Q1602/-E, Q1614/-E, Q1614/-E, Q1615/-E.  White plastic adapter for mounting AXIS P3904-R and AXIS P3905-R on flat surfaces. Does not fit with AXIS P3915-R. Used when the cable must enter from the side. 10 pack.  \$ 2  White plastic adapter for mounting AXIS P3904-R, AXIS P3905-R and AXIS P3915-R on					249.00
Outdoor CAT6 Ethernet cable for outdoor AXIS PTZ and panoramic cameras. IP66-rated male push pull connector on one end, IP20 rated male RJ45 connector on the other end.  5504-731  AXIS OUTDOOR RJ45 CABLE 15M  5504-781  AXIS RACK SLIDE RAILS A  Rack slides for AXIS Q7920 Video Encoder Chassis  \$ 65  5504-804  AXIS T8081 PS57 MODULE 1000W  Power Supply module (1KW) for use with AXIS T8082 PS57 CHASSIS 2KW 1U  \$ 995  Chromated and powder coated aluminum wall mount with 1.5" NPS thread for fixed dome pendant kits. Cable routing from behind or through 3/4" conduit hole on the side. Includes mounting plate, pipe seal and conduit hole cover. Color: White  \$ 40  10" rack power supply solution consisting of a power supply chassis (T8080), 2x1 KW power supply modules (AXIS T8081) and one power distribution board (T8088) for use with AXIS 5504-844  AXIS T8082 PS57 CHASSIS 2KW 1U  T8646 POE+ OVER COAX BLADE.  \$ 2,995  5504-864  AXIS T8085 PS57 500W 1U  Power supply 500W for use with AXIS T8646 POE+ OVER COAX BLADE in a 1U rack.  \$ 1,295  Heavy duty outdoor weathershield for wall mounted AXIS fixed dome cameras. Designed to protect the dome from rain, snow and sun. The underside of the cover is coated with matte black anti-reflective coating, for suitable use with camera's built-in IR LEDS  \$ 5504-881	Outdoor CAT6 Ethernet cable for outdoor AXIS PTZ and panoramic cameras. IP66-rated male push pull connector on one end, IP20 rated male RJ45 connector on the other end.  Length: 15m (50ft). Color: black.  5504-781  AXIS RACK SLIDE RAILS A  Rack slides for AXIS Q7920 Video Encoder Chassis  \$ 6  5504-804  AXIS T8081 PS57 MODULE 1000W  Power Supply module (1KW) for use with AXIS T8082 PS57 CHASSIS 2KW 1U  \$ 99  Chromated and powder coated aluminum wall mount with 1.5" NPS thread for fixed dome pendant kits. Cable routing from behind or through 3/4" conduit hole on the side. Includes mounting plate, pipe seal and conduit hole cover. Color: White  AXIS T91061 WALL MOUNT  10° rack power supply solution consisting of a power supply chassis (18080), 2x1 KW power supply modules (AXIS T8081) and one power distribution board (18088) for use with AXIS T8042 PS57 CHASSIS 2KW 1U  T8646 POE+ OVER COAX BLADE.  \$ 2,99  S504-864  AXIS T8082 PS57 CHASSIS 2KW 1U  Power supply 500W for use with AXIS T8646 POE+ OVER COAX BLADE in a 1U rack.  \$ 1,29  Heavy duty outdoor weathershield for wall mounted AXIS fixed dome cameras. Designed to protect the dome from rain, snow and sun. The underside of the cover is coated with matte black anti-reflective coating, for suitable use with camera's built-in IR LEDs  \$ 5  Varifocal IR-corrected P-iris teel lens compatible with AXIS AXIS P1355/-E, P1357/-E, AXIS Q1602/-E, Q1614/-E, Q1614/-E, Q1615/-E.  White plastic adapter for mounting AXIS P3904-R and AXIS P3905-R on flat surfaces. Does not fit with AXIS P3915-R. Used when the cable must enter from the side. 10 pack.  \$ 2  White plastic adapter for mounting AXIS P3904-R, AXIS P3905-R and AXIS P3915-R on					
male push pull connector on one end, IP20 rated male RI45 connector on the other end.    South 2011	male push pull connector on one end, IP20 rated male RJ45 connector on the other end.  Length: 15m (50ft). Color: black.  AXIS OUTDOOR RI45 CABLE 15M  S504-781  AXIS ACK SLIDE RAILS A  Rack slides for AXIS Q7920 Video Encoder Chassis  S 6  5504-804  AXIS T8081 PS57 MODULE 1000W  Power Supply module (1KW) for use with AXIS T8082 PS57 CHASSIS 2KW 1U  S 99  Chromated and powder coated aluminum wall mount with 1.5" NPS thread for fixed dome pendant kits. Cable routing from behind or through 3/4" conduit hole on the side. Includes mounting plate, pipe seal and conduit hole cover. Color: White  S 8  19" rack power supply solution consisting of a power supply chassis (T8080), 2x1 KW power supply modules (AXIS T8081) and one power distribution board (T8088) for use with AXIS S504-844  AXIS T8082 PS57 CHASSIS 2KW 1U  T8646 POE+ OVER COAX BLADE.  S 2,99  S504-864  AXIS T8085 PS57 500W 1U  Power supply 500W for use with AXIS T8646 POE+ OVER COAX BLADE in a 1U rack.  S 1,29  Heavy duty outdoor weathershield for wall mounted AXIS fixed dome cameras. Designed to protect the dome from rain, snow and sun. The underside of the cover is coated with matte black anti-reflective coating, for suitable use with camera's built-in IR LEDs  S 504-881  AXIS WEATHERSHIELD KIT C  Varifocal IR-corrected P-iris tele lens compatible with AXIS P1355/-E, P1357/-E, AXIS  S504-901  LENS CS VARIF 9-40MM P-IRIS D/N  Q1602/-E, Q1604/-E, Q1614/-E, Q1614/-E, Q1615/-E.  White plastic adapter for mounting AXIS P3904-R and AXIS P3905-R on flat surfaces. Does not fit with AXIS P3915-R. Used when the cable must enter from the side. 10 pack.  White plastic adapter for mounting AXIS P3904-R, AXIS P3905-R and AXIS P3915-R on	5504-711	AXIS T94P01B CORNER BRACKET		\$	79.00
S504-731 AXIS OUTDOOR RJ45 CABLE 15M Length: 15m (50ft). Color: black. \$ 145 5504-781 AXIS RACK SLIDE RAILS A Rack slides for AXIS Q7920 Video Encoder Chassis \$ 65 5504-804 AXIS T8081 PS57 MODULE 1000W Power Supply module (1KW) for use with AXIS T8082 PS57 CHASSIS 2KW 1U \$ 995  Chromated and powder coated aluminum wall mount with 1.5" NP5 thread for fixed dome pendant kits. Cable routing from behind or through 3/4" conduit hole on the side. Includes 5504-821 AXIS T91D61 WALL MOUNT mounting plate, pipe seal and conduit hole cover. Color: White \$ 84  19" rack power supply solution consisting of a power supply chassis (T8080), 2x1 KW power supply modules (AXIS T8081) and one power distribution board (T8088) for use with AXIS 5504-844 AXIS T8082 PS57 CHASSIS 2KW 1U T8646 POE+ OVER COAX BLADE. \$ 2,995 5504-864 AXIS T8085 PS57 500W 1U Power supply 500W for use with AXIS T8646 POE+ OVER COAX BLADE in a 1U rack. \$ 1,295 Heavy duty outdoor weathershield for wall mounted AXIS fixed dome cameras. Designed to protect the dome from rain, snow and sun. The underside of the cover is coated with matte black anti-reflective coating, for suitable use with camera's built-in IR LEDS \$ 5504-881	AXIS OUTDOOR RI45 CABLE 15M  Length: 15m (50ft). Color: black.  \$ 14 5504-781  AXIS RACK SLIDE RAILS A  Rack slides for AXIS Q7920 Video Encoder Chassis  \$ 6 5504-804  AXIS T8081 PS57 MODULE 1000W  Power Supply module (1kW) for use with AXIS T8082 PS57 CHASSIS 2kW 1U  Chromated and powder coated aluminum wall mount with 1.5" NPS thread for fixed dome pendant kits. Cable routing from behind or through 3/4" conduit hole on the side. Includes mounting plate, pipe seal and conduit hole cover. Color: White  \$ 8 15" rack power supply solution consisting of a power supply chassis (T8080), 2x1 kW power supply modules (AXIS T8081) and one power distribution board (T8088) for use with AXIS 5504-844  AXIS T8082 PS57 CHASSIS 2kW 1U  T8646 POE+ OVER COAX BLADE.  \$ 2,99 5504-864  AXIS T8085 PS57 500W 1U  Power supply 500W for use with AXIS T8646 POE+ OVER COAX BLADE in a 1U rack.  \$ 1,29  Heavy duty outdoor weathershield for wall mounted AXIS fixed dome cameras. Designed to protect the dome from rain, snow and sun. The underside of the cover is coated with matte black anti-reflective coating, for suitable use with camera's built-in IR LEDs  \$ 5 5504-881  AXIS WEATHERSHIELD KIT C  Varifocal IR-corrected P-iris tele lens compatible with AXIS AXIS P1355/-E, P1357/-E, AXIS  Varifocal IR-corrected P-iris tele lens compatible with AXIS AXIS P1355/-E, P1357/-E, AXIS  White plastic adapter for mounting AXIS P3904-R and AXIS P3905-R on flat surfaces. Does not fit with AXIS P3915-R. Used when the cable must enter from the side. 10 pack.  \$ 2  White plastic adapter for mounting AXIS P3904-R, AXIS P3905-R and AXIS P3915-R on			·		
S504-81 AXIS RACK SLIDE RAILS A  Rack Slides for AXIS Q7920 Video Encoder Chassis  \$ 65  5504-804 AXIS T8081 PS57 MODULE 1000W  Power Supply module (1KW) for use with AXIS T8082 PS57 CHASSIS 2KW 1U  \$ 995  Chromated and powder coated aluminum wall mount with 1.5" NPS thread for fixed dome pendant kits. Cable routing from behind or through 3/4" conduit hole on the side. Includes mounting plate, pipe seal and conduit hole cover. Color: White  \$ 84  19" rack power supply solution consisting of a power supply chassis (T8080), 2x1 KW power supply modules (AXIS T8081) and one power distribution board (T8088) for use with AXIS 5504-844  AXIS T8082 PS57 CHASSIS 2KW 1U  T8646 POE+ OVER COAX BLADE.  \$ 2,995  5504-864  AXIS T8085 PS57 500W 1U  Power supply 500W for use with AXIS T8646 POE+ OVER COAX BLADE in a 1U rack.  \$ 1,295  Heavy duty outdoor weathershield for wall mounted AXIS fixed dome cameras. Designed to protect the dome from rain, snow and sun. The underside of the cover is coated with matte black anti-reflective coating, for suitable use with camera's built-in IR LEDS  \$ 5504-881	AXIS RACK SLIDE RAILS A Rack slides for AXIS Q7920 Video Encoder Chassis  504-804 AXIS T8081 PS57 MODULE 1000W Power Supply module (1KW) for use with AXIS T8082 PS57 CHASSIS 2KW 1U \$ 99  Chromated and powder coated aluminum wall mount with 1.5" NPS thread for fixed dome pendant kits. Cable routing from behind or through 3/4" conduit hole on the side. Includes mounting plate, pipe seal and conduit hole cover. Color: White \$ 80  S504-821 AXIS T91D61 WALL MOUNT  19" rack power supply solution consisting of a power supply chassis (T8080), 2x1 KW power supply modules (AXIS T8081) and one power distribution board (T8088) for use with AXIS power supply modules (AXIS T8081) and one power distribution board (T8088) for use with AXIS power supply solution consisting of a power supply chassis (T8080), 2x1 KW power supply modules (AXIS T8081) and one power distribution board (T8088) for use with AXIS power supply solution consisting of a power supply chassis (T8080), 2x1 KW power supply solution consisting of a power supply chassis (T8080), 2x1 KW power supply modules (AXIS T8081) and one power distribution board (T8088) for use with AXIS power supply solution consisting of a power supply chassis (T8080), 2x1 KW power supply solution consisting of a power supply chassis (T8080), 2x1 KW power supply solution consisting of a power supply chassis (T8080), 2x1 KW power supply solution consisting of a power supply chassis (T8080), 2x1 KW power supply solution consisting of a power supply chassis (T8080), 2x1 KW power supply solution consisting of a power supply chassis (T8080), 2x1 KW power supply solution consisting of a power supply chassis (T8080), 2x1 KW power supply solution consisting of a power supply solution consisting of a power supply solution solution solution supply sol	5504-731	AXIS OUTDOOR RI45 CARLE 15M		¢	149.00
SO4-804  AXIS T8081 PS57 MODULE 1000W  Power Supply module (1KW) for use with AXIS T8082 PS57 CHASSIS 2KW 1U  Chromated and powder coated aluminum wall mount with 1.5" NPS thread for fixed dome pendant kits. Cable routing from behind or through 3/4" conduit hole on the side. Includes mounting plate, pipe seal and conduit hole cover. Color: White  So4-821  AXIS T91D61 WALL MOUNT  BY 10" rack power supply solution consisting of a power supply chassis (T8080), 2x1 KW power supply modules (AXIS T8081) and one power distribution board (T8088) for use with AXIS So4-844  AXIS T8082 PS57 CHASSIS 2KW 1U  T8646 POE+ OVER COAX BLADE.  So4-844  AXIS T8085 PS57 500W 1U  Power supply 500W for use with AXIS T8646 POE+ OVER COAX BLADE in a 1U rack.  \$ 2,999  Heavy duty outdoor weathershield for wall mounted AXIS fixed dome cameras. Designed to protect the dome from rain, snow and sun. The underside of the cover is coated with matte black anti-reflective coating, for suitable use with camera's built-in IR LEDS  \$ 554-881	AXIS T8081 PS57 MODULE 1000W  Power Supply module (1kW) for use with AXIS T8082 PS57 CHASSIS 2KW 1U  \$ 99  Chromated and powder coated aluminum wall mount with 1.5" NPS thread for fixed dome pendant kits. Cable routing from behind or through 3/4" conduit hole on the side. Includes mounting plate, pipe seal and conduit hole cover. Color: White  \$ 19" rack power supply solution consisting of a power supply chassis (T8080), 2x1 KW power supply modules (AXIS T8081) and one power distribution board (T8088) for use with AXIS 5504-844  AXIS T8082 PS57 CHASSIS 2KW 1U  T8646 POE+ OVER COAX BLADE.  Power supply 500W for use with AXIS T8646 POE+ OVER COAX BLADE in a 1U rack.  \$ 2,99  5504-864  AXIS T8085 PS57 500W 1U  Power supply 500W for use with AXIS T8646 POE+ OVER COAX BLADE in a 1U rack.  \$ 1,29  Heavy duty outdoor weathershield for wall mounted AXIS fixed dome cameras. Designed to protect the dome from rain, snow and sun. The underside of the cover is coated with matte black anti-reflective coating, for suitable use with camera's built-in IR LEDs  \$ 504-881  AXIS WEATHERSHIELD KIT C  black anti-reflective coating, for suitable use with camera's built-in IR LEDs  \$ 5  Varifocal IR-corrected P-iris tele lens compatible with AXIS AXIS P1355/-E, P1357/-E, AXIS  \$ 504-901  LENS CS VARIF 9-40MM P-IRIS D/N  Q1602/-E, Q1604/-E, Q1614/-E, Q1615/-E.  \$ 25  White plastic adapter for mounting AXIS P3904-R and AXIS P3905-R on flat surfaces. Does not fit with AXIS P3915-R. Used when the cable must enter from the side. 10 pack.  \$ 2  White plastic adapter for mounting AXIS P3904-R, AXIS P3905-R and AXIS P3915-R on					69.00
pendant kits. Cable routing from behind or through 3/4" conduit hole on the side. Includes mounting plate, pipe seal and conduit hole cover. Color: White \$ 84  19" rack power supply solution consisting of a power supply chassis (T8080), 2x1 KW power supply modules (AXIS T8081) and one power distribution board (T8088) for use with AXIS  5504-844  AXIS T8082 PS57 CHASSIS 2KW 1U  78646 POER COAX BLADE.  \$ 2,995  5504-864  AXIS T8085 PS57 500W 1U  Power supply 500W for use with AXIS T8646 POER COAX BLADE in a 1U rack.  \$ 1,295  Heavy duty outdoor weathershield for wall mounted AXIS fixed dome cameras. Designed to protect the dome from rain, snow and sun. The underside of the cover is coated with matte 5504-881  AXIS WEATHERSHIELD KIT C  black anti-reflective coating, for suitable use with camera's built-in IR LEDS  \$ 55	pendant kits. Cable routing from behind or through 3/4" conduit hole on the side. Includes mounting plate, pipe seal and conduit hole cover. Color: White \$ 8 8					999.00
pendant kits. Cable routing from behind or through 3/4" conduit hole on the side. Includes mounting plate, pipe seal and conduit hole cover. Color: White \$ 84  19" rack power supply solution consisting of a power supply chassis (T8080), 2x1 KW power supply modules (AXIS T8081) and one power distribution board (T8088) for use with AXIS  5504-844  AXIS T8082 PS57 CHASSIS 2KW 1U  78646 POER COAX BLADE.  \$ 2,995  5504-864  AXIS T8085 PS57 500W 1U  Power supply 500W for use with AXIS T8646 POER COAX BLADE in a 1U rack.  \$ 1,295  Heavy duty outdoor weathershield for wall mounted AXIS fixed dome cameras. Designed to protect the dome from rain, snow and sun. The underside of the cover is coated with matte 5504-881  AXIS WEATHERSHIELD KIT C  black anti-reflective coating, for suitable use with camera's built-in IR LEDS  \$ 55	pendant kits. Cable routing from behind or through 3/4" conduit hole on the side. Includes mounting plate, pipe seal and conduit hole cover. Color: White \$ 8 8					
5504-821 AXIS T91D61 WALL MOUNT mounting plate, pipe seal and conduit hole cover. Color: White \$ 84  19" rack power supply solution consisting of a power supply chassis (T8080), 2x1 KW power supply modules (AXIS T8081) and one power distribution board (T8088) for use with AXIS 5504-844  AXIS T8082 PS57 CHASSIS 2KW 1U T8646 POE+ OVER COAX BLADE. \$ 2,999  5504-864  AXIS T8085 PS57 500W 1U Power supply 500W for use with AXIS T8646 POE+ OVER COAX BLADE in a 1U rack. \$ 1,299  Heavy duty outdoor weathershield for wall mounted AXIS fixed dome cameras. Designed to protect the dome from rain, snow and sun. The underside of the cover is coated with matte black anti-reflective coating, for suitable use with camera's built-in IR LEDS \$ 5504-881	AXIS T91D61 WALL MOUNT mounting plate, pipe seal and conduit hole cover. Color: White  19" rack power supply solution consisting of a power supply chassis (T8080), 2x1 KW power supply modules (AXIS T8081) and one power distribution board (T8088) for use with AXIS 5504-844  AXIS T8082 PS57 CHASSIS 2KW 1U T8646 POE+ OVER COAX BLADE. \$ 2,99 5504-864  AXIS T8085 PS57 500W 1U Power supply 500W for use with AXIS T8646 POE+ OVER COAX BLADE in a 1U rack. \$ 1,29 Heavy duty outdoor weathershield for wall mounted AXIS fixed dome cameras. Designed to protect the dome from rain, snow and sun. The underside of the cover is coated with matte black anti-reflective coating, for suitable use with camera's built-in IR LEDs \$ 5 Varifocal IR-corrected P-iris tele lens compatible with AXIS AXIS P1355/-E, P1357/-E, AXIS 5504-901  LENS CS VARIF 9-40MM P-IRIS D/N Q1602/-E, Q1604/-E, Q1614/-E, Q1615/-E. \$ 25 White plastic adapter for mounting AXIS P3904-R and AXIS P3905-R on flat surfaces. Does not fit with AXIS P3915-R. Used when the cable must enter from the side. 10 pack. \$ 2 White plastic adapter for mounting AXIS P3904-R, AXIS P3905-R and AXIS P3915-R on			· ·		
19" rack power supply solution consisting of a power supply chassis (T8080), 2x1 KW power supply modules (AXIS T8081) and one power distribution board (T8088) for use with AXIS 5504-844  AXIS T8082 PS57 CHASSIS 2KW 1U  T8646 POE+ OVER COAX BLADE.  \$ 2,999  Fower supply 500W for use with AXIS T8646 POE+ OVER COAX BLADE in a 1U rack.  \$ 1,299  Heavy duty outdoor weathershield for wall mounted AXIS fixed dome cameras. Designed to protect the dome from rain, snow and sun. The underside of the cover is coated with matte black anti-reflective coating, for suitable use with camera's built-in IR LEDs  \$ 5504-881	19" rack power supply solution consisting of a power supply chassis (T8080), 2x1 KW power supply modules (AXIS T8081) and one power distribution board (T8088) for use with AXIS 5504-844  AXIS T8082 PS57 CHASSIS 2KW 1U  T8646 POE+ OVER COAX BLADE.  \$ 2,99 5504-864  AXIS T8085 PS57 500W 1U  Power supply 500W for use with AXIS T8646 POE+ OVER COAX BLADE in a 1U rack.  \$ 1,29  Heavy duty outdoor weathershield for wall mounted AXIS fixed dome cameras. Designed to protect the dome from rain, snow and sun. The underside of the cover is coated with matte black anti-reflective coating, for suitable use with camera's built-in IR LEDs  Varifocal IR-corrected P-iris tele lens compatible with AXIS AXIS P1355/-E, P1357/-E, AXIS  5504-901  LENS CS VARIF 9-40MM P-IRIS D/N  Q1602/-E, Q1604/-E, Q1614/-E, Q1615/-E.  \$ 25  White plastic adapter for mounting AXIS P3904-R and AXIS P3905-R on flat surfaces. Does not fit with AXIS P3915-R. Used when the cable must enter from the side. 10 pack.  \$ 2,99  \$ 2,99  \$ 2,99  \$ 2,99  ### AXIS P3904-B OVER COAX BLADE in a 1U rack.  \$ 1,29  ### AXIS P3915-R on flat surfaces. Does not fit with AXIS P3915-R. Used when the cable must enter from the side. 10 pack.  \$ 2,99  ### AXIS P3905-R and AXIS P3905-R and AXIS P3905-R and AXIS P3905-R on flat surfaces. Does not fit with AXIS P3915-R. Used when the cable must enter from the side. 10 pack.  \$ 2,99  ### AXIS P3905-R and AXIS P3905-R and AXIS P3905-R and AXIS P3905-R on flat surfaces. Does not fit with AXIS P3915-R. Used when the cable must enter from the side. 10 pack.  \$ 2,99  ### AXIS P3905-R and AXIS P3905-R and AXIS P3905-R and AXIS P3905-R on flat surfaces. Does not fit with AXIS P3915-R. Used when the cable must enter from the side. 10 pack.	EE04 934	AVIS TO DE LA MALL MAQUINIT		ć	04.00
supply modules (AXIS T8081) and one power distribution board (T8088) for use with AXIS  5504-844  AXIS T8082 PS57 CHASSIS 2KW 1U  T8646 POE+ OVER COAX BLADE.  \$ 2,995  5504-864  AXIS T8085 PS57 500W 1U  Power supply 500W for use with AXIS T8646 POE+ OVER COAX BLADE in a 1U rack.  \$ 1,295  Heavy duty outdoor weathershield for wall mounted AXIS fixed dome cameras. Designed to protect the dome from rain, snow and sun. The underside of the cover is coated with matte  5504-881  AXIS WEATHERSHIELD KIT C  black anti-reflective coating, for suitable use with camera's built-in IR LEDs  \$ 55	supply modules (AXIS T8081) and one power distribution board (T8088) for use with AXIS  5504-844  AXIS T8082 PS57 CHASSIS 2KW 1U  T8646 POE+ OVER COAX BLADE.  \$ 2,99  Power supply 500W for use with AXIS T8646 POE+ OVER COAX BLADE in a 1U rack.  \$ 1,29  Heavy duty outdoor weathershield for wall mounted AXIS fixed dome cameras. Designed to protect the dome from rain, snow and sun. The underside of the cover is coated with matte black anti-reflective coating, for suitable use with camera's built-in IR LEDs  Varifocal IR-corrected P-iris tele lens compatible with AXIS AXIS P1355/-E, P1357/-E, AXIS  5504-901  LENS CS VARIF 9-40MM P-IRIS D/N  Q1602/-E, Q1604/-E, Q1614/-E, Q1615/-E.  White plastic adapter for mounting AXIS P3905-R on flat surfaces. Does not fit with AXIS P3915-R. Used when the cable must enter from the side. 10 pack.  \$ 2,99  \$ 2,99  \$ 2,99  White plastic adapter for mounting AXIS P3904-R and AXIS P395-R on flat surfaces. Does not fit with AXIS P3915-R. Used when the cable must enter from the side. 10 pack.  \$ 2,99  \$ 2,99  \$ 2,99  **AXIS P3904-R AXIS P3905-R on flat surfaces. Does not fit with AXIS P3915-R. Used when the cable must enter from the side. 10 pack.  \$ 2,99  **AXIS P3905-R and AXIS P3905-	DDU4-821	WYIZ IATOPT MATT MIONNI		>	84.00
5504-844 AXIS T8082 PS57 CHASSIS 2KW 1U T8646 POE+ OVER COAX BLADE. \$ 2,995 5504-864 AXIS T8085 PS57 500W 1U Power supply 500W for use with AXIS T8646 POE+ OVER COAX BLADE in a 1U rack. \$ 1,295  Heavy duty outdoor weathershield for wall mounted AXIS fixed dome cameras. Designed to protect the dome from rain, snow and sun. The underside of the cover is coated with matte 5504-881 AXIS WEATHERSHIELD KIT C black anti-reflective coating, for suitable use with camera's built-in IR LEDs \$ 55	5504-844 AXIS T8082 PS57 CHASSIS 2KW 1U T8646 POE+ OVER COAX BLADE. \$ 2,99 5504-864 AXIS T8085 PS57 500W 1U Power supply 500W for use with AXIS T8646 POE+ OVER COAX BLADE in a 1U rack. \$ 1,29  Heavy duty outdoor weathershield for wall mounted AXIS fixed dome cameras. Designed to protect the dome from rain, snow and sun. The underside of the cover is coated with matte black anti-reflective coating, for suitable use with camera's built-in IR LEDs \$ 5 5504-901 LENS CS VARIF 9-40MM P-IRIS D/N Q1602/-E, Q1604/-E, Q1614/-E, Q1615/-E. \$ 25  White plastic adapter for mounting AXIS P3904-R and AXIS P3905-R on flat surfaces. Does not fit with AXIS P3915-R. Used when the cable must enter from the side. 10 pack. \$ 2 White plastic adapter for mounting AXIS P3904-R, AXIS P3905-R and AXIS P3915-R on					
5504-864 AXIS T8085 PS57 500W 1U Power supply 500W for use with AXIS T8646 POE+ OVER COAX BLADE in a 1U rack. \$ 1,299  Heavy duty outdoor weathershield for wall mounted AXIS fixed dome cameras. Designed to protect the dome from rain, snow and sun. The underside of the cover is coated with matte 5504-881 AXIS WEATHERSHIELD KIT C black anti-reflective coating, for suitable use with camera's built-in IR LEDs \$ 55	Heavy duty outdoor weathershield for wall mounted AXIS fixed dome cameras. Designed to protect the dome from rain, snow and sun. The underside of the cover is coated with mattee black anti-reflective coating, for suitable use with camera's built-in IR LEDs \$ 504-901 LENS CS VARIF 9-40MM P-IRIS D/N Q1602/-E, Q1604/-E, Q1614/-E, Q1615/-E. \$ 25  White plastic adapter for mounting AXIS P3904-R and AXIS P3905-R on flat surfaces. Does not fit with AXIS P3915-R. Used when the cable must enter from the side. 10 pack. \$ 2 White plastic adapter for mounting AXIS P3904-R, AXIS P3905-R and AXIS P3915-R on	5504-844	AXIS T8082 PS57 CHASSIS 2KW 1U		\$	2,999.00
protect the dome from rain, snow and sun. The underside of the cover is coated with matte  5504-881 AXIS WEATHERSHIELD KIT C black anti-reflective coating, for suitable use with camera's built-in IR LEDs \$ 55	protect the dome from rain, snow and sun. The underside of the cover is coated with mattee black anti-reflective coating, for suitable use with camera's built-in IR LEDs  504-901  LENS CS VARIF 9-40MM P-IRIS D/N  LENS CS VARIF 9-40MM P-IRIS D/N  White plastic adapter for mounting AXIS P3904-R and AXIS P3905-R on flat surfaces. Does not fit with AXIS P3915-R. Used when the cable must enter from the side. 10 pack.  White plastic adapter for mounting AXIS P3904-R, AXIS P3905-R and AXIS P3915-R on					1,299.00
protect the dome from rain, snow and sun. The underside of the cover is coated with matte 5504-881 AXIS WEATHERSHIELD KIT C black anti-reflective coating, for suitable use with camera's built-in IR LEDs \$ 55	protect the dome from rain, snow and sun. The underside of the cover is coated with mattee black anti-reflective coating, for suitable use with camera's built-in IR LEDs  504-901  LENS CS VARIF 9-40MM P-IRIS D/N  LENS CS VARIF 9-40MM P-IRIS D/N  White plastic adapter for mounting AXIS P3904-R and AXIS P3905-R on flat surfaces. Does not fit with AXIS P3915-R. Used when the cable must enter from the side. 10 pack.  White plastic adapter for mounting AXIS P3904-R, AXIS P3905-R and AXIS P3915-R on					·
5504-881 AXIS WEATHERSHIELD KIT C black anti-reflective coating, for suitable use with camera's built-in IR LEDs \$	5504-881 AXIS WEATHERSHIELD KIT C black anti-reflective coating, for suitable use with camera's built-in IR LEDs \$ 5  Varifocal IR-corrected P-iris tele lens compatible with AXIS AXIS P1355/-E, P1357/-E, AXIS  5504-901 LENS CS VARIF 9-40MM P-IRIS D/N Q1602/-E, Q1604/-E, Q1614/-E, Q1615/-E. \$ 25  White plastic adapter for mounting AXIS P3904-R and AXIS P3905-R on flat surfaces. Does not fit with AXIS P3915-R. Used when the cable must enter from the side. 10 pack. \$ 2  White plastic adapter for mounting AXIS P3904-R, AXIS P3905-R and AXIS P3915-R on					
	Varifocal IR-corrected P-iris tele lens compatible with AXIS AXIS P1355/-E, P1357/-E, AXIS  Q1602/-E, Q1604/-E, Q1614/-E, Q1615/-E.  S 25  White plastic adapter for mounting AXIS P3905-R and AXIS P3905-R on flat surfaces. Does not fit with AXIS P3915-R. Used when the cable must enter from the side. 10 pack.  White plastic adapter for mounting AXIS P3904-R, AXIS P3905-R and AXIS P3915-R on	5504-881	AXIS WEATHERSHIELD KIT C		\$	59.00
Talliada in confected i ina tele lena computable with PANO PANO 1 2000 E, 1 2007 E, 1 AND	5504-911 LENS CS VARIF 9-40MM P-IRIS D/N  Q1602/-E, Q1604/-E, Q1615/-E.  White plastic adapter for mounting AXIS P3904-R and AXIS P3905-R on flat surfaces. Does not fit with AXIS P3915-R. Used when the cable must enter from the side. 10 pack.  White plastic adapter for mounting AXIS P3904-R, AXIS P3905-R and AXIS P3915-R on  White plastic adapter for mounting AXIS P3904-R, AXIS P3905-R and AXIS P3915-R on	JJU4=001	AAIS WEATHERSHIELD ATT C		۶	39.00
5504-901   LENS CS VARIF 9-40MM P-IRIS D/N   Q1602/-E, Q1604/-E, Q1614/-E, Q1615/-E.   \$ 259	White plastic adapter for mounting AXIS P3904-R and AXIS P3905-R on flat surfaces. Does not fit with AXIS P3915-R. Used when the cable must enter from the side. 10 pack. \$ 2 White plastic adapter for mounting AXIS P3904-R, AXIS P3905-R and AXIS P3915-R on	5504-901	LENS CS VARIF 9-40MM P-IRIS D/N		\$	259.00
	5504-911 AXIS T94D01S MT BRACKET FL WT 10PCS not fit with AXIS P3915-R. Used when the cable must enter from the side. 10 pack. \$ 2 White plastic adapter for mounting AXIS P3904-R, AXIS P3905-R and AXIS P3915-R on		·			
	White plastic adapter for mounting AXIS P3904-R, AXIS P3905-R and AXIS P3915-R on					
		5504-911	AXIS T94D01S MT BRACKET FL WT 10PCS		\$	29.00
	5504-921 AXIS T94D02S MT BRACKET CU WT 10PCS curved surfaces. 10 pack. \$ 2	FF04 024	AVIC TO A DOOR MET DO A CIVET CHANGE A COCC		\$	29.00

		<u> </u>		
		The corridor format bracket makes it possible to mount a camera rotated 90 degrees inside		
		the AXIS T93F05 and AXIS T93F20 housings to enable a vertically oriented, "portrait"-	ĺ	
5504-931	CORRIDOR FORMAT BRACKET A	shaped video stream from the camera. Includes built-in camera heater (only appli	\$	39.00
5504-941	AXIS SUNSHIELD A	Accessory sunshield and weather protection for AXIS T93F Housing Series	\$	34.00
		Megapixel lens 2.8 mm, F2.0 with M12 thread for AXIS P39-R Series that provides 115°	ĺ	
5504-951	ACC LENS M12 2.8MM F2.0 10 PCS	horizontal FOV with these cameras. With IR filter. 10 pieces.	\$	199.00
		Megapixel lens 6 mm, F1.6 with M12 thread for AXIS P39-R Series that provides 52°	ĺ.	
5504-961	ACC LENS M12 6MM F1.6 10 PCS	horizontal FOV with these cameras. With IR filter. 10 pieces.	\$	199.00
FF04 071	ACCUENC MAI 2 OMAM E1 6 10 DCC	Megapixel lens 8 mm, F1.6 with M12 thread for AXIS P39-R Series that provides 40°	\$	100.00
5504-971 5504-981	ACC LENS M12 8MM F1.6 10 PCS  AXIS P32-LV SEMI SMOKED DOME A 5P	horizontal FOV with these cameras. With IR filter. 10 pieces.  Semi smoked domes for AXIS P32-LV Series, 5 pcs	\$	199.00 169.00
5504-991	AXIS P32-LV SEMI SMOKED DOME A 5P	Semi smoked domes for AXIS P32-LVE Series, 5 pcs	\$	169.00
5505-001	AXIS T91C67 POLE BRACKET STAINLESS STEEL	Stainless steel pole mount for AXIS Q60-S	\$	149.00
5505-021	AXIS MULTICABLE A I/O AUDIO PWR 5M	Multi-connector cable for power (12VDC), audio and I/O port. 5m (197 in)	\$	99.00
5505-031	AXIS MULTICABLE A I/O AUDIO PWR 1M	Multi-connector cable for power (12VDC), audio and I/O port. 1m (40 in)	\$	79.00
5505-041	AXIS T8353 MOUNT	Mounting accessory for AXIS T8353 Microphones	\$	19.00
5505-051	AXIS T8051 Power Converter AC/DC to DC	AC/DC to DC power converter for AXIS Q35-VE, 24 V AC or 12/24 V DC input. Backbox designed to match perfectly with camera.	\$	199.00
	·	A dynamic microphone for sound pickup . Mounted on the inside of the dome of AXIS Q35-		
5505-061	AXIS DOME MICROPHONE A	V cameras and plugged into the 3.5 mm microphone jack.	\$	29.00
		Intrusion switch for AXIS Q35-V and -VE as well as P33-VE cameras. Connects to camera I/O		
5505-071	AXIS DOME INTRUSION SWITCH B	connector.	\$	19.00
			İ	
		Indoor pendant kit for AXIS P32-V Series- AXIS P33/-V and AXIS Q3505-V, compatible with	ĺ.	
5505-081	AXIS T94K01D PENDANT KIT	Axis ceiling-/wall mounts, AXIS T91A67 Pole mount and 1.5" NPS threaded pipes.	\$	39.00
EE0E 001	AVIS TOAMOAD DENIDANT VIT	Outdoor pendant kit for AXIS Q3505-VE compatible with Axis ceiling-/wall mounts, AXIS	ć	F0.00
5505-091 5505-131	AXIS T94M01D PENDANT KIT  AXIS AUDIO EXTENSION CABLE A 5M	T91A67 Pole mount and 1.5" NPS threaded pipes.  Audio extension cable for Axis 3.5mm mono microphones. Length 5m (197 in)	\$	59.00 19.00
5505-151	AXIS AUDIO EXTENSION CABLE A SIVI	Audio extension cable for Axis 3.5mm mono micropriones. Length 5m (197 m)	,	19.00
		Back box to enable external cable entry or use of cable protection equipment. Hole for 3/4	İ	
		inch conduits or M25 cable protection pipes. Compatible with AXIS T94Q01A Wall mount,	İ	
5505-141	AXIS T94R01P CONDUIT BACK BOX	all AXIS M11-E/P13-E/Q16-E/Q1755-E/Q1910-E/21-E/22-E outdoor fixed box camera	\$	34.00
5505-151	AXIS P54-SERIES WEATHER COVER	Sparepart weather cover for Axis P54-Series.	\$	39.00
5505-161	AXIS Q604X RECESSED MOUNT	Spare part indoor recessed mount for mounting AXIS Q60 indoor cameras in drop ceilings.	\$	89.00
		Standard mount bracket for AXIS M3006-V, AXIS M3007-P/-PV, AXIS M3024-LVE/3025-		
5505-171	AXIS T94F01S MOUNTING BRACKET	VE/3026-VE	\$	19.00
		Back box for 3/4" (M25) conduits/cable protection pipes. Compatible with AXIS Q1765-LE		
5505-181	AXIS T94G01P CONDUIT BACK BOX	and AXIS Q1931-E.	\$	29.00
			İ	
		Mechanical adapter that provides a U-shaped 30mm wide cable entry for use when a U-	İ	
FF0F 404	AVIC ACLICOND ADAD 3 /4II H CHARE 30MM EDCC	shape cable protection is required. The adapter is compatible with AXIS P54-series, AXIS		24.00
5505-191	AXIS ACI COND ADAP 3/4" U-SHAPE 30MM 5PCS	P32-VE Series (requires AXIS ACI Mounting Bracket A), AXIS Q3505-VE, AXIS T91B6X mo	\$	24.00
5505-241	AXIS T94Q01A WALL MOUNT	Wall mount compatible with all Axis outdoor fixed box cameras and housings. Corrosion tested according to NEMA 4X, UL listed and IK10 rated.	\$	44.00
3303 241	AND 13-QUA WALL WOOM	tested decording to HENNIA 4A, OE listed and REO rated.	Ť	44.00
5505-251	AXIS CONNECTOR A 4P3.81 STR 10PCS	Axis male connector for low voltage power. Pitch: 3.81 mm. 4pos terminal block. 10pack	\$	29.00
5505-261	AXIS CONNECTOR A 2P2.5 STR 10PCS	Axis male connector for legacy IO port . Pitch: 2.50 mm. 2pos terminal block. 10pack.	\$	19.00
5505-271	AXIS CONNECTOR A 6P2.5 STR 10PCS	Axis male connector for extended IO port . Pitch: 2.50 mm. 6pos terminal block. 10pack	\$	59.00
			İ	
5505-281	AXIS CONNECTOR A 3P3.81 STR 10PCS	Axis male connector for low voltage power. Pitch: 3.81 mm. 3pos terminal block. 10pack	\$	29.00
5505-291	AXIS CONN A 4P3.81 STR IN/OUT 10P	Axis male connector for audio. Pitch: 3.81 mm. 2+2pos terminal block. 10pack	\$	39.00
			ĺ.	
5505-301	AXIS CONNECTOR A 2P5.08 STR 10PCS	Axis male connector for low voltage power. Pitch: 5.08 mm. 2pos terminal block. 10pack	\$	29.00
	ANG TOOL CALAFRA HOLDER BLATE C	Camera holder plate for mounting an AXIS Q1614 in a AXIS T92E05 and AXIS T92E20		40.00
5505-331	AXIS T92E CAMERA HOLDER PLATE C	housing. Or change the camera unit inside an AXIS P135X-E outdoor camera.  Kit for mounting an AXIS Q1614 in a AXIS T92E05/AXIS T92E20 housing produced before	\$	19.00
5505-341	AXIS T92E CAMERA CHANGE KIT A	2014. Or change the camera unit inside an AXIS P134X-E outdoor camera.	\$	39.00
3303-341	AXIS 192E CAIVIENA CHANGE NH A	Pre-assembled T98A Surveilance cabinet with following system compoents:	,	33.00
		(1) Breaker and surge protection, (2), 12 VDC DIN PSU, (3)AXIS T8604 Media Converter, (4)	ĺ	
		Internal cables and mounts.	İ	
5505-351	AXIS T98A15-VE MEDIA CONVERTER CABINET A (120 V AC)	Tested and verified with Axis cameras.	\$	899.00
	, ,	Pre-assembled T98A Surveilance cabinet with following system compoents:		
		(1) Breaker and surge protection, (2), 12 VDC DIN PSU, (3)AXIS T8604 Media Converter, (4)	İ	
		Internal cables and mounts.	İ	
5505-361	AXIS T98A16-VE MEDIA CONVERTER CABINET A (120 V AC)	Tested and verified with Axis cameras.	\$	899.00
		Pre-assembled T98A Surveilance cabinet with following system compoents:	İ	
		(1) Breaker and surge protection, (2), 12 VDC DIN PSU, (3)AXIS T8604 Media Converter, (4)	İ	
		Internal cables and mounts.		
5505-371	AXIS T98A17-VE MEDIA CONVERTER CABINET A (120 V AC)	Tested and verified with Axis cameras.	\$	899.00
		D	İ	
		Pre-assembled T98A18-VE Surveilance cabinet with following system compoents:		
		(1) Breaker and surge protection, (2), 12 VDC DIN PSU, (3) AXIS T8604 Media Converter, (4)		
EE0E 201	AVIC TOOA 10 I/E MEDIA CONVEDTED CADINET A /420 V A CV	Power cable and DIN clip for midspan AXIS T8124, (5) Internal cables and mounts.	ė	900.00
5505-381	AXIS T98A18-VE MEDIA CONVERTER CABINET A (120 V AC)	Tested  Pro assembled TOPA Surveillance cabinet with following system components:	\$	899.00
		Pre-assembled T98A Surveilance cabinet with following system components:		
		(1) Breaker and surge protection, (2), 12 VDC DIN PSU, (3)AXIS T8604 Media Converter, (4) Internal cables and mounts.	ĺ	
5505-391	AXIS T98A19-VE MEDIA CONVERTER CABINET A (120 V AC)	Tested and verified with Axis cameras.	\$	899.00
	12 12 12 12 12 12 12 11 2 11 2 11 2 11		_	
5505-511	AXIS MULTICABLE B I/O AUDIO PWR 2.5M	Multi-connector cable for AC/DC power, audio in/out and I/O connectivity. 2.5m (8.2 ft)	\$	79.00
-	<del></del>			

			I	
		Mechanical adapter that provides a U-shaped 20mm wide cable entry for use when a U-		
		shape cable protection is required. The adapter is compatible with AXIS products with a		
5505-521	AXIS ACI COND ADAP 1/2 " U-SHAPE 20MM 5P	1/2" conduit interface such as AXIS P32-V series (requires AXIS ACI conduit bracket	\$	19.00
		Step up ACI adapter for attaching 3/4" conduits or M25 pipes to AXIS products with a 1/2" conduit interface such as AXIS P32-V series (requires AXIS ACI conduit bracket B) and AXIS		
5505-541	AXIS ACI CONDUIT ADAPTER 1/2"-3/4" A 2P	Q3505-V. 2 pcs	\$	39.00
5505-551	AXIS T94K01S MOUNTING BRACKET 4P	Sparepart mounting bracket for AXIS Q3505-V. 4 pcs	\$	119.00
5505-561	AXIS T94M01S MOUNTING BRACKET 4P	Sparepart mounting bracket for AXIS Q3505-VE. 4 pcs	\$	139.00
	1 / 1 / 1 / 1 / 1 / 1 / 1 / 1 / 1 / 1 /	Threaded stainless steel step up ACI adapter for attaching 3/4" NPS conduits to AXIS	_	50.00
5505-591 5505-611	AXIS ACI COND ADAP 1/2"-3/4" NPS 2P  AXIS Q3505-V CLEAR DOME 5P	products with a 1/2" conduit interface such as AXIS Q35-V series. 2 pcs  Standard clear domes for AXIS Q35-V Series, 5 pcs	\$	69.00 179.00
5505-631	AXIS Q3505-VE CLEAR DOME 5P	Standard clear dome for AXIS Q35 V 5CHES, 5 pcs	\$	199.00
		Threaded stainless steel ACI adapter for attaching 3/4" NPS conduits to AXIS products with		
5505-641	AXIS ACI CONDUIT ADAPTER 3/4" NPS 2P	a 3/4" conduit interface such as AXIS Q35-VE series. 2 pcs	\$	99.00
FF0F 6F1	AXIS CABINET LOCK A	Door lock for AXIS T98A surveillance cabinet. Uses a generic key but it is possible to change	\$	F0 00
5505-651	AXIS CABINET LOCK A	locking cylinder to a unique key solution (not supplied from Axis)  USB power cable to power our M10 cameras. Perfekt to use with AXIS M1025 as PVM.	Ş	59.00
		Connect camera to a TV through HDMI and use this cable to the USB port on the TV to		
		power the camera, no need for external power supply.		
5505-661	USB POWER CABLE 1M	DC plug 1.35x3.5mm. Length 1M (3.3 ft	\$	14.00
5505-671	AXIS WL LENS A 120 DEG	Accessory lens providing 120° beam angle, beam distance 10 m (33 ft). Compatible with AXIS T90B15 W-LED.	\$	25.00
3303-071	AAIS WE LENS A 120 DEG	Accessory lens providing 120° beam angle, beam distance is 15 m (49 ft). Compatible with	٧	25.00
5505-681	AXIS WL LENS B 120 DEG	AXIS T90B25 W-LED.	\$	29.00
		Accessory lens providing 120° beam angle, beam distance 20 m (66 ft). Compatible with		
5505-691	AXIS WL LENS C 120 DEG	AXIS T90B35 W-LED.	\$	34.00
5505-701	AXIS IR LENS B 120 DEG	Accessory lens providing 120° beam angle, beam distance 20 m (66 ft). Compatible with AXIS T90B20 IR-LED.	\$	29.00
3303-701	AXIS IR LENS B 120 DEG	AAIS 190020 IN-LED.	۶	29.00
		Accessory lens compatible with AXIS T90B30 IR-LED providing 120° beam angle, beam		
		distance 30 m (98 ft). Also compatible with AXIS T90B40 IR-LED (two lenses are required as		
5505-711	AXIS IR LENS C 120 DEG	the illuminator has two panels). The beam angle can be adjusted between 120° and 1	\$	34.00
		Outdoor recessed mount for AXIS Q60-E cameras. Can be mounted in panels, wood or pre-		
		made holes solid concrete. The mount is very sturdy and made of aluminum and stainless		
5505-721	AXIS T94A01L RECESSED MOUNT	steel. It supports the IK10 impact rating of the camera and has two 3/4" conduit ho	\$	249.00
5505-731	POWER SUPPLY DIN CP-D 12/2.1 25W	DIN power supply. 12V DC, 2.1 A. For use in T98A to power cameras, media converters etc.	\$	99.00
5505-771	AXIS Q86-E LIGHT SENSOR BOX 120 V	Light sensor box with integrated power supply for controlling IR illuminators and power AXIS Q8665-LE. Input power 120V AC.	\$	640.00
3303-771	AXIS Q80-E EIGHT SENSON BOX 120 V	Bracket to mount and secure an F Series main unit onto a surface. Withstands vibrations	٦	040.00
5505-791	AXIS F8001 SURFACE MOUNT	and secures all cables to/from the main unit.	\$	39.00
		DIN clip + angled mounting bracket. Allows an AXIS F Series main unit to be mounted on a		
5505-801	AXIS F8002 DIN RAIL CLIP	DIN rail with the short side against the rail to minimize used space. Main unit can be	\$	39.00
3303-801	AXIS FOUUZ DIN KAIL CLIF	mounted with cables going in any of three directions (up, down or out from the	Ş	39.00
		Mounting bracket for AXIS F1005-E, AXIS F1015 and AXIS 1035-E. Allows the sensor unit to		
5505-811	AXIS F8201 VARI-ANGLE MT BRACK 5PCS	be fixed and angled into various directions to get the desired view. Comes in pack of 5 pcs.	\$	29.00
5505-821	AXIS F8202 STRAIGHT MT BRACKET 5PCS	Mounting bracket that allows the pinhole sensor unit of AXIS F1025 to be mounted onto a flat surface with the cone being flush with opposite surface. Comes in pack of 5 pcs.	\$	29.00
3303-821	AXIS FOZUZ STRAIGHT IVIT BRACKET SPCS	Metal bracket for stable mounting of AXIS F1005-E, F1015 and F1035-E. Variety of holes for	Ş	25.00
5505-831	AXIS F8203 FIXED MT BRACKET 5PCS	screws for flexible mounting. Comes in pack of 5 units.	\$	149.00
		Lens protection for AXIS F1005-E. The lens protector is screwed onto the threaded front		
5505-841	AXIS F8401 CLEAR LENS PROTECTOR 5PCS	part of the sensor unit to protect the lens. Comes in pack of 5 units.	\$	79.00
5505-861	AXIS M3025/26 SMOKED DOME 5PCS	Smoked domes for AXIS M3025-VE, M3026-VE. 5 pcs.	\$	249.00
5505-871	AXIS T94T01D PENDANT KIT	Outdoor pendant kit for AXIS P32-VE Series, compatible with Axis ceiling-/wall mounts, AXIS T91A67 Pole mount and 1.5" NPS threaded pipes.	\$	49.00
5505-891	AXIS T93F TOP COVER	Spare part top part of the housing including window.	\$	59.00
		Outdoor housing for AXIS P39-R cameras. Enables P39-R cameras to be mounted outside		
		vehicles such as buses, trams, trucks and emergency vehicles. Includes lens tool and top		
5505-911	AXIS T96B05 OUTDOOR HOUSING	cover tool.	\$	99.00
		This gasket is specially made for flexible and easy installation. By using the included		
		CONNECTOR GUARD A over the RJ45 connector, you do not need to re-terminate the		
		network cable wich gives a much faster and more secure installation.		
5505-941	GASKET C M20 10PCS	Made for M20 holes	\$	9.00
FF0F 071	AVIC ACI CONDITIT DDACVET A ED	Cable protection attachment bracket for AXIS P32-VE Series. Compatible with 3/4"	\$	20.00
5505-971	AXIS ACI CONDUIT BRACKET A 5P	Conduits, M25 pipes and AXIS ACI adapters. Spcs.  Skin covers compatible with AXIS P39-R cameras for changing the appearance of the	Ş	39.00
5505-991	AXIS P39-R SKIN COVER WHITE 10P	camera, simplify re-painting or covering screws. White color. 10 pcs.	\$	149.00
		Skin covers compatible with AXIS P39-R cameras for changing the appearance of the		
5506-001	AXIS P39-R SKIN COVER BLACK 10P	camera, simplify re-painting or covering screws. Black color. 10 pcs.	\$	149.00
		Megapixel lens 3.6 mm, F2.0 with M12 thread for AXIS P39-R Series that provides 87°		
5506-011	ACC LENS M12 3.6MM F2.0 10PCS	horizontal FOV with these cameras. With IR filter. 10 pieces. Can be used as a spare part for AXIS P39-R or as a wider FOV option for P3905-RE.	\$	199.00
5506-021	AXIS P32-V SMOKED DOME A 5P	Smoked domes for AXIS P32-V Series, 5 pcs	\$	169.00
		5-pack. Skin covers compatible with AXIS P32-V cameras for changing the appearance of		
5506-031	AXIS P32 SKIN COVER C BLACK 5P	the camera, simplify re-painting or covering screws. Black color.	\$	79.00
5505 044	AVIC ACL COMPULIT PRACYST S. SS	Cable protection attachment bracket for AXIS P32-V Series. Compatible with 1/2" Conduits,	,	40.0-
5506-041	AXIS ACI CONDUIT BRACKET B 5P	M20 pipes and AXIS ACI adapters. 5pcs.	\$	19.00 69.00
	AXIS T945015 MOLINTING RRACKET AD	Sparenart mounting bracket for AXIS P32-V Series 4 pcs	١ς	
5506-061 5506-071	AXIS T94S01S MOUNTING BRACKET 4P AXIS T94T01S MOUNTING BRACKET 4P	Sparepart mounting bracket for AXIS P32-V Series. 4 pcs Sparepart mounting bracket for AXIS P32-VE Series. 4 pcs	\$	89.00

5506-091	AXIS Q1765 FOOT CHASSIS	Sparepart foot chassis for AXIS Q1765-LE and AXIS Q193X-E. Note. This sales part does not include the mounting bracket (5506-081 AXIS T94G01S Mounting plate)	\$	39.00
		Extension front for AXIS T92E20 outdoor housing, allowing longer lenses than the standard		
5506-101	AXIS T92E EXTENSION KIT	housing. The kit includes aluminum front and extension part, window, gasket and screws.	\$	39.00
5506-121	AXIS P32-VE CLEAR DOME A 5P	Standard clear dome for AXIS P32-VE Series, 5 pcs	\$	169.00
5506-131	AXIS P32-V CLEAR DOME A 5P	Standard clear dome for AXIS P32-V Series, 5 pcs	\$	169.00
5506-141 5506-151	AXIS P5624-E/35-E CLEAR DOME  AXIS P5624-E/35-E SMOKED DOME	Clear dome for AXIS P56 Series cameras.  Smoked dome for AXIS P56 Series cameras.	\$	49.00 49.00
5500-151	AXIST SUZ4-E/SS-E SIVIONED DOIVIE	Spare part skin covers for the AXIS P56 Series. Both the camera cover and the ring around	y	43.00
5506-161	AXIS P56 SKIN COVER D	the dome are included. 5 pcs.	\$	129.00
5506-171	AXIS T94A02L RECESSED MOUNT	Outdoor recessed mount for AXIS P56 cameras. Also suitable indoor for recessed camera installations in plenum as the back box is made of metal and has a 3/4" hole for cable protection conduits.	\$	139.00
		Bracket for mounting an AXIS P56 Series camera in a hard ceiling. For indoor and outdoor		
5506-181	AXIS T94A01F CEILING BRACKET	installations. 3/4" conduit hole, compatible with ACI adapters.	\$	29.00
5506-191 5506-201	AXIS MULTICABLE C I/O AUDIO PWR 5M  AXIS MULTICABLE C I/O AUDIO PWR 1M	Multi-connector cable for power, audio and I/O connectivity. 5m (16.4 ft)  Multi-connector cable for power, audio and I/O connectivity. 1m (3.3 ft)	\$	139.00 109.00
3300 201	TAILS MOETHER BEE EN GIVES TO THE ENT	Bullet-style camera accessory for AXIS F1005-E. AXIS F1005-E provides 113° horizontal FOV.	, , , , , , , , , , , , , , , , , , ,	103.00
5506-211	AXIS F8205 BULLET ACCESSORY	Comes with c-clamp and a stand.  Varifocal bullet-style camera accessory for AXIS F1015. AXIS F1015 provides 58-108°	\$	24.00
5506-221	AXIS F8215 VARIFOCAL BULLET ACC	horizontal FOV. Comes with c-clamp and a stand.	\$	24.00
5506-231	AXIS T8415 WIRELESS INSTALLATION TOOL	Camera installation made easy. Battery driven Wi-Fi access point with PoE+ to camera for use with AXIS Installation application on your iOS or Android device.	\$	599.00
3300 231	ANIS 10413 WINEEESS INSTALLATION 100E	Angled C13 mains cable for use when limited space. Open ends for installation in terminal	,	333.00
FF0C 244	MANING CARLE ANGLI CAR ORNI O EM	blocks etc.	,	14.00
5506-244 5506-251	MAINS CABLE ANGL C13-OPN 0.5M  AXIS 10-PIN PUSH-PULL SYSTEM CONN	Use when installing midspan into AXIS T98A Surveillance cabinet.  10-pin system connector for power, audio and I/O.	\$	14.00 39.00
	AND 20 FIRST SOLIT OLE STOTEM COMM	Height strip housing for use with an AXIS F Series Main Unit and AXIS F1025 Sensor Unit.	Ť	39.00
5506-261	AXIS F9201 BLACK HEIGHT S. HOUSING	Can also be used with AXIS P1204 and AXIS P1264. Comes with both a metric and an imperial height strip. Black aluminium housing.	\$	99.00
5500-201	AXIS F9201 BLACK REIGHT S. HOUSING	Height strip housing for use with an AXIS F Series Main Unit and AXIS F1025 Sensor Unit.	Ş	99.00
		Can also be used with AXIS P1204 and AXIS P1264. Comes with both a metric and an		
5506-271	AXIS F9201 SILVER HEIGHT S. HOUSING	imperial height strip. Silver aluminium housing.  Kit for mounting an AXIS T8642 e.g. inside an AXIS Q8414-LVS. Kit contents: cable tie	\$	99.00
		432mm (17 in) long, BNC male to female angled adapter and network cable 135 mm (5.3 in)		
5506-291	AXIS T8642 MOUNTING KIT A	long.	\$	14.00
5506-301	AXIS Q8414-LVS SMOKED DOME 5P	Smoked dome for hiding the direction of the camera. Compatible with AXIS Q8414-LVS. 5 pcs.	\$	99.00
		Spare part powder coated white stainless steel back chassis with gaskets for AXIS Q8414-		
5506-311	AXIS Q8414-LVS BACK CHASSIS WHITE	LVS.	\$	199.00
5506-321	AXIS Q8414-LVS BACK CHASSIS METAL	Spare part brushed stainless steel metal back chassis with gaskets for AXIS Q8414-LVS.	\$	199.00
5506-331	AXIS Q8414-LVS CLEAR DOME 5P	Standard clear dome for AXIS Q8414-LVS. 5 pcs.	\$	99.00
5506-341	AXIS Q8414-LVS IR WINDOW A 5P	Standard IR window with microphone hole and water-stop membrane for AXIS Q8414-LVS. 5 pcs.	\$	149.00
5506-371	AXIS Q8414-LVS IR WINDOW B 5P	Accessory IR window without microphone hole. 5 pcs.	\$	119.00
		The corridor format bracket makes it possible to mount a camera rotated 90 degrees inside		
5506-381	CORRIDOR FORMAT BRACKET B	the AXIS T93F10 housing to enable a vertically oriented, "portrait"-shaped video stream from the camera. Included with built-in camera heater.	\$	39.00
5506-421	CABLE GASKET M20 3MM 10PCS	M20 gasket for small cables like I/O and audio cables. 10 pcs	\$	9.00
		2 pieces each of 2.8 mm (F2.0), 6 mm (F1.6) and 8 mm (F1.6) Megapixel lenses with M12		
5506-431	ACC LENS M12 MEGAPIXEL 6PCS	thread. For use with AXIS P39-R cameras. Includes lens tools.  Tool kit for simplifying adjustment of viewing direction and focus setting. Compatible with	\$	149.00
		AXIS P39xx-R cameras with the standard lens and the 2.8 mm accessory lens. Content: Lens		
5506-441	LENS TOOLKIT P39XX-R 4 PCS	tool, Allen key and Opening tool. 4 pcs of each.	\$	19.00
		Set of patch cables for AXIS T8085 PS57 RACK MOUNT 500W 1U to connect AXIS T8646		
5506-451 5506-461	AXIS PATCH CABLE A 200MM 6PCS  AXIS P32-VE SMOKED DOME A 5P	POE+ OVER COAX BLADE Smoked dome for AXIS P32-VE Series, 5 pcs	\$	79.00 169.00
3300-401	AND F 32-VE SIVIONED DOINE A SF	Wall mount with internal cable canal for dome cameras with 1.5" NPS thread, compatible	٧	103.00
		with Axis pendant kits. IK10 and NEMA 4X rated. Powder coated aluminum for indoor and		
5506-481	AXIS T91E61 WALL MOUNT	outdoor installations.	\$	39.00
		Tailor-made light weight IP66- and IK10-rated housing for AXIS M1124/M1125. Operating temperature: –20 °C to 50 °C (–4 °F to 122 °F). Material: IK10 impact-resistant polymer.		
5506-491	AXIS T93G05 PROTECTIVE HOUSING	Wallmount included.	\$	119.00
		11/15 2004 0 1/1 1/10 2004 0		
		AXIS F8214 Dome Accessory (4 pieces). Dome accessory for use with AXIS F1004 Sensor	ـ ا	59.00
5506-501	AXIS F8214 DOME ACC 4PCS	Unit. Can be mounted on walls and ceilings. Can be used with or without bubble.	\$	55.00
		AXIS F8224 Recessed Mount (4 pieces). Recessed mount accessory for use with AXIS F1004		
5506-511	AXIS F8224 RECESSED MOUNT 4PCS	AXIS F8224 Recessed Mount (4 pieces). Recessed mount accessory for use with AXIS F1004 Sensor Unit. Can be mounted in a ceiling.	\$	59.00
		AXIS F8224 Recessed Mount (4 pieces). Recessed mount accessory for use with AXIS F1004 Sensor Unit. Can be mounted in a ceiling. Standard clear dome for AXIS Q61 Series, 5 pcs		
5506-511	AXIS F8224 RECESSED MOUNT 4PCS	AXIS F8224 Recessed Mount (4 pieces). Recessed mount accessory for use with AXIS F1004 Sensor Unit. Can be mounted in a ceiling.	\$	59.00
5506-511	AXIS F8224 RECESSED MOUNT 4PCS	AXIS F8224 Recessed Mount (4 pieces). Recessed mount accessory for use with AXIS F1004 Sensor Unit. Can be mounted in a ceiling. Standard clear dome for AXIS Q61 Series, 5 pcs Discreet accessory for ceiling mount of AXIS F1025 (pinhole). AXIS F1025 provides 92°	\$	59.00
5506-511 5506-521	AXIS F8224 RECESSED MOUNT 4PCS AXIS Q6114-E/15-E CLEAR DOME 5P	AXIS F8224 Recessed Mount (4 pieces). Recessed mount accessory for use with AXIS F1004 Sensor Unit. Can be mounted in a ceiling. Standard clear dome for AXIS Q61 Series, 5 pcs Discreet accessory for ceiling mount of AXIS F1025 (pinhole). AXIS F1025 provides 92° horizontal FOV. Used to get overview of rooms or of a door. Can easily be repainted to fit ceiling color.	\$	59.00 269.00
5506-511 5506-521	AXIS F8224 RECESSED MOUNT 4PCS AXIS Q6114-E/15-E CLEAR DOME 5P	AXIS F8224 Recessed Mount (4 pieces). Recessed mount accessory for use with AXIS F1004 Sensor Unit. Can be mounted in a ceiling.  Standard clear dome for AXIS Q61 Series, 5 pcs  Discreet accessory for ceiling mount of AXIS F1025 (pinhole). AXIS F1025 provides 92° horizontal FOV. Used to get overview of rooms or of a door. Can easily be repainted to fit	\$	59.00 269.00
5506-511 5506-521 5506-531 5506-541 5506-551	AXIS F8224 RECESSED MOUNT 4PCS AXIS Q6114-E/15-E CLEAR DOME 5P  AXIS F8225 PINHOLE ACCESSORY  AXIS F8235 FISHEYE ACCESSORY AXIS INSTALLATION TOOL BATTERY 12V3.4Ah	AXIS F8224 Recessed Mount (4 pieces). Recessed mount accessory for use with AXIS F1004 Sensor Unit. Can be mounted in a ceiling.  Standard clear dome for AXIS Q61 Series, 5 pcs  Discreet accessory for ceiling mount of AXIS F1025 (pinhole). AXIS F1025 provides 92° horizontal FOV. Used to get overview of rooms or of a door. Can easily be repainted to fit ceiling color.  Discreet accessory to mount a AXIS F1035-E in a ceiling. Perfect for overview in small rooms or in parts of a larger room. Can easily be repainted to fit ceiling color.  Additional battery for AXIS T8415 Wireless Installation Tool.	\$ \$ \$	59.00 269.00 39.00
5506-511 5506-521 5506-531	AXIS F8224 RECESSED MOUNT 4PCS AXIS Q6114-E/15-E CLEAR DOME 5P  AXIS F8225 PINHOLE ACCESSORY  AXIS F8235 FISHEYE ACCESSORY	AXIS F8224 Recessed Mount (4 pieces). Recessed mount accessory for use with AXIS F1004 Sensor Unit. Can be mounted in a ceiling.  Standard clear dome for AXIS Q61 Series, 5 pcs  Discreet accessory for ceiling mount of AXIS F1025 (pinhole). AXIS F1025 provides 92° horizontal FOV. Used to get overview of rooms or of a door. Can easily be repainted to fit ceiling color.  Discreet accessory to mount a AXIS F1035-E in a ceiling. Perfect for overview in small rooms or in parts of a larger room. Can easily be repainted to fit ceiling color.	\$ \$ \$	59.00 269.00 39.00
5506-511 5506-521 5506-531 5506-541 5506-551	AXIS F8224 RECESSED MOUNT 4PCS AXIS Q6114-E/15-E CLEAR DOME 5P  AXIS F8225 PINHOLE ACCESSORY  AXIS F8235 FISHEYE ACCESSORY AXIS INSTALLATION TOOL BATTERY 12V3.4Ah	AXIS F8224 Recessed Mount (4 pieces). Recessed mount accessory for use with AXIS F1004 Sensor Unit. Can be mounted in a ceiling.  Standard clear dome for AXIS Q61 Series, 5 pcs  Discreet accessory for ceiling mount of AXIS F1025 (pinhole). AXIS F1025 provides 92° horizontal FOV. Used to get overview of rooms or of a door. Can easily be repainted to fit ceiling color.  Discreet accessory to mount a AXIS F1035-E in a ceiling. Perfect for overview in small rooms or in parts of a larger room. Can easily be repainted to fit ceiling color.  Additional battery for AXIS T8415 Wireless Installation Tool.	\$ \$ \$	59.00 269.00 39.00 39.00 99.00
5506-511 5506-521 5506-531 5506-541 5506-551 5506-561	AXIS F8224 RECESSED MOUNT 4PCS AXIS Q6114-E/15-E CLEAR DOME 5P  AXIS F8225 PINHOLE ACCESSORY  AXIS F8235 FISHEYE ACCESSORY  AXIS INSTALLATION TOOL BATTERY 12V3.4Ah AXIS INSTALLATION CHARGER ADAPTOR 12V1A	AXIS F8224 Recessed Mount (4 pieces). Recessed mount accessory for use with AXIS F1004 Sensor Unit. Can be mounted in a ceiling.  Standard clear dome for AXIS Q61 Series, 5 pcs  Discreet accessory for ceiling mount of AXIS F1025 (pinhole). AXIS F1025 provides 92° horizontal FOV. Used to get overview of rooms or of a door. Can easily be repainted to fit ceiling color.  Discreet accessory to mount a AXIS F1035-E in a ceiling. Perfect for overview in small rooms or in parts of a larger room. Can easily be repainted to fit ceiling color.  Additional battery for AXIS T8415 Wireless Installation Tool.  Charging adaptor for AXIS T8415 Wireless Installation Tool.  Stainless steel band for flexible mounting of AXIS F Series Sensor units and AXIS P12 sensor units. Sold in 10-pack. 10 x M20 x 1.5 nuts to lock the band to the sensor unit are included.	\$ \$	59.00 269.00 39.00 39.00 99.00 49.00
5506-511 5506-521 5506-531 5506-541 5506-551	AXIS F8224 RECESSED MOUNT 4PCS AXIS Q6114-E/15-E CLEAR DOME 5P  AXIS F8225 PINHOLE ACCESSORY  AXIS F8235 FISHEYE ACCESSORY AXIS INSTALLATION TOOL BATTERY 12V3.4Ah	AXIS F8224 Recessed Mount (4 pieces). Recessed mount accessory for use with AXIS F1004 Sensor Unit. Can be mounted in a ceiling.  Standard clear dome for AXIS Q61 Series, 5 pcs  Discreet accessory for ceiling mount of AXIS F1025 (pinhole). AXIS F1025 provides 92° horizontal FOV. Used to get overview of rooms or of a door. Can easily be repainted to fit ceiling color.  Discreet accessory to mount a AXIS F1035-E in a ceiling. Perfect for overview in small rooms or in parts of a larger room. Can easily be repainted to fit ceiling color.  Additional battery for AXIS T8415 Wireless Installation Tool.  Charging adaptor for AXIS T8415 Wireless Installation Tool.  Stainless steel band for flexible mounting of AXIS F Series Sensor units and AXIS P12 sensor	\$ \$ \$	59.00 269.00 39.00 39.00 99.00
5506-511 5506-521 5506-531 5506-541 5506-551 5506-561	AXIS F8224 RECESSED MOUNT 4PCS AXIS Q6114-E/15-E CLEAR DOME 5P  AXIS F8225 PINHOLE ACCESSORY  AXIS F8235 FISHEYE ACCESSORY  AXIS INSTALLATION TOOL BATTERY 12V3.4Ah AXIS INSTALLATION CHARGER ADAPTOR 12V1A	AXIS F8224 Recessed Mount (4 pieces). Recessed mount accessory for use with AXIS F1004 Sensor Unit. Can be mounted in a ceiling.  Standard clear dome for AXIS Q61 Series, 5 pcs  Discreet accessory for ceiling mount of AXIS F1025 (pinhole). AXIS F1025 provides 92° horizontal FOV. Used to get overview of rooms or of a door. Can easily be repainted to fit ceiling color.  Discreet accessory to mount a AXIS F1035-E in a ceiling. Perfect for overview in small rooms or in parts of a larger room. Can easily be repainted to fit ceiling color.  Additional battery for AXIS T8415 Wireless Installation Tool.  Charging adaptor for AXIS T8415 Wireless Installation Tool.  Stainless steel band for flexible mounting of AXIS F Series Sensor units and AXIS P12 sensor units. Sold in 10-pack. 10 x M20 x 1.5 nuts to lock the band to the sensor unit are included.	\$ \$	59.00 269.00 39.00 39.00 99.00 49.00

		Black aluminum stand for wall or hard ceiling mount. A cable hole in the base of the stand		
		makes it possible to hide the hole in the wall out of which the cable is routed. A snap on		
5506-621	AXIS T91B21 STAND BLACK	cover gives a clean look without visible screws. Compatible with all stan	\$	29.00
5506-641	AXIS Q6000-E CLEAR DOME	Clear dome for AXIS Q6000-E	\$	79.00
5506-651	AXIS T94U01D PENDANT KIT	Pendant kit for AXIS Q3505-SVE, without weather shield, mainly for indoor use made of stainless steel.	\$	379.00
5506-661	AXIS T94U02D PENDANT KIT	Outdoor pendant kit with weather shield for AXIS Q3505-SVE, made of stainless steel.	\$	419.00
5505 674	AVIC TO ALIONS MAQUINITING DDA CVET	Chandrad are until a baselat for AVIC 02505 CVF and a of stainless should had all a builties and at	,	100.00
5506-671 5506-681	AXIS T94U02S MOUNTING BRACKET  AXIS T91F61 WALL MOUNT STAINLESS STEEL	Standard mounting bracket for AXIS Q3505-SVE made of stainless steel. Including gasket.  Wall mount for AXIS Q3505-SVE, made of stainless steel.	\$	169.00 399.00
3300 001	PAIS 1511 OF WALE MOON! STAINLESS STEEL	wall mount for AND QDDD DVE, made of Stalliess steel.	7	333.00
		Pole bracket for AXIS Q35-SVE MkII made of marine-grade stainless steel. Includes 1 pair of		
		straps in marine-grade stainless steel (SS316L). Straps can be tightened with Mounting tool		
5506-691 5506-701	AXIS T91F67 POLE MOUNT STAINLESS STEEL  AXIS Q3505-SVE CLEAR DOME 2P	for pole bracket straps (sold separately). Compatible with AXIS T91F61 Standard clear dome for AXIS Q3505-SVE. 2pcs	\$	139.00 89.00
5506-721	AXIS LENS FUJINON CS 2.8-8MM P-IRIS	Standard Clear don'te for AXIS QSSOS-SVE. 2pcs  Standard CS mounted varifocal P-Iris lens 2.8-8mm for AXIS Q1615.	\$	149.00
5506-731	AXIS LENS TAMRON C 4-13MM DC-IRIS	Standard C mounted varifocal DC-Iris lens 4-13mm for AXIS Q1635.	\$	399.00
		Weathershield with screws for protecting the dome of an AXIS P32-VE camera from rain,		
5506-751	AXIS WEATHERSHIELD KIT E	snow and sun.	\$	18.00
5506-761	AXIS WEATHERSHIELD KIT D	Weathershield with screws for protecting the dome of an AXIS Q35-VE camera from rain, snow and sun.	\$	20.00
5506-791	AXIS Q3505-SVE SMOKED DOME 2P	Accessory smoked dome for AXIS Q3505-SVE. 2pcs	\$	89.00
		AXIS F7315 comes in packs of four. 15-m (49 ft.) white cable with an RJ12 contact for		
5506-821	AXIS F7315 CABLE WHITE 15M 4PCS	connection to an AXIS F1004 Sensor Unit.	\$	99.00
		AXIS Access Card is a contactless Mifare 1K smart card that uses advanced radio frequency		
5506-831	AXIS ACCESS CARD 1K, WHITE 200 pcs	identification (RFID) technology to deliver secure and reliable physical access to premises. It is robust and IP68-rated, comes in a pack of 200 pcs.	\$	359.00
3300 031	TWO NECESS OF IND IN, WHITE 200 pes	Recessed mount for AXIS P5514/-E and P5515/-E cameras. Also suitable indoor for recessed	Ť	555.00
		camera installations in plenum as the back box is made of metal and has a 3/4" hole for		
5506-841	AXIS T94A03L RECESSED MOUNT	cable protection conduits.	\$	139.00
FF06 9F1	AXIS T96B05 FRONT KIT 5 PCS	Spare part window and window holder for AXIS T96B05 Outdoor Housing and AXIS P3905- RE. 5 Pcs. Includes screws.	\$	160.00
5506-851	AXIS 190BUS FRONT KIT 5 PCS	Durable soft bag to carry the AXIS T8415 Wireless Installation Tool, with space for extra	\$	169.00
5506-871	AXIS T8415 INSTALLATION BAG	battery, charger, network cables etc.	\$	49.00
		Kit including AXIS T8415 Wireless Installation Tool, one extra AXIS Installation Tool Battery		
5506-881	AXIS T8415 WIRELESS INST TOOL KIT	12V3.4Ah and one AXIS Installation Bag.	\$	699.00
5506-891	AXIS ADAPTER RJ45 MALE TO MALE	Adapter for connecting Q6000-E to PTZ camera  AXIS F7308 comes in packs of four. 8-m (26 ft.) black cable with an RJ12 contact for	\$	15.00
		connection to an AXIS F1004 Sensor Unit. Used as a spare part for the original cable that		
5506-921	AXIS F7308 CABLE BLACK 8M 4PCS	comes with AXIS F1004 Sensor Unit.	\$	39.00
		Indoor PIR detector especially made for Axis cameras to enhance motion detection. Easy		
5506-931	AXIS T8331 PIR MOTION DETECTOR	plug and play connectivity to Axis I/O camera port.	\$	39.00
5506-941	AXIS T8331-E PIR MOTION DETECTOR	Outdoor PIR detector especially made for Axis cameras to enhance motion detection. Easy plug and play connectivity to Axis I/O camera port.	\$	129.00
3300-941	AXIS 18331-E FIR MOTION DETECTOR	plug and play connectivity to Axis 1/0 camera port.	,	129.00
		The aluminum IP66, NEMA 4X and IK10 rated AXIS T91G61 Wall Mount is designed to		
		accommodate and safely protect accessories e.g. a midspan inside the mount. Quickly and		
5506-951	AXIS T91G61 WALL MOUNT		l .	
EFOC OC1		easily connect power and data via the pre-mounted IP66 rated RJ45 connector. Compatible	\$	175.00
5506-961 5506-971	LENS CS 3-10.5MM DC-IRIS	Standard lens for AXIS M1124/-E, M1125/-E.	\$	99.00
5506-961 5506-971 5506-981		, , , , , , , , , , , , , , , , , , , ,		
5506-971	LENS CS 3-10.5MM DC-IRIS AXIS T93G TOP COVER	Standard lens for AXIS M1124/-E, M1125/-E. Spare part top part of the AXIS T93G housing including window.	\$ \$ \$	99.00 49.00
5506-971	LENS CS 3-10.5MM DC-IRIS AXIS T93G TOP COVER	Standard lens for AXIS M1124/-E, M1125/-E.  Spare part top part of the AXIS T93G housing including window.  Standard lens kit M12 1.37mm for AXIS Q6000-E. Gasket included.	\$	99.00 49.00
5506-971 5506-981 5506-991	LENS CS 3-10.5MM DC-IRIS AXIS T93G TOP COVER AXIS Q6000 LENS M12 1.37MM  LENS FUJINON C CS 8-80MM DC	Standard lens for AXIS M1124/-E, M1125/-E.  Spare part top part of the AXIS T93G housing including window.  Standard lens kit M12 1.37mm for AXIS Q6000-E. Gasket included.  Varifocal IR-corrected lens with DC-Iris. For use with both C-mount and CS-mount cameras thanks to the included adapter. Compatible with e.g. AXIS Q1635.	\$ \$ \$	99.00 49.00 59.00 349.00
5506-971 5506-981	LENS CS 3-10.5MM DC-IRIS AXIS T93G TOP COVER AXIS Q6000 LENS M12 1.37MM	Standard lens for AXIS M1124/-E, M1125/-E.  Spare part top part of the AXIS T93G housing including window.  Standard lens kit M12 1.37mm for AXIS Q6000-E. Gasket included.  Varifocal IR-corrected lens with DC-Iris. For use with both C-mount and CS-mount cameras thanks to the included adapter. Compatible with e.g. AXIS Q1635.  Trim ring for discreet mounting of AXIS F1025 Sensor Unit behind a thin surface. 10 PCS.	\$ \$ \$	99.00 49.00 59.00
5506-971 5506-981 5506-991	LENS CS 3-10.5MM DC-IRIS AXIS T93G TOP COVER AXIS Q6000 LENS M12 1.37MM  LENS FUJINON C CS 8-80MM DC	Standard lens for AXIS M1124/-E, M1125/-E.  Spare part top part of the AXIS T93G housing including window.  Standard lens kit M12 1.37mm for AXIS Q6000-E. Gasket included.  Varifocal IR-corrected lens with DC-Iris. For use with both C-mount and CS-mount cameras thanks to the included adapter. Compatible with e.g. AXIS Q1635.	\$ \$ \$	99.00 49.00 59.00 349.00
5506-971 5506-981 5506-991 5507-101 5507-111	LENS CS 3-10.5MM DC-IRIS  AXIS T93G TOP COVER  AXIS Q6000 LENS M12 1.37MM  LENS FUJINON C CS 8-80MM DC  AXIS F8211 PINHOLE TRIM RING 10PCS  AXIS F8212 TRIM RING 10PCS	Standard lens for AXIS M1124/-E, M1125/-E.  Spare part top part of the AXIS T93G housing including window.  Standard lens kit M12 1.37mm for AXIS Q6000-E. Gasket included.  Varifocal IR-corrected lens with DC-Iris. For use with both C-mount and CS-mount cameras thanks to the included adapter. Compatible with e.g. AXIS Q1635.  Trim ring for discreet mounting of AXIS F1025 Sensor Unit behind a thin surface. 10 PCS.  Trim ring for discreet mounting of AXIS F1005-E, F1035-E, P1214-E and P1224-E behind a surface. 10 PCS.	\$ \$ \$ \$	99.00 49.00 59.00 349.00 59.00
5506-971 5506-981 5506-991 5507-101 5507-111	LENS CS 3-10.5MM DC-IRIS  AXIS T93G TOP COVER  AXIS Q6000 LENS M12 1.37MM  LENS FUJINON C CS 8-80MM DC  AXIS F8211 PINHOLE TRIM RING 10PCS  AXIS F8212 TRIM RING 10PCS  AXIS WEATHERSHIELD K	Standard lens for AXIS M1124/-E, M1125/-E.  Spare part top part of the AXIS T93G housing including window.  Standard lens kit M12 1.37mm for AXIS Q6000-E. Gasket included.  Varifocal IR-corrected lens with DC-Iris. For use with both C-mount and CS-mount cameras thanks to the included adapter. Compatible with e.g. AXIS Q1635.  Trim ring for discreet mounting of AXIS F1025 Sensor Unit behind a thin surface. 10 PCS.  Trim ring for discreet mounting of AXIS F1005-E, F1035-E, P1214-E and P1224-E behind a surface. 10 PCS.  Weathershield for AXIS P14 Series designed for use in rainy and windy environments.	\$ \$ \$ \$ \$	99.00 49.00 59.00 349.00 59.00 99.00
5506-971 5506-981 5506-991 5507-101 5507-111	LENS CS 3-10.5MM DC-IRIS  AXIS T93G TOP COVER  AXIS Q6000 LENS M12 1.37MM  LENS FUJINON C CS 8-80MM DC  AXIS F8211 PINHOLE TRIM RING 10PCS  AXIS F8212 TRIM RING 10PCS	Standard lens for AXIS M1124/-E, M1125/-E.  Spare part top part of the AXIS T93G housing including window.  Standard lens kit M12 1.37mm for AXIS Q6000-E. Gasket included.  Varifocal IR-corrected lens with DC-Iris. For use with both C-mount and CS-mount cameras thanks to the included adapter. Compatible with e.g. AXIS Q1635.  Trim ring for discreet mounting of AXIS F1025 Sensor Unit behind a thin surface. 10 PCS.  Trim ring for discreet mounting of AXIS F1005-E, F1035-E, P1214-E and P1224-E behind a surface. 10 PCS.	\$ \$ \$ \$	99.00 49.00 59.00 349.00 59.00
5506-971 5506-981 5506-991 5507-101 5507-111	LENS CS 3-10.5MM DC-IRIS  AXIS T93G TOP COVER  AXIS Q6000 LENS M12 1.37MM  LENS FUJINON C CS 8-80MM DC  AXIS F8211 PINHOLE TRIM RING 10PCS  AXIS F8212 TRIM RING 10PCS  AXIS WEATHERSHIELD K	Standard lens for AXIS M1124/-E, M1125/-E.  Spare part top part of the AXIS T936 housing including window.  Standard lens kit M12 1.37mm for AXIS Q6000-E. Gasket included.  Varifocal IR-corrected lens with DC-Iris. For use with both C-mount and CS-mount cameras thanks to the included adapter. Compatible with e.g. AXIS Q1635.  Trim ring for discreet mounting of AXIS F1025 Sensor Unit behind a thin surface. 10 PCS.  Trim ring for discreet mounting of AXIS F1005-E, F1035-E, P1214-E and P1224-E behind a surface. 10 PCS.  Weathershield for AXIS P14 Series designed for use in rainy and windy environments.  Standard plastic mounting bracket for AXIS P1405, P1425, P1427, P1428.	\$ \$ \$ \$ \$	99.00 49.00 59.00 349.00 59.00 99.00
5506-971 5506-981 5506-991 5507-101 5507-111	LENS CS 3-10.5MM DC-IRIS  AXIS T93G TOP COVER  AXIS Q6000 LENS M12 1.37MM  LENS FUJINON C CS 8-80MM DC  AXIS F8211 PINHOLE TRIM RING 10PCS  AXIS F8212 TRIM RING 10PCS  AXIS WEATHERSHIELD K	Standard lens for AXIS M1124/-E, M1125/-E.  Spare part top part of the AXIS T93G housing including window.  Standard lens kit M12 1.37mm for AXIS Q6000-E. Gasket included.  Varifocal IR-corrected lens with DC-Iris. For use with both C-mount and CS-mount cameras thanks to the included adapter. Compatible with e.g. AXIS Q1635.  Trim ring for discreet mounting of AXIS F1025 Sensor Unit behind a thin surface. 10 PCS.  Trim ring for discreet mounting of AXIS F1005-E, F1035-E, P1214-E and P1224-E behind a surface. 10 PCS.  Weathershield for AXIS P14 Series designed for use in rainy and windy environments.	\$ \$ \$ \$ \$	99.00 49.00 59.00 349.00 59.00 99.00
5506-971 5506-981 5506-991 5507-101 5507-111 5507-121 5507-131	LENS CS 3-10.5MM DC-IRIS  AXIS T93G TOP COVER  AXIS Q6000 LENS M12 1.37MM  LENS FUJINON C CS 8-80MM DC  AXIS F8211 PINHOLE TRIM RING 10PCS  AXIS F8212 TRIM RING 10PCS  AXIS WEATHERSHIELD K  AXIS T94F02S MOUNTING BRACKET  AXIS T91D62 TELESCOPIC PARAPET MNT	Standard lens for AXIS M1124/-E, M1125/-E.  Spare part top part of the AXIS T93G housing including window.  Standard lens kit M12 1.37mm for AXIS Q6000-E. Gasket included.  Varifocal IR-corrected lens with DC-Iris. For use with both C-mount and CS-mount cameras thanks to the included adapter. Compatible with e.g. AXIS Q1635.  Trim ring for discreet mounting of AXIS F1025 Sensor Unit behind a thin surface. 10 PCS.  Trim ring for discreet mounting of AXIS F1025-E, F1035-E, P1214-E and P1224-E behind a surface. 10 PCS.  Weathershield for AXIS P14 Series designed for use in rainy and windy environments.  Standard plastic mounting bracket for AXIS P1405, P1425, P1427, P1428.  Made for parapet and wall installations. Telescopic arm with adjustable length between 783 mm (30.1 in) to 1033 mm (40.7 in) for compensating different parapet thicknesses or obstructive elements on the facade of the building. It can Swivel round its own	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	99.00 49.00 59.00 349.00 59.00 99.00 29.00 19.00
5506-971 5506-981 5506-991 5507-101 5507-111 5507-121 5507-131	LENS CS 3-10.5MM DC-IRIS  AXIS T93G TOP COVER  AXIS Q6000 LENS M12 1.37MM  LENS FUJINON C CS 8-80MM DC  AXIS F8211 PINHOLE TRIM RING 10PCS  AXIS F8212 TRIM RING 10PCS  AXIS WEATHERSHIELD K  AXIS T94F02S MOUNTING BRACKET	Standard lens for AXIS M1124/-E, M1125/-E.  Spare part top part of the AXIS T936 housing including window.  Standard lens kit M12 1.37mm for AXIS Q6000-E. Gasket included.  Varifocal IR-corrected lens with DC-Iris. For use with both C-mount and CS-mount cameras thanks to the included adapter. Compatible with e.g. AXIS Q1635.  Trim ring for discreet mounting of AXIS F1025 Sensor Unit behind a thin surface. 10 PCS.  Trim ring for discreet mounting of AXIS F1005-E, F1035-E, P1214-E and P1224-E behind a surface. 10 PCS.  Weathershield for AXIS P14 Series designed for use in rainy and windy environments.  Standard plastic mounting bracket for AXIS P1405, P1425, P1427, P1428.  Made for parapet and wall installations. Telescopic arm with adjustable length between 783 mm (30.1 in) to 1033 mm (40.7 in) for compensating different parapet thicknesses or obstructive elements on the facade of the building. It can Swivel round its own Standard clear dome for AXIS Q6114-E/Q6115-E.	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	99.00 49.00 59.00 349.00 59.00 99.00 29.00 19.00
5506-971 5506-981 5506-991 5507-101 5507-121 5507-131 5507-271 5507-281	LENS CS 3-10.5MM DC-IRIS  AXIS T93G TOP COVER  AXIS Q6000 LENS M12 1.37MM  LENS FUJINON C CS 8-80MM DC  AXIS F8211 PINHOLE TRIM RING 10PCS  AXIS F8212 TRIM RING 10PCS  AXIS WEATHERSHIELD K  AXIS T94F02S MOUNTING BRACKET  AXIS T91D62 TELESCOPIC PARAPET MNT  AXIS Q6114-E/15-E CLEAR DOME	Standard lens for AXIS M1124/-E, M1125/-E.  Spare part top part of the AXIS T936 housing including window.  Standard lens kit M12 1.37mm for AXIS Q6000-E. Gasket included.  Varifocal IR-corrected lens with DC-Iris. For use with both C-mount and CS-mount cameras thanks to the included adapter. Compatible with e.g. AXIS Q1635.  Trim ring for discreet mounting of AXIS F1025 Sensor Unit behind a thin surface. 10 PCS.  Trim ring for discreet mounting of AXIS F1025-E, F1035-E, P1214-E and P1224-E behind a surface. 10 PCS.  Weathershield for AXIS P14 Series designed for use in rainy and windy environments.  Standard plastic mounting bracket for AXIS P1405, P1425, P1427, P1428.  Made for parapet and wall installations. Telescopic arm with adjustable length between 783 mm (30.1 in) to 1033 mm (40.7 in) for compensating different parapet thicknesses or obstructive elements on the facade of the building. It can Swivel round its own Standard clear dome for AXIS Q6114-E/Q6115-E.  Standard clear dome with anti-scratch hard coating. Compatible with AXIS Q3708-PVE and	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	99.00 49.00 59.00 349.00 59.00 99.00 29.00 19.00 349.00 59.00
5506-971 5506-981 5506-991 5507-101 5507-111 5507-121 5507-131	LENS CS 3-10.5MM DC-IRIS  AXIS T93G TOP COVER  AXIS Q6000 LENS M12 1.37MM  LENS FUJINON C CS 8-80MM DC  AXIS F8211 PINHOLE TRIM RING 10PCS  AXIS F8212 TRIM RING 10PCS  AXIS WEATHERSHIELD K  AXIS T94F02S MOUNTING BRACKET  AXIS T91D62 TELESCOPIC PARAPET MNT	Standard lens for AXIS M1124/-E, M1125/-E.  Spare part top part of the AXIS T936 housing including window.  Standard lens kit M12 1.37mm for AXIS Q6000-E. Gasket included.  Varifocal IR-corrected lens with DC-Iris. For use with both C-mount and CS-mount cameras thanks to the included adapter. Compatible with e.g. AXIS Q1635.  Trim ring for discreet mounting of AXIS F1025 Sensor Unit behind a thin surface. 10 PCS.  Trim ring for discreet mounting of AXIS F1005-E, F1035-E, P1214-E and P1224-E behind a surface. 10 PCS.  Weathershield for AXIS P14 Series designed for use in rainy and windy environments.  Standard plastic mounting bracket for AXIS P1405, P1425, P1427, P1428.  Made for parapet and wall installations. Telescopic arm with adjustable length between 783 mm (30.1 in) to 1033 mm (40.7 in) for compensating different parapet thicknesses or obstructive elements on the facade of the building. It can Swivel round its own Standard clear dome for AXIS Q6114-E/Q6115-E.	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	99.00 49.00 59.00 349.00 59.00 99.00 29.00 19.00
5506-971 5506-981 5506-991 5507-101 5507-111 5507-121 5507-131 5507-271 5507-281 5507-321	LENS CS 3-10.5MM DC-IRIS  AXIS T93G TOP COVER  AXIS Q6000 LENS M12 1.37MM  LENS FUJINON C CS 8-80MM DC  AXIS F8211 PINHOLE TRIM RING 10PCS  AXIS F8212 TRIM RING 10PCS  AXIS WEATHERSHIELD K  AXIS T94F02S MOUNTING BRACKET  AXIS T91D62 TELESCOPIC PARAPET MNT  AXIS Q6114-E/15-E CLEAR DOME  AXIS Q37 CLEAR DOME A	Standard lens for AXIS M1124/-E, M1125/-E.  Spare part top part of the AXIS T93G housing including window.  Standard lens kit M12 1.37mm for AXIS Q6000-E. Gasket included.  Varifocal IR-corrected lens with DC-Iris. For use with both C-mount and CS-mount cameras thanks to the included adapter. Compatible with e.g. AXIS Q1635.  Trim ring for discreet mounting of AXIS F1025 Sensor Unit behind a thin surface. 10 PCS.  Trim ring for discreet mounting of AXIS F1025-E, F1035-E, P1214-E and P1224-E behind a surface. 10 PCS.  Weathershield for AXIS P14 Series designed for use in rainy and windy environments.  Standard plastic mounting bracket for AXIS P1405, P1425, P1427, P1428.  Made for parapet and wall installations. Telescopic arm with adjustable length between 783 mm (30.1 in) to 1033 mm (40.7 in) for compensating different parapet thicknesses or obstructive elements on the facade of the building. It can Swivel round its own Standard clear dome for AXIS Q6114-E/Q6115-E.  Standard clear dome with anti-scratch hard coating. Compatible with AXIS Q3708-PVE and Q3709-PVE. Single pack.	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	99.00 49.00 59.00 349.00 59.00 99.00 29.00 19.00 349.00 59.00
5506-971 5506-981 5506-991 5507-101 5507-111 5507-121 5507-131 5507-271 5507-281 5507-311	LENS CS 3-10.5MM DC-IRIS  AXIS T93G TOP COVER  AXIS Q6000 LENS M12 1.37MM  LENS FUJINON C CS 8-80MM DC  AXIS F8211 PINHOLE TRIM RING 10PCS  AXIS F8212 TRIM RING 10PCS  AXIS WEATHERSHIELD K  AXIS T94F02S MOUNTING BRACKET  AXIS T91D62 TELESCOPIC PARAPET MNT  AXIS Q6114-E/15-E CLEAR DOME  AXIS Q37 CLEAR DOME A	Standard lens for AXIS M1124/-E, M1125/-E.  Spare part top part of the AXIS T936 housing including window.  Standard lens kit M12 1.37mm for AXIS Q6000-E. Gasket included.  Varifocal IR-corrected lens with DC-Iris. For use with both C-mount and CS-mount cameras thanks to the included adapter. Compatible with e.g. AXIS Q1635.  Trim ring for discreet mounting of AXIS F1025 Sensor Unit behind a thin surface. 10 PCS.  Trim ring for discreet mounting of AXIS F1025-E, F1035-E, P1214-E and P1224-E behind a surface. 10 PCS.  Weathershield for AXIS P14 Series designed for use in rainy and windy environments.  Standard plastic mounting bracket for AXIS P1405, P1425, P1427, P1428.  Made for parapet and wall installations. Telescopic arm with adjustable length between 783 mm (30.1 in) to 1033 mm (40.7 in) for compensating different parapet thicknesses or obstructive elements on the facade of the building. It can Swivel round its own Standard clear dome for AXIS Q6114-E/Q6115-E.  Standard clear dome with anti-scratch hard coating. Compatible with AXIS Q3708-PVE and Q3709-PVE. Single pack.  Standard weathershield for AXIS Q3709  Plastic mounting kit with stand and clamp for flexible moutning of Axis products with tripod thread.	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	99.00 49.00 59.00 349.00 59.00 99.00 29.00 19.00 349.00 59.00
5506-971 5506-981 5506-991 5507-101 5507-111 5507-121 5507-131 5507-271 5507-281 5507-321	LENS CS 3-10.5MM DC-IRIS  AXIS T93G TOP COVER  AXIS Q6000 LENS M12 1.37MM  LENS FUJINON C CS 8-80MM DC  AXIS F8211 PINHOLE TRIM RING 10PCS  AXIS F8212 TRIM RING 10PCS  AXIS WEATHERSHIELD K  AXIS T94F02S MOUNTING BRACKET  AXIS T91D62 TELESCOPIC PARAPET MNT  AXIS Q6114-E/15-E CLEAR DOME  AXIS Q37 CLEAR DOME A  AXIS WEATHERSHIELD KIT M	Standard lens for AXIS M1124/-E, M1125/-E.  Spare part top part of the AXIS T93G housing including window.  Standard lens kit M12 1.37mm for AXIS Q6000-E. Gasket included.  Varifocal IR-corrected lens with DC-Iris. For use with both C-mount and CS-mount cameras thanks to the included adapter. Compatible with e.g. AXIS Q1635.  Trim ring for discreet mounting of AXIS F1025 Sensor Unit behind a thin surface. 10 PCS.  Trim ring for discreet mounting of AXIS F1025-E, F1035-E, P1214-E and P1224-E behind a surface. 10 PCS.  Weathershield for AXIS P14 Series designed for use in rainy and windy environments.  Standard plastic mounting bracket for AXIS P1405, P1425, P1427, P1428.  Made for parapet and wall installations. Telescopic arm with adjustable length between 783 mm (30.1 in) to 1033 mm (40.7 in) for compensating different parapet thicknesses or obstructive elements on the facade of the building. It can Swivel round its own Standard clear dome for AXIS Q6114-E/Q6115-E.  Standard clear dome with anti-scratch hard coating. Compatible with AXIS Q3708-PVE and Q3709-PVE. Single pack.  Standard weathershield for AXIS Q3709  Plastic mounting kit with stand and clamp for flexible moutning of Axis products with tripod thread.  Aluminum pole mount with stainless steel straps for poles between 60-400 mm (2.4"-15.7")	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	99.00 49.00 59.00 349.00 59.00 99.00 29.00 19.00 349.00 59.00
5506-971 5506-981 5506-991 5507-101 5507-111 5507-121 5507-131 5507-271 5507-281 5507-311 5507-311	LENS CS 3-10.5MM DC-IRIS  AXIS T93G TOP COVER  AXIS Q6000 LENS M12 1.37MM  LENS FUJINON C CS 8-80MM DC  AXIS F8211 PINHOLE TRIM RING 10PCS  AXIS F8212 TRIM RING 10PCS  AXIS WEATHERSHIELD K  AXIS T94F02S MOUNTING BRACKET  AXIS T91D62 TELESCOPIC PARAPET MNT  AXIS Q6114-E/15-E CLEAR DOME  AXIS Q37 CLEAR DOME A  AXIS WEATHERSHIELD KIT M  AXIS T91A10 MOUNTING KIT	Standard lens for AXIS M1124/-E, M1125/-E.  Spare part top part of the AXIS T93G housing including window.  Standard lens kit M12 1.37mm for AXIS Q6000-E. Gasket included.  Varifocal IR-corrected lens with DC-Iris. For use with both C-mount and CS-mount cameras thanks to the included adapter. Compatible with e.g. AXIS Q1635.  Trim ring for discreet mounting of AXIS F1025 Sensor Unit behind a thin surface. 10 PCS.  Trim ring for discreet mounting of AXIS F1025-E, F1035-E, P1214-E and P1224-E behind a surface. 10 PCS.  Weathershield for AXIS P14 Series designed for use in rainy and windy environments.  Standard plastic mounting bracket for AXIS P1405, P1425, P1427, P1428.  Made for parapet and wall installations. Telescopic arm with adjustable length between 783 mm (30.1 in) to 1033 mm (40.7 in) for compensating different parapet thicknesses or obstructive elements on the facade of the building. It can Swivel round its own Standard clear dome for AXIS Q6114-E/Q6115-E.  Standard clear dome with anti-scratch hard coating. Compatible with AXIS Q3708-PVE and Q3709-PVE. Single pack.  Standard weathershield for AXIS Q3709  Plastic mounting kit with stand and clamp for flexible mounting of Axis products with tripod thread.  Aluminum pole mount with stainless steel straps for poles between 60-400 mm (2.4"-15.7") in diameter. AXIS T91A57 is compatible with AXIS T91G61 Wall mount and AXIS T98A	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	99.00 49.00 59.00 349.00 99.00 29.00 19.00 349.00 59.00 49.00 34.00
5506-971 5506-981 5506-991 5507-101 5507-111 5507-121 5507-131 5507-271 5507-281 5507-321	LENS CS 3-10.5MM DC-IRIS  AXIS T93G TOP COVER  AXIS Q6000 LENS M12 1.37MM  LENS FUJINON C CS 8-80MM DC  AXIS F8211 PINHOLE TRIM RING 10PCS  AXIS F8212 TRIM RING 10PCS  AXIS WEATHERSHIELD K  AXIS T94F02S MOUNTING BRACKET  AXIS T91D62 TELESCOPIC PARAPET MNT  AXIS Q6114-E/15-E CLEAR DOME  AXIS Q37 CLEAR DOME A  AXIS WEATHERSHIELD KIT M	Standard lens for AXIS M1124/-E, M1125/-E.  Spare part top part of the AXIS T93G housing including window.  Standard lens kit M12 1.37mm for AXIS Q6000-E. Gasket included.  Varifocal IR-corrected lens with DC-Iris. For use with both C-mount and CS-mount cameras thanks to the included adapter. Compatible with e.g. AXIS Q1635.  Trim ring for discreet mounting of AXIS F1025 Sensor Unit behind a thin surface. 10 PCS.  Trim ring for discreet mounting of AXIS F1025-E, F1035-E, P1214-E and P1224-E behind a surface. 10 PCS.  Weathershield for AXIS P14 Series designed for use in rainy and windy environments.  Standard plastic mounting bracket for AXIS P1405, P1425, P1427, P1428.  Made for parapet and wall installations. Telescopic arm with adjustable length between 783 mm (30.1 in) to 1033 mm (40.7 in) for compensating different parapet thicknesses or obstructive elements on the facade of the building. It can Swivel round its own Standard clear dome for AXIS Q6114-E/Q6115-E.  Standard clear dome with anti-scratch hard coating. Compatible with AXIS Q3708-PVE and Q3709-PVE. Single pack.  Standard weathershield for AXIS Q3709  Plastic mounting kit with stand and clamp for flexible moutning of Axis products with tripod thread.  Aluminum pole mount with stainless steel straps for poles between 60-400 mm (2.4"-15.7")	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	99.00 49.00 59.00 349.00 59.00 99.00 29.00 19.00 349.00 59.00
5506-971 5506-981 5506-991 5507-101 5507-111 5507-121 5507-131 5507-271 5507-281 5507-311 5507-311	LENS CS 3-10.5MM DC-IRIS  AXIS T93G TOP COVER  AXIS Q6000 LENS M12 1.37MM  LENS FUJINON C CS 8-80MM DC  AXIS F8211 PINHOLE TRIM RING 10PCS  AXIS F8212 TRIM RING 10PCS  AXIS WEATHERSHIELD K  AXIS T94F02S MOUNTING BRACKET  AXIS T91D62 TELESCOPIC PARAPET MNT  AXIS Q6114-E/15-E CLEAR DOME  AXIS Q37 CLEAR DOME A  AXIS WEATHERSHIELD KIT M  AXIS T91A10 MOUNTING KIT	Standard lens for AXIS M1124/-E, M1125/-E.  Spare part top part of the AXIS T93G housing including window.  Standard lens kit M12 1.37mm for AXIS Q6000-E. Gasket included.  Varifocal IR-corrected lens with DC-Iris. For use with both C-mount and CS-mount cameras thanks to the included adapter. Compatible with e.g. AXIS Q1635.  Trim ring for discreet mounting of AXIS F1025 Sensor Unit behind a thin surface. 10 PCS.  Trim ring for discreet mounting of AXIS F1025-E, F1035-E, P1214-E and P1224-E behind a surface. 10 PCS.  Weathershield for AXIS P14 Series designed for use in rainy and windy environments.  Standard plastic mounting bracket for AXIS P1405, P1425, P1427, P1428.  Made for parapet and wall installations. Telescopic arm with adjustable length between 783 mm (30.1 in) to 1033 mm (40.7 in) for compensating different parapet thicknesses or obstructive elements on the facade of the building. It can Swivel round its own Standard clear dome for AXIS Q6114-E/Q6115-E.  Standard clear dome with anti-scratch hard coating. Compatible with AXIS Q3708-PVE and Q3709-PVE. Single pack.  Standard weathershield for AXIS Q3709  Plastic mounting kit with stand and clamp for flexible mounting of Axis products with tripod thread.  Aluminum pole mount with stainless steel straps for poles between 60-400 mm (2.4"-15.7") in diameter. AXIS T91A57 is compatible with AXIS T91G61 Wall mount and AXIS T98A	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	99.00 49.00 59.00 349.00 99.00 29.00 19.00 349.00 59.00 49.00 34.00
5506-971 5506-981 5506-991 5507-101 5507-111 5507-121 5507-131 5507-271 5507-281 5507-311 5507-321 5507-331	LENS CS 3-10.5MM DC-IRIS  AXIS T93G TOP COVER  AXIS Q6000 LENS M12 1.37MM  LENS FUJINON C CS 8-80MM DC  AXIS F8211 PINHOLE TRIM RING 10PCS  AXIS F8212 TRIM RING 10PCS  AXIS WEATHERSHIELD K  AXIS T94F02S MOUNTING BRACKET  AXIS T91D62 TELESCOPIC PARAPET MNT  AXIS Q6114-E/15-E CLEAR DOME  AXIS Q37 CLEAR DOME A  AXIS WEATHERSHIELD KIT M  AXIS T91A10 MOUNTING KIT	Standard lens for AXIS M1124/-E, M1125/-E.  Spare part top part of the AXIS T93G housing including window.  Standard lens kit M12 1.37mm for AXIS Q6000-E. Gasket included.  Varifocal IR-corrected lens with DC-Iris. For use with both C-mount and CS-mount cameras thanks to the included adapter. Compatible with e.g. AXIS Q1635.  Trim ring for discreet mounting of AXIS F1025 Sensor Unit behind a thin surface. 10 PCS.  Trim ring for discreet mounting of AXIS F1025-E, F1035-E, P1214-E and P1224-E behind a surface. 10 PCS.  Weathershield for AXIS P14 Series designed for use in rainy and windy environments.  Standard plastic mounting bracket for AXIS P1405, P1425, P1427, P1428.  Made for parapet and wall installations. Telescopic arm with adjustable length between 783 mm (30.1 in) to 1033 mm (40.7 in) for compensating different parapet thicknesses or obstructive elements on the facade of the building. It can Swivel round its own Standard clear dome for AXIS Q6114-E/Q6115-E.  Standard clear dome with anti-scratch hard coating. Compatible with AXIS Q3708-PVE and Q3709-PVE. Single pack.  Standard weathershield for AXIS Q3709  Plastic mounting kit with stand and clamp for flexible mounting of Axis products with tripod thread.  Aluminum pole mount with stainless steel straps for poles between 60-400 mm (2.4"-15.7") in diameter. AXIS T91A57 is compatible with AXIS T91G61 Wall mount and AXIS T98A Surveillance Cabinet Series.	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	99.00 49.00 59.00 349.00 99.00 29.00 19.00 349.00 59.00 49.00 34.00 19.00
5506-971 5506-981 5506-991 5507-101 5507-111 5507-121 5507-131 5507-271 5507-281 5507-311 5507-311	LENS CS 3-10.5MM DC-IRIS  AXIS T93G TOP COVER  AXIS Q6000 LENS M12 1.37MM  LENS FUJINON C CS 8-80MM DC  AXIS F8211 PINHOLE TRIM RING 10PCS  AXIS F8212 TRIM RING 10PCS  AXIS WEATHERSHIELD K  AXIS T94F02S MOUNTING BRACKET  AXIS T91D62 TELESCOPIC PARAPET MNT  AXIS Q6114-E/15-E CLEAR DOME  AXIS Q37 CLEAR DOME A  AXIS WEATHERSHIELD KIT M  AXIS T91A10 MOUNTING KIT	Standard lens for AXIS M1124/-E, M1125/-E.  Spare part top part of the AXIS T936 housing including window.  Standard lens kit M12 1.37mm for AXIS Q6000-E. Gasket included.  Varifocal IR-corrected lens with DC-Iris. For use with both C-mount and CS-mount cameras thanks to the included adapter. Compatible with e.g. AXIS Q1635.  Trim ring for discreet mounting of AXIS F1025 Sensor Unit behind a thin surface. 10 PCS.  Trim ring for discreet mounting of AXIS F1005-E, F1035-E, P1214-E and P1224-E behind a surface. 10 PCS.  Weathershield for AXIS P14 Series designed for use in rainy and windy environments.  Standard plastic mounting bracket for AXIS P1405, P1425, P1427, P1428.  Made for parapet and wall installations. Telescopic arm with adjustable length between 783 mm (30.1 in) to 1033 mm (40.7 in) for compensating different parapet thicknesses or obstructive elements on the facade of the building. It can Swivel round its own Standard clear dome for AXIS Q6114-E/Q6115-E.  Standard clear dome with anti-scratch hard coating. Compatible with AXIS Q3708-PVE and Q3709-PVE. Single pack.  Standard weathershield for AXIS Q3709  Plastic mounting kit with stand and clamp for flexible mounting of Axis products with tripod thread.  Aluminum pole mount with stainless steel straps for poles between 60-400 mm (2.4"-15.7") in diameter. AXIS T91A57 is compatible with AXIS T91G61 Wall mount and AXIS T98A Surveillance Cabinet Series.  Pendant kit for wall mount or ceiling mount. Compatible with Axis mounting accessories with 1.5" NPS thread. 3/4" threaded pipes can also be used with a nut for securing. Compatible with the small form factor of AXIS M20, M31-LV/-LVE, M30-V/-WV and Compan	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	99.00 49.00 59.00 349.00 99.00 29.00 19.00 349.00 59.00 49.00 34.00
5506-971 5506-981 5506-991 5507-101 5507-111 5507-121 5507-131 5507-271 5507-281 5507-311 5507-321 5507-331	LENS CS 3-10.5MM DC-IRIS  AXIS T93G TOP COVER  AXIS Q6000 LENS M12 1.37MM  LENS FUJINON C CS 8-80MM DC  AXIS F8211 PINHOLE TRIM RING 10PCS  AXIS F8212 TRIM RING 10PCS  AXIS WEATHERSHIELD K  AXIS T94F02S MOUNTING BRACKET  AXIS T91D62 TELESCOPIC PARAPET MNT  AXIS Q6114-E/15-E CLEAR DOME  AXIS Q37 CLEAR DOME A  AXIS WEATHERSHIELD KIT M  AXIS T91A10 MOUNTING KIT	Standard lens for AXIS M1124/-E, M1125/-E.  Spare part top part of the AXIS T936 housing including window.  Standard lens kit M12 1.37mm for AXIS Q6000-E. Gasket included.  Varifocal IR-corrected lens with DC-Iris. For use with both C-mount and CS-mount cameras thanks to the included adapter. Compatible with e.g. AXIS Q1635.  Trim ring for discreet mounting of AXIS F1025 Sensor Unit behind a thin surface. 10 PCS.  Trim ring for discreet mounting of AXIS F1005-E, F1035-E, P1214-E and P1224-E behind a surface. 10 PCS.  Weathershield for AXIS P14 Series designed for use in rainy and windy environments.  Standard plastic mounting bracket for AXIS P1405, P1425, P1427, P1428.  Made for parapet and wall installations. Telescopic arm with adjustable length between 783 mm (30.1 in) to 1033 mm (40.7 in) for compensating different parapet thicknesses or obstructive elements on the facade of the building. It can Swivel round its own Standard clear dome for AXIS Q6114-E/Q6115-E.  Standard clear dome with anti-scratch hard coating. Compatible with AXIS Q3708-PVE and Q3709-PVE. Single pack.  Standard weathershield for AXIS Q3709  Plastic mounting kit with stand and clamp for flexible mounting of Axis products with tripod thread.  Aluminum pole mount with stainless steel straps for poles between 60-400 mm (2.4"-15.7") in diameter. AXIS T91A57 is compatible with AXIS T91661 Wall mount and AXIS T98A Surveillance Cabinet Series.  Pendant kit for wall mount or ceiling mount. Compatible with Axis mounting accessories with 1.5" NPS thread. 3/4" threaded pipes can also be used with a nut for securing. Compatible with the small form factor of AXIS M20, M31-LV/-LVE, M30-V/-WV and Compan Conduit back box for 1/2" or M20 pipes. Features the 1/2" ACI interface to enable use of	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	99.00 49.00 59.00 349.00 99.00 29.00 19.00 349.00 59.00 49.00 34.00 19.00
5506-971 5506-981 5506-991 5507-101 5507-111 5507-121 5507-131 5507-271 5507-281 5507-311 5507-321 5507-331	LENS CS 3-10.5MM DC-IRIS  AXIS T93G TOP COVER  AXIS Q6000 LENS M12 1.37MM  LENS FUJINON C CS 8-80MM DC  AXIS F8211 PINHOLE TRIM RING 10PCS  AXIS F8212 TRIM RING 10PCS  AXIS WEATHERSHIELD K  AXIS T94F02S MOUNTING BRACKET  AXIS T91D62 TELESCOPIC PARAPET MNT  AXIS Q6114-E/15-E CLEAR DOME  AXIS Q37 CLEAR DOME A  AXIS WEATHERSHIELD KIT M  AXIS T91A10 MOUNTING KIT	Standard lens for AXIS M1124/-E, M1125/-E.  Spare part top part of the AXIS T936 housing including window.  Standard lens kit M12 1.37mm for AXIS Q6000-E. Gasket included.  Varifocal IR-corrected lens with DC-Iris. For use with both C-mount and CS-mount cameras thanks to the included adapter. Compatible with e.g. AXIS Q1635.  Trim ring for discreet mounting of AXIS F1025 Sensor Unit behind a thin surface. 10 PCS.  Trim ring for discreet mounting of AXIS F1025-E, F1035-E, P1214-E and P1224-E behind a surface. 10 PCS.  Weathershield for AXIS P14 Series designed for use in rainy and windy environments.  Standard plastic mounting bracket for AXIS P1405, P1425, P1427, P1428.  Made for parapet and wall installations. Telescopic arm with adjustable length between 783 mm (30.1 in) to 1033 mm (40.7 in) for compensating different parapet thicknesses or obstructive elements on the facade of the building. It can Swivel round its own Standard clear dome for AXIS Q6114-E/Q6115-E.  Standard clear dome with anti-scratch hard coating. Compatible with AXIS Q3708-PVE and Q3709-PVE. Single pack.  Standard weathershield for AXIS Q3709  Plastic mounting kit with stand and clamp for flexible mounting of Axis products with tripod thread.  Aluminum pole mount with stainless steel straps for poles between 60-400 mm (2.4"-15.7") in diameter. AXIS T91A57 is compatible with AXIS T91G61 Wall mount and AXIS T98A Surveillance Cabinet Series.  Pendant kit for wall mount or ceiling mount. Compatible with Axis mounting accessories with 1.5" NPS thread. 3/4" threaded pipes can also be used with a nut for securing. Compatible with the small form factor of AXIS M20, M31-LV/-LVE, M30-V/-WV and Compan Conduit back box for 1/2" or M20 pipes. Features the 1/2" ACI interface to enable use of ACI adapters.	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	99.00 49.00 59.00 349.00 99.00 29.00 19.00 349.00 59.00 49.00 34.00 19.00
5506-971 5506-981 5506-991 5507-101 5507-111 5507-121 5507-131 5507-271 5507-281 5507-311 5507-321 5507-341	LENS CS 3-10.5MM DC-IRIS  AXIS T93G TOP COVER  AXIS Q6000 LENS M12 1.37MM  LENS FUJINON C CS 8-80MM DC  AXIS F8211 PINHOLE TRIM RING 10PCS  AXIS F8212 TRIM RING 10PCS  AXIS WEATHERSHIELD K  AXIS T94F02S MOUNTING BRACKET  AXIS T91D62 TELESCOPIC PARAPET MNT  AXIS Q6114-E/15-E CLEAR DOME  AXIS Q37 CLEAR DOME A  AXIS WEATHERSHIELD KIT M  AXIS T91A10 MOUNTING KIT	Standard lens for AXIS M1124/-E, M1125/-E.  Spare part top part of the AXIS T936 housing including window.  Standard lens kit M12 1.37mm for AXIS Q6000-E. Gasket included.  Varifocal IR-corrected lens with DC-Iris. For use with both C-mount and CS-mount cameras thanks to the included adapter. Compatible with e.g. AXIS Q1635.  Trim ring for discreet mounting of AXIS F1025 Sensor Unit behind a thin surface. 10 PCS.  Trim ring for discreet mounting of AXIS F1005-E, F1035-E, P1214-E and P1224-E behind a surface. 10 PCS.  Weathershield for AXIS P14 Series designed for use in rainy and windy environments.  Standard plastic mounting bracket for AXIS P1405, P1425, P1427, P1428.  Made for parapet and wall installations. Telescopic arm with adjustable length between 783 mm (30.1 in) to 1033 mm (40.7 in) for compensating different parapet thicknesses or obstructive elements on the facade of the building. It can Swivel round its own Standard clear dome for AXIS Q6114-E/Q6115-E.  Standard clear dome with anti-scratch hard coating. Compatible with AXIS Q3708-PVE and Q3709-PVE. Single pack.  Standard weathershield for AXIS Q3709  Plastic mounting kit with stand and clamp for flexible mounting of Axis products with tripod thread.  Aluminum pole mount with stainless steel straps for poles between 60-400 mm (2.4"-15.7") in diameter. AXIS T91A57 is compatible with AXIS T91661 Wall mount and AXIS T98A Surveillance Cabinet Series.  Pendant kit for wall mount or ceiling mount. Compatible with Axis mounting accessories with 1.5" NPS thread. 3/4" threaded pipes can also be used with a nut for securing. Compatible with the small form factor of AXIS M20, M31-LV/-LVE, M30-V/-WV and Compan Conduit back box for 1/2" or M20 pipes. Features the 1/2" ACI interface to enable use of	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	99.00 49.00 59.00 349.00 99.00 29.00 19.00 349.00 59.00 49.00 34.00 19.00
5506-971 5506-981 5506-991 5507-101 5507-111 5507-121 5507-271 5507-281 5507-281 5507-311 5507-311 5507-311	LENS CS 3-10.5MM DC-IRIS  AXIS T93G TOP COVER  AXIS Q6000 LENS M12 1.37MM  LENS FUJINON C CS 8-80MM DC  AXIS F8211 PINHOLE TRIM RING 10PCS  AXIS F8212 TRIM RING 10PCS  AXIS WEATHERSHIELD K  AXIS T94F02S MOUNTING BRACKET  AXIS T91D62 TELESCOPIC PARAPET MNT  AXIS Q6114-E/15-E CLEAR DOME  AXIS Q37 CLEAR DOME A  AXIS WEATHERSHIELD KIT M  AXIS T91A10 MOUNTING KIT  AXIS T91A57 POLE MOUNT 60-400MM  AXIS T94B02D PENDANT KIT	Standard lens for AXIS M1124/-E, M1125/-E.  Spare part top part of the AXIS T936 housing including window.  Standard lens kit M12 1.37mm for AXIS Q6000-E. Gasket included.  Varifocal IR-corrected lens with DC-Iris. For use with both C-mount and CS-mount cameras thanks to the included adapter. Compatible with e.g. AXIS Q1635.  Trim ring for discreet mounting of AXIS F1025 Sensor Unit behind a thin surface. 10 PCS.  Trim ring for discreet mounting of AXIS F1025-E, F1035-E, P1214-E and P1224-E behind a surface. 10 PCS.  Weathershield for AXIS P14 Series designed for use in rainy and windy environments.  Standard plastic mounting bracket for AXIS P1405, P1425, P1427, P1428.  Made for parapet and wall installations. Telescopic arm with adjustable length between 783 mm (30.1 in) to 1033 mm (40.7 in) for compensating different parapet thicknesses or obstructive elements on the facade of the building. It can Swivel round its own Standard clear dome for AXIS Q6114-E/Q6115-E.  Standard clear dome with anti-scratch hard coating. Compatible with AXIS Q3708-PVE and Q3709-PVE. Single pack.  Standard weathershield for AXIS Q3709  Plastic mounting kit with stand and clamp for flexible mounting of Axis products with tripod thread.  Aluminum pole mount with stainless steel straps for poles between 60-400 mm (2.4"-15.7") in diameter. AXIS T91A57 is compatible with AXIS T91G61 Wall mount and AXIS T98A Surveillance Cabinet Series.  Pendant kit for wall mount or ceiling mount. Compatible with Axis mounting accessories with 1.5" NPS thread. 3/4" threaded pipes can also be used with a nut for securing. Compatible with the small form factor of AXIS M20, M31-LV/-LVE, M30-V/-WV and Compan Conduit back box for 1/2" or M20 pipes. Features the 1/2" ACI interface to enable use of ACI adapters.  There is an integrated female tripod thread for use of standard camera stands or holders.	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	99.00 49.00 59.00 349.00 99.00 19.00 349.00 59.00 49.00 34.00 19.00

		Viewing protector that makes it harder to see where the camera is aiming. For use when		
5507-441	AXIS M3044-V/45-V/46-V VIEW PROT 5P	the camera is used without dome. 5 pcs.	\$	39.00
		Indoor/outdoor telescopic ceiling mount. Expands between 1 m (39") and 2 m (79").		
		Features a swivel action to prevent breaking if hit by forklifs or high vehicles. Can be		
5507-451	AXIS T91B50 TELESCOPIC CEIL MNT	mounted on a sloped ceiling. Accessory extension pipes (Not included) for a maximum	\$	199.00
		The indoor/outdoor ceiling mount is ideal for low ceiling installations such as parking houses, with swivel action to prevent breaking if hit. Can be mounted in a sloped		
5507-461	AXIS T91B51 CEILING MOUNT	ceilings/soffits to compensate angles up to 45 degrees. Available accessory extension	\$	119.00
		, , , , , ,		
		Stainless steel adapter plate for mounting AXIS A8004-VE Network Video Door Station in		
5507.474	MOUNT KIT COREDULE (A 2004	Code Blue emergency stanchions and call boxes, combining intelligent video surveillance	,	110.00
5507-471 5507-481	MOUNT KIT CODEBLUE/A8004  AXIS T91B52 EXTENSION PIPE 100 CM	with emergency communication in a single device. The adapter plate is compatible  Extension pipe for AXIS T91B50 and AXIS T91B51. Length 100 cm (39").	\$	119.00 49.00
5507-491	AXIS T91B52 EXTENSION PIPE 30 CM	Extension pipe for AXIS T91B50 and AXIS T91B51. Length 100 cm (12").	\$	34.00
		Retrofit adapter mount bracket for re-using holes drilled from Pelco's PTZ dome parapet		
5507-501	AXIS T91D62 ADAPTER MOUNTING BRACKET	mount, or for increasing the attachment area towards the parapet.	\$	59.00
		AXIS T94M02D comprises a weather shield and a mounting adapter for AXIS P3707-PE		
		Network Camera. The mounting adapter is compatible with 1.5-inch NPS thread. The kit		
5507-511	AXIS T94M02D PENDANT KIT	enables AXIS P3707-PE to mounted on poles, parapets and outer corners using many AXIS T91	\$	99.00
3307 311	7 VIII 13 IVIOLO I ENDANT INT	172	Ÿ	33.00
		The powder-coated aluminum AXIS T94Q01F for AXIS fixed box outdoor ready cameras and		
		housings, can be used for both ceiling/soffit and column/parapet installations. This allows		
5507-591	AXIS T94Q01F CEILING AND COLUMN MNT	Axis' fixed camera housings to be mounted under hard surfaces such as ceilings	\$	109.00
		The pounder coated aluminum AVIS TOARGAR Corner Breaket is used for attraction the con-		
		The powder-coated aluminum AXIS T94R01B Corner Bracket is used for attaching the wall mount of Axis' camera housing to the outer corners of a building. AXIS T94R01B Corner		
5507-601	AXIS T94R01B CORNER BRACKET	Bracket is compatible with AXIS T91E61 Wall Mount for fixed dome cameras. Small-siz	\$	59.00
		·		
		Mounting bracket that allows AXIS F1004 Pinhole Sensor Unit and the sensor unit for AXIS		
5507-621	AXIS F8206 PINHOLE MT BRACKET 5PCS	P1264 to be mounted behind a thin metal/plastic/glass panel. Comes in pack of 5 pcs.	\$	29.00
		AXIS T91H61 Wall Mount is designed with a built-in RJ45 cable and connectionto, and		
		spacious compartment for connectivity accessories such as midspans and media converters. The wall mount is impact-resistant (IK10) and weather-resistant (IP66, NEMA		
5507-641	AXIS T91H61 WALL MOUNT	4X) fo	\$	175.00
		Indoor recessed mount for drop ceiling installations. Single-screw ceiling attachment for	т	
		quick and easy installation. Not suitable for air-handling (plenum) spaces. Compatible with		
5507-671	AXIS T94S01L RECESSED MOUNT	AXIS P32-V/-LV series.	\$	42.00
		0.11 (		
		Outdoor camera housing for Axis cameras with EF lenses (e.g.: AXIS Q1659). Made of IK10 impact resistant thermoplastic with dual-layer UV protection. IP66, NEMA 4X rated and UL		
5507-681	AXIS T93C10 OUTDOOR HOUSING	listed. Powered by 24 VDC (power supply not included). Heavy duty wall mount i	\$	1,299.00
3307 001	TWIS 135010 COTEGORNICOSING	Washer kit for spraying cleaning fluid on the windows of AXIS positioning cameras and	· ·	1,233.00
		positioning units. The kit contains a 23 litre tank, pump for delivery up to 11m (36ft), tube,		
5507-701	AXIS WASHER KIT B	nozzle and custom-made mounting bracket for the nozzle.	\$	999.00
		The AVIC 4 is 4 County County with its a secretary for installing Avic and dusts. The bit		
		The AXIS 4-in-1 Security Screwdriver Kit is a great tool for installing Axis products. The kit features two double-sided insert bits type that match Axis products using tamper resistant		
5507-711	AXIS 4IN1 SECURITY SCREWDRIVER	torx and standard philips head. The kit comes with a quick-release, n	\$	24.00
5700-071	SPR POWER SUPPLY 1U 310W FRONT	Replacement power supply for AXIS Q7900 encoder rack	\$	329.00
5700-081	SPR ELECTRONIC KIT T95A00	Electronic boards for replacement in AXIS T95A00 110-230 VAC. Includes 4 boards.	\$	215.00
5700-091	SPR ELECTRONIC KIT T95A10	Electronic boards for replacement in AXIS T95A10 24 VAC. Includes 3 boards.	\$	131.00
5700-111	SPR HEATER/FAN KIT T95A10	Replacement kit with 3 heaters and fans for AXIS T95A10	\$	99.00
5700-151	SPR SCREW AND GLAND KIT T95A	Replacement cable gland plate, cable glands and screws for AXIS T95A  Terminal connectors for AXIS Q7404. Includes 8 pcs 2P 2.50MM, 4 pcs 4P 2.50MM and one	\$	24.00
5700-161	CONN KIT AXIS Q7404	2P 3.81MM. In total 13 connectors.	\$	35.00
		Power supply PS-V for AXIS M10 series. White	-	
5700-221	SPR MAINS ADAPTOR PS-V EUR	Sparepart	\$	39.00
		Spare clear dome for AXIS 215-PTZ-E. Includes mounting ring, clear bubble, rubber gasket		
5700-291	SPR DOME CLEAR AXIS 215 PTZ-E	and 4 screws.	\$	99.00
5700-301	SPR AXIS P3343/-V SCREW KIT	Screw kit för AXIS P3343, P3343-V, P3344 and P3344-V as spare part. Includes mounting screws, plugs and I/O connector.	\$	4.00
3700-301	SPR AXIS P3343/-V SCREW KIT	Dome kit for AXIS P3343-V, AXIS P3344-V, AXIS P3363-V and AXIS P3364-V as spare part.	Ş	4.00
		Includes a clear bubble, mounted on an aluminium dome cover and a separate smoked		
5700-311	SPR AXIS P3343-V DOME KIT	bubble.	\$	69.00
F700 224	CDD AVIC D2242 DOME WIT	Dome Kit for AXIS P3343, AXIS P3344, AXIS P3353 and AXIS P3354 as spare part. Includes a	ے ا	20.00
5700-321	SPR AXIS P3343 DOME KIT	clear bubble, mounted on o plastic dome cover and a separate smoked bubble.	\$	29.00
		Shielded outdoor network cable 5 meter. Pre mounted rubber gasket and male RJ45		
		connectors. For use with AXIS M11-E series, AXIS P13-E series, AXIS Q16-E series, AXIS		
5700-331	NETWORK CABLE WITH GASKET 5M	Q1755-E, AXIS Q19-E series, AXIS P33-VE series and AXIS T92/3-E housings.	\$	10.00
		Dome Kit for AXIS P3343-VE, P3344-VE, AXIS P3363-VE and AXIS P3364-VE as spare part.		
	CDD DOME KIT AVIC D2242 VE	Includes a clear bubble, mounted on an aluminium dome cover and a separate smoked bubble.	ć	60.00
5700-241		pubble.	\$	69.00
5700-341	SPR DOME KIT AXIS P3343-VE	Screw Kit for AXIS P3343-VF and P3344-VF as spare part. Includes mounting scrows plugs		
		Screw Kit for AXIS P3343-VE and P3344-VE as spare part. Includes mounting screws, plugs and I/O connector.	\$	5.00
5700-341 5700-351 5700-371	SPR AXIS P3343-VE  SPR AXIS P3343-VE SCREW KIT  SPR CONN PUSH PULL PLUG IDC-8 IP67	Screw Kit for AXIS P3343-VE and P3344-VE as spare part. Includes mounting screws, plugs and I/O connector.  Spare RJ45 connector plug for AXIS Q603X-E & AXIS P55XX-E. IP67 rated.	\$	5.00 49.00
5700-351	SPR AXIS P3343-VE SCREW KIT	and I/O connector.	\$	
5700-351 5700-371 5700-471 5700-601	SPR AXIS P3343-VE SCREW KIT  SPR CONN PUSH PULL PLUG IDC-8 IP67  SPR COVERT CAMERA M7001  LENS 3-8MM 13VG308ASIR	and I/O connector.  Spare RJ45 connector plug for AXIS Q603X-E & AXIS P55XX-E. IP67 rated.  Cover Camera for AXIS M7001 as spare part.  Varifocal 3-8mm DC-Iris Lens, CS mount. Original Lens for AXIS P1343	\$ \$ \$	49.00 149.00 75.00
5700-351 5700-371 5700-471 5700-601 5700-641	SPR AXIS P3343-VE SCREW KIT SPR CONN PUSH PULL PLUG IDC-8 IP67 SPR COVERT CAMERA M7001 LENS 3-8MM 13VG308ASIR TOP COVER AXIS M311X-R 10PCS	and I/O connector.  Spare RI45 connector plug for AXIS Q603X-E & AXIS P55XX-E. IP67 rated.  Cover Camera for AXIS M7001 as spare part.  Varifocal 3-8mm DC-Iris Lens, CS mount. Original Lens for AXIS P1343  Original dark grey top cover including dome and screws for AXIS M311X-R. 10 pcs	\$ \$ \$	49.00 149.00 75.00 249.00
5700-351 5700-371 5700-471 5700-601	SPR AXIS P3343-VE SCREW KIT  SPR CONN PUSH PULL PLUG IDC-8 IP67  SPR COVERT CAMERA M7001  LENS 3-8MM 13VG308ASIR	and I/O connector.  Spare R145 connector plug for AXIS Q603X-E & AXIS P55XX-E. IP67 rated.  Cover Camera for AXIS M7001 as spare part.  Varifocal 3-8mm DC-Iris Lens, CS mount. Original Lens for AXIS P1343  Original dark grey top cover including dome and screws for AXIS M311X-R. 10 pcs  Original AXIS P33XX-VE mounting bracket for wall or hard ceilling.	\$ \$ \$	49.00 149.00 75.00
5700-351 5700-371 5700-471 5700-601 5700-641	SPR AXIS P3343-VE SCREW KIT SPR CONN PUSH PULL PLUG IDC-8 IP67 SPR COVERT CAMERA M7001 LENS 3-8MM 13VG308ASIR TOP COVER AXIS M311X-R 10PCS	and I/O connector.  Spare RI45 connector plug for AXIS Q603X-E & AXIS P55XX-E. IP67 rated.  Cover Camera for AXIS M7001 as spare part.  Varifocal 3-8mm DC-Iris Lens, CS mount. Original Lens for AXIS P1343  Original dark grey top cover including dome and screws for AXIS M311X-R. 10 pcs	\$ \$ \$	49.00 149.00 75.00 249.00

The sit contains mounting banket, colons calleg, based and care are repaired for controlling of body writter of ART SHEPP, and an actual street, body of the controlling of the colonies of the colonies of the colonies of the colonies of the colonies of the colonies of the colonies of the colonies of the colonies of the colonies of the colonies of the colonies of the colonies of the colonies of the colonies of the colonies of the colonies of the colonies of the colonies of the colonies of the colonies of the colonies of the colonies of the colonies of the colonies of the colonies of the colonies of the colonies of the colonies of the colonies of the colonies of the colonies of the colonies of the colonies of the colonies of the colonies of the colonies of the colonies of the colonies of the colonies of the colonies of the colonies of the colonies of the colonies of the colonies of the colonies of the colonies of the colonies of the colonies of the colonies of the colonies of the colonies of the colonies of the colonies of the colonies of the colonies of the colonies of the colonies of the colonies of the colonies of the colonies of the colonies of the colonies of the colonies of the colonies of the colonies of the colonies of the colonies of the colonies of the colonies of the colonies of the colonies of the colonies of the colonies of the colonies of the colonies of the colonies of the colonies of the colonies of the colonies of the colonies of the colonies of the colonies of the colonies of the colonies of the colonies of the colonies of the colonies of the colonies of the colonies of the colonies of the colonies of the colonies of the colonies of the colonies of the colonies of the colonies of the colonies of the colonies of the colonies of the colonies of the colonies of the colonies of the colonies of the colonies of the colonies of the colonies of the colonies of the colonies of the colonies of the colonies of the colonies of the colonies of the colonies of the colonies of the colonies of the colonies of					
Connecting on indoor-values of AND FEES/PSES (AND INCOMED) IN VARIOUS INDICE Connection of the AND FEES/PSES (AND INCOMED) IN VARIOUS INDICES (AND INCOMED) IN AND INCOMED IN THE AND INCOMED IN THE AND INCOMED IN AND INCOMED IN THE AND INCOMED IN THE AND INCOMED IN THE AND INCOMED IN THE AND INCOMED IN THE AND INCOME IN THE AND INCOMED IN THE AND INCOMED IN THE AND INCOMED IN THE AND INCOMED IN THE AND INCOMED IN THE AND INCOMED IN THE AND INCOME IN THE AND INCOMED IN THE AND INCOMED IN THE AND INCOMED IN THE AND INCOMED IN THE AND INCOMED IN THE AND INCOMED IN THE AND INCOMED IN THE AND INCOMED IN THE AND INCOMED IN THE AND INCOMED IN THE AND INCOMED IN THE AND INCOMED IN THE AND INCOMED IN THE AND INCOMED IN THE AND INCOMED IN THE AND INCOMED IN THE AND INCOMED IN THE AND INCOMED IN THE AND INCOMED IN THE AND INCOMED IN THE AND INCOMED IN THE AND INCOMED IN THE AND INCOMED IN THE AND INCOMED IN THE AND INCOMED IN THE AND INCOMED IN THE AND INCOMED IN THE AND INCOMED IN THE AND INCOMED IN THE AND INCOMED IN THE AND INCOMED IN THE AND INCOMED IN THE AND INCOMED IN THE AND INCOMED IN THE AND INCOMED IN THE AND INCOMED IN THE AND INCOMED IN THE AND INCOMED IN THE AND INCOMED IN THE AND INCOMED IN THE AND INCOMED IN THE AND INCOMED IN THE AND INCOMED IN THE AND INCOMED IN THE AND INCOMED IN THE AND INCOMED IN THE AND INCOMED IN THE AND INCOMED IN THE AND INCOMED IN THE AND INCOMED IN THE AND INCOMED IN THE AND INCOMED IN THE AND INCOMED IN THE AND INCOMED IN THE AND INCOMED IN THE AND INCOMED IN THE AND INCOMED IN THE AND INCOMED IN THE AND INCOMED IN THE AND INCOMED IN THE AND INCOMED IN THE AND INCOMED IN THE AND INCOMED IN THE AND INCOMED IN THE AND INCOMED IN THE AND INCOMED IN THE AND INCOMED IN THE AND INCOMED IN THE AND INCOMED IN THE AND INCOMED IN THE AND INCOMED IN THE AND INCOMED IN THE AND INCOMED IN THE AND INCOMED IN THE AND INCOMED IN THE AND INCOMED IN THE AND INCOMED IN THE AND INCOMED IN THE AND INCOMED IN THE AND INCOMED IN THE AND INCOMED IN THE AND INCOMED IN THE AND INCOMED IN THE AND INCOME	5700-831	FRONT GLASS KIT AXIS T92E20/21		\$	20.00
MODIFIED   MODIFIED   MODIFIED   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified   Modified			, , ,		
Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post   Post	5700-841	AXIS P3343-VE/44-VE CASING KIT	·	Ś	139.00
2009-251   Despection (CEL PRIAD COCKNESS)   Page 2007 Centered bracket, straws with wather and ware pirregs.   \$   4.00	3,000.1	74.07.00.10.724.17.72.67.01.10		<u> </u>	100.00
Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Variety   Vari	5700-851	SPR BRACKET KIT AXIS Q60XX/P55XX		\$	24.00
URS C 3 #8 MM 12 DC 1 MP	5700-861	LENS CS 6.0MM F1.8 MP	CS mounted 6.0 mm megapixel lens. Original lens for AXIS M1103/4		49.00
Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Compare   Comp	5700-871	LENS CS 2.9-8.2MM F1.4 DC SVGA	Varifocal 2.9-8.2mm CS mounted SVGA DC-iris lens. Original lens for AXIS M1113	\$	69.00
Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Comparison   Com	F700 001	LENG CC 2 9 9MM F1 2 DC LMD	CC may need Varifaced 2.0.0 mm DC iris magazinal lans. Original lans for AVIC M1111	<u> </u>	140.00
STROOM  SPEAKER STAND COME NT	3700-881	LENS CS 2.8-8IVIVI F1.2 DC-1 IVIP		Ş	149.00
Once Not For AND FIRST-V, PERSON and AND FIRST-V, AND AND FIRST-V, AND AND FIRST-V, AND AND FIRST-V, AND AND FIRST-V, AND AND FIRST-V, AND AND FIRST-V, AND AND FIRST-V, AND AND FIRST-V, AND AND FIRST-V, AND AND FIRST-V, AND AND FIRST-V, AND AND FIRST-V, AND AND FIRST-V, AND AND FIRST-V, AND AND FIRST-V, AND AND FIRST-V, AND AND FIRST-V, AND AND FIRST-V, AND AND FIRST-V, AND AND FIRST-V, AND AND FIRST-V, AND AND FIRST-V, AND AND FIRST-V, AND AND FIRST-V, AND AND FIRST-V, AND AND FIRST-V, AND AND FIRST-V, AND AND FIRST-V, AND AND FIRST-V, AND AND FIRST-V, AND AND FIRST-V, AND AND FIRST-V, AND AND FIRST-V, AND AND FIRST-V, AND AND FIRST-V, AND AND FIRST-V, AND AND FIRST-V, AND AND FIRST-V, AND AND FIRST-V, AND AND FIRST-V, AND AND FIRST-V, AND AND FIRST-V, AND AND FIRST-V, AND AND FIRST-V, AND AND FIRST-V, AND AND FIRST-V, AND AND FIRST-V, AND AND FIRST-V, AND AND FIRST-V, AND AND FIRST-V, AND AND FIRST-V, AND AND FIRST-V, AND AND FIRST-V, AND AND FIRST-V, AND AND FIRST-V, AND AND FIRST-V, AND AND FIRST-V, AND AND FIRST-V, AND AND FIRST-V, AND AND FIRST-V, AND AND FIRST-V, AND FIRST-V, AND AND FIRST-V, AND FIRST-V, AND AND FIRST-V, AND AND FIRST-V, AND AND FIRST-V, AND AND FIRST-V, AND AND FIRST-V, AND FIRST-V, AND AND FIRST-V, AND AND FIRST-V, AND AND FIRST-V, AND FIRST-V, AND AND FIRST-V, AND FIRST-V, AND FIRST-V, AND FIRST-V, AND FIRST-V, AND FIRST-V, AND FIRST-V, AND FIRST-V, AND FIRST-V, AND FIRST-V, AND FIRST-V, AND FIRST-V, AND FIRST-V, AND FIRST-V, AND FIRST-V, AND FIRST-V, AND FIRST-V, AND FIRST-V, AND FIRST-V, AND FIRST-V, AND FIRST-V, AND FIRST-V, AND FIRST-V, AND FIRST-V, AND FIRST-V, AND FIRST-V, AND FIRST-V, AND FIRST-V, AND FIRST-V, AND FIRST-V, AND FIRST-V, AND FIRST-V, AND FIRST-V, AND FIRST-V, AND FIRST-V, AND FIRST-V, AND FIRST-V, AND FIRST-V, AND FIRST-V, AND FIRST-V, AND FIRST-V, AND FIRST-V, AND FIRST-V, AND FIRST-V, AND FIRST-V, AND FIRST-V, AND FIRST-V, AND FIRST-V, AND FIRST-V, AND FIRST-V, AND FIRST-V, AND FIRST-V, AND FIRST-V, AND FIRST-V, AND FIRST-V, AND FIRST-V, AND FIRST-V, AND FIR	5700-901	SPR AXIS P3346 DOME KIT		Ś	34.00
Dome RE for AMS F3364-VE, F3367-VE, AMS F3368-VE as sparse part, includes a clear builth, recursed or an information dome cover and a supposed method builds.			·		
Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementar	5700-911	SPR AXIS P3346-V DOME KIT	bubble, mounted on a zinc alloy dome cover and a separate smoked bubble.	\$	74.00
Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementary   Supplementar					
Supplied for MAPS F134KC_ANS C1755 F and ANS C1375 K and ANS C1375 K includes mounting screen and 5	F700 024	CDD AVIC D224C VE DOME KIT			74.00
5.990-011   SURPHIELD NOT TOSE   Trox key.   5.955   5.950-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020   5.900-020	5700-921	SPR AXIS P3346-VE DOINE KIT		\$	74.00
STRONGER   SURPOWER DATE AND GERECK   Sumbetted for ASS TOSES flowledge mounting grower.	5700-941	SUNSHIELD KIT T92E		Ś	35.00
Supersign   Country			,		29.00
ST009-011   RESETTIONS STATE AND STORES	5700-961	SUNSHIELD KIT AXIS P553X-E	Sunshield for AXIS P553X-E including mounting screws.	\$	29.00
September   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Company   Co			Sparepart including the electronics module of the AXIS T92E20 housing including fan and		
Secret   WEATHERSHELD KIT P334/4/47   Screen included   \$ 20.00	5700-971	ELECTRONIC KIT AXIS T92E20		\$	179.00
S000-021   WEATHERSHELD RIT PSIAN(67-7/R   Original weathersheld for AXIS PSIAN, AXIS PSIAN-V and AXIS PSIAN-V Screw included \$ 2,000	E000 044	WEATHERSHIELD WIT DOORS /AA VE	=		20.00
S800-061	5800-011	WEATHERSHIELD KIT P3343/44-VE	Screws included.	>	20.00
S800-061	5800-021	WEATHERSHIELD KIT P3346/67-VE	Original weathershield for AXIS P3346, AXIS P3367-VF and AXIS P3384-VF. Screws included	Ś	20.00
S800-018		-			249.00
Sane part AXIS MODIX DOME   Sane part AXIS MODIX dome, pre-mounted in the white top casing. Opening tool and gasked are included.   5   28.0	5800-081				79.00
S800-121	5800-101	AXIS Q603X-E DOME COVER RING		\$	18.00
ASS MODITY   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   Compared to   C					
Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate   Separate			0		29.00
S800-151	5600-121	AXIS MISULX MOUNTING KIT	Original ceiling mount kit for both hard- and drop ceilings for the AXIS MISOLX.	Ş	15.00
S800-151	5800-131	DROP CEILING KIT AXIS P553X/4X	Original kit for mounting a AXIS P553X/4X pan tilt zoom camera in a soft/drop ceiling	Ś	79.00
Mains CABLE IEC-C13					24.00
S800-201   MAINS CABLE IECC13   Server Rack, ANTS Poet Midspan 8-Port/15-Post, 2014 AND 59154.   \$ 1.50.	5800-191	AXIS P553X SMOKED DOME	Original smoked dome for AXIS P5522/-E, AXIS P5532/-E, AXIS P5534/-E.	\$	34.00
S800-271   ANY P533X CLEAR DOME   Original clear dome for ANYS P5322/E, ANY P5323/E.   \$ 3.40					
SPR FAN CASSETTE ANS G7900 FZ					15.00
S800-381					34.00
S800-310					
S800-311   RONT KIT GOMM ANS OS7ZY-E   Frontist for AXIS GRZZ-K = with 60mm lens as spare part.   \$ 1,499.05					699.00
S800-321					1,499.00
S800-351					299.00
S800-371   ANIS T8123/4-E MIDSPAN SPARE KIT   2pcs.RI-4S waterproof plugs and 1pcs grounding wire for outdoor midspan T8123/4-E   \$ 2.9.0	5800-341	AXIS Q603X-E SMOKED DOME C	Stand alone HD quality smoked dome without line for the AXIS Q603X-E.	\$	79.00
S800-371					
Terminal connectors for AXIS P135X-series. Includes 1 pcs TERMINAL CONNECTOR 4P STR 2.50MM, 1 pcs TERMINAL CONNECTOR 4P STR 2.50MM, 1 pcs TERMINAL CONNECTOR 4P STR 2.50MM, 2 pcs TERMINAL CONNECTOR 4P STR 2.50MM, 1 pcs TERMINAL CONNECTOR 4P STR 2.50MM, 1 pcs TERMINAL CONNECTOR 4P STR 2.50MM, 1 pcs TERMINAL CONNECTOR 4P STR 2.50MM, 1 pcs TERMINAL CONNECTOR 4P STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR	5800-351	AXIS T98A MOUNTING BRACKET	Original stainless steel mounting bracket for AXIS T98A-VE Surveillance Cabinet series.	\$	59.00
Terminal connectors for AXIS P135X-series. Includes 1 pcs TERMINAL CONNECTOR 4P STR 2.50MM, 1 pcs TERMINAL CONNECTOR 4P STR 2.50MM, 1 pcs TERMINAL CONNECTOR 4P STR 2.50MM, 2 pcs TERMINAL CONNECTOR 4P STR 2.50MM, 1 pcs TERMINAL CONNECTOR 4P STR 2.50MM, 1 pcs TERMINAL CONNECTOR 4P STR 2.50MM, 1 pcs TERMINAL CONNECTOR 4P STR 2.50MM, 1 pcs TERMINAL CONNECTOR 4P STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR 2.50MM 4D STR	E900 271	AVIS TO 122 /A E MIDSDANI SDADE VIT	2ncc PLAE waterpreef plags and 1ncc grounding wire for outdoor midenan T9122/A E	ć	20.00
2,50MM, 1 pcs TERMINAL CONNECTOR 2P STR 3.81MM, 2 pcs TERMINAL CONNECTOR 2P STR 3.81MM, 2 pcs TERMINAL CONNECTOR 2P STR 3.81MM, 2 pcs TERMINAL CONNECTOR 2P STR 3.81MM, 2 pcs TERMINAL CONNECTOR 2P STR 3.81MM, 2 pcs TERMINAL CONNECTOR 2P STR 3.81MM, 2 pcs TERMINAL CONNECTOR 2P STR 3.81MM, 2 pcs TERMINAL CONNECTOR 2P STR 3.81MM, 2 pcs TERMINAL CONNECTOR 2P STR 3.81MM, 2 pcs TERMINAL CONNECTOR 2P STR 3.81MM, 2 pcs TERMINAL CONNECTOR 2P STR 3.81MM, 2 pcs TERMINAL CONNECTOR 2P STR 3.81MM, 2 pcs TERMINAL CONNECTOR 2P STR 3.81MM, 2 pcs TERMINAL CONNECTOR 2P STR 3.81MM, 2 pcs TERMINAL CONNECTOR 2P STR 3.81MM, 2 pcs TERMINAL CONNECTOR 2P STR 3.81MM, 2 pcs TERMINAL CONNECTOR 2P STR 3.81MM, 2 pcs TERMINAL CONNECTOR 2P STR 3.81MM, 2 pcs TERMINAL CONNECTOR 2P STR 3.81MM, 2 pcs TERMINAL CONNECTOR 2P STR 3.81MM, 2 pcs TERMINAL CONNECTOR 2P STR 3.81MM, 2 pcs TERMINAL CONNECTOR 2P STR 3.81MM, 2 pcs TERMINAL CONNECTOR 2P STR 3.81MM, 2 pcs TERMINAL CONNECTOR 2P STR 3.81MM, 2 pcs TERMINAL CONNECTOR 2P STR 3.81MM, 2 pcs TERMINAL CONNECTOR 2P STR 3.81MM, 2 pcs TERMINAL CONNECTOR 2P STR 3.81MM, 2 pcs TERMINAL CONNECTOR 2P STR 3.81MM, 2 pcs TERMINAL CONNECTOR 2P STR 3.81MM, 2 pcs TERMINAL CONNECTOR 2P STR 3.81MM, 2 pcs TERMINAL CONNECTOR 2P STR 3.81MM, 2 pcs TERMINAL CONNECTOR 2P STR 3.81MM, 2 pcs TERMINAL CONNECTOR 2P STR 3.81MM, 2 pcs TERMINAL CONNECTOR 2P STR 3.81MM, 2 pcs TERMINAL CONN 2P STR 2.50MM, pubber feet and mounting screws for STR 2.50MM, 2 pcs TERMINAL CONN 2P STR 2.50MM, pubber feet and mounting screws for STR 2.50MM, 2 pcs TERMINAL CONN 2P STR 2.50MM, pubber feet and mounting screws for STR 2.50MM, pcs TERMINAL CONN 2P STR 2.50MM, pcs TERMINAL CONN 2P STR 2.50MM, pcs TERMINAL CONN 2P STR 2.50MM, pcs TERMINAL CONN 2P STR 2.50MM, pcs TERMINAL CONN 2P STR 2.50MM, pcs TERMINAL CONN 2P STR 2.50MM, pcs TERMINAL CONN 2P STR 2.50MM, pcs TERMINAL CONN 2P STR 2.50MM, pcs TERMINAL CONN 2P STR 2.50MM, pcs TERMINAL CONN 2P STR 2.50MM, pcs TERMINAL CONN 2P STR 2.50MM, pcs TERMINAL CONN 2P STR 2.50MM, pcs TERMINAL CONN 2P STR 2.50MM	3800-371	AXIS TOLEST 4-E IVIDSFAIR SFAIRE RIT		7	23.00
S800-391   AXIS DOME CLEAR P5544   Sparepart dome for AXIS P5544. Note that this product does not contain the fisheye lens. \$ 49.0			· '		
Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Spac	5800-381	AXIS P135X CONN KIT	STR 2.50MM	\$	9.00
Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Space   Spac					
S800-431					49.00
P1214/F MOUNT KIT INC HOUS 5-P   bracket. 5 pack.   \$ 99.0	5800-401	AXIS P5544 LENS KIT		\$	399.00
S800-461	5800-431	P1214/-E MOLINT KIT INC HOLIS 5-P		¢	99.00
S800-471   AXIS G60XX-C SUNSHIELD   Sunshield for AXIS Q60Xx-C series   \$ 39.0					29.00
AXIS Q60-E/C CLEAR DOME D   Clear dome cover for AXIS Q60XX-E/-C series   \$ 79.0					39.00
AXIS T98A05 CABINET DOOR  AXIS T98A07 CABINET DOOR  AXIS T98A07 CABINET DOOR  AXIS T98A08 CABINET DOOR  AXIS T98A08 CABINET DOOR  AXIS T98A08 CABINET DOOR  AXIS T98A08 CABINET DOOR  AXIS T98A08 CABINET DOOR  AXIS T98A08 CABINET DOOR  AXIS T98A08 CABINET DOOR  AXIS T98A08 CABINET DOOR  AXIS T98A09 CABINET DOOR  AXIS T98A09 CABINET DOOR  AXIS T98A09 CABINET DOOR  AXIS T98A09 CABINET DOOR  AXIS T98A09 CABINET DOOR  AXIS T98A09 CABINET DOOR  AXIS T98A09 CABINET DOOR  AXIS T98A09 CABINET DOOR  AXIS T98A09 CABINET DOOR  AXIS T98A09 CABINET DOOR  AXIS T98A09 CABINET DOOR  AXIS T98A09 CABINET DOOR  AXIS T98A09 CABINET DOOR  AXIS T98A09 CABINET DOOR  AXIS T98A09 CABINET DOOR  AXIS T98A09 CABINET DOOR  AXIS T98A09 CABINET DOOR  AXIS T98A09 CABINET DOOR  AXIS T98A09 CABINET DOOR  AXIS T98A08 CABINET DOOR  AXIS T98A08 CABINET DOOR  AXIS T98A08 CABINET DOOR  AXIS T98A08 CABINET DOOR  AXIS T98A08 CABINET DOOR  AXIS T98A08 CABINET DOOR  AXIS T98A08 CABINET DOOR  AXIS T98A08 CABINET DOOR  AXIS T98A08 CABINET DOOR  AXIS T98A08 CABINET DOOR  AXIS T98A08 CABINET DOOR  AXIS T98A08 CABINET DOOR  AXIS T98A08 CABINET DOOR  AXIS T98A08 CABINET DOOR  AXIS T98A08 CABINET DOOR  AXIS T98A08 CABINET DOOR  AXIS T98A08 CABINET DOOR  AXIS T98A08 CABINET DOOR  AXIS T98A08 CABINET DOOR  AXIS T98A08 CABINET DOOR  The kit contains a complete AXIS P3367-VE enclosure, heater and cable cover. The kit could also be used for converting an indoor version of AXIS P3346, P3346, P3367, P3384 and P3365 to an outdoor VE version.  Ferminal connectors for AXIS P7214 and AXIS Q7411. Includes 1 pcs TERMINAL CONN 6P STR Z.50MM, 2 pcs TERMINAL CONN 2P STR Z.50MM, rubber feet and mounting screws for STR Z.50MM, 2 pcs TERMINAL CONN 2P STR Z.50MM, rubber feet and mounting screws for					79.00
The clip, made of steel, enables mounting on a standard 35mm DIN rail.  It includes 2 cable ties. Compatible with AXIS T8120/T8133 midspans and AXIS T8604 / T8605 converters. Weight: 17 g (0.6 oz.).  5800-511  AXIS T91A03 DIN RAIL CLIP 5PCS  5-pack.  Cabinet door for AXIS T98A Surveillance Cabinet. Stand alone.  Used in T98A15-VE Cabinets.  Sa00-521  AXIS T98A05 CABINET DOOR  Cabinet door for AXIS T98A Surveillance Cabinet. Compatible cameras: AXIS M111X-E, AXIS P13XX-E, AXIS Q16XX-E, AXIS Q17XX-E, AXIS Q191X-E, AXIS Q192X-E.  S800-531  AXIS T98A06 CABINET DOOR  Cabinet door for AXIS T98A Surveillance Cabinet. Compatible cameras: AXIS P33-VE/-LVE and the outdoor bullet-style Q1765 and Q1931 cameras.  S800-541  AXIS T98A07 CABINET DOOR  Cabinet door for T98A. Compatible products: AXIS T91A61 Wall bracket for use with AXIS P55 and Q60-series or fixed dome pendant kits.  S800-551  AXIS T98A08 CABINET DOOR  AXIS T98A18-VE Cabinets.  The kit contains a complete AXIS P3367-VE enclosure, heater and cable cover. The kit could also be used for converting an indoor version of AXIS P3346, P3367, P3384 and P3365 to an outdoor VE version.  Terminal connectors for AXIS P7214 and AXIS Q7411. Includes 1 pcs TERMINAL CONN 69 STR 2.50MM, 2 pcs TERMINAL CONN 2P STR 2.50MM, rubber feet and mounting screws for	5800-491	AXIS Q60XX-C MULTI CONNECT CABLE 5M	Cable between AXIS Q60XX-C and connection box AXIS T8605	\$	139.00
It includes 2 cable ties. Compatible with AXIS T8120/T8133 midspans and AXIS T8604 / T8605 converters. Weight: 17 g (0.6 oz.).  5800-511 AXIS T91A03 DIN RAIL CLIP 5PCS 5-pack. \$ 19.0 Cabinet door for AXIS T98A Surveillance Cabinet. Stand alone.  5800-521 AXIS T98A05 CABINET DOOR Used in T98A15-VE Cabinets. \$ 129.0 Cabinet door for AXIS T98A Surveillance Cabinet. Compatible cameras: AXIS M111X-E, AXIS P13XX-E, AXIS Q16XX-E, AXIS Q19XX-E, AXIS Q192X-E.  5800-531 AXIS T98A06 CABINET DOOR Used in T98A16-VE Cabinets. \$ 129.0 Cabinet door for AXIS T98A Surveillance Cabinet. Compatible cameras: AXIS P33-VE/-LVE and the outdoor bullet-style Q1765 and Q1931 cameras.  5800-541 AXIS T98A07 CABINET DOOR Used in T98A17-VE Cabinets. \$ 129.0 Cabinet door for T98A. Compatible products: AXIS T91A61 Wall bracket for use with AXIS P55 and Q60-series or fixed dome pendant kits.  5800-551 AXIS T98A08 CABINET DOOR Used in T98A18-VE Cabinets. \$ 129.0 Cabinet door for T98A. Compatible products: AXIS T91A61 Wall bracket for use with AXIS P55 and Q60-series or fixed dome pendant kits.  5800-551 AXIS T98A08 CABINET DOOR Used in T98A18-VE Cabinets. \$ 129.0 Cabinet door for T98A. Compatible products: AXIS T91A61 Wall bracket for use with AXIS P55 and Q60-series or fixed dome pendant kits.  5800-601 AXIS P3367-VE CASING KIT outdoor VE version. \$ 129.0 Cabinet door for T98A18-VE Cabinets. \$ 129.0 Cabinet door for T98A18-VE Cabinets. \$ 129.0 Cabinet door for T98A18-VE Cabinets. \$ 129.0 Cabinet door for T98A18-VE Cabinets. \$ 129.0 Cabinet door for T98A18-VE Cabinets. \$ 129.0 Cabinet door for T98A18-VE Cabinets. \$ 129.0 Cabinet door for T98A18-VE Cabinets. \$ 129.0 Cabinet door for T98A18-VE Cabinets. \$ 129.0 Cabinet door for T98A18-VE Cabinets. \$ 129.0 Cabinet door for T98A18-VE Cabinets. \$ 129.0 Cabinet door for T98A18-VE Cabinets. \$ 129.0 Cabinet door for T98A18-VE Cabinets. \$ 129.0 Cabinet door for T98A18-VE Cabinets. \$ 129.0 Cabinet door for T98A18-VE Cabinets. \$ 129.0 Cabinet door for T98A18-VE Cabinets. \$ 129.0 Cabinet door for T98A18-VE	5800-501	AXIS Q60XX-C COOLING MODULE	Peltier element, inside and outside fan for AXIS Q60XX-C	\$	999.00
T8605 converters. Weight: 17 g (0.6 oz.).  5800-511  AXIS T91A03 DIN RAIL CLIP 5PCS  5-pack.  Cabinet door for AXIS T98A Surveillance Cabinet. Stand alone. Used in T98A15-VE Cabinets.  Cabinet door for AXIS T98A Surveillance Cabinet. Compatible cameras: AXIS M111X-E, AXIS P13XX-E, AXIS Q16XX-E, AXIS Q191X-E, AXIS Q192X-E. Used in T98A16-VE Cabinets.  5800-531  AXIS T98A06 CABINET DOOR  Used in T98A16-VE Cabinets.  Cabinet door for AXIS T98A Surveillance Cabinet. Compatible cameras: AXIS M111X-E, AXIS P13XX-E, AXIS Q16XX-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q192X-E. Used in T98A16-VE Cabinets.  Cabinet door for AXIS T98A Surveillance Cabinet. Compatible cameras: AXIS P33-VE/-LVE and the outdoor bullet-style Q1765 and Q1931 cameras. Used in T98A17-VE Cabinets.  Cabinet door for T98A. Compatible products: AXIS T91A61 Wall bracket for use with AXIS P55 and Q60-series or fixed dome pendant kits. Used in T98A18-VE Cabinets.  5800-551  AXIS T98A08 CABINET DOOR  Used in T98A18-VE Cabinets.  The kit contains a complete AXIS P3367-VE enclosure, heater and cable cover. The kit could also be used for converting an indoor version of AXIS P3367, P3384 and P3365 to an outdoor VE version.  Ferminal connectors for AXIS P7214 and AXIS Q7411. Includes 1 pcs TERMINAL CONN 6P STR 2.50MM, 2 pcs TERMINAL CONN 2P STR 2.50MM, rubber feet and mounting screws for			The clip, made of steel, enables mounting on a standard 35mm DIN rail.		
T8605 converters. Weight: 17 g (0.6 oz.).  5800-511  AXIS T91A03 DIN RAIL CLIP 5PCS  5-pack.  Cabinet door for AXIS T98A Surveillance Cabinet. Stand alone. Used in T98A15-VE Cabinets.  Cabinet door for AXIS T98A Surveillance Cabinet. Compatible cameras: AXIS M111X-E, AXIS P13XX-E, AXIS Q16XX-E, AXIS Q191X-E, AXIS Q192X-E. Used in T98A16-VE Cabinets.  5800-531  AXIS T98A06 CABINET DOOR  Used in T98A16-VE Cabinets.  Cabinet door for AXIS T98A Surveillance Cabinet. Compatible cameras: AXIS P33-VE/-LVE and the outdoor bullet-style Q1765 and Q1931 cameras.  S800-541  AXIS T98A07 CABINET DOOR  Used in T98A17-VE Cabinets.  Cabinet door for T98A. Compatible products: AXIS T91A61 Wall bracket for use with AXIS P55 and Q60-series or fixed dome pendant kits. Used in T98A18-VE Cabinets.  \$ 129.0  The kit contains a complete AXIS P3367-VE enclosure, heater and cable cover. The kit could also be used for converting an indoor version of AXIS P3346, P3367, P3384 and P3365 to an outdoor VE version.  Ferminal connectors for AXIS P7214 and AXIS Q7411. Includes 1 pcs TERMINAL CONN 6P STR 2.50MM, 2 pcs TERMINAL CONN 2P STR 2.50MM, rubber feet and mounting screws for					
5800-511 AXIS T91A03 DIN RAIL CLIP SPCS 5-pack. Cabinet door for AXIS T98A Surveillance Cabinet. Stand alone. Used in T98A15-VE Cabinets.  Cabinet door for AXIS T98A Surveillance Cabinet. Compatible cameras: AXIS M111X-E, AXIS P13X-E, AXIS Q16XX-E, AXIS Q16XX-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E.  S800-531 AXIS T98A06 CABINET DOOR Used in T98A16-VE Cabinets.  Cabinet door for AXIS T98A Surveillance Cabinet. Compatible cameras: AXIS M111X-E, AXIS P13X-E, AXIS Q16XX-E, AXIS Q17XX-E, AXIS Q191X-E, AXIS Q191X-E.  Used in T98A16-VE Cabinets.  Cabinet door for AXIS T98A Surveillance Cabinet. Compatible cameras: AXIS P33-VE/-LVE and the outdoor bullet-style Q1765 and Q1931 cameras.  S800-541 AXIS T98A07 CABINET DOOR Used in T98A17-VE Cabinets.  Cabinet door for T98A. Compatible products: AXIS T91A61 Wall bracket for use with AXIS P5 and Q60-series or fixed dome pendant kits. Used in T98A18-VE Cabinets.  S800-551 AXIS T98A08 CABINET DOOR Used in T98A18-VE Cabinets.  The kit contains a complete AXIS P3367-VE enclosure, heater and cable cover. The kit could also be used for converting an indoor version of AXIS P3346, P3367, P3384 and P3365 to an outdoor VE version.  S125.0  Terminal connectors for AXIS P7214 and AXIS Q7411. Includes 1 pcs TERMINAL CONN 6P STR 2.50MM, 2 pcs TERMINAL CONN 2P STR 2.50MM, rubber feet and mounting screws for					
Cabinet door for AXIS T98A Surveillance Cabinet. Stand alone.  Used in T98A15-VE Cabinets.  Cabinet door for AXIS T98A Surveillance Cabinet. Compatible cameras: AXIS M111X-E, AXIS P13X-E, AXIS Q16XX-E, AXIS Q17XX-E, AXIS Q191X-E, AXIS Q192X-E.  Used in T98A16-VE Cabinets.  Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample Sample S			18605 converters. Weight: 17 g (0.6 oz.).		
Cabinet door for AXIS T98A0 SCABINET DOOR Used in T98A15-VE Cabinets.  Cabinet door for AXIS T98A Surveillance Cabinet. Stand alone. Used in T98A15-VE Cabinets.  Cabinet door for AXIS T98A Surveillance Cabinet. Compatible cameras: AXIS M111X-E, AXIS P13X-E, AXIS Q16XX-E, AXIS Q16XX-E, AXIS Q191X-E, AXIS Q192X-E. Used in T98A16-VE Cabinets.  Cabinet door for AXIS T98A Surveillance Cabinet. Compatible cameras: AXIS P33-VE/-LVE and the outdoor bullet-style Q1765 and Q1931 cameras.  Lysed in T98A17-VE Cabinets.  AXIS T98A07 CABINET DOOR Used in T98A17-VE Cabinets.  Cabinet door for T98A. Compatible products: AXIS T91A61 Wall bracket for use with AXIS P55 and Q60-series or fixed dome pendant kits.  Lysed in T98A18-VE Cabinets.  AXIS T98A08 CABINET DOOR Used in T98A18-VE Cabinets.  The kit contains a complete AXIS P3367-VE enclosure, heater and cable cover. The kit could also be used for converting an indoor version of AXIS P3346, P3367, P3384 and P3365 to an outdoor VE version.  Terminal connectors for AXIS P7214 and AXIS Q7411. Includes 1 pcs TERMINAL CONN 6P STR 2.50MM, 2 pcs TERMINAL CONN 2P STR 2.50MM, rubber feet and mounting screws for	5800-511	AXIS T91A03 DIN RAIL CLIP SPCS	5-nack	\$	10 00
S800-521 AXIS T98A05 CABINET DOOR Used in T98A15-VE Cabinets. \$ 129.00 Cabinet door for AXIS T98A Surveillance Cabinet. Compatible cameras: AXIS M111X-E, AXIS P13XX-E, AXIS Q16XX-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AX	JJ000-J11	WITH THE POST OF THE WAIT CETT LACO		ų	13.00
Cabinet door for AXIS T98A Surveillance Cabinet. Compatible cameras: AXIS M111X-E, AXIS P13K-E, AXIS Q16XX-E, AXIS Q17XX-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS Q191X-E, AXIS	5800-521	AXIS T98A05 CABINET DOOR		\$	129.00
S800-531 AXIS T98A06 CABINET DOOR Used in T98A16-VE Cabinets. \$ 129.00 Cabinet door for AXIS T98A Surveillance Cabinet. Compatible cameras: AXIS P33-VE/-LVE and the outdoor bullet-style Q1765 and Q1931 cameras.  S800-541 AXIS T98A07 CABINET DOOR Used in T98A17-VE Cabinets. \$ 129.00 Cabinet door for T98A. Compatible products: AXIS T91A61 Wall bracket for use with AXIS P55 and Q60-series or fixed dome pendant kits.  S800-551 AXIS T98A08 CABINET DOOR Used in T98A18-VE Cabinets. \$ 129.00 The kit contains a complete AXIS P3367-VE enclosure, heater and cable cover. The kit could also be used for converting an indoor version of AXIS P3346, P3367, P3384 and P3365 to an outdoor VE version. \$ 215.00 Terminal connectors for AXIS P7214 and AXIS Q7411. Includes 1 pcs TERMINAL CONN 6P STR 2.50MM, 2 pcs TERMINAL CONN 2P STR 2.50MM, rubber feet and mounting screws for					
Cabinet door for AXIS T98A Surveillance Cabinet. Compatible cameras: AXIS P33-VE/-LVE and the outdoor bullet-style Q1765 and Q1931 cameras.  Used in T98A17-VE Cabinets.  Cabinet door for T98A. Compatible products: AXIS T91A61 Wall bracket for use with AXIS P55 and Q60-series or fixed dome pendant kits.  P55 and Q60-series or fixed dome pendant kits.  Used in T98A18-VE Cabinets.  The kit contains a complete AXIS P3367-VE enclosure, heater and cable cover. The kit could also be used for converting an indoor version of AXIS P3346, P3367, P3384 and P3365 to an outdoor VE version.  Terminal connectors for AXIS P7214 and AXIS Q7411. Includes 1 pcs TERMINAL CONN 6P STR 2.50MM, 2 pcs TERMINAL CONN 2P STR 2.50MM, rubber feet and mounting screws for			P13XX-E, AXIS Q16XX-E, AXIS Q17XX-E, AXIS Q191X-E, AXIS Q192X-E.		
and the outdoor bullet-style Q1765 and Q1931 cameras.  Used in T98A17-VE Cabinets.  AXIS T98A07 CABINET DOOR  Cabinet door for T98A. Compatible products: AXIS T91A61 Wall bracket for use with AXIS P55 and Q60-series or fixed dome pendant kits.  5800-551  AXIS T98A08 CABINET DOOR  Used in T98A18-VE Cabinets.  The kit contains a complete AXIS P3367-VE enclosure, heater and cable cover. The kit could also be used for converting an indoor version of AXIS P3346, P3367, P3384 and P3365 to an outdoor VE version.  Terminal connectors for AXIS P7214 and AXIS Q7411. Includes 1 pcs TERMINAL CONN 6P STR 2.50MM, 2 pcs TERMINAL CONN 2P STR 2.50MM, rubber feet and mounting screws for	5800-531	AXIS T98A06 CABINET DOOR		\$	129.00
S800-541 AXIS T98A07 CABINET DOOR Used in T98A17-VE Cabinets. \$ 129.00 Cabinet door for T98A. Compatible products: AXIS T91A61 Wall bracket for use with AXIS P55 and Q60-series or fixed dome pendant kits.  S800-551 AXIS T98A08 CABINET DOOR Used in T98A18-VE Cabinets. \$ 129.00 The kit contains a complete AXIS P3367-VE enclosure, heater and cable cover. The kit could also be used for converting an indoor version of AXIS P3346, P3346, P3346, P3344 and P3365 to an outdoor VE version. \$ 215.00 Terminal connectors for AXIS P7214 and AXIS Q7411. Includes 1 pcs TERMINAL CONN 6P STR 2.50MM, 2 pcs TERMINAL CONN 2P STR 2.50MM, rubber feet and mounting screws for					
Cabinet door for T98A. Compatible products: AXIS T91A61 Wall bracket for use with AXIS P55 and Q60-series or fixed dome pendant kits.  5800-551  AXIS T98A08 CABINET DOOR  Used in T98A18-VE Cabinets.  The kit contains a complete AXIS P3367-VE enclosure, heater and cable cover. The kit could also be used for converting an indoor version of AXIS P3346, P3367, P3384 and P3365 to an outdoor VE version.  5800-601  AXIS P3367-VE CASING KIT  Terminal connectors for AXIS P7214 and AXIS Q7411. Includes 1 pcs TERMINAL CONN 6P STR 2.50MM, 2 pcs TERMINAL CONN 2P STR 2.50MM, rubber feet and mounting screws for	E900 E41	AVIS TORAGE CARINET DOOR	· ·	ė	120.00
P55 and Q60-series or fixed dome pendant kits.  Used in T98A18-VE Cabinets.  The kit contains a complete AXIS P3367-VE enclosure, heater and cable cover. The kit could also be used for converting an indoor version of AXIS P3367, P3384 and P3365 to an outdoor VE version.  5800-601  AXIS P3367-VE CASING KIT  Terminal connectors for AXIS P7214 and AXIS Q7411. Includes 1 pcs TERMINAL CONN 6P STR 2.50MM, 2 pcs TERMINAL CONN 2P STR 2.50MM, rubber feet and mounting screws for	3000-341	MAIS 130AU/ CADINET DUUK		Ş	129.00
5800-551 AXIS T98A08 CABINET DOOR Used in T98A18-VE Cabinets. \$ 129.00 The kit contains a complete AXIS P3367-VE enclosure, heater and cable cover. The kit could also be used for converting an indoor version of AXIS P3346, P3367, P3384 and P3365 to an outdoor VE version.  5800-601 AXIS P3367-VE CASING KIT outdoor VE version.  Terminal connectors for AXIS P7214 and AXIS Q7411. Includes 1 pcs TERMINAL CONN 6P STR 2.50MM, 2 pcs TERMINAL CONN 2P STR 2.50MM, rubber feet and mounting screws for					
The kit contains a complete AXIS P3367-VE enclosure, heater and cable cover. The kit could also be used for converting an indoor version of AXIS P3346, P3367, P3384 and P3365 to an outdoor VE version.  S 215.0  Terminal connectors for AXIS P7214 and AXIS Q7411. Includes 1 pcs TERMINAL CONN 6P STR 2.50MM, 2 pcs TERMINAL CONN 2P STR 2.50MM, rubber feet and mounting screws for	5800-551	AXIS T98A08 CABINET DOOR	· ·	\$	129.00
5800-601 AXIS P3367-VE CASING KIT outdoor VE version. \$ 215.0  Terminal connectors for AXIS P7214 and AXIS Q7411. Includes 1 pcs TERMINAL CONN 6P  STR 2.50MM, 2 pcs TERMINAL CONN 2P STR 2.50MM, rubber feet and mounting screws for					
Terminal connectors for AXIS P7214 and AXIS Q7411. Includes 1 pcs TERMINAL CONN 6P STR 2.50MM, 2 pcs TERMINAL CONN 2P STR 2.50MM, rubber feet and mounting screws for					
STR 2.50MM, 2 pcs TERMINAL CONN 2P STR 2.50MM, rubber feet and mounting screws for	5800-601	AXIS P3367-VE CASING KIT		\$	215.00
			· ·		
JOOUTULE   CONNIN IN AND PYZEM/QV411   The encoder. \$ 9.0	E900 611	CONN VIT AVIS 07244/07444		ė	0.00
	2000-011	COMIN KIT MAIS P/214/Q/411	raie encouer.	ې	9.00

E000 C24	COMM KIT AVIS 14794	Terminal connectors for AXIS M7014. Includes 2 pcs TERMINAL CONN 2P STR 2.50MM,	,	
5800-621	CONN KIT AXIS M7014	rubber feet and mounting screws for the encoder.	\$	9.00
5800-631	AXIS M3004-V/05-V CLEAR DOME	Original top cover with clear dome for AXIS M3004-V/05-V	\$	19.00
5800-661	LENS CS VF 2.8-8MM F1.2 DC-IR	Original CS mounted varifocal DC-Iris lens 2.8-8mm for AXIS Q1602/04 and AXIS P1354/55	\$	149.00
5800-671	LENS CS VF 2.8-8MM F1.2 P-IRIS	Original CS mounted varifocal P-Iris lens 2.8-8mm for AXIS Q1604/14 and AXIS P1355/57	\$	149.00
5800-681	AVIC DOOG IVE DOME VIT	Dome kit for AXIS P3364-LVE. The dome is pre-mounted in a standard white top cover	\$	74.00
3600-061	AXIS P3364-LVE DOME KIT	casing.  Dome kit for AXIS P3364-LV. The dome is pre-mounted in the standard white top cover	Ş	74.00
5800-691	AXIS P3364-LV DOME KIT	casing.	\$	74.00
5800-711	AXIS M3024 CLEAR DOME 5PCS	Standard clear domes for AXIS M3024, 5 pcs	\$	249.00
5800-721	AXIS M3025/26 CLEAR DOME 5PCS	Standard clear domes for AXIS M3025, M3026. 5 pcs	\$	249.00
5800-731	AXIS M3006 CLEAR DOME 5PCS	Original white top cover with clear dome for AXIS M3006, 5pcs.	\$	249.00
5800-741	AXIS M3007 CLEAR DOME 5PCS	Original white top cover with clear dome for AXIS M3007, 5pcs.	\$	249.00
5800-751 5800-761	AXIS M3027 CLEAR DOME 5PCS AXIS P54 SMOKED DOME	Standard clear domes for AXIS M3027, 5 pcs Smoked dome for AXIS P54-series.	\$	249.00 49.00
5800-771	AXIS P54 CLEAR DOME	Clear dome for AXIS P54-series.	\$	49.00
		Varifocal IR-corrected lens with DC-Iris. Compatible with e.g. AXIS P1353/-E, P1354/-E,		
5800-781	LENS FUJINON CS 2.2-6MM DC-IRIS B	P1355/-E, P1357/-E, AXIS Q1602/-E, Q1604/-E.	\$	149.00
		Varifocal IR-corrected lens with DC-Iris. Compatible with e.g. AXIS P1353/-E, P1354/-E. Axis		
5800-791	LENS COMPUTAR CS 12.5-50MM DC-IRIS	Q1602/-E, Q1604/-E.	\$	249.00
F000 004	LENG COMBUTAR CC 42 E FOMMA R IRIG	Varifocal IR-corrected lens with P-Iris. Compatible with e.g. AXIS Q1602/-E, Q1604/-E,	\$	240.00
5800-801	LENS COMPUTAR CS 12.5-50MM P-IRIS	Q1614/-E, Q1615/-E, AXIS P1355/-E, P1357/-E.  Original stainless steel straps for AXIS T91A47 110-400 mm. The straps also fit the AXIS	\$	249.00
5800-811	STAINLESS STEEL STRAPS 1450MM 1 PAIR	T91A67. Mounting tool (P/N 21776) is required.	\$	24.00
5800-821	AXIS Q60XX-C MULTI CONNECT CABLE 7M	Cable between AXIS Q60XX-C and connection box AXIS T8605	\$	179.00
5800-851	SPR FAN CASSETTE AXIS Q7920	Original spare part fan cassette for AXIS Q7920.	\$	99.00
5800-861	SPR POWER SUPPLY 1U 300W BL. FRONT	Replacement power supply for AXIS Q7920 Video Encoder Chassis	\$	329.00
		Cabinet door for AXIS T98A. Compatible products: AXIS P54-Series.		
5800-871	AXIS T98A09 CABINET DOOR	Used in T98A19-VE Cabinets.	\$	129.00
E000 001	CDD C DODT CD ETHERNIET CWITCH VIT	Spare part internal quitable for the AVIS 09731 F/23 F Dual compare including brackets	\$	F00.00
5800-881	SPR 5 PORT GB ETHERNET SWITCH KIT	Spare part internal switch for the AXIS Q8721-E/22-E Dual cameras, including brackets.  Axis male connector for limited and full IO port . Pitch: 2.50 mm. 4pos terminal block.	Ş	599.00
5800-891	AXIS CONNECTOR A 4P2.5 STR 10PCS	10pack.	\$	19.00
			-	
5800-901	AXIS CONNECTOR A 2P3.81 STR 10PCS	Axis male connector for low voltage power. Pitch: 3.81 mm. 2pos terminal block. 10pack	\$	19.00
		Spare part illuminator kit for AXIS Q8665-LE. NOTE: it is not possible to upgrade a Q8665-E		
5800-921	PT IR ILLUMINATOR KIT B	to become LE version	\$	1,299.00
5800-931 5800-951	AXIS T90B REMOTE CONTROL AXIS Q8721-E/22-E BASE	to adjust settings of light intensity, photocell sensitivity and more conveniently from the ground level. No lift or ladder required. The remote control featur  Base assembly for the AXIS Q8721-E/22-E.	\$	39.00 699.00
5800-961	CABLE GLAND A M16 5PCS	M16 cable gland for cable diameter of 4.5 to 10mm. IP68. 5 pcs.	\$	19.00
5800-971 5800-981	AXIS SUNSHIELD B AXIS SUNSHIELD C	Sunshield compatible with AXIS Q1765-LE, Q1931-E/32-E/41-E and Q2901-E  Sunshield compatible with AXIS Q1765-LE PT Mount	\$	29.00 29.00
3600-361	AXIS SONSTILLED C	Original sensor unit for AXIS P1224-E with premounted cable. Flush mount bracket	7	23.00
5800-991	SPR P1224-E SENSOR UNIT	included.	\$	199.00
5801-011	LENS CS 4-10MM P-IRIS	Standard lens for AXIS Q1635-E.		
5801-101 5801-111			\$	249.00
	AXIS Q1765-LE FRONT KIT	Sparepart front window for AXIS Q1765-LE	\$	59.00
	SPR TOP COVER AXIS P39-R 10 PCS			
3801-111		Sparepart front window for AXIS Q1765-LE Original top cover including dome and screws for AXIS P39-R Series. 10 pieces.	\$	59.00
3601-111		Sparepart front window for AXIS Q1765-LE	\$	59.00
5801-121		Sparepart front window for AXIS Q1765-LE  Original top cover including dome and screws for AXIS P39-R Series. 10 pieces.  Bird control spikes made of flexible UV-resistant polymer preventing birds from landing on	\$	59.00
	SPR TOP COVER AXIS P39-R 10 PCS	Sparepart front window for AXIS Q1765-LE  Original top cover including dome and screws for AXIS P39-R Series. 10 pieces.  Bird control spikes made of flexible UV-resistant polymer preventing birds from landing on cameras or mounts. Each module has five spikes and can be mounted on flat or curved surfaces using the pre-mounted adhesive or cable ties (not included). The module	\$	59.00 249.00
	SPR TOP COVER AXIS P39-R 10 PCS	Sparepart front window for AXIS Q1765-LE  Original top cover including dome and screws for AXIS P39-R Series. 10 pieces.  Bird control spikes made of flexible UV-resistant polymer preventing birds from landing on cameras or mounts. Each module has five spikes and can be mounted on flat or curved surfaces using the pre-mounted adhesive or cable ties (not included). The module  AXIS A8004 Junction box offers neat and easy recessed installations of the AXIS A8004-VE	\$	59.00 249.00
5801-121	SPR TOP COVER AXIS P39-R 10 PCS  AXIS BIRD CONTROL SPIKE 10P	Sparepart front window for AXIS Q1765-LE  Original top cover including dome and screws for AXIS P39-R Series. 10 pieces.  Bird control spikes made of flexible UV-resistant polymer preventing birds from landing on cameras or mounts. Each module has five spikes and can be mounted on flat or curved surfaces using the pre-mounted adhesive or cable ties (not included). The module  AXIS A8004 Junction box offers neat and easy recessed installations of the AXIS A8004-VE Network video door station. Multiple mounting and wiring options along with a robust steel	\$ \$	59.00 249.00 24.00
	SPR TOP COVER AXIS P39-R 10 PCS	Sparepart front window for AXIS Q1765-LE  Original top cover including dome and screws for AXIS P39-R Series. 10 pieces.  Bird control spikes made of flexible UV-resistant polymer preventing birds from landing on cameras or mounts. Each module has five spikes and can be mounted on flat or curved surfaces using the pre-mounted adhesive or cable ties (not included). The module  AXIS A8004 Junction box offers neat and easy recessed installations of the AXIS A8004-VE	\$	59.00 249.00
5801-121	SPR TOP COVER AXIS P39-R 10 PCS  AXIS BIRD CONTROL SPIKE 10P	Sparepart front window for AXIS Q1765-LE  Original top cover including dome and screws for AXIS P39-R Series. 10 pieces.  Bird control spikes made of flexible UV-resistant polymer preventing birds from landing on cameras or mounts. Each module has five spikes and can be mounted on flat or curved surfaces using the pre-mounted adhesive or cable ties (not included). The module  AXIS A8004 Junction box offers neat and easy recessed installations of the AXIS A8004-VE Network video door station. Multiple mounting and wiring options along with a robust steel	\$ \$	59.00 249.00 24.00
5801-121	SPR TOP COVER AXIS P39-R 10 PCS  AXIS BIRD CONTROL SPIKE 10P	Sparepart front window for AXIS Q1765-LE  Original top cover including dome and screws for AXIS P39-R Series. 10 pieces.  Bird control spikes made of flexible UV-resistant polymer preventing birds from landing on cameras or mounts. Each module has five spikes and can be mounted on flat or curved surfaces using the pre-mounted adhesive or cable ties (not included). The module  AXIS A8004 Junction box offers neat and easy recessed installations of the AXIS A8004-VE Network video door station. Multiple mounting and wiring options along with a robust steel construction makes it suitable for most situations and wall types.	\$ \$	59.00 249.00 24.00
5801-121	SPR TOP COVER AXIS P39-R 10 PCS  AXIS BIRD CONTROL SPIKE 10P	Sparepart front window for AXIS Q1765-LE  Original top cover including dome and screws for AXIS P39-R Series. 10 pieces.  Bird control spikes made of flexible UV-resistant polymer preventing birds from landing on cameras or mounts. Each module has five spikes and can be mounted on flat or curved surfaces using the pre-mounted adhesive or cable ties (not included). The module  AXIS A8004 Junction box offers neat and easy recessed installations of the AXIS A8004-VE Network video door station. Multiple mounting and wiring options along with a robust steel construction makes it suitable for most situations and wall types.  AXIS A9801 Security relay box offer an easy and cost efficient way to improve security for doors controlled by an Axis network video door station. The product bridges the connection between door station and door lock and is placed on the secure side of th	\$ \$	59.00 249.00 24.00
5801-121 5801-131 5801-141	AXIS BIRD CONTROL SPIKE 10P  AXIS A8004 JUNCTION BOX  AXIS A9801 SECURITY RELAY	Sparepart front window for AXIS Q1765-LE  Original top cover including dome and screws for AXIS P39-R Series. 10 pieces.  Bird control spikes made of flexible UV-resistant polymer preventing birds from landing on cameras or mounts. Each module has five spikes and can be mounted on flat or curved surfaces using the pre-mounted adhesive or cable ties (not included). The module  AXIS A8004 Junction box offers neat and easy recessed installations of the AXIS A8004-VE Network video door station. Multiple mounting and wiring options along with a robust steel construction makes it suitable for most situations and wall types.  AXIS A9801 Security relay box offer an easy and cost efficient way to improve security for doors controlled by an Axis network video door station. The product bridges the connection between door station and door lock and is placed on the secure side of th  Standard front for AXIS P1405-E, P1405-LE, P1405-LE MKII, P1425-E, P1425-LE, P1425-LE	\$ \$	59.00 249.00 24.00 69.00
5801-121 5801-131 5801-141 5801-151	AXIS A9801 SECURITY RELAY  AXIS P14 FRONT KIT A	Sparepart front window for AXIS Q1765-LE  Original top cover including dome and screws for AXIS P39-R Series. 10 pieces.  Bird control spikes made of flexible UV-resistant polymer preventing birds from landing on cameras or mounts. Each module has five spikes and can be mounted on flat or curved surfaces using the pre-mounted adhesive or cable ties (not included). The module  AXIS A8004 Junction box offers neat and easy recessed installations of the AXIS A8004-VE Network video door station. Multiple mounting and wiring options along with a robust steel construction makes it suitable for most situations and wall types.  AXIS A9801 Security relay box offer an easy and cost efficient way to improve security for doors controlled by an Axis network video door station. The product bridges the connection between door station and door lock and is placed on the secure side of th  Standard front for AXIS P1405-E, P1405-LE, P1405-LE MKII, P1425-E, P1425-LE, P1425-LE MKII, P1427-E, P1427-LE, P1435-LE. Includes front ring, window and gasket.	\$ \$ \$	59.00 249.00 24.00 69.00 119.00 29.00
5801-121 5801-131 5801-141 5801-151 5801-171	AXIS A9801 SECURITY RELAY  AXIS P14 FRONT KIT A  AXIS Q8665-E BASE UNIT 24 V AC	Sparepart front window for AXIS Q1765-LE  Original top cover including dome and screws for AXIS P39-R Series. 10 pieces.  Bird control spikes made of flexible UV-resistant polymer preventing birds from landing on cameras or mounts. Each module has five spikes and can be mounted on flat or curved surfaces using the pre-mounted adhesive or cable ties (not included). The module  AXIS A8004 Junction box offers neat and easy recessed installations of the AXIS A8004-VE Network video door station. Multiple mounting and wiring options along with a robust steel construction makes it suitable for most situations and wall types.  AXIS A9801 Security relay box offer an easy and cost efficient way to improve security for doors controlled by an Axis network video door station. The product bridges the connection between door station and door lock and is placed on the secure side of th  Standard front for AXIS P1405-E, P1405-LE, P1405-LE MKII, P1425-E, P1425-LE, P1425-LE MKII, P1427-E, P1427-LE, P1435-LE. Includes front ring, window and gasket.  Spare part base unit for AXIS Q86-E 24 V AC.	\$ \$ \$	59.00 249.00 24.00 69.00 119.00 29.00 1,199.00
5801-121 5801-131 5801-141 5801-151 5801-171 5801-181	AXIS BIRD CONTROL SPIKE 10P  AXIS A8004 JUNCTION BOX  AXIS A9801 SECURITY RELAY  AXIS P14 FRONT KIT A  AXIS Q8665-E BASE UNIT 24 V AC  AXIS Q8665-E BASE UNIT 120 V AC	Sparepart front window for AXIS Q1765-LE  Original top cover including dome and screws for AXIS P39-R Series. 10 pieces.  Bird control spikes made of flexible UV-resistant polymer preventing birds from landing on cameras or mounts. Each module has five spikes and can be mounted on flat or curved surfaces using the pre-mounted adhesive or cable ties (not included). The module  AXIS A8004 Junction box offers neat and easy recessed installations of the AXIS A8004-VE Network video door station. Multiple mounting and wiring options along with a robust steel construction makes it suitable for most situations and wall types.  AXIS A9801 Security relay box offer an easy and cost efficient way to improve security for doors controlled by an Axis network video door station. The product bridges the connection between door station and door lock and is placed on the secure side of th  Standard front for AXIS P1405-E, P1405-LE, P1405-LE MKII, P1425-E, P1425-LE, P1425-LE MKII, P1427-E, P1427-LE, P1435-LE. Includes front ring, window and gasket.  Spare part base unit for AXIS Q86-E 24 V AC.	\$ \$ \$	59.00 249.00 24.00 69.00 119.00 29.00 1,199.00 1,199.00
5801-121 5801-131 5801-141 5801-151 5801-171	AXIS A9801 SECURITY RELAY  AXIS P14 FRONT KIT A  AXIS Q8665-E BASE UNIT 24 V AC	Sparepart front window for AXIS Q1765-LE  Original top cover including dome and screws for AXIS P39-R Series. 10 pieces.  Bird control spikes made of flexible UV-resistant polymer preventing birds from landing on cameras or mounts. Each module has five spikes and can be mounted on flat or curved surfaces using the pre-mounted adhesive or cable ties (not included). The module  AXIS A8004 Junction box offers neat and easy recessed installations of the AXIS A8004-VE Network video door station. Multiple mounting and wiring options along with a robust steel construction makes it suitable for most situations and wall types.  AXIS A9801 Security relay box offer an easy and cost efficient way to improve security for doors controlled by an Axis network video door station. The product bridges the connection between door station and door lock and is placed on the secure side of th  Standard front for AXIS P1405-E, P1405-LE, P1405-LE MKII, P1425-E, P1425-LE, P1425-LE MKII, P1427-E, P1427-LE, P1435-LE. Includes front ring, window and gasket.  Spare part base unit for AXIS Q86-E 24 V AC.  Spare part base unit for AXIS Q86-E 120 V AC.  Spare part base unit for AXIS Q86-LE 24 V AC.	\$ \$ \$	59.00 249.00 24.00 69.00 119.00 29.00 1,199.00
5801-121 5801-131 5801-141 5801-151 5801-171 5801-181 5801-191	AXIS BIRD CONTROL SPIKE 10P  AXIS A8004 JUNCTION BOX  AXIS A9801 SECURITY RELAY  AXIS P14 FRONT KIT A  AXIS Q8665-E BASE UNIT 24 V AC  AXIS Q8665-LE BASE UNIT 120 V AC  AXIS Q8665-LE BASE UNIT 120 V AC  AXIS Q8665-LE BASE UNIT 120 V AC	Sparepart front window for AXIS Q1765-LE  Original top cover including dome and screws for AXIS P39-R Series. 10 pieces.  Bird control spikes made of flexible UV-resistant polymer preventing birds from landing on cameras or mounts. Each module has five spikes and can be mounted on flat or curved surfaces using the pre-mounted adhesive or cable ties (not included). The module  AXIS A8004 Junction box offers neat and easy recessed installations of the AXIS A8004-VE Network video door station. Multiple mounting and wiring options along with a robust steel construction makes it suitable for most situations and wall types.  AXIS A9801 Security relay box offer an easy and cost efficient way to improve security for doors controlled by an Axis network video door station. The product bridges the connection between door station and door lock and is placed on the secure side of th  Standard front for AXIS P1405-E, P1405-LE, P1405-LE MKII, P1425-E, P1425-LE, P1425-LE MKII, P1427-E, P1427-LE, P1435-LE. Includes front ring, window and gasket.  Spare part base unit for AXIS Q86-E 24 V AC.	\$ \$ \$	59.00 249.00 24.00 69.00 119.00 29.00 1,199.00 1,199.00
5801-121 5801-131 5801-141 5801-151 5801-171 5801-181 5801-191 5801-201 5801-281 5801-291	AXIS BIRD CONTROL SPIKE 10P  AXIS A8004 JUNCTION BOX  AXIS A9801 SECURITY RELAY  AXIS P14 FRONT KIT A  AXIS Q8665-E BASE UNIT 24 V AC  AXIS Q8665-E BASE UNIT 120 V AC  AXIS Q8665-BASE UNIT 120 V AC  AXIS Q8665-WIPER  AXIS Q8665 WIPER  AXIS Q8665 HOUSING TOP  AXIS Q8631-E/32-E HOUSING TOP	Sparepart front window for AXIS Q1765-LE  Original top cover including dome and screws for AXIS P39-R Series. 10 pieces.  Bird control spikes made of flexible UV-resistant polymer preventing birds from landing on cameras or mounts. Each module has five spikes and can be mounted on flat or curved surfaces using the pre-mounted adhesive or cable ties (not included). The module  AXIS A8004 Junction box offers neat and easy recessed installations of the AXIS A8004-VE Network video door station. Multiple mounting and wiring options along with a robust steel construction makes it suitable for most situations and wall types.  AXIS A9801 Security relay box offer an easy and cost efficient way to improve security for doors controlled by an Axis network video door station. The product bridges the connection between door station and door lock and is placed on the secure side of th  Standard front for AXIS P1405-E, P1405-LE, P1405-LE MKII, P1425-E, P1425-LE, P1425-LE MKII, P1427-E, P1427-LE, P1435-LE. Includes front ring, window and gasket.  Spare part base unit for AXIS Q86-E 120 V AC.  Spare part base unit for AXIS Q86-E 120 V AC.  Spare part base unit for AXIS Q86-LE 24 V AC.  Spare part top housing with glass window for AXIS Q8665-E/-LE.  Spare part top housing with glass window for AXIS Q8665-E/-LE.	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	59.00 249.00 24.00 69.00 119.00 29.00 1,199.00 1,199.00 599.00 599.00
5801-121 5801-131 5801-141 5801-151 5801-171 5801-181 5801-191 5801-201 5801-281	AXIS BIRD CONTROL SPIKE 10P  AXIS A8004 JUNCTION BOX  AXIS A9801 SECURITY RELAY  AXIS P14 FRONT KIT A  AXIS Q8665-E BASE UNIT 24 V AC  AXIS Q8665-E BASE UNIT 120 V AC  AXIS Q8665-LE BASE UNIT 120 V AC  AXIS Q8665 HOUSING TOP	Sparepart front window for AXIS Q1765-LE  Original top cover including dome and screws for AXIS P39-R Series. 10 pieces.  Bird control spikes made of flexible UV-resistant polymer preventing birds from landing on cameras or mounts. Each module has five spikes and can be mounted on flat or curved surfaces using the pre-mounted adhesive or cable ties (not included). The module  AXIS A8004 Junction box offers neat and easy recessed installations of the AXIS A8004-VE Network video door station. Multiple mounting and wiring options along with a robust steel construction makes it suitable for most situations and wall types.  AXIS A9801 Security relay box offer an easy and cost efficient way to improve security for doors controlled by an Axis network video door station. The product bridges the connection between door station and door lock and is placed on the secure side of th  Standard front for AXIS P1405-E, P1405-LE, P1405-LE MKII, P1425-E, P1425-LE, P1425-LE  MKII, P1427-E, P1427-LE, P1435-LE. Includes front ring, window and gasket.  Spare part base unit for AXIS Q86-E 24 V AC.  Spare part base unit for AXIS Q86-E 120 V AC.  Spare part base unit for AXIS Q86-E 120 V AC.  Spare part wiper blade for AXIS Q866-E 12-LE including the stainless steel holder  Spare part to bossing with glass window for AXIS Q8665-E/-LE.	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	59.00 249.00 24.00 69.00 119.00 29.00 1,199.00 1,199.00 1,199.00 399.00
5801-121 5801-131 5801-141 5801-151 5801-171 5801-181 5801-191 5801-201 5801-281 5801-291	AXIS BIRD CONTROL SPIKE 10P  AXIS A8004 JUNCTION BOX  AXIS A9801 SECURITY RELAY  AXIS P14 FRONT KIT A  AXIS Q8665-E BASE UNIT 24 V AC  AXIS Q8665-E BASE UNIT 120 V AC  AXIS Q8665-BASE UNIT 120 V AC  AXIS Q8665-WIPER  AXIS Q8665 WIPER  AXIS Q8665 HOUSING TOP  AXIS Q8631-E/32-E HOUSING TOP	Sparepart front window for AXIS Q1765-LE  Original top cover including dome and screws for AXIS P39-R Series. 10 pieces.  Bird control spikes made of flexible UV-resistant polymer preventing birds from landing on cameras or mounts. Each module has five spikes and can be mounted on flat or curved surfaces using the pre-mounted adhesive or cable ties (not included). The module  AXIS A8004 Junction box offers neat and easy recessed installations of the AXIS A8004-VE Network video door station. Multiple mounting and wiring options along with a robust steel construction makes it suitable for most situations and wall types.  AXIS A9801 Security relay box offer an easy and cost efficient way to improve security for doors controlled by an Axis network video door station. The product bridges the connection between door station and door lock and is placed on the secure side of th  Standard front for AXIS P1405-E, P1405-LE, P1405-LE MKII, P1425-E, P1425-LE, P1425-LE MKII, P1427-E, P1427-LE, P1435-LE. Includes front ring, window and gasket.  Spare part base unit for AXIS Q86-E 24 V AC.  Spare part base unit for AXIS Q86-E 120 V AC.  Spare part base unit for AXIS Q86-E 120 V AC.  Spare part base unit for AXIS Q86-E 120 V AC.  Spare part base unit for AXIS Q86-E 120 V AC.  Spare part top housing with glass window for AXIS Q865-E/-LE.  Spare part top housing with glass window for AXIS Q8631-E/32-E.  Spare part top housing with germanium window for AXIS Q8631-E/32-E.	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	59.00 249.00 24.00 69.00 119.00 29.00 1,199.00 1,199.00 599.00 599.00
5801-121 5801-131 5801-141 5801-151 5801-171 5801-181 5801-191 5801-201 5801-281 5801-291	AXIS BIRD CONTROL SPIKE 10P  AXIS A8004 JUNCTION BOX  AXIS A9801 SECURITY RELAY  AXIS P14 FRONT KIT A  AXIS Q8665-E BASE UNIT 24 V AC  AXIS Q8665-E BASE UNIT 120 V AC  AXIS Q8665-BASE UNIT 120 V AC  AXIS Q8665-WIPER  AXIS Q8665 WIPER  AXIS Q8665 HOUSING TOP  AXIS Q8631-E/32-E HOUSING TOP	Sparepart front window for AXIS Q1765-LE  Original top cover including dome and screws for AXIS P39-R Series. 10 pieces.  Bird control spikes made of flexible UV-resistant polymer preventing birds from landing on cameras or mounts. Each module has five spikes and can be mounted on flat or curved surfaces using the pre-mounted adhesive or cable ties (not included). The module  AXIS A8004 Junction box offers neat and easy recessed installations of the AXIS A8004-VE Network video door station. Multiple mounting and wiring options along with a robust steel construction makes it suitable for most situations and wall types.  AXIS A9801 Security relay box offer an easy and cost efficient way to improve security for doors controlled by an Axis network video door station. The product bridges the connection between door station and door lock and is placed on the secure side of th  Standard front for AXIS P1405-E, P1405-LE, P1405-LE MKII, P1425-E, P1425-LE, P1425-LE  MKII, P1427-E, P1427-LE, P1435-LE. Includes front ring, window and gasket.  Spare part base unit for AXIS Q86-E 24 V AC.  Spare part base unit for AXIS Q86-E 120 V AC.  Spare part base unit for AXIS Q86-E 120 V AC.  Spare part base unit for AXIS Q86-E 120 V AC.  Spare part base unit for AXIS Q86-E 120 V AC.  Spare part top housing with glass window for AXIS Q8665-E/-LE.  Spare part top housing with germanium window for AXIS Q8631-E/32-E.  Spare part sunshield for AXIS Q8631-E/32-E/65-E/65-LE  Kit for making a stand-alone AXIS Q6000-E MkII installation without PTZ camera inside.	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	59.00 249.00 24.00 69.00 119.00 29.00 1,199.00 1,199.00 599.00 599.00
5801-121 5801-131 5801-141 5801-151 5801-171 5801-181 5801-191 5801-201 5801-201 5801-291 5801-311	AXIS BIRD CONTROL SPIKE 10P  AXIS A8004 JUNCTION BOX  AXIS A9801 SECURITY RELAY  AXIS P14 FRONT KIT A  AXIS Q8665-E BASE UNIT 24 V AC  AXIS Q8665-E BASE UNIT 120 V AC  AXIS Q8665-LE BASE UNIT 120 V AC  AXIS Q8665 WIPER  AXIS Q8665 HOUSING TOP  AXIS Q8631-E/32-E HOUSING TOP  AXIS Q8631-E/32-E HOUSING TOP  AXIS Q8631/32/65 SUNSHIELD	Sparepart front window for AXIS Q1765-LE  Original top cover including dome and screws for AXIS P39-R Series. 10 pieces.  Bird control spikes made of flexible UV-resistant polymer preventing birds from landing on cameras or mounts. Each module has five spikes and can be mounted on flat or curved surfaces using the pre-mounted adhesive or cable ties (not included). The module  AXIS A8004 Junction box offers neat and easy recessed installations of the AXIS A8004-VE Network video door station. Multiple mounting and wiring options along with a robust steel construction makes it suitable for most situations and wall types.  AXIS A9801 Security relay box offer an easy and cost efficient way to improve security for doors controlled by an Axis network video door station. The product bridges the connection between door station and door lock and is placed on the secure side of th  Standard front for AXIS P1405-E, P1405-LE, P1405-LE MKII, P1425-E, P1425-LE, P1425-LE  MKII, P1427-E, P1427-LE, P1435-LE. Includes front ring, window and gasket.  Spare part base unit for AXIS Q86-E 120 V AC.  Spare part base unit for AXIS Q86-E 120 V AC.  Spare part base unit for AXIS Q86-LE 24 V AC.  Spare part top housing with glass window for AXIS Q865-E/-LE.  Spare part top housing with glass window for AXIS Q865-E/-LE.  Spare part top housing with germanium window for AXIS Q8631-E/32-E.  Spare part sunshield for AXIS Q8631-E/32-E/65-LE/65-LE  Kit for making a stand-alone AXIS Q6000-E MkII installation without PTZ camera inside. Includes a metal cover lid, an internal adapter plate, and IP66-rated RJ45 push-pull	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	59.00 249.00 24.00 69.00 119.00 1,199.00 1,199.00 59.00 599.00
5801-121 5801-131 5801-141 5801-151 5801-171 5801-181 5801-191 5801-201 5801-281 5801-291	AXIS BIRD CONTROL SPIKE 10P  AXIS A8004 JUNCTION BOX  AXIS A9801 SECURITY RELAY  AXIS P14 FRONT KIT A  AXIS Q8665-E BASE UNIT 24 V AC  AXIS Q8665-E BASE UNIT 120 V AC  AXIS Q8665-BASE UNIT 120 V AC  AXIS Q8665-WIPER  AXIS Q8665 WIPER  AXIS Q8665 HOUSING TOP  AXIS Q8631-E/32-E HOUSING TOP	Sparepart front window for AXIS Q1765-LE  Original top cover including dome and screws for AXIS P39-R Series. 10 pieces.  Bird control spikes made of flexible UV-resistant polymer preventing birds from landing on cameras or mounts. Each module has five spikes and can be mounted on flat or curved surfaces using the pre-mounted adhesive or cable ties (not included). The module  AXIS A8004 Junction box offers neat and easy recessed installations of the AXIS A8004-VE Network video door station. Multiple mounting and wiring options along with a robust steel construction makes it suitable for most situations and wall types.  AXIS A9801 Security relay box offer an easy and cost efficient way to improve security for doors controlled by an Axis network video door station. The product bridges the connection between door station and door lock and is placed on the secure side of th  Standard front for AXIS P1405-E, P1405-LE, P1405-LE MKII, P1425-E, P1425-LE, P1425-LE  MKII, P1427-E, P1427-LE, P1435-LE. Includes front ring, window and gasket.  Spare part base unit for AXIS Q86-E 24 V AC.  Spare part base unit for AXIS Q86-E 120 V AC.  Spare part base unit for AXIS Q86-E 120 V AC.  Spare part base unit for AXIS Q86-E 120 V AC.  Spare part base unit for AXIS Q86-E 120 V AC.  Spare part top housing with glass window for AXIS Q8665-E/-LE.  Spare part top housing with germanium window for AXIS Q8631-E/32-E.  Spare part sunshield for AXIS Q8631-E/32-E/65-E/65-LE  Kit for making a stand-alone AXIS Q6000-E MkII installation without PTZ camera inside.	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	59.00 249.00 24.00 69.00 119.00 29.00 1,199.00 1,199.00 599.00 599.00
5801-121 5801-131 5801-141 5801-151 5801-171 5801-191 5801-201 5801-291 5801-291 5801-311	AXIS BIRD CONTROL SPIKE 10P  AXIS A8004 JUNCTION BOX  AXIS A8004 JUNCTION BOX  AXIS A9801 SECURITY RELAY  AXIS P14 FRONT KIT A  AXIS Q8665-E BASE UNIT 24 V AC  AXIS Q8665-E BASE UNIT 120 V AC  AXIS Q8665-E BASE UNIT 120 V AC  AXIS Q8665 WIPER  AXIS Q8665 HOUSING TOP  AXIS Q8631-E/32-E HOUSING TOP  AXIS Q8631-E/32-E SUNSHIELD  AXIS Q8600-E SOLO KIT  AXIS COMPANION SWITCH 4CH	Sparepart front window for AXIS Q1765-LE  Original top cover including dome and screws for AXIS P39-R Series. 10 pieces.  Bird control spikes made of flexible UV-resistant polymer preventing birds from landing on cameras or mounts. Each module has five spikes and can be mounted on flat or curved surfaces using the pre-mounted adhesive or cable ties (not included). The module  AXIS A8004 Junction box offers neat and easy recessed installations of the AXIS A8004-VE Network video door station. Multiple mounting and wiring options along with a robust steel construction makes it suitable for most situations and wall types.  AXIS A9801 Security relay box offer an easy and cost efficient way to improve security for doors controlled by an Axis network video door station. The product bridges the connection between door station and door lock and is placed on the secure side of th  Standard front for AXIS P1405-E, P1405-LE, P1405-LE MKII, P1425-E, P1425-LE, P1425-LE MKII, P1427-E, P1427-LE, P1435-LE. Includes front ring, window and gasket.  Spare part base unit for AXIS Q86-E 120 V AC.  Spare part base unit for AXIS Q86-E 120 V AC.  Spare part base unit for AXIS Q86-E 120 V AC.  Spare part base unit for AXIS Q86-E 120 V AC.  Spare part top housing with glass window for AXIS Q865-E/-LE.  Spare part top housing with glass window for AXIS Q8631-E/32-E.  Spare part sunshield for AXIS Q8631-E/32-E/65-E/65-LE  Kit for making a stand-alone AXIS Q6000-E MkII installation without PTZ camera inside. Includes a metal cover lid, an internal adapter plate, and IP66-rated R145 push-pull connector. Use this kit together with an AXIS Q6000-E MkII network camera (not incl	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	59.00 249.00 24.00 69.00 119.00 29.00 1,199.00 1,199.00 399.00 599.00 599.00
5801-121 5801-131 5801-141 5801-151 5801-171 5801-181 5801-191 5801-201 5801-291 5801-311	AXIS BIRD CONTROL SPIKE 10P  AXIS A8004 JUNCTION BOX  AXIS A9801 SECURITY RELAY  AXIS P14 FRONT KIT A  AXIS Q8665-E BASE UNIT 24 V AC  AXIS Q8665-E BASE UNIT 120 V AC  AXIS Q8665-LE BASE UNIT 120 V AC  AXIS Q8665 WIPER  AXIS Q8665 HOUSING TOP  AXIS Q8631-(32-E HOUSING TOP  AXIS Q8631-(32-E HOUSING TOP  AXIS Q8631/32/65 SUNSHIELD	Sparepart front window for AXIS Q1765-LE  Original top cover including dome and screws for AXIS P39-R Series. 10 pieces.  Bird control spikes made of flexible UV-resistant polymer preventing birds from landing on cameras or mounts. Each module has five spikes and can be mounted on flat or curved surfaces using the pre-mounted adhesive or cable ties (not included). The module  AXIS A8004 Junction box offers neat and easy recessed installations of the AXIS A8004-VE Network video door station. Multiple mounting and wiring options along with a robust steel construction makes it suitable for most situations and wall types.  AXIS A9801 Security relay box offer an easy and cost efficient way to improve security for doors controlled by an Axis network video door station. The product bridges the connection between door station and door lock and is placed on the secure side of th  Standard front for AXIS P1405-E, P1405-LE, P1405-LE MKII, P1425-E, P1425-LE, P1425-LE  MKII, P1427-E, P1427-LE, P1435-LE. Includes front ring, window and gasket.  Spare part base unit for AXIS Q86-E 120 V AC.  Spare part base unit for AXIS Q86-E 120 V AC.  Spare part base unit for AXIS Q86-E 120 V AC.  Spare part top housing with glass window for AXIS Q865-E/-LE.  Spare part top housing with glass window for AXIS Q865-E/-LE.  Spare part top housing with germanium window for AXIS Q8631-E/32-E.  Spare part sunshield for AXIS Q8631-E/32-E/65-E/65-LE  Kit for making a stand-alone AXIS Q8600-E MkII installation without PTZ camera inside. Includes a metal cover lid, an internal adapter plate, and IP66-rated RJ45 push-pull connector. Use this kit together with an AXIS Q6000-E MkII network camera (not incl  4 channel 10/100 Mbps PoE+ switch with plug & play installation.  Black accessory casing for AXIS M3104-L/05-L/06-L. Replaces the white original casing. 5 pcs.	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	59.00 249.00 24.00 69.00 119.00 1,199.00 1,199.00 59.00 59.00 59.00
5801-121  5801-131  5801-141  5801-151  5801-181  5801-191  5801-201  5801-291  5801-321  5801-321  5801-324  5801-354	AXIS BIRD CONTROL SPIKE 10P  AXIS A8004 JUNCTION BOX  AXIS A8004 JUNCTION BOX  AXIS A9801 SECURITY RELAY  AXIS P14 FRONT KIT A  AXIS Q8665-E BASE UNIT 24 V AC  AXIS Q8665-E BASE UNIT 120 V AC  AXIS Q8665-LE BASE UNIT 120 V AC  AXIS Q8665 HOUSING TOP  AXIS Q8665 HOUSING TOP  AXIS Q8631-(7)2-E HOUSING TOP  AXIS Q8631-(3)2-E SUNSHIELD  AXIS Q8000-E SOLO KIT  AXIS COMPANION SWITCH 4CH  AXIS M3104/5/6-L BLACK CASING 5P	Sparepart front window for AXIS Q1765-LE  Original top cover including dome and screws for AXIS P39-R Series. 10 pieces.  Bird control spikes made of flexible UV-resistant polymer preventing birds from landing on cameras or mounts. Each module has five spikes and can be mounted on flat or curved surfaces using the pre-mounted adhesive or cable ties (not included). The module  AXIS A8004 Junction box offers neat and easy recessed installations of the AXIS A8004-VE Network video door station. Multiple mounting and wiring options along with a robust steel construction makes it suitable for most situations and wall types.  AXIS A9801 Security relay box offer an easy and cost efficient way to improve security for doors controlled by an Axis network video door station. The product bridges the connection between door station and door lock and is placed on the secure side of th  Standard front for AXIS P1405-E, P1405-LE, P1405-LE MKII, P1425-E, P1425-LE, P1425-LE MKII, P1427-E, P1427-LE, P1435-LE. Includes front ring, window and gasket.  Spare part base unit for AXIS Q86-E 120 V AC.  Spare part base unit for AXIS Q86-E 120 V AC.  Spare part base unit for AXIS Q86-E 120 V AC.  Spare part top housing with glass window for AXIS Q8665-E/-LE.  Spare part top housing with glass window for AXIS Q8665-E/-LE.  Spare part top housing with glass window for AXIS Q8665-E/-LE.  Spare part sunshield for AXIS Q8631-E/32-E/65-L/65-L/65-L/65-L/65-L/65-L/65-L/65-L	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	59.00 249.00 24.00 69.00 119.00 1,199.00 1,199.00 59.00 599.00 599.00 79.00
5801-121 5801-131 5801-141 5801-151 5801-171 5801-191 5801-201 5801-291 5801-291 5801-311	AXIS BIRD CONTROL SPIKE 10P  AXIS A8004 JUNCTION BOX  AXIS A8004 JUNCTION BOX  AXIS A9801 SECURITY RELAY  AXIS P14 FRONT KIT A  AXIS Q8665-E BASE UNIT 24 V AC  AXIS Q8665-E BASE UNIT 120 V AC  AXIS Q8665-E BASE UNIT 120 V AC  AXIS Q8665 WIPER  AXIS Q8665 HOUSING TOP  AXIS Q8631-E/32-E HOUSING TOP  AXIS Q8631-E/32-E SUNSHIELD  AXIS Q8600-E SOLO KIT  AXIS COMPANION SWITCH 4CH	Sparepart front window for AXIS Q1765-LE  Original top cover including dome and screws for AXIS P39-R Series. 10 pieces.  Bird control spikes made of flexible UV-resistant polymer preventing birds from landing on cameras or mounts. Each module has five spikes and can be mounted on flat or curved surfaces using the pre-mounted adhesive or cable ties (not included). The module  AXIS A8004 Junction box offers neat and easy recessed installations of the AXIS A8004-VE Network video door station. Multiple mounting and wiring options along with a robust steel construction makes it suitable for most situations and wall types.  AXIS A9801 Security relay box offer an easy and cost efficient way to improve security for doors controlled by an Axis network video door station. The product bridges the connection between door station and door lock and is placed on the secure side of th  Standard front for AXIS P1405-E, P1405-LE, P1405-LE MKII, P1425-E, P1425-LE, P1425-LE Includes front ring, window and gasket.  Spare part base unit for AXIS Q86-E 24 V AC.  Spare part base unit for AXIS Q86-E 24 V AC.  Spare part base unit for AXIS Q86-E 24 V AC.  Spare part base unit for AXIS Q86-E 24 V AC.  Spare part top housing with glass window for AXIS Q865-E/-LE.  Spare part top housing with glass window for AXIS Q8631-E/32-E.  Spare part top housing with germanium window for AXIS Q8631-E/32-E.  Spare part sunshield for AXIS Q8631-E/32-E/65-E/65-LE  Kit for making a stand-alone AXIS Q8600-E MkII installation without PTZ camera inside. Includes a metal cover lid, an internal adapter plate, and IP66-rated RJ45 push-pull connector. Use this kit together with an AXIS Q6000-E MkII network camera (not incl 4 channel 10/100 Mbps PoE+ switch with plug & play installation.  Black accessory casing for AXIS M3104-L/05-L/06-L. Replaces the white original casing. 5 pcs.	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	59.00 249.00 24.00 69.00 119.00 29.00 1,199.00 1,199.00 399.00 599.00 599.00
5801-121  5801-131  5801-141  5801-151  5801-171  5801-181  5801-191  5801-201  5801-281  5801-281  5801-321  5801-321  5801-321  5801-354	AXIS BIRD CONTROL SPIKE 10P  AXIS A8004 JUNCTION BOX  AXIS A8004 JUNCTION BOX  AXIS A9801 SECURITY RELAY  AXIS P14 FRONT KIT A  AXIS Q8665-E BASE UNIT 24 V AC  AXIS Q8665-E BASE UNIT 120 V AC  AXIS Q8665-LE BASE UNIT 120 V AC  AXIS Q8665 HOUSING TOP  AXIS Q8665 HOUSING TOP  AXIS Q8631-(7)2-E HOUSING TOP  AXIS Q8631-(3)2-E SUNSHIELD  AXIS Q8000-E SOLO KIT  AXIS COMPANION SWITCH 4CH  AXIS M3104/5/6-L BLACK CASING 5P	Sparepart front window for AXIS Q1765-LE  Original top cover including dome and screws for AXIS P39-R Series. 10 pieces.  Bird control spikes made of flexible UV-resistant polymer preventing birds from landing on cameras or mounts. Each module has five spikes and can be mounted on flat or curved surfaces using the pre-mounted adhesive or cable ties (not included). The module  AXIS A8004 Junction box offers neat and easy recessed installations of the AXIS A8004-VE Network video door station. Multiple mounting and wiring options along with a robust steel construction makes it suitable for most situations and wall types.  AXIS A9801 Security relay box offer an easy and cost efficient way to improve security for doors controlled by an Axis network video door station. The product bridges the connection between door station and door lock and is placed on the secure side of th  Standard front for AXIS P1405-E, P1405-LE, P1405-LE MKII, P1425-E, P1425-LE, P1425-LE MKII, P1427-E, P1427-LE, P1435-LE. Includes front ring, window and gasket.  Spare part base unit for AXIS Q86-E 120 V AC.  Spare part base unit for AXIS Q86-E 120 V AC.  Spare part base unit for AXIS Q86-E 120 V AC.  Spare part top housing with glass window for AXIS Q8665-E/-LE.  Spare part top housing with glass window for AXIS Q8665-E/-LE.  Spare part top housing with glass window for AXIS Q8665-E/-LE.  Spare part sunshield for AXIS Q8631-E/32-E/65-L/65-L/65-L/65-L/65-L/65-L/65-L/65-L	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	59.00 249.00 24.00 69.00 119.00 1,199.00 1,199.00 59.00 599.00 599.00 79.00
5801-121  5801-131  5801-141  5801-151  5801-171  5801-191  5801-201  5801-281  5801-291  5801-311  5801-314  5801-314  5801-411	AXIS BIRD CONTROL SPIKE 10P  AXIS A8004 JUNCTION BOX  AXIS A8004 JUNCTION BOX  AXIS A9801 SECURITY RELAY  AXIS P14 FRONT KIT A  AXIS Q8665-E BASE UNIT 24 V AC  AXIS Q8665-E BASE UNIT 120 V AC  AXIS Q8665-E BASE UNIT 24V AC  AXIS Q8665 WIPER  AXIS Q8665 HOUSING TOP  AXIS Q8631-E/32-E HOUSING TOP  AXIS Q8631/32/65 SUNSHIELD  AXIS Q6000-E SOLO KIT  AXIS COMPANION SWITCH 4CH  AXIS M3104/5/6-L BLACK CASING 5P  AXIS M3104/5/6-LVE BLACK CASING 5P	Sparepart front window for AXIS Q1765-LE  Original top cover including dome and screws for AXIS P39-R Series. 10 pieces.  Bird control spikes made of flexible UV-resistant polymer preventing birds from landing on cameras or mounts. Each module has five spikes and can be mounted on flat or curved surfaces using the pre-mounted adhesive or cable ties (not included). The module  AXIS A8004 Junction box offers neat and easy recessed installations of the AXIS A8004-VE Network video door station. Multiple mounting and wiring options along with a robust steel construction makes it suitable for most situations and wall types.  AXIS A9801 Security relay box offer an easy and cost efficient way to improve security for doors controlled by an Axis network video door station. The product bridges the connection between door station and door lock and is placed on the secure side of th  Standard front for AXIS P1405-E, P1405-LE, P1405-LE MKII, P1425-E, P1425-LE, P1425-LE  MKII, P1427-E, P1427-LE, P1435-LE. Includes front ring, window and gasket.  Spare part base unit for AXIS Q86-E 24 V AC.  Spare part base unit for AXIS Q86-E 120 V AC.  Spare part base unit for AXIS Q86-E 120 V AC.  Spare part base unit for AXIS Q86-E 120 V AC.  Spare part base unit for AXIS Q86-E 24 V AC.  Spare part top housing with glass window for AXIS Q8665-E/-LE.  Spare part top housing with germanium window for AXIS Q8631-E/32-E.  Spare part top housing with germanium window for AXIS Q8631-E/32-E.  Spare parte sunshield for AXIS Q8631-E/32-E/65-E/65-LE  Kit for making a stand-alone AXIS Q8000-E MkII installation without PTZ camera inside. Includes a metal cover lid, an internal adapter plate, and IP66-rated R145 push-pull connector. Use this kit together with an AXIS Q6000-E MkII network camera (not incl 4 channel 10/100 Mbps PoE+ switch with plug & play installation.  Black accessory casing for AXIS M3104-L/05-L/06-L. Replaces the white original casing. 5 pcs.  Blacket for mounting a camera on a 4" square, 4" octagon, single or double-gang junction	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	59.00 249.00 249.00 69.00 119.00 29.00 1,199.00 1,199.00 399.00 599.00 599.00 79.00

		Recessed mount for indoor and outdoor use for the AXIS Q36-VE Series. The metal back box		
5801-441	AXIS T94V01L RECESSED MOUNT	makes the mount suitable for air handling spaces.	\$	109.00
5801-451	AXIS WEATHERSHIELD KIT Q	Standard weather shield for Axis Q36 Series, protecting the dome from rain, snow and sun.	\$	24.00
5801-461	AXIS F4005-E CLEAR DOME 5PCS	Standard clear dome for AXIS F4005-E, 5 pcs	\$	79.00
		AXIS A8105-E Clear Dome is sold as spare parts to the AXIS A8105-E Network Video Door		
F004 474	AVIC ADADE E CLEAR DONAE ERCC	Station and comes in packs of five clear dome covers. It enables easy on-site replacement in	\$	25.00
5801-471	AXIS A8105-E CLEAR DOME 5PCS	case the original dome cover has been damaged or vandalized.  Nice and easy recessed mount of AXIS A8105-E Network video door station suitable for	\$	35.00
5801-481	AXIS A8105-E FLUSH MOUNT	most wall types.	\$	69.00
5801-491	LENS CS 2.8-8.5MM P-IRIS	Standard CS mounted varifocal P-Iris lens 2.8-8.5mm for AXIS P1364.	\$	159.00
5801-501	AXIS Q36-VE SMOKED DOME	Smoked dome for AXIS Q36 Series.	\$	49.00
5801-511	AXIS Q36-VE CLEAR DOME	Standard clear dome for AXIS Q36 Series.	\$	49.00
F001 F31	AVIC DOZOZ DE CLEAR DOME KIT	Dome kit for AXIS P3707-PE. The dome is pre-mounted in the standard white top cover	\$	00.00
5801-521	AXIS P3707-PE CLEAR DOME KIT	casing.  Aluminum ceiling bracket for Axis PTZ cameras and AXSI Q37 Series for indoor or outdoor	\$	99.00
5801-601	AXIS T94A02F CEILING BRACKET	use. 3/4" conduit hole on the side.	\$	49.00
		Indoor and outdoor recessed mount for AXIS Q61 Series. Suitable indoor for recessed		
		camera installations in air handling spaces as the back box is made of metal and has a 3/4"		
5801-611	AXIS T94A04L RECESSED MOUNT	hole for cable protection conduits.	\$	139.00
5004 504		Mount bracket for AXIS Companion Recorder. For mounting the recorder on e.g. walls,		40.00
5801-631	AXIS COMPANION REC MT BRACKET	shelves and under tables.  Protect your Ethernet networks device, i.e. cameras, switches, midspans, etc, from	\$	19.00
		lighting.		
5801-641	AXIS T8061 ETHERNET SURGE PROTECTOR	Protects up to 10KV surge, IP66 and UL certified.	\$	99.00
5801-651	LENS M12 2.8-6MM 5PCS	Varifocal lens 2.8-6MM, F2.0, M12 thread. Standard lens for AXIS F1015.	\$	249.00
5801-661	LENS PINHOLE M12 3.7MM 10PCS	Pinhole lens 3.7MM, F2.5, M12 thread. Standard lens for AXIS F1025. 10pcs	\$	249.00
		AXIS A8004-VE Accessibility kit is an easy way to improve access to your building and		
5801-671	AXIS A8004-VE ACCESSIBILITY KIT	comply with regulations on barrier-free accessibility. It's designed as a new front plate that mounts on and connects directly to any AXIS A8004-E Network Video Door Sta	\$	199.00
3001 071	PAIS AGGGT VE AGGESSIBLETT KIT	mounts of and connects directly to any PANS AGOOF E NEEWORK Video Boof Sta	7	133.00
		AXIS Stereo-to-mono Adapter. Spare part to AXIS F44 Dual Audio Input Main Unit. Allows		
5801-681	AXIS STEREO-TO-MONO ADAPTER	two microphones or line inputs to be connected to AXIS F44 Dual Audio Input.	\$	29.00
		PoE+ managed gigabit network switch, optimized for Axis network products. 2 SFP/RJ45		
5801-694	AXIS T8516 PoE+ NETWORK SWITCH	uplink ports and 16 PoE+ ports with 250W power supply. Built in DCHP server for plug-and- play camera setup. Easy system configuration for effective installation of Axis n	\$	699.00
3601-034	AXIS 18510 FOE+ NET WORK SWITCH	play carriera setup. Easy system configuration for effective installation of Axis if	Ş	033.00
5801-701	AXIS T8008 PS24	24V DC power supply 250W with extended temperature ( -40 to +75C (-40 to 167F)).	\$	399.00
		Chromated and powder coated aluminum pole mount with 1.5" NPS thread for fixed dome		
		pendant kits. Room for cable routing inside. Includes insect-proof cable gasket and 1 pair of		
5801-711	AXIS T91D67 POLE MOUNT	stainless steel straps for poles with diameter up to 400mm (15.7"). White in	\$	84.00
		Wall-and-Pole Mount for Axis PTZ and multi-sensor cameras. Built-in Ethernet cable with an		
		IP66 RJ45 connector for quick installation with protection against dust and water. Connect		
5801-721	AXIS T91L61 WALL-AND-POLE MOUNT	PoE via either RJ45 or IDC (insulation-displacement contact) connectors.	\$	99.00
		Heavy duty power cable, 22m (72ft) in length, 3-wire, 12AWG, jacket diameter 10mm		
5004 744	AVIC CARLE 24 VIRC/24 240 V/4 C 2244	(0.4in). Suitable for outdoor installation. UL20626 up to 90'C (194'F) ambient temperature.	<u>_</u>	100.00
5801-741 5801-771	AXIS CABLE 24 VDC/24-240 VAC 22M LENS M12 6MM 5PCS	Designed for use with AXIS Positioning Cameras and Positioning Units, such as AXI Accessory M12 6mm lens for AXIS Q6000-E MkII 5pcs	\$	199.00 99.00
5801-781	LENS M12 16MM 5PCS	Accessory M12 16mm lens for AXIS Q6000-E MkII 5pcs	\$	99.00
5801-791	AXIS Q6128 HARD-COATED CLEAR DOME	Hard coated scratch resistant clear dome for AXIS Q6128-E	\$	89.00
		Small Form Factor Pluggable (SFP) transceiver module.		
5801-801	AXIS T8611 SFP MODULE LC.LX	Single mode 1310nm, 10km. Industrial grade.	\$	99.00
		Small Form Factor Pluggable (SFP) transceiver module.		
5801-811	AXIS T8612 SFP MODULE LC.SX	Multi mode 850nm, 550m. Industrial grade.  Small Form Factor Pluggable (SFP) transceiver module.	\$	79.00
5801-821	AXIS T8613 SFP MODULE 1000BASE-T	Ethernet RJ-45 . Industrial grade	\$	99.00
5801-841	AXIS M3044-V/45-V/46-V CL DOME 5P	Standard clear dome for AXIS M3044-V/45-V/46-V, 5 pcs	\$	99.00
5801-851	AXIS WEATHERSHIELD KIT N	Standard weather shield for AXIS M2025/26 and AXIS Companion Bullet	\$	24.00
		Indoor recessed mount for drop ceiling installations. The aluminum casing makes it suitable		
5801-861	AXIS T94B03L RECESSED MOUNT	for use in air handling spaces. Compatible with AXIS M2025/26 and AXIS Companion Bullet.  Standard clear dome for AXIS Q6128-E.	\$	69.00
5801-871	AXIS Q6128 CLEAR DOME 1P	Standard clear donne for Axis Q6126-E.	Ş	64.00
5801-891	AXIS P14 FRONT KIT B	Standard front for AXIS P1428-E and AXIS P1435-E. Includes front ring, window and gasket.	\$	29.00
		5 5		
		850nm IR LED illuminator kit compatible with AXIS T99A Positioning Units for visual		
		cameras. Kit includes one pair of IR illuminators, one metal mounting bracket, and three		
5801-901	AXIS PT IR ILLUMINATOR KIT C	different diverging lenses. Note: this is the same illuminator kit as used in AXIS	\$	1,799.00
5801-911 5801-921	AXIS T94V01S MOUNTING BRACKET LENS M12 2.8MM F2.0 10PCS	Standard mounting bracket for AXIS Q36 Series Network Cameras.  Standard lens for AXIS F4005-E, AXIS F1005-E and AXIS P1214-E.	\$	39.00 199.00
3001-321	LEINS INITE EVOININI I EVO TOPES	osanidalu iciis idi mais i 4005°E, mais i 1005°E dilu Mais F1214°E.	ب	193.00
		AXIS Companion Card 64 GB is a high endurance microSDXC™ card optimized for video		
		surveillance. It has support for health status monitoring with Axis cameras. The card		
5801-941	AXIS COMPANION CARD 64 GB	enables flexible edge recording solutions with de-centralized video recording, eliminat	\$	59.00
		AVIC Compillance Coul CA CB in a bight and		
		AXIS Surveillance Card 64 GB is a high endurance microSDXC™ card optimized for video surveillance. It has support for health status monitoring with Axis cameras. The card		
5801-951	AXIS SURVEILLANCE CARD 64 GB	enables flexible edge recording solutions with de-centralized video recording, elimi	\$	69.00
			*	55.00
		AXIS Surveillance Card 64 GB is a high endurance microSDXC™ card optimized for video		
		surveillance. It has support for health status monitoring with Axis cameras. The card		
5801-961	AXIS SURVEILLANCE CARD 64 GB 10P	enables flexible edge recording solutions with de-centralized video recording, elimi	\$	645.00

5801-971	AXIS SAFETY WIRE 3M 5P	Stainless steel safety wire 3 m (10 ft) long, with a fixed loop in one end and an adjustable loop with a plated brass wire lock in the other. Suitable for both indoor and outdoor use.	\$	34.00
5900-021	AXIS T94F02D PENDANT KIT	Outdoor pendant kit for M3024-LVE/M3025-VE, P14 Series, to enable use of AXIS T91A Brackets or 1.5"(NPT or NPS threaded) pipes.	\$	39.00
3900-021	ANIS 194FUZD FEINDAINI KIT	blackets of 1.5 (NPT of NPS tilleaded) pipes.	۶	39.00
		IP66, IK10 and NEMA 4X rated outdoor-ready surveillance cabinet. Protects accessory		
5900-151	AXIS T98A15-VE SURVEILLANCE CABINET	devices such as power supply, media converter, midspan and fuse from tough weather and vandalism. Mounting bracket for wall, DIN-rail, device mounting bracket and Electric	\$	269.00
		IP66, IK10 and NEMA 4X rated outdoor-ready surveillance cabinet. Protects accessory devices such as power supply, media converter, midspan and fuse from tough weather and		
5900-161	AXIS T98A16-VE SURVEILLANCE CABINET	vandalism. The camera is mounted on the door of the cabinet. Mounting bracket for wa	\$	269.00
		IDCC 1/40 and NEMA 4V and advantage area in the second state of the second state of the second state of the second state of the second state of the second state of the second state of the second state of the second state of the second state of the second state of the second state of the second state of the second state of the second state of the second state of the second state of the second state of the second state of the second state of the second state of the second state of the second state of the second state of the second state of the second state of the second state of the second state of the second state of the second state of the second state of the second state of the second state of the second state of the second state of the second state of the second state of the second state of the second state of the second state of the second state of the second state of the second state of the second state of the second state of the second state of the second state of the second state of the second state of the second state of the second state of the second state of the second state of the second state of the second state of the second state of the second state of the second state of the second state of the second state of the second state of the second state of the second state of the second state of the second state of the second state of the second state of the second state of the second state of the second state of the second state of the second state of the second state of the second state of the second state of the second state of the second state of the second state of the second state of the second state of the second state of the second state of the second state of the second state of the second state of the second state of the second state of the second state of the second state of the second state of the second state of the second state of the second state of the second state of the second state of the second state of the second state of the second state of the second state of the second state of th		
		IP66, IK10 and NEMA 4X rated outdoor-ready surveillance cabinet. Protects accessory devices such as power supply, media converter, midspan and fuse from tough weather and		
5900-171	AXIS T98A17-VE SURVEILLANCE CABINET	vandalism. The camera is mounted on the door of the cabinet. Mounting bracket for wa	\$	269.00
		IP66, IK10 and NEMA 4X rated outdoor-ready surveillance cabinet. Protects accessory		
		devices such as power supply, media converter, midspan and fuse from tough weather and		
5900-181	AXIS T98A18-VE SURVEILLANCE CABINET	vandalism. The camera is mounted on the door of the cabinet. Mounting bracket for wa		269.00
5900-251	AXIS T8125 AC 24V MIDSPAN 60W	60W PoE midspan for 24V AC input.  Fixed box protective camera housing made of IK10 impact resistant and UV resistant	\$	159.00
		polymer. IP66, NEMA 4X rated and UL listed. Compatible with AXIS P13 Series and AXIS Q16		
5900-261	AXIS T93F05 PROTECTIVE HOUSING	Series. AXIS T94Q01A Wall mount included.	\$	159.00
		Fixed box outdoor camera housing made of IK10 impact resistant and UV resistant polymer.		
		IP66, NEMA 4X rated and UL listed. Powered by 24 V AC or 12-24 V DC. Temperature range -		
5900-271	AXIS T93F10 OUTDOOR HOUSING 24VAC/12-24VDC	40C to -45C (-40F to 113F). Compatible with AXIS P13 Series and AXIS Q16 Serie	\$	239.00
		Fixed box outdoor camera housing made of IK10 impact resistant and UV resistant polymer.		
		IP66, NEMA 4X rated and UL listed. Powered by PoE IEEE802.3af. Temperature range -40C		
5900-281	AXIS T93F20 OUTDOOR HOUSING POE	to -45C (-40F to 113F). Compatible with AXIS P13 Series and AXIS Q16 Series. AXI Single port midspan for Power over Ethernet Plus (PoE+) IEEE 802.3at Type 2 Class 4.	\$	239.00
5900-294	AXIS T8133 30W MIDSPAN	Replaces AXIS T8123.	\$	79.00
		1955 W40 1 NEW AV 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
		IP66, IK10 and NEMA 4X rated outdoor-ready surveillance cabinet. Protects accessory devices such as power supply, media converter, midspan and fuse from tough weather and		
5900-321	AXIS T98A19-VE SURVEILLANCE CABINET	vandalism. The camera is mounted on the door of the cabinet. Mounting bracket for wa		269.00
5900-334	AXIS T8134 MIDSPAN 60W	High PoE 1-port midspan 60W. Compliant with 802.3.at and PoE 802.3af.	\$	149.00
		AXIS T8154 60 W SFP Midspan is a compact, plug-and-play media converter with PoE. With		
		its integrated power supply,it minimizes the amount of cabling and facilitates installation.	l .	
5901-004	AXIS T8154 60W SFP MIDSPAN	AXIS T8154 offers data input through SFP or RJ45, and delivers High PoE 60	\$	199.00
5901-101	LENS COMPUTAR i-CS 2.8-8.5MM	Standard lens for AXIS Q1615 MkII with remote zoom based on the new standard i-CS.	\$	229.00
F001 121	AXIS M30 CASING B BLACK 5P	Disable accessory, earling few AVIC M2047/40 D. Developes the subite existing leaving Europe	\$	70.00
5901-121 5901-131	AXIS M30 CASING B BLACK 3F  AXIS M30 VANDAL CASING A 5P	Black accessory casing for AXIS M3047/48-P. Replaces the white original casing. 5 pcs.  Vandal-resistant (IK 08-rated) white casing with clear dome for M3047/48-P. 5 pcs.	\$	79.00 99.00
5901-151	AXIS M30 SM DETECT CASING A 5P	Highly discreet white casing with smoke-detector look for AXIS M3047/48-P. 5 pcs.	\$	79.00
5901-191	AXIS T8005 POWER SUPPLY 5V 5W USB	Switching power supply, 5W with microUSB connector. Including interchangeable regional power plugs for world wide use.	\$	39.00
		F		
		YP3040 PAN TILT MOTOR is a compact positioning unit for use with AXIS fixed and thermal		
5901-201	YP3040 PAN-TILT MOTOR	cameras with pan-tilt support. An additional adapter is included for increased product compatibility. Suitable for indoor and outdoor use. IP66-rated. 24VAC input. Rec	\$	499.00
		Contains 5pcs wall-and-corner mount bracket and 5pcs table-top stand. Compatible with		
5901-211	AXIS M10 BRACKET KIT 5P	AXIS M10 Series.  Original white casing with clear dome for M3044/45/46-V/-WV and AXIS Companion Dome	\$	39.00
5901-241	AXIS M30 DOME COVER CASING A 5PCS	cameras. 5 pcs.	\$	149.00
		Adapter bracket to YP3040 PAN TILT MOTOR for use with AXIS T93 camera housings.		
5901-251	AXIS ADAPTER BRACKET B FOR YP3040	Suitable for indoor and outdoor use. Note that this bracket is included with P/N:5901-201 but not with P/N:5502-461.	\$	29.00
		Four port media converter switch with 2 RJ45 ports and 2 SFP slots for optical fiber		
5901-261	AXIS T8606 MEDIA CONV SWITCH 24VDC	connection (SFP modules not inluded). Shelf or DIN-rail mount. Temp spec: -40°C to +75°C (-40°F to 167°F). 24 V DC power in.	\$	399.00
3501-201	AAIS 18000 WEDIA CONV SWITCH 24VDC	40 1 to 107 1). 24 4 be power in.	,	333.00
		Media converter switch . 2 RJ45 ports and 2 SFP slots for optical fiber connection (SFP		
5901-271	AXIS T8607 MEDIA CONV SWITCH 24VDC	modules not included). Two I/O ports and a combined communication and powering port for the camera. Temp spec40 °C to 75 °C (-40 °F to 167 °F). 12 V DC power input.	\$	449.00
		Spare part mounting brackets for AXIS M20 Series, 5-pack. Includes 5x mounting brackets		
5901-281	AXIS T94B02S MOUNTING BRACKET 5P	with 5x Gasket C M20.	\$	59.00
		Replacement front window assembly for AXIS M2025-LE, M2026-LE. The kit comes with		
5901-291	AXIS M20 FRONT KIT A	both a black and a white front cover ring. Includes one window and sealing gasket.	\$	29.00
5901-301	AXIS T94A01C ATTACHMENT KIT	For attaching AXIS Q61 PTZ network camera to AXIS Q6000-E MkII PTZ network camera.	\$	99.00
		Aluminum wall mount for Axis positioning cameras and positioning units. Robust and		
5901-331	AXIS T94J01A WALL MOUNT	impact-resistant. Compatible with Axis ACI 3/4" conduit adapters, and offers multiple cable entries. Cables can be routed through the back or, by using a conduit connection	\$	199.00
		Stainless steel pole mount designed for use with heavier Axis products such as positioning cameras and positioning units. IK10. Includes 3pcs stainless steel straps included for pole		
5901-341	AXIS T94N01G POLE MOUNT	diameter 60-400mm (2.4-15.7in) and sealing gaskets for multiple cable en	\$	199.00
-	•			

5901-361	AXIS T94S01L RECESSED MOUNT 10P	Indoor recessed mount for drop ceiling installations. Single-screw ceiling attachment for quick and easy installation. Not suitable for air-handling (plenum) spaces. Compatible with AXIS P32-V/-LV series. 10-pack.	\$ 399.00
5901-371	AXIS LENS M12 2.1MM F2.2 10PCS	Megapixel lens 2.1mm, F2.2 with M12 thread for AXIS P39-R Series that provides 147° horizontal FOV with these cameras. With IR filter. 10 pieces. Lens tool included.	\$ 199.00
3901-371	AXIS LENS IVIZ 2.1IVIIVI F2.2 10FCS	Screw kit for installing AXIS P55-E Series with either AXIS T91L61 or AXIS T91G61 Wall	\$ 199.00
5901-391	AXIS T91G61/T91L61 SCREW KIT	Mounts. Single-pack includes 3x bayonet screws, 3x securing screws, 3x springs and an installation guide.	\$ 10.00
5901-401	AXIS T91K61 WALL MOUNT	Marine-grade stainless steel wall mount for AXIS Q6055-S PTZ Network Camera.  Compatible with stainless steel pole mount (sold separately).	\$ 399.00
5901-411	AXIS T94A02D PENDANT KIT	Marine-grade stainless steel pendant kit for AXIS Q60-S with 1.5" NPT male thread.	\$ 129.00
		Aluminum conduit back box for wall or pole mount. Space for outdoor power supply, and electrical connection boxes. Steel straps for pole mount are sold separately. Recommended	
5901-421	AXIS T93C WALL-POLE CONDUIT BACKBOX	to use with POWER SUPPLY PS24 240W (not included).  Smoked dome with anti-scratch hard coating. Compatible with AXIS Q3708-PVE and Q3709-	\$ 199.00
5901-431	AXIS Q37 SMOKED DOME A	PVE. Single pack.	\$ 59.00
5901-461	AXIS P32 CASING A BLACK 5PCS	Black accessory casing for AXIS P32-VE and P32-LVE outdoor cameras. Replaces the white original casing. Includes anti-loss screws, conduit side covers. 5 pcs per pack.	\$ 129.00
5901-471	AXIS T93C EXTENSION KIT	Extension kit to allow mounting of longer lenses in AXIS T93C10 Outdoor Housing (e.g.: compatible with AXIS Q1659 55-250 mm). Includes built-in sunshield and front window. The extension kit provides an extra space of 80mm in length within the housing, giv	\$ 99.00
6816B001	CANON INDOOR DOME HOUSING DR41-C-VB	Indoor recessed ceiling mount kit for VB-H43(/B) & VB-M42(/B) PTZ's.  Comprising of in-ceiling cage and Clear Dome - Silver	\$ 172.00
6816B002		Indoor recessed ceiling mount kit for VB-H43(/B) & VB-M42(/B) PTZ's.	\$ 172.00
8362B001	CANON INDOOR DOME HOUSING DR41-S-VB CANON PA-V18 US	Comprising of in-ceiling cage and Smoked Dome - Silver  EAC certified encapsulated AC Adapter (12V DC Power supply) with US plug	\$ 67.00
8818B001	CANON NETWORK CAMERA VB-S30D	Indoor compact network camera with lite-PTZ operation. 3.5x optical zoom, auto focus, and digital night mode. Multiple H.264 and Motion JPEG streams; max Full HD 1080p resolution at 30fps. Smart Shade Control - dynamic contrast. 6 in-built video & audio i	\$ 598.78
8819B001	CANON NETWORK CAMERA VB-S31D	Indoor compact network camera with lite-PT operation. Fixed 2.7mm wide angle lens (95.0° AOV 16:9) and digital night mode. Multiple H.264 and Motion JPEG streams; max Full HD 1080p resolution at 30fps. Smart Shade Control - dynamic contrast. 6 in-built vi	\$ 569.13
8820B001	CANON NETWORK CAMERA VB-S800D	Indoor compact fixed dome network camera. Fixed 2.7mm wide-angle lens (95.0° AOV 16:9) and digital night mode. Multiple H.264 and Motion JPEG streams; max Full HD 1080p resolution at 30fps. Smart Shade Control - dynamic contrast. 6 in-built video & audio	\$ 398.75
8821B001	CANON NETWORK CAMERA VB-S900F	Indoor compact fixed box network camera. Fixed 2.7mm wide angle lens (96.0° AOV 16:9) and digital night mode. Multiple H.264 and Motion JPEG streams; max Full HD 1080p resolution at 30fps. Smart Shade Control - dynamic contrast. 6 in-built video & audio i	\$ 429.31
9900B001	CANON NETWORK CAMERA VB-S805D	Indoor compact fixed dome network camera. Fixed 2.7mm wide-angle lens (95° AOV 16:9) and digital night mode. Multiple H.264 and Motion JPEG streams; max 1.3MP 720p resolution at 30fps. Smart Shade Control - dynamic contr	\$ 349.06
9901B001	CANON NETWORK CAMERA VB-S905F	Indoor compact fixed box network camera. Fixed 2.7mm wide angle lens (96.0° AOV 16:9), digital night mode. Multiple H.264 and Motion JPEG streams; max 1.3MP 720p resolution at 30fps. Smart Shade Control - dynamic contrast. 6 in-built video & audio intelli	\$ 349.48
9902B001	CANON NETWORK CAMERA VB-H43S	SILVER VERSION Indoor PTZ network camera with 340° rotation. 20x optical zoom, auto focus, and day/night switching. Multiple H.264 and Motion JPEG streams; max Full HD 1080p resolution at 30fps. Smart Shade Control - dynamic contrast. 6 in-built video & a	\$ 2,349.35
9902B002	CANON NETWORK CAMERA VB-H43B	BLACK VERSION Indoor PTZ network camera with 340° rotation. 20x optical zoom, auto focus, and day/night switching. Multiple H.264 and Motion JPEG streams; max Full HD 1080p resolution at 30fps. Smart Shade Control - dynamic contrast. 6 in-built video & au	\$ 2,349.35
9903B001	CANON NETWORK CAMERA VB-H630VE	Outdoor vandal resistant fixed dome network camera with remote PTRZ configuration. 2.4x optical zoom and day/night switching. Multiple H.264 and Motion JPEG streams; max Full HD 1080p resolution at 30fps. Smart Shade Control - dynamic contrast. 6 in-built	\$ 879.22
9904B001	CANON NETWORK CAMERA VB-H630D	Indoor fixed dome network camera with remote PTRZ configuration. 2.4x optical zoom and day/night switching. Multiple H.264 and Motion JPEG streams; max Full HD 1080p resolution at 30fps. Smart Shade Control - dynamic contrast. 6 in-built video & audio int	\$ 719.02
9905B001	CANON NETWORK CAMERA VB-H730F	Indoor fixed box network camera with remote Zoom configuration. 2.4x optical zoom and day/night switching. Multiple H.264 and Motion JPEG streams; max Full HD 1080p resolution at 30fps. Smart Shade Control - dynamic contrast. 6 in-built video & audio inte	\$ 649.15
9906B002	CANON NETWORK CAMERA VB-M42B	BLACK VERSION Indoor PTZ network camera with 340° rotation. 20x optical zoom, auto focus, and day/night switching. Multiple H.264 and Motion JPEG streams; max 1.3MP 720p	
		resolution at 30fps. Smart Shade Control - dynamic contrast. 6 in-built video & audio  Outdoor vandal resistant fixed dome network camera with remote PTRZ configuration. 2.4x optical zoom, day/night switching. Multiple H.264 and Motion JPEG streams; max 1.3MP	
9907B001	CANON NETWORK CAMERA VB-M620VE	720p resolution at 30fps. Smart Shade Control - dynamic contrast. 6 in-built video  Indoor fixed dome network camera with remote PTRZ configuration. 2.4x optical zoom, day/night switching. Multiple H.264 and Motion JPEG streams; max 1.3MP 720p resolution	\$ 718.59
9908B001	CANON NETWORK CAMERA VB-M620D	at 30fps. Smart Shade Control - dynamic contrast. 6 in-built video & audio intellige	\$ 579.24

		Indoor fixed box network camera with remote zoom configuration. 2.4x optical zoom, day/night switching. Multiple H.264 and Motion JPEG streams; max 1.3MP 720p resolution		
9909B001	CANON NETWORK CAMERA VB-M720F	at 30fps. Smart Shade Control - dynamic contrast. 6 in-built video & audio intelligen	\$	599.08
9918B001	CANON PENDANT MOUNTING KIT PC600-VB	Indoor pendant mounting cap for VB-H43(/B), VB-M42(/B) PTZ's, VB-H630VE/D & VB- M620VE/D domes.  Comprising of 1.5inch NPSM threaded pipe adaptor / cover - Silver.	\$	101.00
33103001		Indoor pendant mounting cap for VB-S30D/S31D/S80xD mini-domes.		101.00
9919B001	CANON PENDANT MOUNTING KIT PC30-VB	Comprising of 1.5inch NPSM threaded pipe adaptor / cover - Silver.	\$	71.00
9920B001 9921B001	CANON SURFACE MOUNT SPACER SS30-VB CANON MOUNT KIT JUNCT BOX PS30-VB	Indoor surface mount wall/ceiling spacer for VB-S30D/S31D/S80xD mini-domes.  Indoor junction box mounting plate for VB-S30D/S31D/S80xD mini-domes.	\$	42.00 42.00
	CHICKING CHI IN 30 NO. DON 1000 TO	Explosion-protected 316L stainless steel Temperature Alarm Camera certified for hazardous		12.00
01092-001	XF40-Q2901 CSA 8.3FPS 19MM -40C	areas according to CSA. Certification part code 1410-TI-50. The product contains U.Sorigin controlled technology/component, the US Export Administration Regulation	\$	18,999.00
01101-001	XP40-Q1942 CSA 8.3FPS 19MM -40C	Explosion-protected 316L stainless steel PT Thermal Network Camera certified for hazardous areas according to CSA. Certification part code 1410-10-TI-50/2420-01. Oxalis explosion-protected housing with one M20 cable entry and Axis Thermal Network Camera i	\$	24,999.00
01111-001	XF40-Q1765 -50C UL	Explosion-protected 316L stainless steel fixed network camera certified for hazardous areas according to UL. Certification part code Oxalis-UL1410-15. Oxalis explosion-protected housing with three 3/4" NPT cable entries, Axis 1080p HDTV camera inside with	\$	7,899.00
01113-001	XP40-Q1765 -50C UL	Explosion-protected 316L stainless steel PTZ network camera certified for hazardous areas according to UL. Certification part code Oxalis-UL1410-25/UL2420-01. Oxalis explosion-protected housing with 3/4" NPT cable entries, Axis 1080p HDTV camera inside wi	\$	20,699.00
		Explosion-protected 316L stainless steel fixed network camera certified for hazardous areas according to UL. Certification part code Oxalis-UL2410-02. Oxalis explosion-protected		
01124-001	XF60-Q1765 -50C 110V UL	housing with three 3/4" NPT cable entries, Axis 1080p HDTV camera inside with	\$	8,399.00
01126-001	XP40-Q1765 -50C 110V UL	Explosion-protected 316L stainless steel PTZ network camera certified for hazardous areas according to UL. Certification part code Oxalis-UL1410-25/UL2420-01. Oxalis explosion-protected housing with 3/4" NPT cable entries, Axis 1080p HDTV camera inside wi	ś	20,999.00
		Explosion-protected 316L stainless steel Temperature Alarm Camera certified for hazardous areas according to CSA. Certification part code 1410-TI-50. The product contains U.Sorigin		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
01128-001	XF40-Q2901 CSA 8.3FPS 19MM -60C	controlled technology/component, the US Export Administration Regulation	\$	19,599.00
01133-001	XF40-Q2901 UL 8.3FPS 19MM -50C	Explosion-protected 316L stainless steel Temperature Alarm Camera certified for hazardous areas according to UL. Certification part code OXALIS-UL1410-TI-50. The product contains U.Sorigin controlled technology/component, the US Export Administration Re	\$	20,999.00
01135-001	XF60-Q2901 UL 8.3FPS 19MM -50C 110V	Explosion-protected 316L stainless steel Temperature Alarm Camera certified for hazardous areas according to UL. Certification part code OXALIS-UL2410-TI-50. The product contains U.Sorigin controlled technology/component, the US Export Administration Re	Ś	21,799.00
		Explosion-protected 316L stainless steel PT Thermal Network Camera certified for		,
01137-001	XP40-Q1942 CSA 8.3FPS 19MM -60C	hazardous areas according to CSA. Certification part code 1410-10-TI-50/2420-01. Oxalis explosion-protected housing with one M20 cable entry and Axis Thermal Network Camera i	\$	25,999.00
01137 001	N 10 Q25 12 05 (10.1 ) 25 mm 000	Explosion-protected 316L stainless steel PT Thermal Network camera certified for hazardous areas according to UL. Certification part code UL1410-10-TI-50/UL2420-01.  Oxalis explosion-protected housing with two 3/4" NPT cable entries and Axis Thermal	,	25,555.00
01142-001	XP40-Q1942 UL 8.3FPS 19MM -50C	Networ  Explosion-protected 316L stainless steel PT Thermal Network Camera certified for hazardous areas according to UL. Certification part code OXALIS-UL2410-TI-50. Oxalis	\$	29,499.00
01144-001	XP40-Q1942 UL 8.3FPS 19MM -50C 110V	explosion-protected housing with two 3/4" NPT cable entries and Axis Thermal Network Came	\$	29,999.00
		Electro-polished 316L stainless steel wall mount for XF60, designed for onshore, offshore, marine and heavy industrial applications. Can also be used in conjunction with Ex pole		
01171-001	EX WALL MOUNT XF60	mount XF40, for pole mounting. It features a swivel movement of pan ±90° and  Explosion-protected, top performance, PoE powered HDTV 1080p PTZ dome network	\$	999.00
01480-001	D201-S XPT Q6055	camera with 32x zoom, FM listed for hazardous locations Class I Division 1, Groups B, C, D, T6; Class 1 Zone 1 IIB + H2 T6, -20°C <= Ta <= +55°C (FM17US0156). Stainless Steel 31	\$	14,999.00
01571-001	CORNER MOUNT D201-S XPT	316L Stainless steel corner mount adapter for the D201-S AXIS Q6055 explosion-protected camera. To be used together with Wall Mount D201-S.	\$	999.00
		Explosion-protected 316L stainless steel fixed network camera certified for hazardous areas according to INMETRO. Certification part code 1410-15-00. Oxalis housing, Axis 1080p HDTV		
0835-031	XF40-Q1765 -60C INMETRO	camera with 18x optical zoom, auto focus and day/night mode. Multiple, in	\$	7,599.00
0835-041	XF40-Q1765 CSA	Explosion-protected 316L stainless steel fixed network camera certified for hazardous areas according to CSA. Certification part code 1410-15-00. Oxalis housing, Axis 1080p HDTV camera with 18x optical zoom, auto focus and day/night mode. Multiple, indivi	\$	6,999.00
		Explosion-protected 316L stainless steel fixed network camera certified for hazardous areas according to CSA. Certification part code 1410-15-00. Oxalis housing, Axis 1080p HDTV		
0835-051	XF40-Q1765 -60C CSA	camera with 18x optical zoom, auto focus and day/night mode. Multiple, indivi  Explosion-protected 316L stainless steel PTZ network camera certified for hazardous areas according to CSA. Certification part code 1410-25/2420-01. Oxalis housing, Axis 1080p	\$	7,599.00
0836-041	XP40-Q1765 CSA	HDTV camera with 18x optical zoom, auto focus and day/night mode. Continuous 36	\$	17,499.00

		Explosion-protected 316L stainless steel PTZ network camera certified for hazardous areas		
		according to CSA. Certification part code 1410-25/2420-01. Oxalis housing, Axis 1080p		
0836-051	XP40-Q1765 -60C CSA	HDTV camera with 18x optical zoom, auto focus and day/night mode.Continuous 360	\$	18,499.00
		The Electro-polished 316L stainless steel pole bracket is specifically designed for top		
FF07 101		mounting installations of XF40 and suitable for onshore, offshore, marine and heavy		
5507-191	EX POLE BRACKET XF40	industrial applications. It features a swivel movement of pan ±90° and tilt ±45° an	\$	449.00
İ		Electro-polished 316L stainless steel wall mount for XF40, designed for onshore, offshore,		
		marine and heavy industrial applications. Can also be used in conjunction with Bracket Pole		
5507-201	EX WALL MOUNT XF40	Clamp Adaptor XF40 EX for pole mounting. It features a swivel movement o  Electro-polished 316L stainless steel wall mount for XP40, designed for onshore, offshore,	\$	899.00
5507-211	EX WALL MOUNT XP40	marine and heavy industrial applications. Weight 14 kg.	\$	799.00
l		Pole mounting explosion protected fixed network cameras is made simple using this electo-		
		polished 316L stainless steeel Ex Pole mount XF40, accompanied by the requisite Ex Wall		
5507-221	EX POLE MOUNT XF40	Mount XF40. The Ex Pole Mount XF40 is specifically designed to mount Ex Wall M	\$	599.00
		The power supply is UL certified and made of epoxy powder coated copper free aluminum		
		with stainless steel cover bolts and hinges. It is pre-mounted with fuses, terminals, RJ45		
5801-931	ECP081208 PS 24V UL	coupler and 115/230 V AC transformer, which provides 24 V AC for Explosion Pro	\$	7,199.00
1		Mounting bracket for AXIS P33-V/-LV indoor cameras. For mounting cameras on junction		
		boxes (4" square, 4" octagon, single-gang, or double-gang), and other Axis mounting		
5502-401	AXIS P33 MOUNTING BRACKET	accessories. Also compatible with selected AXIS M30 and P32 cameras.	\$	29.00
5504-791	AXIS Q60-S SMOKED DOME A	Smoked dome in a special nylon blend with superior stress and chemical resistance.  Compatible with AXIS Q604x-S and Q6055-S cameras. Single-pack.	\$	79.00
		Original clear dome in a special nylon blend with superior stress and chemical resistance.		
5700-751	AXIS Q60-S CLEAR DOME A	Compatible with AXIS Q604x-S and Q6055-S cameras. Single-pack.	\$	69.00
		AXIS FA3105-L is a compact eyeball sensor unit with built in IR illumination (15 m / 49 ft		
		range of reach) for use with AXIS FA Main Unit. It has 103º horizontal field of view and		
01026-001	AXIS FA3105-L EYEBALL SENSOR UNIT	1080p HDTV resolution with Forensic WDR (wide dynamic range) that is optimi	\$	149.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
01026-600	EW AXIS FA3105-L EYEBALL SENSOR	including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within	\$	9.00
01010 000	EW/WO//OIOS E E/EB/NEE SENSON	Note 2. He harring code most be redeemed main	· ·	3.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.		
01033-600	EXT WAR AXIS D2050-VE	Note 2: The warranty code must be redeemed within	\$	78.00
		Day/night, full HD mini dome with flat-faced design for indoor use. Built-in IR illumination		
		and WDR technology. Fixed lens with 103° HFOV. HDTV 1080p resolution at 30 fps. Video		
01064-001	AXIS COMPANION EYE MINI L	motion detection and corridor format. Power over Ethernet. For use only with	\$	119.00
		Day/night, outdoor-ready, full HD bullet-style camera. Built-in IR illumination and WDR		
		technology. Fixed lens with 103° HFOV. HDTV 1080p resolution at 30 fps. Video motion		
01115-001	AXIS COMPANION BULLET MINI LE	detection and corridor format. Power over Ethernet. Operating conditions -20 °C to	\$	149.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
01191-600	EXT WAR AXIS T8508 POE+ NET SWITCH	including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within	\$	24.00
			-	
		2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.		
01192-600	EXT WAR AXIS T8524 POE+ NET SWITCH	Note 2: The warranty code must be redeemed within	\$	54.00
01438-001	AXIS D20 FRONT COVER KIT A	Replacement front cover for AXIS D2050-VE. Includes anti-loss screws and sealing gaskets.	\$	79.00
			-	
01439-001	AVIC DOG MOUNT DDA CVET VIT A	Original stainless steel mounting bracket for AXIS D2050-VE. Includes two pipe adapters,	\$	59.00
01439-001	AXIS D20 MOUNT BRACKET KIT A	anti-loss screws, two gray cable gaskets, three black cable gaskets, and an M20 cable gland.	Ş	59.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.		
01449-600	EXT WAR AXIS T8504-E OUTDOOR POE SWITCH	Note 2: The warranty code must be redeemed within	\$	72.00
		2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.		
01468-600	EXT WAR T8643 POE+ OVER COAX COMP	Note 2: The warranty code must be redeemed within	\$	12.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
01489-600	EXT WAR T8645 POE+ COAX COMPACT KIT	including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within	Ś	25.00
01489-600	Z. Will 100 15 1 02 1 COMA COMIT MOT INT	The Harristy and Harristy and Harrist of Federated William	· *	25.00
			i	
		2 years extension of the warranty period		
		2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.		

		Day/night fixed dome with support for Erronsia WDD Lightfinder and Ontimized ID with		
		Day/night fixed dome with support for Forensic WDR, Lightfinder and OptimizedIR with built-in IR illumination. IK10+ vandal-resistant outdoor casing. Varifocal 4.3 – 8.6 mm P-Iris		
01493-001	AXIS Q3518-LVE	lens with remote zoom and focus for installation or monitoring. Multiple, i	\$	1,349.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.		
01493-600	EXT WAR AXIS Q3518-LVE	Note 2: The warranty code must be redeemed within	\$	81.00
01494-001	AXIS T94E01D PENDANT KIT 4PCS	Bracket for pendent mounting of AXIS Companion Eye mini L. Compatible with M25 or 3/4" pipes with NPS thread.	\$	39.00
01494-001	AXIS 194EOLD PENDANT KIT 4PCS	Bracket for mounting AXIS Companion Eye mini L on a 4" square, 4" octagon, single or	Ş	39.00
01495-001	AXIS T94E01M J-BOX/GANG BOX PL 4PCS	double-gang junction box.	\$	59.00
		Outdoor pendant kit for AXIS P38-PVE and Q36-VE series. Weathershield made from impact-		
04505 004	AVIS TO 1/200 DEAD ANT //T	, UV-, and heat-resistant polymer. Compatible with wide range of Axis mounts with 1.5"		
01505-001	AXIS T94V02D PENDANT KIT	NPS threaded interface.	\$	89.00
		Compact outdoor, HDTV, day/night, fixed bullet camera providing Forensic WDR and		
		Lightfinder for demanding light conditions. IR corrected varifocal 2.8-8.5 mm F1.2 P-iris lens		
01506-001	AXIS P1445-LE	with remote 3x optical zoom and focus. Multiple, individually configurable H.26	\$	699.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.		
01506-600	EXT WAR AXIS P1445-LE	Note 2: The warranty code must be redeemed within	\$	42.00
		AXIS Audio Manager provides easy, remote management of large IP audio installations.		
01519-004	AXIS AUDIO MANAGER C7050 SERVER	Take control of your complete audio system from one single user interface which handles, for example, system setup of audio devices, zone management, audio content manage	Ś	2,995.00
01313 004	AND AGDIO MANAGEN C7030 SERVER	To example, system setup of duals devices, zone management, duals content manage	7	2,333.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.		
01554-600	EXT WAR T8640 POE+ (5026-40X)	Note 2: The warranty code must be redeemed within	\$	25.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.		
01555-600	EXT WAR T8641 POE+ (5028-41X)	Note 2: The warranty code must be redeemed within	\$	12.00
		2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
		including standard warranty. No possibility to extend total warranty beyond 5 years.		
01556-600	EXT WAR T8642 POE+ (5027-42X)	Note 2: The warranty code must be redeemed within	\$	12.00
		2 years extension of the warranty period		
		Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years		
01557-600	EXT WAR T8646 POE+ (5026-461)	including standard warranty. No possibility to extend total warranty beyond 5 years.  Note 2: The warranty code must be redeemed within		
01337-000	EXT WAIT 18040 FOLT (3020-401)		Ċ	42.00
İ		·	\$	42.00
		AXIS Device Microphone A is a omnidirectional microphone for sound pickup. Compatible with indoor Q35 models, to be mounted on the inside of the dome and plugged into the 3.5	\$	42.00
01575-001	AXIS DEVICE MICROPHONE A	AXIS Device Microphone A is a omnidirectional microphone for sound pickup. Compatible	\$	42.00 29.00
		AXIS Device Microphone A is a omnidirectional microphone for sound pickup. Compatible with indoor Q35 models, to be mounted on the inside of the dome and plugged into the 3.5 mm microphone jack.  Spare part clear dome in polycarbonate. IK09 vandal resistant. Compatible with AXIS	\$	29.00
	AXIS DEVICE MICROPHONE A  AXIS M55 CLEAR DOME A	AXIS Device Microphone A is a omnidirectional microphone for sound pickup. Compatible with indoor Q35 models, to be mounted on the inside of the dome and plugged into the 3.5 mm microphone jack.  Spare part clear dome in polycarbonate. IK09 vandal resistant. Compatible with AXIS M5525-E. Single pack.		
01606-001	AXIS M55 CLEAR DOME A	AXIS Device Microphone A is a omnidirectional microphone for sound pickup. Compatible with indoor Q35 models, to be mounted on the inside of the dome and plugged into the 3.5 mm microphone jack.  Spare part clear dome in polycarbonate. IK09 vandal resistant. Compatible with AXIS M5525-E. Single pack.  Smoked dome in polycarbonate. IK09 vandal resistant. Compatible with AXISM5525-E.	\$	29.00 39.00
01606-001		AXIS Device Microphone A is a omnidirectional microphone for sound pickup. Compatible with indoor Q35 models, to be mounted on the inside of the dome and plugged into the 3.5 mm microphone jack.  Spare part clear dome in polycarbonate. IK09 vandal resistant. Compatible with AXIS M5525-E. Single pack.	\$	29.00 39.00
01606-001 01607-001	AXIS M55 CLEAR DOME A	AXIS Device Microphone A is a omnidirectional microphone for sound pickup. Compatible with indoor Q35 models, to be mounted on the inside of the dome and plugged into the 3.5 mm microphone jack.  Spare part clear dome in polycarbonate. IK09 vandal resistant. Compatible with AXIS M5525-E. Single pack.  Smoked dome in polycarbonate. IK09 vandal resistant. Compatible with AXISM5525-E.	\$	29.00
01606-001 01607-001	AXIS M55 CLEAR DOME A  AXIS M55 SMOKED DOME A	AXIS Device Microphone A is a omnidirectional microphone for sound pickup. Compatible with indoor Q35 models, to be mounted on the inside of the dome and plugged into the 3.5 mm microphone jack.  Spare part clear dome in polycarbonate. IK09 vandal resistant. Compatible with AXIS M5525-E. Single pack.  Smoked dome in polycarbonate. IK09 vandal resistant. Compatible with AXISM5525-E. Single pack.  2N IP Verso – Bluetooth & RFID reader (125kHz, secured 13.56MHz UID+PACS ID, NFC)	\$ \$	29.00 39.00 39.00
01606-001 01607-001	AXIS M55 CLEAR DOME A  AXIS M55 SMOKED DOME A	AXIS Device Microphone A is a omnidirectional microphone for sound pickup. Compatible with indoor Q35 models, to be mounted on the inside of the dome and plugged into the 3.5 mm microphone jack.  Spare part clear dome in polycarbonate. IK09 vandal resistant. Compatible with AXIS M5525-E. Single pack.  Smoked dome in polycarbonate. IK09 vandal resistant. Compatible with AXISM5525-E. Single pack.  2N IP Verso – Bluetooth & RFID reader (125kHz, secured 13.56MHz UID+PACS ID, NFC)  2 years extension of the warranty period	\$ \$	29.00 39.00 39.00
01606-001 01607-001	AXIS M55 CLEAR DOME A  AXIS M55 SMOKED DOME A	AXIS Device Microphone A is a omnidirectional microphone for sound pickup. Compatible with indoor Q35 models, to be mounted on the inside of the dome and plugged into the 3.5 mm microphone jack.  Spare part clear dome in polycarbonate. IK09 vandal resistant. Compatible with AXIS M5525-E. Single pack.  Smoked dome in polycarbonate. IK09 vandal resistant. Compatible with AXISM5525-E. Single pack.  2N IP Verso – Bluetooth & RFID reader (125kHz, secured 13.56MHz UID+PACS ID, NFC)  2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years	\$ \$	29.00 39.00 39.00
01606-001 01607-001 01639-001	AXIS M55 CLEAR DOME A  AXIS M55 SMOKED DOME A  2N IP VERSO COMBI BLUETOOTH RFID SEC.	AXIS Device Microphone A is a omnidirectional microphone for sound pickup. Compatible with indoor Q35 models, to be mounted on the inside of the dome and plugged into the 3.5 mm microphone jack.  Spare part clear dome in polycarbonate. IK09 vandal resistant. Compatible with AXIS M5525-E. Single pack.  Smoked dome in polycarbonate. IK09 vandal resistant. Compatible with AXISM5525-E. Single pack.  2N IP Verso – Bluetooth & RFID reader (125kHz, secured 13.56MHz UID+PACS ID, NFC)  2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.	\$ \$ \$	29.00 39.00 39.00 644.00
01606-001 01607-001 01639-001	AXIS M55 CLEAR DOME A  AXIS M55 SMOKED DOME A	AXIS Device Microphone A is a omnidirectional microphone for sound pickup. Compatible with indoor Q35 models, to be mounted on the inside of the dome and plugged into the 3.5 mm microphone jack.  Spare part clear dome in polycarbonate. IK09 vandal resistant. Compatible with AXIS M5525-E. Single pack.  Smoked dome in polycarbonate. IK09 vandal resistant. Compatible with AXISM5525-E. Single pack.  2N IP Verso – Bluetooth & RFID reader (125kHz, secured 13.56MHz UID+PACS ID, NFC)  2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years	\$ \$	29.00 39.00 39.00
01606-001 01607-001 01639-001	AXIS M55 CLEAR DOME A  AXIS M55 SMOKED DOME A  2N IP VERSO COMBI BLUETOOTH RFID SEC.	AXIS Device Microphone A is a omnidirectional microphone for sound pickup. Compatible with indoor Q35 models, to be mounted on the inside of the dome and plugged into the 3.5 mm microphone jack.  Spare part clear dome in polycarbonate. IK09 vandal resistant. Compatible with AXIS M5525-E. Single pack.  Smoked dome in polycarbonate. IK09 vandal resistant. Compatible with AXISM5525-E. Single pack.  2N IP Verso – Bluetooth & RFID reader (125kHz, secured 13.56MHz UID+PACS ID, NFC)  2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.	\$ \$ \$	29.00 39.00 39.00 644.00
01606-001 01607-001 01639-001	AXIS M55 CLEAR DOME A  AXIS M55 SMOKED DOME A  2N IP VERSO COMBI BLUETOOTH RFID SEC.	AXIS Device Microphone A is a omnidirectional microphone for sound pickup. Compatible with indoor Q35 models, to be mounted on the inside of the dome and plugged into the 3.5 mm microphone jack.  Spare part clear dome in polycarbonate. IK09 vandal resistant. Compatible with AXIS M5525-E. Single pack.  Smoked dome in polycarbonate. IK09 vandal resistant. Compatible with AXISM5525-E. Single pack.  2N IP Verso – Bluetooth & RFID reader (125kHz, secured 13.56MHz UID+PACS ID, NFC)  2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years	\$ \$ \$	29.00 39.00 39.00 644.00
01606-001 01607-001 01639-001 01673-600	AXIS M55 CLEAR DOME A  AXIS M55 SMOKED DOME A  2N IP VERSO COMBI BLUETOOTH RFID SEC.  EXT WAR AXIS S1016 Mkii	AXIS Device Microphone A is a omnidirectional microphone for sound pickup. Compatible with indoor Q35 models, to be mounted on the inside of the dome and plugged into the 3.5 mm microphone jack.  Spare part clear dome in polycarbonate. IK09 vandal resistant. Compatible with AXIS M5525-E. Single pack.  Smoked dome in polycarbonate. IK09 vandal resistant. Compatible with AXISM5525-E. Single pack.  2N IP Verso — Bluetooth & RFID reader (125kHz, secured 13.56MHz UID+PACS ID, NFC)  2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.	\$ \$	29.00 39.00 39.00 644.00
01606-001 01607-001 01639-001 01673-600	AXIS M55 CLEAR DOME A  AXIS M55 SMOKED DOME A  2N IP VERSO COMBI BLUETOOTH RFID SEC.	AXIS Device Microphone A is a omnidirectional microphone for sound pickup. Compatible with indoor Q35 models, to be mounted on the inside of the dome and plugged into the 3.5 mm microphone jack.  Spare part clear dome in polycarbonate. IK09 vandal resistant. Compatible with AXIS M5525-E. Single pack.  Smoked dome in polycarbonate. IK09 vandal resistant. Compatible with AXISM5525-E. Single pack.  2N IP Verso – Bluetooth & RFID reader (125kHz, secured 13.56MHz UID+PACS ID, NFC)  2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years	\$ \$ \$	29.00 39.00 39.00 644.00
01606-001 01607-001 01639-001 01673-600	AXIS M55 CLEAR DOME A  AXIS M55 SMOKED DOME A  2N IP VERSO COMBI BLUETOOTH RFID SEC.  EXT WAR AXIS S1016 Mkii	AXIS Device Microphone A is a omnidirectional microphone for sound pickup. Compatible with indoor Q35 models, to be mounted on the inside of the dome and plugged into the 3.5 mm microphone jack.  Spare part clear dome in polycarbonate. IK09 vandal resistant. Compatible with AXIS M5525-E. Single pack.  Smoked dome in polycarbonate. IK09 vandal resistant. Compatible with AXISM5525-E. Single pack.  2N IP Verso – Bluetooth & RFID reader (125kHz, secured 13.56MHz UID+PACS ID, NFC)  2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within	\$ \$	29.00 39.00 39.00 644.00
01606-001 01607-001 01639-001 01673-600	AXIS M55 CLEAR DOME A  AXIS M55 SMOKED DOME A  2N IP VERSO COMBI BLUETOOTH RFID SEC.  EXT WAR AXIS S1016 Mkii	AXIS Device Microphone A is a omnidirectional microphone for sound pickup. Compatible with indoor Q35 models, to be mounted on the inside of the dome and plugged into the 3.5 mm microphone jack.  Spare part clear dome in polycarbonate. IK09 vandal resistant. Compatible with AXIS M5525-E. Single pack.  Smoked dome in polycarbonate. IK09 vandal resistant. Compatible with AXISM5525-E. Single pack.  2N IP Verso — Bluetooth & RFID reader (125kHz, secured 13.56MHz UID+PACS ID, NFC)  2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.	\$ \$	29.00 39.00 39.00 644.00
01606-001 01607-001 01639-001 01673-600	AXIS M55 CLEAR DOME A  AXIS M55 SMOKED DOME A  2N IP VERSO COMBI BLUETOOTH RFID SEC.  EXT WAR AXIS S1016 MkII  EXT WAR AXIS S1032 MkII	AXIS Device Microphone A is a omnidirectional microphone for sound pickup. Compatible with indoor Q35 models, to be mounted on the inside of the dome and plugged into the 3.5 mm microphone jack.  Spare part clear dome in polycarbonate. IK09 vandal resistant. Compatible with AXIS M5525-E. Single pack.  Smoked dome in polycarbonate. IK09 vandal resistant. Compatible with AXISM5525-E. Single pack.  2N IP Verso – Bluetooth & RFID reader (125kHz, secured 13.56MHz UID+PACS ID, NFC)  2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty no cameras/encoders/decoders/access control is 5 years. Note 2: The warranty code must be redeemed within  2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within	\$ \$ \$ \$ \$	29.00 39.00 39.00 644.00 525.00
01606-001 01607-001 01639-001 01673-600	AXIS M55 CLEAR DOME A  AXIS M55 SMOKED DOME A  2N IP VERSO COMBI BLUETOOTH RFID SEC.  EXT WAR AXIS S1016 Mkii	AXIS Device Microphone A is a omnidirectional microphone for sound pickup. Compatible with indoor Q35 models, to be mounted on the inside of the dome and plugged into the 3.5 mm microphone jack.  Spare part clear dome in polycarbonate. IK09 vandal resistant. Compatible with AXIS M5525-E. Single pack.  Smoked dome in polycarbonate. IK09 vandal resistant. Compatible with AXISM5525-E. Single pack.  2N IP Verso – Bluetooth & RFID reader (125kHz, secured 13.56MHz UID+PACS ID, NFC)  2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within	\$ \$	29.00 39.00 39.00 644.00 525.00
01606-001 01607-001 01639-001 01673-600	AXIS M55 CLEAR DOME A  AXIS M55 SMOKED DOME A  2N IP VERSO COMBI BLUETOOTH RFID SEC.  EXT WAR AXIS S1016 MkII  EXT WAR AXIS S1032 MkII	AXIS Device Microphone A is a omnidirectional microphone for sound pickup. Compatible with indoor Q35 models, to be mounted on the inside of the dome and plugged into the 3.5 mm microphone jack.  Spare part clear dome in polycarbonate. IK09 vandal resistant. Compatible with AXIS M5525-E. Single pack.  Smoked dome in polycarbonate. IK09 vandal resistant. Compatible with AXISM5525-E. Single pack.  2N IP Verso – Bluetooth & RFID reader (125kHz, secured 13.56MHz UID+PACS ID, NFC)  2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  AXIS Store Reporter is a web-based tool that is used for graphical representation and	\$ \$ \$ \$ \$	29.00 39.00 39.00 644.00
01606-001 01607-001 01639-001 01673-600 01674-600	AXIS M55 CLEAR DOME A  AXIS M55 SMOKED DOME A  2N IP VERSO COMBI BLUETOOTH RFID SEC.  EXT WAR AXIS S1016 MkII  EXT WAR AXIS S1032 MkII  EXT WAR AXIS S1048 MkII	AXIS Device Microphone A is a omnidirectional microphone for sound pickup. Compatible with indoor Q35 models, to be mounted on the inside of the dome and plugged into the 3.5 mm microphone jack.  Spare part clear dome in polycarbonate. IK09 vandal resistant. Compatible with AXIS M5525-E. Single pack.  Smoked dome in polycarbonate. IK09 vandal resistant. Compatible with AXISM5525-E. Single pack.  2N IP Verso — Bluetooth & RFID reader (125kHz, secured 13.56MHz UID+PACS ID, NFC)  2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  AXIS Store Reporter is a web-based tool that is used for graphical representation and reporting of statistical data gathered from Axis retail analytics applications. It is sold on a	\$ \$ \$ \$ \$ \$ \$ \$	29.00 39.00 39.00 644.00 525.00 1,035.00
01606-001 01607-001 01639-001 01673-600 01674-600	AXIS M55 CLEAR DOME A  AXIS M55 SMOKED DOME A  2N IP VERSO COMBI BLUETOOTH RFID SEC.  EXT WAR AXIS S1016 MkII  EXT WAR AXIS S1032 MkII	AXIS Device Microphone A is a omnidirectional microphone for sound pickup. Compatible with indoor Q35 models, to be mounted on the inside of the dome and plugged into the 3.5 mm microphone jack.  Spare part clear dome in polycarbonate. IK09 vandal resistant. Compatible with AXIS M5525-E. Single pack.  Smoked dome in polycarbonate. IK09 vandal resistant. Compatible with AXISM5525-E. Single pack.  2N IP Verso – Bluetooth & RFID reader (125kHz, secured 13.56MHz UID+PACS ID, NFC)  2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  AXIS Store Reporter is a web-based tool that is used for graphical representation and	\$ \$ \$ \$ \$	29.00 39.00 39.00 644.00 525.00
01606-001 01607-001 01639-001 01673-600 01674-600	AXIS M55 CLEAR DOME A  AXIS M55 SMOKED DOME A  2N IP VERSO COMBI BLUETOOTH RFID SEC.  EXT WAR AXIS S1016 MkII  EXT WAR AXIS S1032 MkII  EXT WAR AXIS S1048 MkII	AXIS Device Microphone A is a omnidirectional microphone for sound pickup. Compatible with indoor Q35 models, to be mounted on the inside of the dome and plugged into the 3.5 mm microphone jack.  Spare part clear dome in polycarbonate. IK09 vandal resistant. Compatible with AXIS M5525-E. Single pack.  Smoked dome in polycarbonate. IK09 vandal resistant. Compatible with AXISM5525-E. Single pack.  2N IP Verso — Bluetooth & RFID reader (125kHz, secured 13.56MHz UID+PACS ID, NFC)  2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  AXIS Store Reporter is a web-based tool that is used for graphical representation and reporting of statistical data gathered from Axis retail analytics applications. It is sold on a	\$ \$ \$ \$ \$ \$ \$ \$	29.00 39.00 39.00 644.00 525.00 1,035.00
01606-001 01607-001 01639-001 01673-600 01674-600	AXIS M55 CLEAR DOME A  AXIS M55 SMOKED DOME A  2N IP VERSO COMBI BLUETOOTH RFID SEC.  EXT WAR AXIS S1016 MkII  EXT WAR AXIS S1032 MkII  EXT WAR AXIS S1048 MkII	AXIS Device Microphone A is a omnidirectional microphone for sound pickup. Compatible with indoor Q35 models, to be mounted on the inside of the dome and plugged into the 3.5 mm microphone jack.  Spare part clear dome in polycarbonate. IK09 vandal resistant. Compatible with AXIS M5525-E. Single pack.  Smoked dome in polycarbonate. IK09 vandal resistant. Compatible with AXISM5525-E. Single pack.  2N IP Verso — Bluetooth & RFID reader (125kHz, secured 13.56MHz UID+PACS ID, NFC)  2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  AXIS Store Reporter is a web-based tool that is used for graphical representation and reporting of statistical data gathered from Axis retail analytics applications. It is sold on a per channel basis. A license is valid until 31 Dec 2018. After this date	\$ \$ \$ \$ \$ \$ \$ \$	29.00 39.00 39.00 644.00 525.00 1,035.00
01575-001 01606-001 01607-001 01639-001 01673-600 01674-600 01147-061	AXIS M55 CLEAR DOME A  AXIS M55 SMOKED DOME A  2N IP VERSO COMBI BLUETOOTH RFID SEC.  EXT WAR AXIS S1016 MkII  EXT WAR AXIS S1032 MkII  EXT WAR AXIS S1048 MkII	AXIS Device Microphone A is a omnidirectional microphone for sound pickup. Compatible with indoor Q35 models, to be mounted on the inside of the dome and plugged into the 3.5 mm microphone jack.  Spare part clear dome in polycarbonate. IK09 vandal resistant. Compatible with AXIS M5525-E. Single pack.  Smoked dome in polycarbonate. IK09 vandal resistant. Compatible with AXISM5525-E. Single pack.  2N IP Verso – Bluetooth & RFID reader (125kHz, secured 13.56MHz UID+PACS ID, NFC)  2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  2 years extension of the warranty period  Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within  AXIS Store Reporter is a web-based tool that is used for graphical representation and reporting of statistical data gathered from Axis retail analytics applications. It is sold on a per channel basis. A license is valid until 31 Dec 2018. After this date	\$ \$ \$ \$ \$ \$ \$ \$	29.00 39.00 39.00 644.00 525.00 1,035.00