



**Bosch Security Systems, Inc.
Communications Systems Division**

TELEX RADIO DISPATCH - RETAIL

Price List - Effective April 7, 2025

All prices are in U.S. Dollars - this supersedes all previous lists

All information herein is proprietary and confidential information of Bosch Communications Systems, Inc., and is not to be disclosed or duplicated without the prior written approval of an authorized representative of Bosch Communications Systems, Inc.

[Telex Radio Dispatch Products Website](#)

TABLE OF CONTENTS

CONTACT INFORMATION
IP Harware Consoles and Accessories
C-Soft Dispatch Console Positions, ADHB4-GEN2, SIP, Mics and Headsets
IP-224 and Accessories
DSP-223 Analog Adaptors
DATA SHEET (ALPHA-NUMERIC LIST)



CONTACT INFO TO PLACE AN ORDER (US and CANADA)

Phone: 800-289-0096 Option 3

Fax: 800-955-6831

e-mail: dispatch@us.bosch.com

CONTACT INFO FOR DISPATCH TECHNICAL SUPPORT

Phone: 800-898-6723

e-mail: telexdispatchtechsupport@us.bosch.com

CONTACT INFO FOR REPLACEMENT PART ORDERS & SERVICE

Phone: 800-289-0096 Option 5

Fax: 800-366-1329

e-mail: repair@us.bosch.com

Before returning any products to Bosch Security Systems, you must obtain a return material authorization (RMA). This policy applies to all product returns, including warranty repair/exchange, non-warranty repairs, credit returns, and advance exchanges. It ensures that your returns are properly tracked and accounted for, and minimizes errors and delays.

IP Consoles

IP-30xx Series Consoles



The IP-3002 is a 2 line IP based console that combines a telephone style desk set with touchscreen and 6 programmable hardware keys. The console can be used in conjunction with other IP consoles or IP-224's on a network. The console includes a special version of our flagship C-Soft software and is configured and programmed through a combination of Telex System Manager and C-Soft. **IMPORTANT: No upgrade path available to -E or -PS options.**

PRODUCT	SAP NUMBER	DESCRIPTION	MSRP
IP-3002	F.01U.410.741	IP console 2 line (includes 1 line SIP license)	\$7,708.00



The IP-3008 is a 8 line IP based console that combines a telephone style desk set with touchscreen and 6 programmable hardware keys. The console can be used in conjunction with other IP consoles or IP-224's on a network. The console includes a special version of our flagship C-Soft software and is configured and programmed through a combination of Telex System Manager and C-Soft. The -E and -PS versions expand the feature set to include more SIP lines, Per-Line Call Playback, and direct IP interfaces to various modern radio systems.

PRODUCT	SAP NUMBER	DESCRIPTION	MSRP
IP-3008	F.01U.411.038	IP console 8 line (includes 2 line SIP license)	\$9,637.00
IP-3008-E	F.01U.411.037	IP console 8 line, Enterprise edition (supports 6 lines SIP telephony, 8 lines Per-line Call Playback, DMR-AIS or NEXEDGE interfaces)	\$11,568.00
IP-3008-PS	F.01U.411.036	IP console 8 line, Public Safety edition (includes Enterprise features plus 8 lines P25 DFSI/CSSI interface with encryption)	\$13,496.00



The IP-3018 is a 18 line IP based console that combines a telephone style desk set with touchscreen and 16 programmable hardware keys. The console can be used in conjunction with other IP consoles or IP-224's on a network. The console includes a special version of our flagship C-Soft software and is configured and programmed through a combination of Telex System Manager and C-Soft. The -E and -PS versions expand the feature set to include more SIP lines, Per-Line Call Playback, and direct IP interfaces to various modern radio systems. **EOL, limited quantities available, please look at IP-3118 series.**

PRODUCT	SAP NUMBER	DESCRIPTION	MSRP
IP-3018	F.01U.411.035	IP console 18 line (includes 2 line SIP license)	\$17,355.00
IP-3018-E	F.01U.411.034	IP console 18 line, Enterprise edition (includes 12 line SIP telephony, 18 lines Per-line Call Playback, DMR-AIS or NEXEDGE interfaces)	\$19,284.00
IP-3018-PS	F.01U.411.033	IP console 18 line, Public Safety edition (includes Enterprise features plus 18 lines P25 DFSI/CSSI interface with encryption)	\$21,213.00

NEW IP-31xx Series Consoles NEW



The IP-3102 is a 2 line IP based console that combines a telephone style desk set with touchscreen and 6 programmable hardware keys. The console can be used in conjunction with other IP consoles or IP-224's on a network. The console includes a special version of our flagship C-Soft software and is configured and programmed through a combination of Telex System Manager and C-Soft. **Availability July 2025**

PRODUCT	SAP NUMBER	DESCRIPTION	MSRP
IP-3102-B	F.01U.418.445	IP console 2 line (includes 1 line SIP license)	\$7,850.00
IP-3102-E	F.01U.418.446	IP console 2 line, Enterprise edition (supports 1 lines SIP telephony, 2 lines Per-line Call Playback, DMR-AIS or NEXEDGE interfaces)	\$9,680.00
IP-3102-PS	F.01U.418.447	IP console 2 line, Public Safety edition (includes Enterprise features plus 2 lines P25 DFSI/CSSI interface with encryption)	\$11,515.00



The IP-3108 is a 8 line IP based console that combines a telephone style desk set with touchscreen and 6 programmable hardware keys. The console can be used in conjunction with other IP consoles or IP-224's on a network. The console includes a special version of our flagship C-Soft software and is configured and programmed through a combination of Telex System Manager and C-Soft. The -E and -PS versions expand the feature set to include more SIP lines, Per-Line Call Playback, and direct IP interfaces to various modern radio systems. **Availability July 2025**

PRODUCT	SAP NUMBER	DESCRIPTION	MSRP
IP-3108-B	F.01U.418.448	IP console 8 line (includes 2 line SIP license)	\$9,778.00
IP-3108-E	F.01U.418.449	IP console 8 line, Enterprise edition (supports 6 lines SIP telephony, 8 lines Per-line Call Playback, DMR-AIS or NEXEDGE interfaces)	\$11,617.00
IP-3108-PS	F.01U.418.450	IP console 8 line, Public Safety edition (includes Enterprise features plus 8 lines P25 DFSI/CSSI interface with encryption)	\$13,455.00



The IP-3118 is a 18 line IP based console that combines a telephone style desk set with touchscreen and 16 programmable hardware keys. The console can be used in conjunction with other IP consoles or IP-224's on a network. The console includes a special version of our flagship C-Soft software and is configured and programmed through a combination of Telex System Manager and C-Soft. The -E and -PS versions expand the feature set to include more SIP lines, Per-Line Call Playback, and direct IP interfaces to various modern radio systems. **Availability April 2025**

PRODUCT	SAP NUMBER	DESCRIPTION	MSRP
IP-3118-B	F.01U.418.451	IP console 18 line (includes 2 line SIP license)	\$17,399.00
IP-3118-E	F.01U.418.452	IP console 18 line, Enterprise edition (includes 12 line SIP telephony, 18 lines Per-line Call Playback, DMR-AIS or NEXEDGE interfaces)	\$19,236.00
IP-3118-PS	F.01U.418.453	IP console 18 line, Public Safety edition (includes Enterprise features plus 18 lines P25 DFSI/CSSI interface with encryption)	\$21,073.00

IP-30xx Series Accessories

PRODUCT	SAP NUMBER	DESCRIPTION	MSRP
IP-UPGRADE-E	F.01U.411.032	Upgrade either IP-3008, IP-3018, IP-3102/8 or IP-3118 to add Enterprise feature set	\$2,411.00
IP-UPGRADE-PS	F.01U.411.031	Upgrade either IP-3008, IP-3018, IP-3102/8 or IP-3118 to add Public Safety feature set	\$4,342.00

IP-3000 Field Upgrades - Note unit Serial Number(s) and MAC address is required at time of ordering			
IP-KBD-EXTEND	F.01U.392.879	32 Key add-on programmable keyboard	\$290.00
IP-INCLINE	F.01U.392.880	Inclination Mechanism for IP-30xx and IP-31xx Consoles	\$570.00
KEYSET-RED	F.01U.392.884	Red keys (8 single and 2 double) with clear keycaps and tool	\$29.00
KEYSET-GREEN	F.01U.392.885	Green keys (8 single and 2 double) with clear keycaps and tool	\$29.00
KEYSET-BLUE	F.01U.392.886	Blue keys (8 single and 2 double) with clear keycaps and tool	\$29.00
KEYSET-YELLOW	F.01U.392.887	Yellow keys (8 single and 2 double) with clear keycaps and tool	\$29.00
KEYSET-ORANGE	F.01U.392.888	Orange keys (8 single and 2 double) with clear keycaps and tool	\$29.00
KEYSET-BLACK	F.01U.392.889	Black keys (8 single and 2 double) with clear keycaps and tool	\$29.00

IP-30xx Series Replacement Parts

PRODUCT	SAP NUMBER	DESCRIPTION	MSRP
PWR-IP-300x	F.01U.392.881	Replacement Power Supply for IP-3002/8 and IP-3102/8 Consoles	\$145.00
PWR-IP-3018	F.01U.392.882	Replacement Power Supply for IP-3018 and IP-3118 Consoles	\$290.00
HANDSET-IP-30xx	F.01U.392.883	Replacement Handset for IP-30xx and IP-31xx Consoles	\$203.00

Support your Dispatch System

On-Site Training/Support	F.01U.146.696	Telex Radio Dispatch Customized Training or Field Support	Call for Price
Classroom training	F.01U.367.303	Telex Radio Dispatch Master Level Training in Telex Classroom	Call for Price
Design Services	TBD	C-Soft Design Files (.veg & .tda); ADHB-4 Gen2 Configurations (.vga)	Call for Price

Build your C-Soft IP Dispatch Console Position

To build your dispatch positions choose a PC platform, Monitor, C-Soft line key, ADHB4 Audio Adaptor Interface and accessories. SIP Telephone, Encryption, API, DFSI, CSSI, DMR-AIS, NXDN Trunking and Per-Line Call playback are available value added options that can be added to any position.

Choose PC Hardware Platform



PRODUCT	SAP NUMBER	DESCRIPTION	MSRP
NEXUS-IP-G1-US-IOT	F.01U.354.561	Desktop PC with Windows 10 IoT (CPU), Wireless Mouse & Keyboard. (DOES NOT INCLUDE SPEAKERS). NOTE: C-Soft software is pre-installed, but activation license must be purchased (below).	\$3,470.00


Choose C-Soft v8 License Size



PRODUCT	SAP NUMBER	DESCRIPTION	MSRP
C-SOFT8 2L	F.01U.412.707	C-Soft 2-line SOFTWARE v8	\$2,360.00
C-SOFT8 6L	F.01U.413.980	C-Soft 6-line SOFTWARE v8	\$5,040.00
C-SOFT8 12L	F.01U.413.299	C-Soft 12-line SOFTWARE v8	\$6,302.00
C-SOFT8 24L	F.01U.413.298	C-Soft 24-line SOFTWARE v8	\$7,879.00
C-SOFT8 50L	F.01U.413.297	C-Soft 50-line SOFTWARE v8	\$8,668.00
C-SOFT8 100L	F.01U.413.296	C-Soft 100-line SOFTWARE v8	\$10,248.00
C-SOFT8 150L	F.01U.413.295	C-Soft 150-line SOFTWARE v8	\$11,037.00
C-SOFT8 200L	F.01U.413.294	C-Soft 200-line SOFTWARE v8	\$11,794.00
C-SOFT8 UPGRADE	F.01U.413.293	Upgrade Previous C-Soft v7 to C-Soft v8 (NEW)	\$1,218.00

NOTE: Works with new Console Management System (CMS)


NEW RDC - Remote Dispatch Console



Provides the ability to communicate between primary Telex dispatch positions, remote locations (RDC Clients) and radio channels using group call functions. Supporting web-browser based clients allows for basic featured console expansion to any system using IP-224 for radio connectivity.

PRODUCT	SAP NUMBER	DESCRIPTION	MSRP
RDC-SYS01-A	F.01U.394.128	RDC System license, with 1 year of SW updates	\$6,300.00
RDC-CON10-A	F.01U.394.129	RDC 10 devices increment license	\$3,150.00
RDC-CON05-A	F.01U.413.775	RDC 5 devices increment license	\$2,520.00
RDC-TG02-A	F.01U.394.130	RDC 2 groups increment license	\$1,575.00
RDC-SWUS-A	F.01U.413.776	SW Update Subscription, year 2 and higher	Call for Price

Console Management System



Provides centralized system and user management functions within dispatch.

- Support C-Soft design updates and write to functions.
- Manage radio subscriber ID/Alias and SIP contacts in system from a single point.
- Control remote I/O devices (MQTT), expanding beyond NEO-10.
- Packet forwarding, Multicast to Unicast for easy network navigation.
- Encryption between C-Soft consoles and IP-224 to improve security.

PRODUCT	SAP NUMBER	DESCRIPTION	MSRP
TCMS-P	F.01U.413.301	Console Management System Package - Requires C-Soft v8. Simplified management of IP-3000 series consoles and C-Soft positions. Provides enhanced security, contact and user management, design management, packet forwarding and support for new NICM control modules. Includes: server, CMS software, and support for up to 5 consoles.	\$10,500.00
TCMS-CC	F.01U.411.949	Additional console connection	\$1,137.00



Note: NICM modules require a Console Management System (CMS) installed to utilize.

PRODUCT	SAP NUMBER	DESCRIPTION	MSRP
NICM-4-4-ADV	F.01U.411.904	IO module, 4 input, 4 output	\$700.00
NICM-6-6-ADV	F.01U.411.905	IO module, 6 input, 6 output	\$700.00
NICM-12-6-ADV	F.01U.411.903	IO module, 12 input, 6 output	\$700.00

Choose Monitor

PRODUCT	SAP NUMBER	DESCRIPTION	MSRP
NEXUSIPU22LED	F.01U.411.778	22" LED Flat Panel Monitor	\$400.00

Choose Dispatcher Audio Interface



ADHB-4 Gen 2

The ADHB-4 Gen 2 is the standard audio adapter for the C-soft console. This panel provides the sound card and the ability for up to 6 speakers. This adapter hosts the Headsets, footswitch, aux audio input, speakers and telephone headset jack. Compatible with older RHB-1 units via included adapter.

PRODUCT	SAP NUMBER	DESCRIPTION	MSRP
ADHB-4-GEN2-US	F.01U.411.770	ADHB-4 Audio Interface Device; Provides Headset, Microphone, Footswitch, Phone/E-911 Audio, Aux Audio, I/O, and Speaker Connectivity to C-Soft software; USB Connected to PC (US Version)	\$3,126.00
RHB-1-GEN2	F.01U.411.669	RHB-1 Gen 2 Remote Headset Box; Provides Additional Headset jack for ADHB-4 Gen 2 / C-Soft console. Up to 2 RHB-1 Gen 2 devices can be connected to an ADHB-4 / ADHB-4 Gen 2 simultaneously. Compatible with older ADHB-4 units via included adapter.	\$432.00
ADHB-4MTBRK	F.01U.411.846	ADHB-4 Mounting Brackets; Provide surface/under surface mounting capabilities to the ADHB-4 device.	\$73.40

SIP, P25 DFSI, P25 CSSI, DMR-AIS and Kenwood NEXEDGE Direct IP licenses are used to enable existing lines in C-Soft to operate with these special interfaces. (Example: A position requiring 6 SIP extensions, 2 DFSI lines, 2 NEXEDGE lines, and 12 radios controlled by IP-224 add up to 22 lines, which would require at least a 24 line C-Soft license because the next smaller C-Soft license is only 12 lines)

Choose SIP Option (For C-Soft v7 & v8)

PRODUCT	SAP NUMBER	DESCRIPTION	MSRP
SIP 6L	F.01U.413.481	SIP IP Telephony Option for C-Soft; 6-Line Enabled	\$767.00
SIP 12L	F.01U.413.480	SIP IP Telephony Option for C-Soft; 12-Line Enabled	\$1,916.00

Choose P25 DFSI Option (For C-Soft v7 & v8)

PRODUCT	SAP NUMBER	DESCRIPTION	MSRP
P25 DFSI 2L	F.01U.413.485	P25 DFSI Option for C-Soft; 2-Line Enabled	\$3,860.00
P25 DFSI 6L	F.01U.413.484	P25 DFSI Option for C-Soft; 6-Line Enabled	\$7,500.00
P25 DFSI 12L	F.01U.413.483	P25 DFSI Option for C-Soft; 12-Line Enabled	\$11,028.00
P25 DFSI 24L	F.01U.413.482	P25 DFSI Option for C-Soft; 24-Line Enabled	\$18,420.00

Note: There is a limit of 25 parallel consoles maximum in a system.

Choose P25 CSSI Option (For C-Soft v7 & v8)

PRODUCT	SAP NUMBER	DESCRIPTION	MSRP
P25 CSSI IP 2L	F.01U.413.305	Direct IP interface, P25 CSSI, 2-line	\$4,769.00
P25 CSSI IP 6L	F.01U.413.304	Direct IP interface, P25 CSSI, 6-line	\$9,268.00
P25 CSSI IP 12L	F.01U.413.303	Direct IP interface, P25 CSSI, 12-line	\$13,768.00
P25 CSSI IP 24L	F.01U.413.478	Direct IP interface, P25 CSSI, 24-line	\$22,767.00

Note: Includes DFSI interface. Please contact sales prior to ordering.

Choose P25 Encryption Option (For C-Soft v7 & v8)

PRODUCT	SAP NUMBER	DESCRIPTION	MSRP
Encryption Seat	F.01U.413.470	AES Encryption Option (utilizes FIPS 140-2 validated cryptographic module), for use with Motorola 3000/4000 and Tait Recon keyloaders (per seat)	\$6,120.00

Choose NEXEDGE Direct IP Option (For C-Soft v7 & v8)

PRODUCT	SAP NUMBER	DESCRIPTION	MSRP
NEXEDGE IP 2L	F.01U.413.489	Kenwood NEXEDGE Direct IP Option for C-Soft; 2-Line Enabled	\$3,112.00
NEXEDGE IP 6L	F.01U.413.488	Kenwood NEXEDGE Direct IP Option for C-Soft; 6-Line Enabled	\$6,051.00
NEXEDGE IP 12L	F.01U.413.487	Kenwood NEXEDGE Direct IP Option for C-Soft; 12-Line Enabled	\$8,989.00
NEXEDGE IP 24L	F.01U.413.486	Kenwood NEXEDGE Direct IP Option for C-Soft; 24-Line Enabled	\$14,863.00

Note: NEXEDGE protocol v1 has a maximum of 10 console connections per site and 100 console connections per system.

Choose DMR Direct IP Option (For C-Soft v7 & v8)

PRODUCT	SAP NUMBER	DESCRIPTION	MSRP
DMR AIS IP 2L	F.01U.413.477	DMR AIS Direct IP Option for C-Soft; 2-Line Enabled	\$3,112.00
DMR AIS IP 6L	F.01U.413.475	DMR AIS Direct IP Option for C-Soft; 6-Line Enabled	\$6,051.00
DMR AIS IP 12L	F.01U.413.474	DMR AIS Direct IP Option for C-Soft; 12-Line Enabled	\$8,989.00
DMR AIS IP 24L	F.01U.413.473	DMR AIS Direct IP Option for C-Soft; 24-Line Enabled	\$14,863.00

Choose API / SDK Option (For C-Soft v7 & v8)

PRODUCT	SAP NUMBER	DESCRIPTION	MSRP
API SDK	F.01U.413.472	Application Programming Interface SDK, includes documentation and simulator for use in developing 3rd party software interfaces to C-Soft (requires NDA). Note: It is recommended to have at least a 2-line C-Soft license and the API Seat interface (F.01U.343.865) for the license in order to fully test software developed using the interface. (MSRP=net price, no discounts apply)	\$7,343.00
API SEAT	F.01U.413.471	Application Programming Interface, Enables interface with 3rd party applications created using SDK (per seat)	\$1,224.00

Choose Per Line Call Playback Option (For C-Soft v7 & v8)

PRODUCT	SAP NUMBER	DESCRIPTION	MSRP
PLAYBACK 2L	F.01U.413.476	Per-Line Call Playback Option for C-Soft: 2-Line Enabled	\$481.00
PLAYBACK 6L	F.01U.413.494	Per-Line Call Playback Option for C-Soft: 6-Line Enabled	\$1,916.00
PLAYBACK 12L	F.01U.413.493	Per-Line Call Playback Option for C-Soft: 12-Line Enabled	\$2,873.00
PLAYBACK 24L	F.01U.413.492	Per-Line Call Playback Option for C-Soft: 24-Line Enabled	\$3,834.00
PLAYBACK 50L	F.01U.413.491	Per-Line Call Playback Option for C-Soft: 50-Line Enabled	\$5,430.00
PLAYBACK 100L	F.01U.413.490	Per-Line Call Playback Option for C-Soft: 100-Line Enabled	\$6,323.00

When ordering Per Line Call Back, make sure the total number of lines does not exceed the total number of lines available on the C-Soft Key. Per Line Call Back is for use with C-Soft v7 and higher. C-Soft v7 comes with one line of Per Line Call Playback enabled. These options expand that capability to the amount noted in the description. For example, ordering Playback 6L, expands the number of Per-Line Call Playback lines to a total of six.

IMPORTANT! It is highly recommended that the target hard drive for this recording option be a secondary drive that is not a solid state drive due to repeated read/write requirements.

Choose Microphone, Headset and Accessories

PRODUCT	SAP NUMBER	DESCRIPTION	MSRP
DH2000	F.01U.411.852	Dispatcher Headset- MONO (lower cord not included, choose LC1500 or LC2500)	\$212.00
DH2200	F.01U.411.851	Dispatcher Headset- Dual sided MONO (lower cord not included, choose LC1500 or LC2500)	\$221.00
DH2300	F.01U.351.961	Dispatcher Headset- MONO (lower cord not included, choose LC1500 or LC2500)	\$254.00
DH3000	F.01U.411.901	ANR Dispatcher Headset- MONO (lower cord not included, choose LC1500 or LC2500)	\$380.00
DH3200	F.01U.411.902	ANR Dispatcher Headset- Dual sided MONO (lower cord not included, choose LC1500 or LC2500)	\$423.00
DH3300	F.01U.351.962	ANR Dispatcher Headset- MONO (lower cord not included, choose LC1500 or LC2500)	\$419.00
LC1500	F.01U.117.884	Lower Cord Unit with PTT Button, Belt Clip; 15-Foot	\$169.00
LC2500	F.01U.117.885	Lower Cord Unit with PTT Button, Belt Clip; 25-Foot	\$185.00
PREMDESKMIC	F.01U.318.570	Desktop Microphone, Gooseneck with PTT	\$806.00
MCP-90-0	F.01U.391.575	Flushmount gooseneck mic with electret mic element for DT-GN, C-6200 and IP-1616 Hardware Consoles; Mounts directly to the top panel 1/4" threaded microphone jack. (Gooseneck only)	\$244.00
MCP-90-8	F.01U.391.578	Gooseneck mic with electret mic element, 8 inch length (20.3cm) for DT-GN, C-6200 and IP-1616 Hardware Consoles; Mounts directly to the top panel 1/4" threaded microphone jack. (Gooseneck only)	\$279.00
MCP-90-12	F.01U.391.576	Gooseneck mic with electret mic element, 12 inch length (30.5cm) for DT-GN, C-6200 and IP-1616 Hardware Consoles; Mounts directly to the top panel 1/4" threaded microphone jack. (Gooseneck only)	\$286.00
GNM-18	F.01U.391.574	Gooseneck mic with electret mic element, 18 inch length (45.7cm) for DT-GN, C-6200 and IP-1616 Hardware Consoles; Mounts directly to the top panel 1/4" threaded microphone jack. (Gooseneck only)	\$343.00
MD-MS	F.01U.411.664	Desktop Microphone for C-6200, IP-1616, and C-2000 Hardware Consoles; Omnidirectional	\$268.00
DT-GN W/GNM-18	F.01U.411.015	Desktop Gooseneck Microphone kit (Includes GNM-18 and Base)	\$630.00
Polar Desktop	F.01U.411.843	Polar Choice Gooseneck Microphone; Note: Does not support PTT button on unit base	\$615.00
FS-1	F.01U.411.847	Footswitch ADHB-4 for Hands-free PTT Operation, 10-foot cord	\$201.00
DISPATCH Speaker set	F.01U.155.248	Dispatch Position Speaker Set	\$96.80

IP Adaptors - IP-224



The IP-224 is a radio gateway IP adapter for building the Telex Radio Dispatch solution. Each adapter can control two devices. Radio interface cables and/or power supply can be ordered from accessories or use power from device that is interfaced to the IP-224. Advanced interfaces option can be ordered with the unit, or as an optional field code for upgrade in the field. Power supply not included.

IP-224 with Accessories and Options

PRODUCT	SAP NUMBER	DESCRIPTION	MSRP
IP-224 V2	F.01U.411.773	IP-224 Gateway Basic; Includes MDC/Fleetsync Encode/Decode, Kenwood Serial (x80, x90, x150 and x180) and Generic Serial API	\$3,905.00
IP224 V2 WOPS NA	F.01U.411.672	IP-224 Gateway North America Version; Includes Basic model features plus: Generic Serial Type 2, DMR/MOTOTRBO, P25, NXDN, iDen, TETRA, & EF Johnson Serial Control Capabilities Enabled; Note: MOTOTRBO exception noted below.	\$5,232.00

IP-224 Accessories

IP-224 Dual Brackets	F.01U.411.845	IP-224 Mounting Brackets (Dual)	\$138.00
IP-224 Single Brackets	F.01U.411.642	IP-224 Mounting Brackets (Single)	\$83.40
DB37 Kenwood K-X150	F.01U.411.841	IP-224 Cable to Kenwood TK-X150/X180/5X10, NX-x00, NX-5x00 and TK or VM-5x30 series radios	\$309.00
DB37 Kenwood TK-X90	F.01U.411.838	IP-224 Cable to Kenwood TK-X90 radio	\$309.00
DB37 CABTONE	F.01U.411.014	IP-224 Cable to 4-Wire Tone/Console Interface, 2 connections, 24'	\$309.00
DB37 CDM1250	F.01U.411.013	IP-224 Cable to Motorola CDM/PRO, XPR2500 radios (20-Pin connector)	\$309.00
EFJ5300-Cable	F.01U.411.779	IP-224 Cable to EFJ RS-5300 and 53SL Radios	\$329.00
DB37 HYTERA TETRA	F.01U.411.777	IP-224 Cable to Hytera TETRA MT680 radio	\$309.00
DB37 PWRTRNK TETRA	F.01U.411.776	IP-224 Cable to PowerTrunk TETRA MDT-400 radio	\$309.00
DB37 HYTERA DMR	F.01U.411.771	IP-224 Cable to Hytera DMR MD782 radio	\$309.00
DB37 TAIT P25 DMR	F.01U.411.775	IP-224 Cable to Tait TM-91xx/93xx/94xx P25 and DMR radios	\$309.00
DB37 ICOM IDAS	F.01U.411.774	IP-224 Cable to ICOM IC-Fx061, IC-x400D and IC-F7540 series radios	\$309.00
DB37 MOTOTRBO	F.01U.411.772	IP-224 Cable to MOTOTRBO XPR Series radios (26-Pin connector)	\$309.00
DB37 EFJ VM-x00	F.01U.411.668	IP-224 Cable to EFJ VM-x00	\$302.00
DB37 Single E&M	F.01U.411.762	IP-224 Cable with single E&M wiring, 8 wires, 25'	\$302.00
DB37 KENWOOD NX3x20	F.01U.411.666	IP-224 Cable to Kenwood NX-3x20 radios (HDDB-15)	\$302.00
AHS-1	F.01U.117.426	Alignment Handset	\$102.00

IP-224 Field Upgrades - Note unit Serial Number(s) is(are) required at time of ordering

OPTION CODE NA	F.01U.413.260	OPTION CODE NA	\$1,368.00
Advanced interface option covers serial interface for DMR (Hytera, Tait, MOTOTRBO*), EFJ (5300, VM-x00 and x000), TETRA (Hytera, Sepura, PowerTrunk), P25 (Kenwood TK-5x10, TK-5x30, NX-5x00, Tait TM-91/93xx), NXDN (Kenwood NX-x00 & NX-5x00, ICOM IC-Fx06x)			
*Important Note: When using the Advanced interface option for MOTOTRBO® radios, only one radio can be connected to an IP-224 due to USB COM port limits. In addition when using MTRBi or DMR interface for MOTOTRBO®, only 10 consoles may connect to any given MOTOTRBO® radio. MOTOTRBO interface restricted to sale in North America only.			

Analog Adaptors



The DSP223 Tone Remote Adaptor Panel can be interfaced with local control radios to control remotely with tone.

PRODUCT	SAP NUMBER	DESCRIPTION	MSRP
DSP223	F.01U.411.850	DSP223 Tone Remote Adaptor for Radio control.	\$1,075.00
DSP223RACK	F.01U.411.849	19" Rack mount bracket holds two IP-223's, DSP's or TRA's	\$112.00
DSP223PRG	F.01U.411.882	Programming Kit for DSP-223	\$82.20
DSP223/KENWOOD	F.01U.411.848	DSP223 To Kenwood TK-x150/180 interface kit.	\$270.00
DSP223/Relm Kit	F.01U.411.881	DSP223 To Relm GMH Serial Interface Kit	\$263.00

Power Supplies

PRODUCT	SAP NUMBER	DESCRIPTION	MSRP
DP Accessory PS12V	F.01U.411.665	Power Supply, level 6 compliant, 12 VDC, 1.5 A 100-240 VAC includes PC-USA power cord. Can be modified for use with IP-223/224 and as a direct replacement for C-2000, C-2002, C-1616, IP-2002, ADHB-4 and HB-3+	\$82.70

SAP NUMBER	Replaced SAP Nbr	PRODUCT	DESCRIPTION
F.01U.411.770	F.01U.353.940	ADHB-4-GEN2-US	ADHB-4 Audio Interface Device; Provides Headset, Microphone, Footswitch, Phone/E-911 Audio, Aux Audio, I/O, and Speaker Connectivity to C-Soft software; USB Connected to PC (US Version)
F.01U.411.846	F.01U.163.360	ADHB-4MTBRK	ADHB-4 Mounting Brackets; Provide surface/under surface mounting capabilities to the ADHB-4 device.
F.01U.117.426		AHS-1	Alignment Handset
F.01U.413.472	F.01U.343.864	API SDK	Application Programming Interface SDK, includes documentation and simulator for use in developing 3rd party software interfaces to C-Soft (requires NDA). Note: It is recommended to have at least a 2-line C-Soft license and the API Seat interface (F.01U.343.865) for the license in order to fully test software developed using the interface. (MSRP=net price, no discounts apply)
F.01U.413.471	F.01U.343.865	API SEAT	Application Programming Interface, Enables interface with 3rd party applications created using SDK (per seat)
F.01U.367.303		Classroom training	Telex Radio Dispatch Master Level Training in Telex Classroom
F.01U.413.296	F.01U.405.627	C-SOFT8 100L	C-Soft 100-line SOFTWARE v8
F.01U.413.299	F.01U.405.624	C-SOFT8 12L	C-Soft 12-line SOFTWARE v8
F.01U.413.295	F.01U.405.628	C-SOFT8 150L	C-Soft 150-line SOFTWARE v8
F.01U.413.294	F.01U.405.629	C-SOFT8 200L	C-Soft 200-line SOFTWARE v8
F.01U.413.298	F.01U.405.625	C-SOFT8 24L	C-Soft 24-line SOFTWARE v8
F.01U.412.707	F.01U.405.622	C-SOFT8 2L	C-Soft 2-line SOFTWARE v8
F.01U.413.297	F.01U.405.626	C-SOFT8 50L	C-Soft 50-line SOFTWARE v8
F.01U.413.980	F.01U.405.623	C-SOFT8 6L	C-Soft 6-line SOFTWARE v8
F.01U.413.293	F.01U.405.630	C-SOFT8 UGRADE	Upgrade Previous C-Soft v7 to C-Soft v8 (NEW)
F.01U.411.014	F.01U.165.544	DB37 CABTONE	IP-224 Cable to 4-Wire Tone/Console Interface, 2 connections, 24'
F.01U.411.013	F.01U.165.545	DB37 CDM1250	IP-224 Cable to Motorola CDM/PRO, XPR2500 radios (20-Pin connector)
F.01U.411.668	F.01U.385.767	DB37 EFJ VM-x00	IP-224 Cable to EFJ VM-x00
F.01U.411.771	F.01U.319.163	DB37 HYTERA DMR	IP-224 Cable to Hytera DMR MD782 radio
F.01U.411.777	F.01U.306.539	DB37 HYTERA TETRA	IP-224 Cable to Hytera TETRA MT680 radio
F.01U.411.774	F.01U.306.546	DB37 ICOM IDAS	IP-224 Cable to ICOM IC-Fx061, IC-x400D and IC-F7540 series radios
F.01U.411.841	F.01U.165.540	DB37 Kenwood K-X150	IP-224 Cable to Kenwood TK-X150/X180/5X10, NX-x00, NX-5x00 and TK or VM-5x30 series radios
F.01U.411.666	F.01U.385.769	DB37 KENWOOD NX3x20	IP-224 Cable to Kenwood NX-3x20 radios (HDDB-15)
F.01U.411.838	F.01U.165.541	DB37 Kenwood TK-X90	IP-224 Cable to Kenwood TK-X90 radio
F.01U.411.772	F.01U.306.549	DB37 MOTOTRBO	IP-224 Cable to MOTOTRBO XPR Series radios (26-Pin connector)
F.01U.411.776	F.01U.306.540	DB37 PWRTRNK TETRA	IP-224 Cable to PowerTrunk TETRA MDT-400 radio
F.01U.411.762	F.01U.385.768	DB37 Single E&M	IP-224 Cable with single E&M wiring, 8 wires, 25'
F.01U.411.775	F.01U.306.543	DB37 TAIT P25 DMR	IP-224 Cable to Tait TM-91xx/93xx/94xx P25 and DMR radios
TBD		Design Services	C-Soft Design Files (.veg & .tda); ADHB-4 Gen2 Configurations (.vga)
F.01U.411.852	F.01U.117.886	DH2000	Dispatcher Headset- MONO (lower cord not included, choose LC1500 or LC2500)
F.01U.411.851	F.01U.117.887	DH2200	Dispatcher Headset- Dual sided MONO (lower cord not included, choose LC1500 or LC2500)
F.01U.351.961		DH2300	Dispatcher Headset- MONO (lower cord not included, choose LC1500 or LC2500)
F.01U.411.901	F.01U.120.557	DH3000	ANR Dispatcher Headset- MONO (lower cord not included, choose LC1500 or LC2500)
F.01U.411.902	F.01U.120.556	DH3200	ANR Dispatcher Headset- Dual sided MONO (lower cord not included, choose LC1500 or LC2500)
F.01U.351.962		DH3300	ANR Dispatcher Headset- MONO (lower cord not included, choose LC1500 or LC2500)
F.01U.155.248		DISPATCH Speaker set	Dispatch Position Speaker Set
F.01U.413.474	F.01U.343.862	DMR AIS IP 12L	DMR AIS Direct IP Option for C-Soft; 12-Line Enabled

SAP NUMBER	Replaced SAP Nbr	PRODUCT	DESCRIPTION
F.01U.413.473	F.01U.343.863	DMR AIS IP 24L	DMR AIS Direct IP Option for C-Soft; 24-Line Enabled
F.01U.413.477	F.01U.343.860	DMR AIS IP 2L	DMR AIS Direct IP Option for C-Soft; 2-Line Enabled
F.01U.413.475	F.01U.343.861	DMR AIS IP 6L	DMR AIS Direct IP Option for C-Soft; 6-Line Enabled
			Power Supply, level 6 compliant, 12 VDC, 1.5 A 100-240 VAC includes PC-USA power cord. Can be modified for use with IP-223/224 and as a direct replacement for C-2000, C-2002, C-1616, IP-2002, ADHB-4 and HB-3+
F.01U.411.665	F.01U.395.776	DP Accessory PS12V	DSP223 Tone Remote Adaptor for Radio control.
F.01U.411.850	F.01U.120.329	DSP223	DSP223 To Kenwood TK-x150/180 interface kit.
F.01U.411.848	F.01U.144.815	DSP223/KENWOOD	DSP223 To Relm GMH Serial Interface Kit
F.01U.411.881	F.01U.144.200	DSP223/Relm Kit	Programming Kit for DSP-223
F.01U.411.882	F.01U.148.983	DSP223PRG	
F.01U.411.849	F.01U.120.330	DSP223RACK	19" Rack mount bracket holds two IP-223's, DSP's or TRA's
F.01U.411.015	F.01U.138.537	DT-GN W/GNM-18	Desktop Gooseneck Microphone kit (Includes GNM-18 and Base)
F.01U.411.779	F.01U.165.548	EFJ5300-Cable	IP-224 Cable to EFJ RS-5300 and 53SL Radios
			AES Encryption Option (utilizes FIPS 140-2 validated cryptographic module), for use with Motorola 3000/4000 and Tait Recon keyloaders (per seat)
F.01U.413.470	F.01U.343.866	Encryption Seat	Footswitch ADHB-4 for Hands-free PTT Operation, 10-foot cord
F.01U.411.847	F.01U.117.308	FS-1	Gooseneck mic with electret mic element, 18 inch length (45.7cm) for DT-GN, C-6200 and IP-1616 Hardware
			Consoles; Mounts directly to the top panel 1/4" threaded microphone jack. (Gooseneck only)
F.01U.391.574		GNM-18	Replacement Handset for IP-30xx and IP-31xx Consoles
F.01U.392.883		HANDSET-IP-30xx	IP-224 Mounting Brackets (Dual)
F.01U.411.845	F.01U.165.538	IP-224 Dual Brackets	IP-224 Mounting Brackets (Single)
F.01U.411.642	F.01U.165.539	IP-224 Single Brackets	IP-224 Gateway Basic; Includes MDC/Fleetsync Encode/Decode, Kenwood Serial (x80, x90, x150 and x180) and Generic Serial API
F.01U.411.773	F.01U.306.547	IP-224 V2	IP-224 Gateway North America Version; Includes Basic model features plus: Generic Serial Type 2, DMR/MOTOTRBO, P25, NXDN, iDen, TETRA, & EF Johnson Serial Control Capabilities Enabled; Note: MOTOTRBO exception noted below.
F.01U.411.672	F.01U.347.907	IP224 V2 WOPS NA	IP console 2 line (includes 1 line SIP license)
F.01U.410.741	F.01U.392.870	IP-3002	IP console 8 line (includes 2 line SIP license)
F.01U.411.038	F.01U.392.871	IP-3008	IP console 8 line, Enterprise edition (supports 6 lines SIP telephony, 8 lines Per-line Call Playback, DMR-AIS or NEXEDGE interfaces)
F.01U.411.037	F.01U.392.872	IP-3008-E	IP console 8 line, Public Safety edition (includes Enterprise features plus 8 lines P25 DFSI/CSSI interface with encryption)
F.01U.411.036	F.01U.392.873	IP-3008-PS	IP console 18 line (includes 2 line SIP license)
F.01U.411.035	F.01U.392.874	IP-3018	IP console 18 line, Enterprise edition (includes 12 line SIP telephony, 18 lines Per-line Call Playback, DMR-AIS or NEXEDGE interfaces)
F.01U.411.034	F.01U.392.875	IP-3018-E	IP console 18 line, Public Safety edition (includes Enterprise features plus 18 lines P25 DFSI/CSSI interface with encryption)
F.01U.411.033	F.01U.392.876	IP-3018-PS	IP console 2 line (includes 1 line SIP license)
F.01U.418.445		IP-3102-B	IP console 2 line, Enterprise edition (supports 1 lines SIP telephony, 2 lines Per-line Call Playback, DMR-AIS or NEXEDGE interfaces)
F.01U.418.446		IP-3102-E	IP console 2 line, Public Safety edition (includes Enterprise features plus 2 lines P25 DFSI/CSSI interface with encryption)
F.01U.418.447		IP-3102-PS	IP console 8 line (includes 2 line SIP license)
F.01U.418.448		IP-3108-B	IP console 8 line, Enterprise edition (supports 6 lines SIP telephony, 8 lines Per-line Call Playback, DMR-AIS or NEXEDGE interfaces)
F.01U.418.449		IP-3108-E	

SAP NUMBER	Replaced SAP Nbr	PRODUCT	DESCRIPTION
F.01U.418.450		IP-3108-PS	IP console 8 line, Public Safety edition (includes Enterprise features plus 8 lines P25 DFSI/CSSI interface with encryption)
F.01U.418.451		IP-3118-B	IP console 18 line (includes 2 line SIP license)
F.01U.418.452		IP-3118-E	IP console 18 line, Enterprise edition (includes 12 line SIP telephony, 18 lines Per-line Call Playback, DMR-AIS or NEXEDGE interfaces)
F.01U.418.453		IP-3118-PS	IP console 18 line, Public Safety edition (includes Enterprise features plus 18 lines P25 DFSI/CSSI interface with encryption)
F.01U.392.880		IP-INCLINE	Inclination Mechanism for IP-30xx and IP-31xx Consoles
F.01U.392.879		IP-KBD-EXTEND	32 Key add-on programmable keyboard
F.01U.411.032	F.01U.392.877	IP-UPGRADE-E	Upgrade either IP-3008, IP-3018, IP-3102/8 or IP-3118 to add Enterprise feature set
F.01U.411.031	F.01U.392.878	IP-UPGRADE-PS	Upgrade either IP-3008, IP-3018, IP-3102/8 or IP-3118 to add Public Safety feature set
F.01U.392.889		KEYSET-BLACK	Black keys (8 single and 2 double) with clear keycaps and tool
F.01U.392.886		KEYSET-BLUE	Blue keys (8 single and 2 double) with clear keycaps and tool
F.01U.392.885		KEYSET-GREEN	Green keys (8 single and 2 double) with clear keycaps and tool
F.01U.392.888		KEYSET-ORANGE	Orange keys (8 single and 2 double) with clear keycaps and tool
F.01U.392.884		KEYSET-RED	Red keys (8 single and 2 double) with clear keycaps and tool
F.01U.392.887		KEYSET-YELLOW	Yellow keys (8 single and 2 double) with clear keycaps and tool
F.01U.117.884		LC1500	Lower Cord Unit with PTT Button, Belt Clip; 15-Foot
F.01U.117.885		LC2500	Lower Cord Unit with PTT Button, Belt Clip; 25-Foot
F.01U.391.575		MCP-90-0	Flushmount gooseneck mic with electret mic element for DT-GN, C-6200 and IP-1616 Hardware Consoles; Mounts directly to the top panel 1/4" threaded microphone jack. (Gooseneck only)
F.01U.391.576		MCP-90-12	Gooseneck mic with electret mic element, 12 inch length (30.5cm) for DT-GN, C-6200 and IP-1616 Hardware Consoles; Mounts directly to the top panel 1/4" threaded microphone jack. (Gooseneck only)
F.01U.391.578		MCP-90-8	Gooseneck mic with electret mic element, 8 inch length (20.3cm) for DT-GN, C-6200 and IP-1616 Hardware Consoles; Mounts directly to the top panel 1/4" threaded microphone jack. (Gooseneck only)
F.01U.411.664	F.01U.117.309	MD-MS	Desktop Microphone for C-6200, IP-1616, and C-2000 Hardware Consoles; Omnidirectional
F.01U.413.487	F.01U.307.040	NEXEDGE IP 12L	Kenwood NEXEDGE Direct IP Option for C-Soft; 12-Line Enabled
F.01U.413.486	F.01U.307.041	NEXEDGE IP 24L	Kenwood NEXEDGE Direct IP Option for C-Soft; 24-Line Enabled
F.01U.413.489	F.01U.307.038	NEXEDGE IP 2L	Kenwood NEXEDGE Direct IP Option for C-Soft; 2-Line Enabled
F.01U.413.488	F.01U.307.039	NEXEDGE IP 6L	Kenwood NEXEDGE Direct IP Option for C-Soft; 6-Line Enabled
F.01U.354.561		NEXUS-IP-G1-US-IOT	Desktop PC with Windows 10 IoT (CPU), Wireless Mouse & Keyboard. (DOES NOT INCLUDE SPEAKERS). NOTE: C-Soft software is pre-installed, but activation license must be purchased (below).
F.01U.411.778	F.01U.303.136	NEXUSIPU22LED	22" LED Flat Panel Monitor
F.01U.411.903	F.01U.403.372	NICM-12-6-ADV	IO module, 12 input, 6 output
F.01U.411.904	F.01U.403.292	NICM-4-4-ADV	IO module, 4 input, 4 output
F.01U.411.905	F.01U.403.293	NICM-6-6-ADV	IO module, 6 input, 6 output
F.01U.146.696		On-Site Training/Support	Telex Radio Dispatch Customized Training or Field Support

SAP NUMBER	Replaced SAP Nbr	PRODUCT	DESCRIPTION
F.01U.413.260	F.01U.343.869	OPTION CODE NA	IP-224 Option Code; Enables Generic Serial Type 2, P25, DMR, MOTOTRBO, iDen, NXDN, and IDAS in previously purchased IP-224 (North America)
F.01U.413.303	F.01U.343.858	P25 CSSI IP 12L	Direct IP interface, P25 CSSI, 12-line
F.01U.413.478	F.01U.343.859	P25 CSSI IP 24L	Direct IP interface, P25 CSSI, 24-line
F.01U.413.305	F.01U.343.856	P25 CSSI IP 2L	Direct IP interface, P25 CSSI, 2-line
F.01U.413.304	F.01U.343.857	P25 CSSI IP 6L	Direct IP interface, P25 CSSI, 6-line
F.01U.413.483	F.01U.307.044	P25 DFSI 12L	P25 DFSI Option for C-Soft; 12-Line Enabled
F.01U.413.482	F.01U.307.045	P25 DFSI 24L	P25 DFSI Option for C-Soft; 24-Line Enabled
F.01U.413.485	F.01U.307.042	P25 DFSI 2L	P25 DFSI Option for C-Soft; 2-Line Enabled
F.01U.413.484	F.01U.307.043	P25 DFSI 6L	P25 DFSI Option for C-Soft; 6-Line Enabled
F.01U.413.490	F.01U.307.037	PLAYBACK 100L	Per-Line Call Playback Option for C-Soft: 100-Line Enabled
F.01U.413.493	F.01U.307.034	PLAYBACK 12L	Per-Line Call Playback Option for C-Soft: 12-Line Enabled
F.01U.413.492	F.01U.307.035	PLAYBACK 24L	Per-Line Call Playback Option for C-Soft: 24-Line Enabled
F.01U.413.476	F.01U.307.032	PLAYBACK 2L	Per-Line Call Playback Option for C-Soft: 2-Line Enabled
F.01U.413.491	F.01U.307.036	PLAYBACK 50L	Per-Line Call Playback Option for C-Soft: 50-Line Enabled
F.01U.413.494	F.01U.307.033	PLAYBACK 6L	Per-Line Call Playback Option for C-Soft: 6-Line Enabled
F.01U.411.843	F.01U.164.301	Polar Desktop	Polar Choice Gooseneck Microphone; Note: Does not support PTT button on unit base
F.01U.318.570		PREMDESKMIC	Desktop Microphone, Gooseneck with PTT
F.01U.392.881		PWR-IP-300x	Replacement Power Supply for IP-3002/8 and IP-3102/8 Consoles
F.01U.392.882		PWR-IP-3018	Replacement Power Supply for IP-3018 and IP-3118 Consoles
F.01U.413.775		RDC-CON05-A	RDC 5 devices increment license
F.01U.394.129		RDC-CON10-A	RDC 10 devices increment license
F.01U.413.776		RDC-SWUS-A	SW Update Subscription, year 2 and higher
F.01U.394.128		RDC-SYS01-A	RDC System license, with 1 year of SW updates
F.01U.394.130		RDC-TG02-A	RDC 2 groups increment license
F.01U.411.669	F.01U.353.943	RHB-1-GEN2	RHB-1 Gen 2 Remote Headset Box; Provides Additional Headset jack for ADHB-4 Gen 2 / C-Soft console. Up to 2 RHB-1 Gen 2 devices can be connected to an ADHB-4 / ADHB-4 Gen 2 simultaneously. Compatible with older ADHB-4 units via included adapter.
F.01U.413.480	F.01U.307.048	SIP 12L	SIP IP Telephony Option for C-Soft; 12-Line Enabled
F.01U.413.481	F.01U.307.047	SIP 6L	SIP IP Telephony Option for C-Soft; 6-Line Enabled
F.01U.411.949	F.01U.405.621	TCMS-CC	Additional console connection
F.01U.413.301	F.01U.402.475	TCMS-P	Console Management System Package - Requires C-Soft v8. Simplified management of IP-3000 series consoles and C-Soft positions. Provides enhanced security, contact and user management, design management, packet forwarding and support for new NICM control modules. Includes: server, CMS software, and support for up to 5 consoles.

MSRP
3,126.00
73.40
102.00
7,343.00
1,224.00
Call for Price
10,248.00
6,302.00
11,037.00
11,794.00
7,879.00
2,360.00
8,668.00
5,040.00
1,218.00
309.00
309.00
302.00
309.00
309.00
309.00
309.00
302.00
309.00
309.00
309.00
302.00
309.00
Call for Price
212.00
221.00
254.00
380.00
423.00
419.00
96.80
8,989.00

MSRP
14,863.00
3,112.00
6,051.00
82.70
1,075.00
270.00
263.00
82.20
112.00
630.00
329.00
6,120.00
201.00
343.00
203.00
138.00
83.40
3,905.00
5,232.00
7,708.00
9,637.00
11,568.00
13,496.00
17,355.00
19,284.00
21,213.00
7,850.00
9,680.00
11,515.00
9,778.00
11,617.00

MSRP
13,455.00
17,399.00
19,236.00
21,073.00
570.00
290.00
2,411.00
4,342.00
29.00
29.00
29.00
29.00
29.00
29.00
29.00
169.00
185.00
244.00
286.00
279.00
268.00
8,989.00
14,863.00
3,112.00
6,051.00
3,470.00
400.00
700.00
700.00
700.00
Call for Price

MSRP
1,368.00
13,768.00
22,767.00
4,769.00
9,268.00
11,028.00
18,420.00
3,860.00
7,500.00
6,323.00
2,873.00
3,834.00
481.00
5,430.00
1,916.00
615.00
806.00
145.00
290.00
2,520.00
3,150.00
Call for Price
6,300.00
1,575.00
432.00
1,916.00
767.00
1,137.00
10,500.00