



All Products						Enter Discount	
Category	Item #	Item Type	Notes	Description	MSRP		EAN code
8K Cameras							
Camera - Network	TNB-9000	8K Network Box Camera	Special Order / Please Contact HVA Sales to confirm Lead Time	43.3mm full-frame CMOS Image Sensor, Max 15fps@8K, 20fps@24MP, 30fps@15MP, 60fps@4K, Compatible with Canon EF mount Lenses, Intelligent video analytics based on Object Detection, Classification, Alarm, BestShot, H.265H (1800 30fps) Video Output, H.265H/264 / Main/HIGH, MJPEG, Single Micro SD slot (Up to 256GB), WiseStream II support, RJ-45, SFP slot(100/1000Mbps), HPoE(IEEE802.3bt, Class5), 12VDC, AI based analytics	\$ 12,000.00		8801089175298
4K Cameras & up							
Camera - Network	PNM-C34404RQPZ	5 CH 4, AI, IR, PTRZ Multi-directional outdoor camera with PTZ / 4K x 4 PTRZ + 2MP 40x PTZ		Wisenet P series network vandal outdoor Multi-Directional camera with PTZ, [AI ON] 4CH x 8MP @ 15FPS / [AI OFF] 4CH x 8MP @ 20FPS + PTZ 40x 2MP @ 60FPS, 4CH Remote PTZ Lens 3.3~5.7mm (Fov H: 100°~56° / V: 55°~31°), triple codec H.265H/264/MJPEG, 120dB WDR, IR viewable [4CH] length 20m (65ft) / [PTZ] WiseIR 200m (656ft), Analytics events based on AI engine: Object detection [Person/Vehicle (Car/Bus/Truck/Motorcycle/Bicycle)], IVA (Virtual line/Area, Enter/Exit, Loitering, direction, intrusion), Appear/Disappear, WiseNR II (using AI engine), WiseStreamIII (Based on AI engine), I/O Box compatibility, TPM with FIPS 140-2 level2, micro SD card 512GB x2, IP66, IK10, NEMA4X, Operating Temperature: -40°C~+50°C(-40°F~+122°F), HPoE (injector included), Hard-coated dome bubble	\$ 7,600.00		8801089224552
Camera - Network	PNM-9322VQP	5 Channel 2MP / 5MP X 4 + 2MP 32x PTZ	Limited Stock. Replacement model PNM-C34404RQPZ	Network vandal outdoor camera that combines Multi-sensor Multi-Directional camera, (2MP/5MP X 4 sensors sold separately) 8MP ~20MP (2MP @ 60fps or 5MP @30fps) fixed focal lens modules and 2MP 32x optical zoom PTZ, triple codec H.265H/264/MJPEG with WiseStream II technology, WDR 150dB @ 2MP or 120dB @ 5MP, defocus detection, built in analytics, 4x SD card, hallway view, HLC, defog detection, DIS(Gyro Sensor), Audio I/O (PTZ ch only), HPoE injector (included), IP66/IK10, -40°C ~ +55°C (-40°F ~ +131°F), White color, 2MP Lens modules: SLA-2M2400P (2.4mm), SLA-2M2800P (2.8mm), SLA-2M3600P (3.6mm), SLA-2M6000P (6mm), SLA-2M1200P (12mm) 5MP Lens modules: SLA-5M3700P (3.7mm), SLA-5M4600P (4.6mm), SLA-5M7000P (7.0mm)	\$ 6,200.00		8801089176745
Camera - Network	PNM-9084QZ1	2MP X 4 outdoor Dome, PTRZ		Wisenet P series network vandal outdoor Multi-sensor Multi-Directional dome camera, (2MP X 4 sensors) 8MP @ 60fps, motorized vari-focal lens 2x (3.0~6.0mm) (107°~56.3°), PTRZ (Pan/Tilt/Rotate/Zoom) remote adjustment, triple codec H.265H/264/MJPEG with WiseStream II technology, 120dB WDR, defocus detection, built in analytics, true DIN, 4x SD card, hallway view, HLC, defog detection, Bi-Directional Audio, Alarm I/O 1/1, IP66, IK10, NEMA4X, -40°C ~ +55°C (-40°F ~ +131°F), White, DIS, HPoE injector included	\$ 2,200.00		8801089216786
Camera - Network	PNM-C16083RVQ	4MP x 4, AI, IR Multi-directional outdoor camera		Wisenet P series network vandal outdoor Multi-Directional camera 4CH x 4MP @ 30FPS, Motorized Varifocal Lens 3.3~5.7mm (Fov H: 100°~53°, V: 54°~30°), triple codec H.265H/264/MJPEG, 120dB WDR, IR viewable length [PoE+] 15m (49ft) / [HPoE] 20m (65ft), USB port for easy installation, Analytics events based on AI engine: Object detection [Person/Vehicle (Car/Bus/Truck/Motorcycle/Bicycle)], IVA (Virtual line/Area, Enter/Exit, Loitering, direction, intrusion), Appear/Disappear, WiseNR II (using AI engine), WiseStream III (Based on AI engine), I/O Box compatibility, TPM with FIPS 140-2 level2, micro SD card 512GB x2, IP66, IK10, NEMA4X, Operating Temperature: -40°C~+55°C(-40°F~+131°F), PoE+ /HPoE, Hard-coated dome bubble	\$ 2,850.00		8801089223128
Camera - Network	PNM-C16013RVQ	4MP x 4, AI, IR mini multi-directional camera		Wisenet P series network vandal outdoor mini Multi-Directional camera 4CH x 4MP @ 15FPS, Fix Lens 3.19mm (Fov H: 97°, V: 54°), triple codec H.265H/264/MJPEG, 120dB WDR, IR viewable length 20m (65.6ft), USB port for easy installation, Analytics events based on AI engine: Object detection [Person/Vehicle (Car/Bus/Truck/Motorcycle/Bicycle)], IVA (Virtual line/Area, Enter/Exit, Loitering, direction, intrusion), Appear/Disappear, WiseNR II (using AI engine), WiseStream III (Based on AI engine), I/O Box compatibility, TPM with FIPS 140-2 level2, micro SD card 512GB x2, IP66, IK09, NEMA4X, Operating Temperature: -40°C~+55°C(-40°F~+131°F), PoE+ /HPoE, Hard-coated dome bubble	\$ 1,900.00		8801089225283
Camera - Network	PNM-9084RQZ1	2MP X 4 outdoor Dome, PTRZ w/IR		Wisenet P series network vandal outdoor Multi-sensor Multi-Directional dome camera, 2MP x 4ch multi-directional camera, Motorized PTRZ support, Max. 60fps@2MP(H.265, H.264), 3.2~10mm(3.1x) motorized varifocal, IR viewable length: 30m, H.265, H.264, MJPEG with WiseStream II technology, 120dB WDR, defocus detection, built in analytics, true DIN, 4x SD card, hallway view, HLC, defog detection, Bi-Directional Audio, Alarm I/O 1/1, IP66, IK10, NEMA4X, -40°C ~ +55°C (-40°F ~ +131°F), White, DIS, HPoE injector included	\$ 2,880.00		8801089216892 8801089216823
Camera - Network	PNM-C32083RVQ	4K x 4, AI, IR Multi-directional outdoor camera		Wisenet P series network vandal outdoor Multi-Directional camera [AI ON] 4CH x 8MP @ 15FPS / [AI OFF] 4CH x 8MP @ 20FPS, Motorized Varifocal Lens 3.3~5.7mm (Fov H: 100°~56° / V: 55°~31°), triple codec H.265H/264/MJPEG, 120dB WDR, IR viewable length [PoE+] 15m (49ft) / [HPoE] 20m (65ft), USB port for easy installation, Analytics events based on AI engine: Object detection [Person/Vehicle (Car/Bus/Truck/Motorcycle/Bicycle)], IVA (Virtual line/Area, Enter/Exit, Loitering, direction, intrusion), Appear/Disappear, WiseNR II (using AI engine), WiseStream III (Based on AI engine), I/O Box compatibility, TPM with FIPS 140-2 level2, micro SD card 512GB x2, IP66, IK10, NEMA4X, Operating Temperature: -40°C~+55°C(-40°F~+131°F), PoE+ /HPoE, Hard-coated dome bubble	\$ 3,200.00		8801089223203
Camera - Network	PNM-9085RQZ1	5MP X 4 outdoor Dome, PTRZ w/IR		Wisenet P series network vandal outdoor Multi-sensor Multi-Directional dome camera, 5MP x 4ch multi-directional camera, Motorized PTRZ support, Max. 30fps@5MP(H.265, H.264), 4.13~9.4mm(2.3x) motorized varifocal lens, IR viewable length: 30m, H.265, H.264, MJPEG with WiseStream II technology, 120dB WDR, defocus detection, built in analytics, true DIN, 4x SD card, hallway view, HLC, defog detection, Bi-Directional Audio, Alarm I/O 1/1, IP66, IK10, NEMA4X, -40°C ~ +55°C (-40°F ~ +131°F), White, DIS, HPoE injector included	\$ 3,800.00		8801089216946 8801089216830
Camera - Network	PNM-9000QB	Remote head 2MP x 4CH camera		WN7 main head camera, 4 x 2MP @ 30fps, triple codec H.265H/264/MJPEG, extreme WDR 150dB, dual SD cards slots, Wisestream II, hallway view, HLC, defog detection, audio in/out, HDMI, 12VDC/PoE+, DIS support, analytics, defocus, directional, motion, enter/exit, tampering, virtual line, I/O in/out, Compatible with SLA-T4680A/T4680VA, SLA-T2480A/T2480VA, SLA-T1080FA	\$ 660.00		8801089192301
Camera - Network	PNM-9002VQ	2MP / 5MP X 4	Wisenet 5 SoC	Network vandal outdoor Multi-sensor Multi-Directional dome camera, (2MP/5MP X 4 sensors sold separately) 8MP ~20MP (2MP @ 60fps or 5MP @30fps), fixed focal lens modules, triple codec H.265H/264/MJPEG with WiseStream II technology, 150dB WDR @ 2MP or 120dB @ 5MP, defocus detection, built in analytics, PTZ handover, 4x SD card, hallway view, HLC, defog detection, DIS(Gyro Sensor), PoE+, IP66/IK10, -40°C ~ +55°C (-40°F ~ +131°F) 2MP Lens modules: SLA-2M2400Q (2.4mm), SLA-2M2800Q (2.8mm), SLA-2M3600Q (3.6mm), SLA-2M6000Q (6mm) 5MP Lens modules: SLA-5M3700Q (3.7mm), SLA-5M4600Q (4.6mm), SLA-5M7000Q (7.0mm), WHITE COLOR	\$ 1,700.00		8801089176516
Camera - Network	PNM-C12083RVD	6MP X 2 AI, IR outdoor Dome		Network vandal outdoor 2CH AI IR dome camera, (6MP X 2 sensors) 12MP @ 15fps, 3.4~6.8mm(2x) (95.08°~47.64°) motorized varifocal lens, Triple codec (H.265H/264/MJPEG), IR viewable length 25m (82ft), USB port for easy installation, Day & Night (ICR), extremeWDR (120dB), DIS, Handover, Analytics events based on AI engine: Object detection [Person/Face/Vehicle/License plate], IVA (Virtual line/Area, Enter/Exit, Loitering, direction, intrusion), Analytics events : Defocus detection, Motion detection, Tampering, Audio detection, Sound classification, Appear/Disappear, FIPS 140-2, micro SD card 512GB, IP66, NEMA4X, IK10, Operating temperature: -40°C~+55°C(-40°F ~ +131°F), Power: PoE+, Metal shielded RJ-45, Hard-coated dome bubble	\$ 2,050.00		8801089217400
Camera - Network	PNM-12082RVD	6MP X 2, IR outdoor Dome		Network vandal outdoor 2CH IR dome camera, (6MP X 2 sensors) 12MP @ 15fps, 3.4~6.8mm(2x) (95.08°~47.64°) motorized varifocal lens, Triple codec (H.265H/264/MJPEG), IR viewable length 25m (82ft), USB port for easy installation, Day & Night (ICR), extremeWDR (120dB), DIS, Handover, Analytics events: Defocus detection, Motion detection, Tampering, Audio detection, Enter/Exit, Loitering, Loitering, Virtual line, Audio detection, Sound classification, FIPS 140-2, micro SD card 512GB, IP66, NEMA4X, IK10, Operating temperature: -40°C~+55°C(-40°F ~ +131°F), Power: PoE+, Metal shielded RJ-45, Hard-coated dome bubble	\$ 1,700.00		8801089217424
Camera - Network	PNM-9000VD	5MP X 2 outdoor Dome	Limited Stock Comparable Model PNM-12082RVD	Network vandal outdoor Multi-sensor Multi-Directional dome camera, (5MP X 2 sensors sold separately) 10MP @ 30fps, modular lenses from 3.7, 4.6 and 7.0mm lenses, triple codec H.265H/264/MJPEG with WiseStream II technology, 120dB WDR, built in analytics, 2x SD card, hallway view, HLC, defog detection, DIS, PoE, IP66/IK10, -40°C ~ +55°C (-40°F ~ +131°F), Lens modules: SLA-5M3700D (3.7mm), SLA-5M4600D (4.6mm), SLA-5M7000D (7.0mm)	\$ 1,100.00		8801089154200
Camera - Network	PNM-8082VT	3CH x 2MP		Powered by WN7, 2MP x 3CH @ 30FPS, multi directional camera, 3-6mm motorized varifocal lens, donut shape bubble, max 321° coverage, Triple codec H.264/265 MJPEG, WiseStream II, extreme WDR 150dB, defocus detection, video analytics, 2x micro SD card, PoE+, IP66, IK10, NEMA4X, operating temp -40°C~+55°C	\$ 1,700.00		8801089191953 8801089215895
Camera - Network	PNM-9031RV	15MP Panoramic Camera		Network vandal outdoor Multi-sensor dome camera, panoramic view with stitched image, (5MP X 4 sensors) 15MP @ 20fps, triple codec H.265H/264/MJPEG with WiseStream II technology, WDR 120dB, IR viewable length 20m (65.6ft), built in video analytics and sound classification, Heatmap, Bi-directional audio support, Micro SD 2 slots, IP66/IK10/NEMA4X, TPM 2.0 (FIPS 140-2 level 2), PoE+/12VDC	\$ 2,700.00		8801089199027 8801089215901
Camera - Network	PNM-C9022RV	8MP Panoramic Camera with AI and IR		Panoramic Multi-sensor camera, Fov: H209° V60°, 8MP @ 20fps, Alpha Blending, triple codec H.265H/264/MJPEG with WiseStream III technology, extreme WDR 120dB, Wise NR II, IR viewable length 65' (20m), Analytics events based on AI engine: Object detection [Person/Vehicle], IVA (Virtual line/Area, Enter/Exit, Loitering, direction, intrusion), defocus detection, Micro USB for easy installation, 2 x Micro SD cards (512GB each), PoE+/12VDC, IP66/IK10/NEMA4X, TPM 2.0 (FIPS 140-2 level 2)	\$ 2,050.00		8801089217493
Camera - Network	PNM-9022V	8.3MP Panoramic Camera		WN7 Panoramic Multi-sensor camera, 180° view, (2MP X 4 sensors) 7.3MP @ 30fps, panoramic 209° view, 8.3MP, triple codec H.265H/264/MJPEG with WiseStream II technology, extreme WDR 120dB, defocus detection, built in analytics, Heatmap, Micro USB for easy installation, 2x Micro SD cards PoE+, IP66/IK10/NEMA4X	\$ 1,800.00		8801089195869
Camera - Network	PND-A9081RF	4K IR Indoor Flush Mount Dome AI Camera		4K Network AI IR Dome Camera, Max. 4K resolution @ 30FPS, 0.05Lux@F1.6 (Color), 0Lux (B/W, IR LED on), Day & Night(ICR), 4.5~10mm(2.2x) motorized varifocal lens, WDR(120dB), H.265, H.264, MJPEG codec, WiseStream II, WiseStreamIII (Using AI engine), Video Analytics based on AI [Object detection and classification (Person, Face, Vehicle, License Plate), Face mask detection, Social distancing detection, Attribute, BestShot] People counting, Heatmap, Queue management based on AI, Face Mask Detection, Social Distancing Detection, Compatible with Wisenet Retail Insight v2.0 for Business Intelligence, Age/gender based People counting, Heatmap, Queue management, Modular structure for easy installation, 2x micro SD card (512GB x2), Operating temperature: -25 °C ~ 50 °C(-13°F ~ +122°F), PoE+/12VDC, IP52, IK10, Plenum rated	\$ 1,950.00		8801089171955
Camera - Network	PND-A9081RVX	4K IR Indoor AI Camera Module Only	Camera Module Only (no housing included)	4K Network AI IR Indoor Camera Module, Max. 4K resolution @ 30FPS, 0.05Lux@F1.6 (Color), 0Lux (B/W, IR LED on), Day & Night(ICR), 4.5~10mm(2.2x) motorized varifocal lens, WDR(120dB), H.265, H.264, MJPEG codec, WiseStream II, WiseStreamIII (Using AI engine), Video Analytics based on AI [Object detection and classification (Person, Face, Vehicle, License Plate), Face mask detection, Social distancing detection, Attribute, BestShot] People counting, Heatmap, Queue management based on AI, Face Mask Detection, Social Distancing Detection, Compatible with Wisenet Retail Insight v2.0 for Business Intelligence, Age/gender based People counting, Heatmap, Queue management, Modular structure for easy installation, 2x micro SD card (512GB x2), Operating temperature (When using the camera with housing): -25 °C ~ 50 °C(-13°F ~ +122°F), PoE+/12VDC	\$ 1,710.00		8801089223913
Camera - Network	PND-A9081RV	4K IR Indoor Vandal Dome AI Camera		4K Network AI IR Dome Camera, Max. 4K resolution @ 30FPS, 0.05Lux@F1.6 (Color), 0Lux (B/W, IR LED on), Day & Night(ICR), 4.5~10mm(2.2x) motorized varifocal lens, WDR(120dB), H.265, H.264, MJPEG codec, WiseStream II, WiseStreamIII (Using AI engine), Video Analytics based on AI [Object detection and classification (Person, Face, Vehicle, License Plate), Face mask detection, Social distancing detection, Attribute, BestShot] People counting, Heatmap, Queue management based on AI, Face Mask Detection, Social Distancing Detection, Compatible with Wisenet Retail Insight v2.0 for Business Intelligence, Age/gender based People counting, Heatmap, Queue management, Modular structure for easy installation, 2x micro SD card (512GB x2), Operating temperature: -25 °C ~ 50 °C(-13°F ~ +122°F), PoE+/12VDC	\$ 1,950.00		8801089171849
Camera - Network	PNV-A9081RX	4K IR Outdoor AI Camera Module Only	Camera Module Only (no housing included)	4K Network AI IR Outdoor Camera Module, Max. 4K resolution @ 30FPS, 0.05Lux@F1.6 (Color), 0Lux (B/W, IR LED on), Day & Night(ICR), 4.5~10mm(2.2x) motorized varifocal lens, WDR(120dB), H.265, H.264, MJPEG codec, WiseStream II, WiseStreamIII (Using AI engine), Video Analytics based on AI [Object detection and classification (Person, Face, Vehicle, License Plate), Face mask detection, Social distancing detection, Attribute, BestShot] People counting, Heatmap, Queue management based on AI, Face Mask Detection, Social Distancing Detection, Compatible with Wisenet Retail Insight v2.0 for Business Intelligence, Age/gender based People counting, Heatmap, Queue management, Modular structure for easy installation, 2x micro SD card (512GB x2), Operating temperature (When using the camera with housing): -40°C~+55°C(-40°F ~ +131°F), Power: PoE+/12VDC, Metal shielded RJ-45	\$ 1,710.00		8801089223906
Camera - Network	PNV-A9081R	4K IR Outdoor Vandal Dome AI Camera		4K Network AI IR Vandal Dome Camera, Max. 4K resolution @ 30FPS, 0.05Lux@F1.6 (Color), 0Lux (B/W, IR LED on), Day & Night(ICR), 4.5~10mm(2.2x) motorized varifocal lens, WDR(120dB), H.265, H.264, MJPEG codec, WiseStream II, WiseStreamIII (Using AI engine), Video Analytics based on AI [Object detection and classification (Person, Face, Vehicle, License Plate), Face mask detection, Social distancing detection, Attribute, BestShot] People counting, Heatmap, Queue management based on AI, Face Mask Detection, Social Distancing Detection, Compatible with Wisenet Retail Insight v2.0 for Business Intelligence, Age/gender based People counting, Heatmap, Queue management, Modular structure for easy installation, 2x micro SD card (512GB x2), Operating temperature: -40°C~+55°C(-40°F ~ +131°F), Power: PoE+/12VDC, Metal shielded RJ-45, IP66/IP67/IP68/IK10+, NEMA4X	\$ 2,150.00		8801089171634
Camera - Network	PNO-A9311R	4K Network AI IR Zoom (31x) Bullet Camera		4K Network AI IR Bullet Camera, Max. 4K resolution @ 30FPS, 0.075Lux@F1.36 (Color), 0Lux (B/W, IR LED on), Day & Night(ICR), 6.91~214.7mm (31x) zoom lens, WDR(120dB) H.265, H.264, MJPEG codec, WiseStream II, WiseStreamIII (Using AI engine), Video Analytics based on AI [Object detection and classification (Person, Face, Vehicle, License Plate), Face mask detection, Social distancing detection, Attribute, BestShot] People counting, Vehicle counting, Crowd counting, Queue management, Heatmap based on AI, TPM with FIPS 140-2 level2, Secure boot, Verify firmware factory, Modular structure for easy installation, 2x micro SD card (512GB x2), Operating temperature: -40°C~+55°C(-40°F ~ +131°F), Power: PoE+/12VDC, Metal shielded RJ-45, IP66/IP67, IK10, NEMA4X	\$ 2,550.00		8801089225542

Camera - Network	PNO-A9081R	4K IR Bullet AI camera	4K Network AI IR Bullet Camera, Max. 4K resolution @ 30FPS, 0.05Lux@F1.6 (Color), 0Lux (B/W, IR LED on), Day & Night(ICR), 4.5~10mm(2.2x) motorized varifocal lens, WDR(120dB) H.265, H.264, MJPEG codec, WiseStream II, WiseStream III (Using AI engine), Video Analytics based on AI (Object detection and classification (Person, Face, Vehicle, License Plate), Face mask detection, Social distancing detection, Attribute, BestShot People counting, Heatmap, Queue management based on AI, Face Mask Detection, Social Distancing Detection, Compatible with Wisenet Retail Insight v2.0 for Business Intelligence, Age/gender based People counting, Heatmap, Queue management, Modular structure for easy installation, 2x micro SD card (512GB x2), Operating temperature: -40°C~+55°C(-40°F ~ +131°F), Power: PoE+/12VDC, Metal shielded RJ-45, IP66/IP67/IP68/K10+, NEMA4X	\$ 2,050.00	8801089189981
Camera - Network	PNB-A9001	4K Box AI camera	4K AI Network Box Camera, Max. 4K resolution, 0.03Lux@F1.2(Color), Day & Night(ICR), WDR(120dB) H.265, H.264, MJPEG codec, WiseStream II, WiseStream III (Using AI engine), Video Analytics based on AI (Object detection and classification (Person, Face, Vehicle, License Plate), Face mask detection, Social distancing detection, Attribute, BestShot People counting, Heatmap, Queue management based on AI, Face Mask Detection, Social Distancing Detection, Compatible with Wisenet Retail Insight v2.0 for Business Intelligence, Age/gender based People counting, Heatmap, Queue management, 2x micro SD card (512GB x2), Power: PoE+/12VDC,	\$ 1,500.00	8801089171597
Camera - Network	XNP-C9303RW	4K AI IR, Wiper PTZ	Powered by WN7 PTZ Plus with AI, 4K @ 30FPS resolution, 5mm~150mm (30x) lens, build in wiper and adaptive Wise IR (200m), extreme WDR 120dB, Day & Night ICR, H.265, H.264, MJPEG codec support, Analytics events based on AI engine: Object detection (Person/Face/Vehicle/License plate), IVA (Virtual line/Area, Enter/Exit, Lottering, direction, intrusion), Analytics events : Defocus detection, Motion detection, Tampering, Fog detection, Audio detection, Sound classification (with NW I/O box), Object auto-tracking (Person/Vehicle), Target lock track, BLC, HLC, SSDR, lens heater for water/snow removal, IP66, IK10, NEMA4X, NEMA-TS 2(2.2.7, 2.2.8, 2.2.9), FIPS 140-2, PoE+/+HPoE injector included, Operating Temperature -40°C~+55°C(-40°F ~ +131°F), (Compatible with I/O Box SPM-4210)	\$ 5,100.00	8801089225203
Camera - Network	XNP-9300RW	4K IR, Wiper PTZ	Powered by WN7, 4K @ 30FPS resolution, 5mm~150mm (30x) lens, build in wiper and adaptive Wise IR (200m), extreme WDR 120dB, Day & Night ICR, H.265, H.264, MJPEG codec support, Intelligent Analytics, Object auto tracking (Person/Vehicle), Target lock track, BLC, HLC, SSDR, lens heater for water/snow removal, IP66, IK10(Camera body only), NEMA4X, NEMA-TS 2 (2.2.7, 2.2.8, 2.2.9), PoE+/+HPoE injector included, Operating Temperature -40°C~+55°C(-40°F ~ +131°F), (Compatible with I/O Box SPM-4210)	\$ 4,900.00	8801089191847
Camera - Network	XNP-C9253R	4K AI IR, PTZ	Powered by WN7 PTZ Plus with AI, 4K @ 30FPS resolution, 5mm~125mm (25x) lens, adaptive Wise IR (200m), extreme WDR 120dB, Day & Night ICR, H.265, H.264, MJPEG codec support, Analytics events based on AI engine: Object detection (Person/Face/Vehicle/License plate), IVA (Virtual line/Area, Enter/Exit, Lottering, direction, intrusion), Analytics events : Defocus detection, Motion detection, Tampering, Fog detection, Audio detection, Sound classification (with NW I/O box), Object auto-tracking (Person/Vehicle), Target lock track, BLC, HLC, SSDR, lens heater for water/snow removal, IP66, IK10, NEMA4X, NEMA-TS 2(2.2.7, 2.2.8, 2.2.9), FIPS 140-2, PoE+/+HPoE injector included, Operating Temperature -40°C~+55°C(-40°F ~ +131°F), (Compatible with I/O Box SPM-4210)	\$ 4,750.00	8801089224972
Camera - Network	XNP-9250R	4K, 25x IR PTZ camera	Powered by WN7, 4K @ 30FPS resolution, 5mm~125mm (25x) lens, adaptive Wise IR (200m), extreme WDR 120dB, Day & Night ICR, H.265, H.264, MJPEG codec support, Intelligent Analytics, Object auto tracking (Person/Vehicle), Target lock track, BLC, HLC, SSDR, lens heater for water/snow removal, IP66, IK10(Camera body only), NEMA4X, NEMA-TS 2(2.2.7, 2.2.8, 2.2.9), PoE+/+HPoE injector included, Operating Temperature -40°C~+55°C(-40°F ~ +131°F), (Compatible with I/O Box SPM-4210)	\$ 4,550.00	8801089199966
Camera - Network	XNP-C9310R	4K AI Focus IR, PTZ	Powered by WN7 and AI.8MP (4K UHD) @ 30FPS resolution, 6.91mm~214.64mm (31x) lens with Wise AF intelligent autofocus, adaptive Wise IR (250m), extreme WDR 120dB, Day & Night ICR, H.265, H.264, MJPEG triple codec with WiseStream III (based on AI engine) support, Analytics events based on AI engine: Object detection (Person/Face/Vehicle/License plate), Virtual line (Crossing/Direction), Virtual area (Lottering/Intrusion/Enter/Exit), Analytics events : Defocus detection, Motion detection, Tampering, Fog detection, Audio detection, Sound classification (with NW I/O box), Object auto-tracking (Person/Vehicle), Target lock tracking, BLC, HLC, SSDR, lens heater for water/snow removal, IP66, IP67, IK10, NEMA4X, NEMA-TS 2(2.2.7, 2.2.8, 2.2.9), FIPS 140-2, PoE+/+HPoE injector included, Operating Temperature -50°C~+55°C (-58°F ~ +131°F), (Compatible with I/O Box SPM-4210)	\$ 5,100.00	8801089223142
Camera - Network	XNP-C9253	4K AI PTZ	Powered by WN7 PTZ Plus with AI, 4K @ 30FPS resolution, 5mm~125mm (25x) lens, extreme WDR 120dB, Day & Night ICR, H.265, H.264, MJPEG codec support, Analytics events based on AI engine: Object detection (Person/Face/Vehicle/License plate), IVA (Virtual line/Area, Enter/Exit, Lottering, direction, intrusion), Analytics events : Defocus detection, Motion detection, Tampering, Fog detection, Audio detection, Sound classification (with NW I/O box), Object auto-tracking (Person/Vehicle), Target lock track, BLC, HLC, SSDR, lens heater for water/snow removal, IP66, IK10, NEMA4X, NEMA-TS 2(2.2.7, 2.2.8, 2.2.9), FIPS 140-2, Power: PoE+, Operating Temperature -40°C~+55°C(-40°F ~ +131°F), (Compatible with I/O Box SPM-4210)	\$ 4,500.00	8801089224927
Camera - Network	XNP-9250	4K, 25x PTZ camera	Powered by WN7, 4K @ 30FPS resolution, 5mm~125mm (25x) lens, extreme WDR 120dB, Day & Night ICR, H.265, H.264, MJPEG codec support, Intelligent Analytics, Object auto tracking (Person/Vehicle), Target lock track, BLC, HLC, SSDR, IP66, IK10, NEMA4X, NEMA-TS 2 (2.2.7, 2.2.8, 2.2.9), Power: PoE+, Operating Temperature -40°C~+55°C(-40°F ~ +131°F), (Compatible with I/O Box SPM-4210)	\$ 4,300.00	8801089199836
Camera - Network	XNO-C9083R	4K IR Bullet AI camera	Powered by WN7, Outdoor Network AI IR Bullet Camera, 4K resolution @ 30FPS, 4.4~9.3mm(2.1x) (112.1~+47.5°) motorized varifocal lens, Triple codec (H.265/H.264/MJPEG), IR viewable length 40m (131.2ft), USB port for easy installation, Day & Night (ICR), extremeWDR (120dB), DIS with built-in Gyro sensor, Handover, Hard-coated window, Analytics events based on AI engine: Object detection(Person/Face/Vehicle/License plate), IVA (Virtual line/Area, Enter/Exit, Lottering, direction, intrusion), Analytics events : Defocus detection, Motion detection, Tampering, Fog detection, Audio detection, Sound classification, Shock detection, Appear/Disappear, UL CAP certified, P66, IP67, NEMA4X, IK10, Operating temperature: -40°C~+55°C(-40°F ~ +131°F) Power: PoE/12VDC, Metal shielded RJ-45	\$ 1,800.00	8801089198594 8801089207920
Camera - Network	XNO-9083R	4K IR Bullet AI Camera	Powered by WN7, X-Plus series, Outdoor Network AI IR Bullet Camera, 4K resolution @ 30FPS, 4.4~9.3mm(2.1x) (112.1~+47.5°) motorized varifocal lens, Triple codec (H.265/H.264/MJPEG), IR viewable length 50m (164ft), USB port for easy installation, Day & Night (ICR), extremeWDR (120dB), DIS with built-in Gyro sensor, Handover, Hard-coated window, Analytics events based on AI engine: Object detection(Person/Face/Vehicle/License plate), IVA (Virtual line/Area, Enter/Exit, Lottering, direction, intrusion), Analytics events : Defocus detection, Motion detection, Tampering, Fog detection, Audio detection, Sound classification, Shock detection, Appear/Disappear, FIPS 140-2, 2x micro SD card (512GB x2), P66, IP67, NEMA4X, IK10, Operating temperature: -50°C~+60°C(-58°F ~ +140°F), Power: PoE+/12VDC, Metal shielded RJ-45	\$ 1,950.00	8801089207708
Camera - Network	XNO-9082R	4K IR Bullet Camera	Wisenet 7 X series network IR bullet camera, 4K (8MP Max) @ 30fps, motorized vari-focal lens 3x (2.8~8.4mm), triple codec H.265/H.264/MJPEG with WiseStreamII technology, Extreme WDR, USB and CVBS port for easy installation, advanced video analytics, sound classification and business analytics, high powered IR LEDs range of 131.23', shock detection, audio playback, true D/N, dual SD cards slots, hallway view, HLC, defog detection, DIS (Gyro), 12VDC/24VAC/PoE, IP67/IP66, IK10, Nema 4X, -50°C ~ +60°C (-58°F ~ +140°F)	\$ 1,750.00	8801089189486
Camera - Network	XND-C9083RV	4K IR Indoor Vandal Dome AI Camera	Powered by WN7, Indoor Network AI IR Dome Camera, 4K resolution @ 30FPS, 4.4~9.3mm(2.1x) (112.1~+47.5°) motorized varifocal lens, Triple codec (H.265/H.264/MJPEG), IR viewable length 40m (131.2ft), USB port for easy installation, Day & Night (ICR), extremeWDR (120dB), DIS with built-in Gyro sensor, Handover, Hard-coated dome bubble, Analytics events based on AI engine: Object detection(Person/Face/Vehicle/License plate), IVA (Virtual line/Area, Enter/Exit, Lottering, direction, intrusion), Analytics events : Defocus detection, Motion detection, Tampering, Fog detection, Audio detection, Sound classification, Shock detection, Appear/Disappear, IP52, IK08, Operating temperature: -10 °C ~ 50 °C(14°F ~ +122°F), Power: PoE/12VDC, Metal shielded RJ-45	\$ 1,600.00	8801089208002
Camera - Network	XNV-C9083R	4K IR Outdoor Vandal Dome AI Camera	Powered by WN7, Outdoor Network AI IR Vandal Dome Camera, 4K resolution @ 30FPS, 4.4~9.3mm(2.1x) (112.1~+47.5°) motorized varifocal lens, Triple codec (H.265/H.264/MJPEG), IR viewable length 40m (131.2ft), USB port for easy installation, USB port for easy installation, Day & Night (ICR), extremeWDR (120dB), DIS with built-in Gyro sensor, Handover, Hard-coated dome bubble, Analytics events based on AI engine: Object detection(Person/Face/Vehicle/License plate), IVA (Virtual line/Area, Enter/Exit, Lottering, direction, intrusion), Analytics events : Defocus detection, Motion detection, Tampering, Fog detection, Audio detection, Sound classification, Shock detection, Appear/Disappear, IP66, IP67, NEMA4X, IK10, Operating temperature: -40°C~+55°C(-40°F ~ +131°F), Power: PoE/12VDC, Metal shielded RJ-45	\$ 1,800.00	8801089208095
Camera - Network	XNV-9082R	4K IR Outdoor Vandal Dome	Wisenet 7 X-plus series network IR vandal outdoor camera, 4K (8MP Max) @ 30fps, motorized vari-focal lens 3x (2.8~8.4mm), triple codec H.265/H.264/MJPEG with WiseStreamII technology, Extreme WDR, USB and CVBS port for easy installation, advanced video analytics, sound classification and business analytics, high powered IR LEDs range of 131.23', shock detection, audio playback, true D/N, dual SD cards slots, hallway view, HLC, defog detection, DIS (Gyro), 12VDC/24VAC/PoE, IP67/IP66/IP68/K9, IK10, Nema 4X, -50°C ~ +60°C (-58°F ~ +140°F)	\$ 1,750.00	8801089189387
Camera - Network	XND-9083RV	4K IR Indoor Vandal Dome AI Camera	Powered by WN7, X-Plus series, Indoor Network AI IR Dome Camera, 4K resolution @ 30FPS, 4.4~9.3mm(2.1x) (112.1~+47.5°) motorized varifocal lens, Triple codec (H.265/H.264/MJPEG), IR viewable length 50m (164ft), USB port for easy installation, Day & Night (ICR), extremeWDR (120dB), DIS with built-in Gyro sensor, Handover, Hard-coated dome bubble, Analytics events based on AI engine: Object detection(Person/Face/Vehicle/License plate), IVA (Virtual line/Area, Enter/Exit, Lottering, direction, intrusion), Analytics events : Defocus detection, Motion detection, Tampering, Fog detection, Audio detection, Sound classification, Shock detection, Appear/Disappear, FIPS 140-2, 2x micro SD card (512GB x2), IP52, IK10, Operating temperature: -25 °C ~ 50 °C(13°F ~ +122°F), Power: PoE+/12VDC, Metal shielded RJ-45	\$ 1,750.00	8801089207845
Camera - Network	XNV-9083RZ	4K IR Outdoor Vandal Dome AI, PTRZ Camera	Powered by WN7, X-Plus series, Outdoor Network AI IR Vandal Dome Camera, 4K resolution @ 30FPS, 4.4~9.3mm (2.1x) (113°~47°) motorized varifocal lens, Remote lens adjustment (PTRZ), Triple codec (H.265/H.264/MJPEG), IR Viewable Length: 15m(49.21ft) / 30m(98.43ft) based on scene, USB port for easy installation, Day & Night (ICR), extremeWDR (120dB), DIS with built-in Gyro sensor, Handover, Hard-coated dome bubble, Analytics events based on AI engine: Object detection(Person/Face/Vehicle/License plate), IVA (Virtual line/Area, Enter/Exit, Lottering, direction, intrusion), Analytics events : Defocus detection, Motion detection, Tampering, Fog detection, Audio detection, Sound classification, Shock detection, Appear/Disappear, FIPS 140-2, 2x micro SD card (512GB x2), IP66, IP67, NEMA4X, IK10, Operating temperature: -50°C~+55°C(-58°F ~ +131°F), Power: PoE+/12VDC, Metal shielded RJ-45	\$ 2,050.00	8801089211453
Camera - Network	XNV-9083R	4K IR Outdoor Vandal Dome AI Camera	Powered by WN7, X-Plus series, Outdoor Network AI IR Vandal Dome Camera, 4K resolution @ 30FPS, 4.4~9.3mm(2.1x) (112.1~+47.5°) motorized varifocal lens, Triple codec (H.265/H.264/MJPEG), IR viewable length 50m (164ft), USB port for easy installation, USB port for easy installation, Day & Night (ICR), extremeWDR (120dB), DIS with built-in Gyro sensor, Handover, Hard-coated dome bubble, Analytics events based on AI engine: Object detection(Person/Face/Vehicle/License plate), IVA (Virtual line/Area, Enter/Exit, Lottering, direction, intrusion), Analytics events : Defocus detection, Motion detection, Tampering, Fog detection, Audio detection, Sound classification, Shock detection, Appear/Disappear, FIPS 140-2, 2x micro SD card (512GB x2), P66, IP67, NEMA4X, IK10+, Operating temperature: -50°C~+55°C(-58°F ~ +131°F), Power: PoE+/12VDC, Metal shielded RJ-45	\$ 1,950.00	8801089207661
Camera - Network	XND-9082RF	4K IR Flush Mount Dome	Wisenet 7 X-plus series network IR flush mount camera (plenum), 4K (8MP Max) @ 30fps, motorized vari-focal lens 3x (2.8~8.4mm), triple codec H.265/H.264/MJPEG with WiseStreamII technology, Extreme WDR, USB and CVBS port for easy installation, advanced video analytics, sound classification and business analytics, high powered IR LEDs range of 131.23', shock detection, audio playback, true D/N, dual SD cards slots, hallway view, HLC, defog detection, DIS (Gyro), 12VDC/PoE, IP52, IK10, -25°C ~ +60°C (-13°F ~ +140°F)	\$ 1,500.00	8801089189240
Camera - Network	XND-9082RV	4K IR Indoor Dome	Wisenet 7 X-plus series network IR vandal indoor camera, 4K (8MP Max) @ 30fps, motorized vari-focal lens 3x (2.8~8.4mm), triple codec H.265/H.264/MJPEG with WiseStreamII technology, Extreme WDR, USB and CVBS port for easy installation, advanced video analytics, sound classification and business analytics, high powered IR LEDs range of 131.23', shock detection, audio playback, true D/N, dual SD cards slots, hallway view, HLC, defog detection, DIS (Gyro), 12VDC/PoE, IP52, IK10, -25°C ~ +60°C (-13°F ~ +140°F)	\$ 1,500.00	8801089189073
Camera - Network	XNB-9003	4K Box AI Camera	Powered by WN7, X-Plus series, Box Camera, 8MP resolution @ 30FPS, Triple codec (H.265/H.264/MJPEG), USB port for easy installation, Day & Night (ICR), extremeWDR (120dB), DIS with built-in Gyro sensor, Handover, Analytics events based on AI engine: Object detection(Person/Face/Vehicle/License plate), IVA (Virtual line/Area, Enter/Exit, Lottering, direction, intrusion), Analytics events : Defocus detection, Motion detection, Tampering, Fog detection, Audio detection, Sound classification, Shock detection, Appear/Disappear, FIPS 140-2, 2x micro SD card (512GB x2), Operating temperature: -10 °C ~ 55 °C(14°F ~ +131°F), Power: PoE+/12VDC, Metal shielded RJ-45	\$ 1,150.00	8801089207746 8801089200662
Camera - Network	XNB-9002	4K Box Camera	Wisenet 7 X series network box camera, 4K (8MP Max) @ 30fps, triple codec H.265/H.264/MJPEG with WiseStreamII technology, Extreme WDR, USB and CVBS port for easy installation, advanced video analytics, sound classification and business analytics, shock detection, audio playback, true D/N, dual SD cards slots, hallway view, HLC, defog detection, DIS (Gyro), 12VDC/24VAC/PoE, -10°C ~ +55°C (-14°F ~ +131°F)	\$ 1,000.00	8801089189196
Camera - Network	XNF-9010RS	12MP Stainless Steel IR Fisheye Camera	Special Order / Please Contact HVA Sales to confirm Lead Time Stainless steel Fisheye, powered by WN7, 1/2.3" 12MP CMOS, Max resolution 3008x3008 @ 30FPS, 1.08mm fixed focal lens, Stereo graphic type lens, enhanced resolution for the peripheral regions, H.265, H.264, MJPEG codec supported, Fisheye, Single panorama, Double panorama, Quad view, On board dewarping, Digital PTZ, extreme WDR (120dB), WiseStream support, Wise NR II, IR viewable length 42' (13m), Analytics events based on AI engine: Object detection (Person/Face/Vehicle/License plate), IVA (Virtual line/Area, Enter/Exit, Lottering, direction, intrusion), Virtual channel support, selectable I/O port, Video Analytics, Heatmap, People counting, Queue management, Nylon dome, Handover, IP66/IP67/IP68/K9/K10/NEMA4X, PoE, 12VDC	\$ 2,150.00	8801089199805
Camera - Network	XNF-9013RV	12MP, Fisheye camera with AI and IR	Powered by WN7, 1/2.3" 12MP CMOS, Max resolution 3008x3008 @ 30FPS, 1.08mm fixed focal lens, Stereo graphic type lens, enhanced resolution for the peripheral regions, H.265, H.264, MJPEG codec supported, Fisheye, Single panorama, Double panorama, Quad view, On board dewarping, Digital PTZ, extreme WDR (120dB), WiseStream support, Wise NR II, IR viewable length 42' (13m), Analytics events based on AI engine: Object detection (Person/Face/Vehicle/License plate), IVA (Virtual line/Area, Enter/Exit, Lottering, direction, intrusion), Virtual channel support, selectable I/O port, Video Analytics, Heatmap, People counting, Queue management, Hard coated dome cover, Handover, IP66/IK10/NEMA4X, PoE+ (Wise Power), 12VDC	\$ 1,380.00	8801089211095
Camera - Network	XNF-9010RV	12MP, WN7 Fisheye	Powered by WN7, 1/2.3" 12MP CMOS, Max resolution 3008x3008 @ 30FPS, 1.08mm fixed focal lens, Stereo graphic type lens, enhanced resolution for the peripheral regions, H.265, H.264, MJPEG codec supported, Fisheye, Single panorama, Double panorama, Quad view, On board dewarping, Digital PTZ, extreme WDR (120dB), WiseStream II support, Wise IR, IR viewable length 32.8' (10m), Virtual channel support, Plugin support, selectable I/O port, Video Analytics, Heatmap, People counting, Queue management, Hard coated dome cover, Handover, IP66/IK10/NEMA4X, PoE, 12VDC	\$ 1,200.00	8801089193384

Camera - Network	XNF-9010RVM	12MP, WN7 Fisheye	Special Order	Powered by WN7, 1/2.3" 12MP CMOS, Max resolution 3008x3008 @ 30FPS, 1.08mm fixed focal lens, Stereo graphic type lens, enhanced resolution for the peripheral regions, H.265, H.264, MJPEG codec supported, Fisheye, Single panorama, Double panorama, Quad view, On board dewarping, Digital PTZ, extreme WDR (120dB), WiseStream II support, Wise IR, IR viewable length 32.8" (10m), Virtual channel support, Plugin support, selectable I/O port, Video Analytics, Heatmap, People counting, Queue management, Hard coated dome cover, Handover, IP66/IK10/NEMA4X, EN50155 class T3, PoE, 12VDC, supports M12, Special order	\$ 1,260.00	8801089193452
Camera - Network	QNV-C9083R	4K IR Outdoor Vandal Dome AI Camera		Wisenet Q network outdoor vandal dome camera, 4K @ 30fps, motorized vari-focal lens 3.2~10.2mm (H: 104°~31° / V: 55°~17°), triple codec (H.265/H.264/MJPEG with WiseStream II (Based on AI engine), WiseNR II (Based on AI engine), WDR 120dB, IR viewable length 30m (98ft)), WideMoD based on AI engine, Classified object type: Person/Vehicle (vehicle type: car/bus/truck/motorcycle/bicycle), I/A events based on AI engine: Virtual line (Crossing/Direction), Virtual area (Loitering/Intrusion/Enter/Exit/Dis/Appear), Audio: Selectable(mic inline in), defocus detection, hallway View, SD card, video analytics, USB for easy installation, open platform, IP66, IK10, PoE, Operating temperature -30°C~+55°C(-22°F ~ +131°F) white color. *Alarm I/O and audio is supported through an optional cable (SPP-C7400)	\$ 930.00	8801089214690
Camera - Network	QNO-C9083R	4K IR Bullet AI camera		Wisenet Q network outdoor vandal bullet camera, 4K @ 30fps, motorized vari-focal lens 3.2~10.2mm (H: 104°~31° / V: 55°~17°), triple codec (H.265/H.264/MJPEG with WiseStream III (Based on AI engine), WiseNR II (Based on AI engine), WDR 120dB, IR viewable length 30m (98ft)), WideMoD based on AI engine, Classified object type: Person/Vehicle (vehicle type: car/bus/truck/motorcycle/bicycle), I/A events based on AI engine: Virtual line (Crossing/Direction), Virtual area (Loitering/Intrusion/Enter/Exit/Dis/Appear), Audio: Selectable(mic inline in), defocus detection, hallway View, SD card, video analytics, USB for easy installation, open platform, IP66, IK10, PoE, Operating temperature -30°C~+55°C(-22°F ~ +131°F) white color	\$ 930.00	8801089212375
Camera - Network	QNV-C9011R	4K IR Outdoor Vandal Dome AI Camera		Wisenet Q mini network outdoor vandal dome camera, 4K @ 30fps, fix lens 3mm (H:108°/V: 59°), triple codec (H.265/H.264/MJPEG with WiseStream III (Based on AI engine), WiseNR II (Based on AI engine), WDR 120dB, IR viewable length 20m(65.62ft)), WideMoD based on AI engine, Classified object type: Person/Vehicle (vehicle type: car/bus/truck/motorcycle/bicycle), I/A events based on AI engine: Virtual line (Crossing/Direction), Virtual area (Loitering/Intrusion/Enter/Exit/Dis/Appear), defocus detection, hallway View, SD card, video analytics, USB for easy installation, open platform, IP66, IK10, NEMA4X, PoE, Operating temperature -40°C~+55°C(-40°F ~ +131°F) white color	\$ 649.00	8801089220301
Camera - Network	QNF-9010	12MP Indoor fisheye		Wisenet Q series network Indoor fisheye dome camera, 12MP CMOS sensor, max resolution 3008x3008 @ 30fps, triple codec (H.265/H.264/MJPEG with WiseStream II technology, WDR 120dB, business analytics (heatmap and people counting), built-in SD card slot, PoE	\$ 950.00	8801089153838
6MP Cameras						
Camera - Network	XNP-C8303RW	6MP AI IR, Wiper PTZ		Powered by WN7 PTZ Plus with AI, 6MP @ 30FPS resolution, 5mm~150mm (30x) lens, build in wiper and adaptive Wise IR (200m), extreme WDR 120dB, Day & Night ICR, H.265, H.264, MJPEG codec support, Analytics events based on AI engine: Object detection (Person/Face/Vehicle/License plate), I/A (Virtual line/Area, Enter/Exit, Loitering, direction, intrusion), Analytics events: Defocus detection, Motion detection, Tampering, Fog detection, Audio detection, Sound classification (with NW I/O box), Object auto-tracking (Person/Vehicle), Target lock track, BLC, HLC, SSDR, lens heater for water/snow removal, IP66, IK10, NEMA4X, NEMA-TS 2(2.2.7, 2.2.8, 2.2.9), FIPS 140-2, PoE++/HPoE injector included, Operating Temperature -40°C~+55°C(-40°F ~ +131°F), (Compatible with I/O Box SPM-4210)	\$ 4,750.00	8801089224873
Camera - Network	XNP-8300RW	6MP IR, Wiper PTZ		Powered by WN7, 6MP @ 30FPS resolution, 5mm~150mm (30x) lens, Wise IR (200m), extreme WDR 120dB, Day & Night ICR, H.265, H.264, MJPEG codec support, Intelligent Analytics, Object auto tracking (Person/Vehicle), Target lock track, BLC, HLC, SSDR, lens heater for water/snow removal, IP66, IK10(Camera body only), NEMA4X, NEMA-TS 2(2.2.7, 2.2.8, 2.2.9), PoE++/HPoE injector included, Operating Temperature -40°C~+55°C(-40°F ~ +131°F), (Compatible with I/O Box SPM-4210)	\$ 4,550.00	8801089191984
Camera - Network	XNP-C8253R	6MP AI IR, PTZ		Powered by WN7 PTZ Plus with AI, 6MP @ 30FPS resolution, 5mm~125mm (25x) lens, adaptive Wise IR (200m), extreme WDR 120dB, Day & Night ICR, H.265, H.264, MJPEG codec support, Analytics events based on AI engine: Object detection (Person/Face/Vehicle/License plate), I/A (Virtual line/Area, Enter/Exit, Loitering, direction, intrusion), Analytics events: Defocus detection, Motion detection, Tampering, Fog detection, Audio detection, Sound classification (with NW I/O box), Object auto-tracking (Person/Vehicle), Target lock track, BLC, HLC, SSDR, lens heater for water/snow removal, IP66, IK10, NEMA4X, NEMA-TS 2(2.2.7, 2.2.8, 2.2.9), FIPS 140-2, PoE++/HPoE injector included, Operating Temperature -40°C~+55°C(-40°F ~ +131°F), (Compatible with I/O Box SPM-4210)	\$ 4,450.00	8801089224804
Camera - Network	XNP-8250R	6MP, 25x, IR PTZ camera		Powered by WN7, 6MP @ 30FPS resolution, 5mm~125mm (25x) lens, Wise IR (200m), extreme WDR 120dB, Day & Night ICR, H.265, H.264, MJPEG codec support, Intelligent Analytics, Object auto tracking (Person/Vehicle), Target lock track, BLC, HLC, SSDR, lens heater for water/snow removal, IP66, IK10(Camera body only), NEMA4X, NEMA-TS 2 (2.2.7, 2.2.8, 2.2.9), PoE++/HPoE injector included, Operating Temperature -40°C~+55°C(-40°F ~ +131°F), (Compatible with I/O Box SPM-4210)	\$ 4,250.00	8801089200129
Camera - Network	XNP-C8253	6MP AI PTZ		Powered by WN7 PTZ Plus with AI, 6MP @ 30FPS resolution, 5mm~125mm (25x) lens, extreme WDR 120dB, Day & Night ICR, H.265, H.264, MJPEG codec support, Analytics events based on AI engine: Object detection (Person/Face/Vehicle/License plate), I/A (Virtual line/Area, Enter/Exit, Loitering, direction, intrusion), Analytics events: Defocus detection, Motion detection, Tampering, Fog detection, Audio detection, Sound classification (with NW I/O box), Object auto-tracking (Person/Vehicle), Target lock track, BLC, HLC, SSDR, lens heater for water/snow removal, IP66, IK10, NEMA4X, NEMA-TS 2(2.2.7, 2.2.8, 2.2.9), FIPS 140-2, Power: PoE+, Operating Temperature -40°C~+55°C(-40°F ~ +131°F), (Compatible with I/O Box SPM-4210)	\$ 4,200.00	8801089224859
Camera - Network	XNP-8250	6MP, 25x PTZ camera		Powered by WN7, 6MP @ 30FPS resolution, 5mm~125mm (25x) lens, extreme WDR 120dB, Day & Night ICR, H.265, H.264, MJPEG codec support, Intelligent Analytics, Object auto tracking (Person/Vehicle), Target lock track, BLC, HLC, SSDR, IP66, IK10, NEMA4X, NEMA-TS 2 (2.2.7, 2.2.8, 2.2.9), Power: PoE+, Operating Temperature -40°C~+55°C(-40°F ~ +131°F), (Compatible with I/O Box SPM-4210)	\$ 4,000.00	8801089199980
Camera - Network	XNO-C8083R	6MP IR Bullet AI camera		Powered by WN7, Outdoor Network AI IR Bullet Camera, 6MP resolution @ 30FPS, 4.4~9.3mm(2.1x) (112.1°~47.5°) motorized varifocal lens, Triple codec (H.265/H.264/MJPEG), IR viewable length 40m (131.2ft), USB port for easy installation, Day & Night (ICR), extremeWDR (120dB), DIS with built-in Gyro sensor, Handover, Hard-coated window, Analytics events based on AI engine: Object detection(Person/Face/Vehicle/License plate), I/A (Virtual line/Area, Enter/Exit, Loitering, direction, intrusion), Analytics events : Defocus detection, Motion detection, Tampering, Fog detection, Audio detection, Sound classification, Shock detection, Appear/Disappear, UL CAP certified, P66, IP67, NEMA4X, IK10, Operating temperature: -40°C~+55°C(-40°F ~ +131°F), Power: PoE/12VDC, Metal shielded RJ-45	\$ 1,550.00	8801089208132
Camera - Network	XNO-8083R	6MP IR Bullet AI Camera		Powered by WN7, X-Plus series, Outdoor Network AI IR Bullet Camera, 6MP resolution @ 30FPS, 4.4~9.3mm(2.1x) (112.1°~47.5°) motorized varifocal lens, Triple codec (H.265/H.264/MJPEG), IR viewable length 50m (164ft), USB port for easy installation, Day & Night (ICR), extremeWDR (120dB), DIS with built-in Gyro sensor, Handover, Hard-coated window, Analytics events based on AI engine: Object detection(Person/Face/Vehicle/License plate), I/A (Virtual line/Area, Enter/Exit, Loitering, direction, intrusion), Analytics events : Defocus detection, Motion detection, Tampering, Fog detection, Audio detection, Sound classification, Shock detection, Appear/Disappear, FIPS 140-2, 2x micro SD card (512GB x2), P66, IP67, NEMA4X, IK10, Operating temperature: -50°C~+60°C(-58°F ~ +140°F), Power: PoE+/12VDC, Metal shielded RJ-45	\$ 1,750.00	8801089207654
Camera - Network	XNO-8082R	6MP IR Bullet Camera		Wisenet 7 X series network IR bullet camera, 6MP @ 30fps, motorized vari-focal lens 3x (2.8~8.4mm), triple codec (H.265/H.264/MJPEG with WiseStreamII technology, Extreme WDR, USB and CVBS port for easy installation, advanced video analytics, sound classification and business analytics, high powered IR LEDs range of 131.23', shock detection, audio playback, true D/N, dual SD cards slots, hallway view, HLC, defog detection, DIS (Gyro), 12VDC/24VAC/PoE, IP67/IP66, IK10, Nema 4X, -50°C ~ +60°C (-58°F ~ +140°F)	\$ 1,550.00	8801089189806
Camera - Network	XNV-C8083R	6MP IR Outdoor Vandal Dome AI Camera		Powered by WN7, Outdoor Network AI IR Vandal Dome Camera, 6MP resolution @ 30FPS, 4.4~9.3mm(2.1x) (112.1°~47.5°) motorized varifocal lens, Triple codec (H.265/H.264/MJPEG), IR viewable length 40m (131.2ft), USB port for easy installation, Day & Night (ICR), extremeWDR (120dB), DIS with built-in Gyro sensor, Handover, Hard-coated dome bubble, Analytics events based on AI engine: Object detection(Person/Face/Vehicle/License plate), I/A (Virtual line/Area, Enter/Exit, Loitering, direction, intrusion), Analytics events : Defocus detection, Motion detection, Tampering, Fog detection, Audio detection, Sound classification, Shock detection, Appear/Disappear, P66, IP67, NEMA4X, IK10, Operating temperature: -40°C~+65°C(-40°F ~ +131°F), Power: PoE/12VDC, Metal shielded RJ-45	\$ 1,550.00	8801089198327
Camera - Network	XNV-8093R	6MP IR Outdoor Vandal Dome AI Camera	10.9-29mm lens	Powered by WN7, X-Plus series, Outdoor Network AI IR Vandal Dome Camera, 6MP resolution @ 30FPS, 10.9~29mm(2.7x) (42°~15°) motorized varifocal lens, Triple codec (H.265/H.264/MJPEG), IR viewable length 70m (229.66ft), USB port for easy installation, Day & Night (ICR), extremeWDR (120dB), DIS with built-in Gyro sensor, Handover, Hard-coated dome bubble, Analytics events based on AI engine: Object detection(Person/Face/Vehicle/License plate), I/A (Virtual line/Area, Enter/Exit, Loitering, direction, intrusion), Analytics events : Defocus detection, Motion detection, Tampering, Fog detection, Audio detection, Sound classification, Shock detection, Appear/Disappear, FIPS 140-2, 2x micro SD card (512GB x2), P66, IP67, NEMA4X, IK10+, Operating temperature: -50°C~+55°C(-58°F ~ +131°F), Power: PoE+/12VDC, Metal shielded RJ-45	\$ 2,000.00	8801089207616
Camera - Network	XNV-8083RZ	6MP IR Outdoor Vandal Dome AI, PTRZ Camera		Powered by WN7, X-Plus series, Outdoor Network AI IR Vandal Dome Camera, 6MP resolution @ 30FPS, 4.4~9.3mm (4.3x) (113°~47°) motorized varifocal lens, Remote lens adjustment (PTRZ), Triple codec (H.265/H.264/MJPEG), IR Viewable Length: 15m(49.21ft) / 30m(98.43ft) based on scene, USB port for easy installation, Day & Night (ICR), extremeWDR (120dB), DIS with built-in Gyro sensor, Handover, Hard-coated dome bubble, Analytics events based on AI engine: Object detection(Person/Face/Vehicle/License plate), I/A (Virtual line/Area, Enter/Exit, Loitering, direction, intrusion), Analytics events : Defocus detection, Motion detection, Tampering, Fog detection, Audio detection, Sound classification, Shock detection, Appear/Disappear, FIPS 140-2, 2x micro SD card (512GB x2), P66, IP67, NEMA4X, IK10+, Operating temperature: -50°C~+55°C(-58°F ~ +131°F), Power: PoE+/12VDC, Metal shielded RJ-45	\$ 1,850.00	8801089211446
Camera - Network	XNV-8083RX	6MP IR Outdoor AI Camera Module Only	Camera Module Only (no housing included)	Powered by WN7, X-Plus series, Network AI IR Outdoor Camera Module, 6MP resolution @ 30FPS, 4.4~9.3mm(2.1x) (112.1°~47.5°) motorized varifocal lens, Triple codec (H.265/H.264/MJPEG), IR viewable length 50m (164ft), USB port for easy installation, Day & Night (ICR), extremeWDR (120dB), DIS with built-in Gyro sensor, Handover, Hard-coated dome bubble, Analytics events based on AI engine: Object detection(Person/Face/Vehicle/License plate), I/A (Virtual line/Area, Enter/Exit, Loitering, direction, intrusion), Analytics events : Defocus detection, Motion detection, Tampering, Fog detection, Audio detection, Sound classification, Shock detection, Appear/Disappear, FIPS 140-2, 2x micro SD card (512GB x2), Operating temperature: -50°C~+55°C(-58°F ~ +131°F), Power: PoE+/12VDC, Metal shielded RJ-45	\$ 1,510.00	8801089223920
Camera - Network	XNV-8083R	6MP IR Outdoor Vandal Dome AI Camera		Powered by WN7, X-Plus series, Outdoor Network AI IR Vandal Dome Camera, 6MP resolution @ 30FPS, 4.4~9.3mm(2.1x) (112.1°~47.5°) motorized varifocal lens, Triple codec (H.265/H.264/MJPEG), IR viewable length 50m (164ft), USB port for easy installation, Day & Night (ICR), extremeWDR (120dB), DIS with built-in Gyro sensor, Handover, Hard-coated dome bubble, Analytics events based on AI engine: Object detection(Person/Face/Vehicle/License plate), I/A (Virtual line/Area, Enter/Exit, Loitering, direction, intrusion), Analytics events : Defocus detection, Motion detection, Tampering, Fog detection, Audio detection, Sound classification, Shock detection, Appear/Disappear, FIPS 140-2, 2x micro SD card (512GB x2), P66, IP67, NEMA4X, IK10+, Operating temperature: -50°C~+55°C(-58°F ~ +131°F), Power: PoE+/12VDC, Metal shielded RJ-45	\$ 1,750.00	8801089207630
Camera - Network	XNV-8082R	6MP IR Outdoor Vandal Dome		Wisenet 7 X-plus series network IR vandal outdoor camera, 6MP @ 30fps, motorized vari-focal lens 3x (2.8~8.4mm), triple codec (H.265/H.264/MJPEG with WiseStreamII technology, Extreme WDR, USB and CVBS port for easy installation, advanced video analytics, sound classification and business analytics, high powered IR LEDs range of 131.23', shock detection, audio playback, true D/N, dual SD cards slots, hallway view, HLC, defog detection, DIS (Gyro), 12VDC/24VAC/PoE, IP67/IP66/IP6K9K, IK10, Nema 4X, -50°C ~ +60°C (-58°F ~ +140°F)	\$ 1,550.00	8801089189714
Camera - Network	XND-C8083RV	6MP IR Indoor Vandal Dome AI Camera		Powered by WN7, Indoor Network AI IR Dome Camera, 6MP resolution @ 30FPS, 4.4~9.3mm(2.1x) (112.1°~47.5°) motorized varifocal lens, Triple codec (H.265/H.264/MJPEG), IR viewable length 40m (131.2ft), USB port for easy installation, Day & Night (ICR), extremeWDR (120dB), DIS with built-in Gyro sensor, Handover, Hard-coated dome bubble, Analytics events based on AI engine: Object detection(Person/Face/Vehicle/License plate), I/A (Virtual line/Area, Enter/Exit, Loitering, direction, intrusion), Analytics events : Defocus detection, Motion detection, Tampering, Fog detection, Audio detection, Sound classification, Shock detection, Appear/Disappear, IP52, IK08, Operating temperature: -10°C ~ 50 °C(14°F ~ +122°F), Power: PoE/12VDC	\$ 1,350.00	8801089207982
Camera - Network	XND-8093RV	6MP IR Indoor Dome AI Camera	10.9-29mm lens	Powered by WN7, X-Plus series, Indoor Network AI IR Dome Camera, 6MP resolution @ 30FPS, 10.9~29mm(2.7x) (42°~15°) motorized varifocal lens, Triple codec (H.265/H.264/MJPEG), IR viewable length 70m (229.66ft), USB port for easy installation, Day & Night (ICR), extremeWDR (120dB), DIS with built-in Gyro sensor, Handover, Hard-coated dome bubble, Analytics events based on AI engine: Object detection(Person/Face/Vehicle/License plate), I/A (Virtual line/Area, Enter/Exit, Loitering, direction, intrusion), Analytics events : Defocus detection, Motion detection, Tampering, Fog detection, Audio detection, Sound classification, Shock detection, Appear/Disappear, FIPS 140-2, 2x micro SD card (512GB x2), IP52, IK10, Operating temperature: -25 °C ~ 50 °C(13°F ~ +122°F), Power: PoE+/12VDC, Metal shielded RJ-45	\$ 1,800.00	8801089207821
Camera - Network	XND-8083RVX	6MP IR Indoor AI Camera Module Only	Camera Module Only (no housing included)	Powered by WN7, X-Plus series, Network AI IR Indoor Camera Module, 6MP resolution @ 30FPS, 4.4~9.3mm(2.1x) (112.1°~47.5°) motorized varifocal lens, Triple codec (H.265/H.264/MJPEG), IR viewable length 50m (164ft), USB port for easy installation, Day & Night (ICR), extremeWDR (120dB), DIS with built-in Gyro sensor, Handover, Hard-coated dome bubble, Analytics events based on AI engine: Object detection(Person/Face/Vehicle/License plate), I/A (Virtual line/Area, Enter/Exit, Loitering, direction, intrusion), Analytics events : Defocus detection, Motion detection, Tampering, Fog detection, Audio detection, Sound classification, Shock detection, Appear/Disappear, FIPS 140-2, 2x micro SD card (512GB x2), Operating temperature: -25 °C ~ 50 °C(13°F ~ +122°F), Power: PoE+/12VDC	\$ 1,510.00	8801089223937
Camera - Network	XND-8083RV	6MP IR Indoor Vandal Dome AI Camera		Powered by WN7, X-Plus series, Indoor Network AI IR Dome Camera, 6MP resolution @ 30FPS, 4.4~9.3mm(2.1x) (112.1°~47.5°) motorized varifocal lens, Triple codec (H.265/H.264/MJPEG), IR viewable length 50m (164ft), USB port for easy installation, Day & Night (ICR), extremeWDR (120dB), DIS with built-in Gyro sensor, Handover, Hard-coated dome bubble, Analytics events based on AI engine: Object detection(Person/Face/Vehicle/License plate), I/A (Virtual line/Area, Enter/Exit, Loitering, direction, intrusion), Analytics events : Defocus detection, Motion detection, Tampering, Fog detection, Audio detection, Sound classification, Shock detection, Appear/Disappear, FIPS 140-2, 2x micro SD card (512GB x2), IP52, IK10, Operating temperature: -25 °C ~ 50 °C(13°F ~ +122°F), Power: PoE+/12VDC	\$ 1,550.00	8801089201041

Camera - Network	XND-8082RF	6MP IR Flush Mount Dome		Wisenet 7 x-plus series network IR flush mount camera (plenum), 6MP @ 30fps, motorized vari-focal lens 3x (2.8-8.4mm), triple codec H.265/H.264/MJPEG with WiseStreamII technology, Extreme WDR, USB and CVBS port for easy installation, advanced video analytics, sound classification and business analytics, high powered IR LEDs range of 131'23", shock detection, audio playback, true D/N, dual SD cards slots, hallway view, H.LC, defog detection, DIS (Gyro), 12VDC/PoE, IP52, IK10, -25°C ~ +60°C (-13°F ~ +140°F)	\$ 1,350.00	8801089189622
Camera - Network	XND-8082RV	6MP IR Indoor Dome		Wisenet 7 x-plus series network IR vandal indoor camera, 6MP @ 30fps, motorized vari-focal lens 3x (2.8-8.4mm), triple codec H.265/H.264/MJPEG with WiseStreamII technology, Extreme WDR, USB and CVBS port for easy installation, advanced video analytics, sound classification and business analytics, high powered IR LEDs range of 131'23", shock detection, audio playback, true D/N, dual SD cards slots, hallway view, H.LC, defog detection, DIS (Gyro), 12VDC/PoE, IP52, IK10, -25°C ~ +60°C (-13°F ~ +140°F)	\$ 1,350.00	8801089189929
Camera - Network	XNB-8003	6MP Box AI Camera		Powered by WN7, X-Plus series, Box Camera, 6MP resolution @ 30FPS, Triple codec (H.265/H.264/MJPEG), USB port for easy installation, Day & Night (ICR), extremeWDR (120dB), DIS with built-in Gyro sensor, Handover, Analytics events based on AI engine: Object detection(Person/Face/Vehicle/License plate), IVA (Virtual line/Area, Enter/Exit, Loitering, direction, intrusion), Analytics events : Defocus detection, Motion detection, Tampering, Fog detection, Audio detection, Sound classification, Shock detection, Appear/Disappear, FIPS 140-2, 2x micro SD card (512GB x2), Operating temperature: -10 °C ~ -55 °C/14°F ~ +131°F), Power: PoE+112VDC, Metal shielded RJ-45	\$ 1,050.00	8801089200686
Camera - Network	XNB-8002	6MP Box Camera		Wisenet 7 x series network box camera, 6MP @ 30fps, triple codec H.265/H.264/MJPEG with WiseStreamII technology, Extreme WDR, USB and CVBS port for easy installation, advanced video analytics, sound classification and business analytics, shock detection, audio playback, true D/N, dual SD cards slots, hallway view, H.LC, defog detection, DIS (Gyro), 12VDC/24VAC/PoE, -10°C ~ +55°C (+14°F ~ +131°F)	\$ 950.00	8801089189837
5MP Cameras						
Camera - Network	XND-8081REV	5MP Indoor Dome, PoE extender camera	PoE+ Required	Wisenet X powered by Wisenet 5 network IR indoor dome camera with PoE Extender, PoE+ in PoE out, 5MP @30fps, Motorized Varifocal Lens (3.9mm ~9.4mm), triple codec H.265/H.264/MJPEG with WiseStream II technology,WDR 120dB, USB port for easy installation, advanced video analytics and sound classification, true D/N, dual SD card, hallway view, H.LC, defog detection, DIS(Gyro), PoE/PoE+, IP52, IK10, -25°C ~ +60°C (-13°F ~ +140°F)	\$ 1,600.00	8801089187741
Camera - Network	XNV-8081RE	5MP Outdoor Dome, PoE extender camera	PoE+ Required	Wisenet X powered by Wisenet 5 network IR outdoor vandal dome camera with PoE Extender, PoE+ in PoE out, 5MP @30fps, Motorized Varifocal Lens (3.9mm ~9.4mm), triple codec H.265/H.264/MJPEG with WiseStream II technology,WDR 120dB, USB port for easy installation, advanced video analytics and sound classification, true D/N, dual SD card, hallway view, H.LC, defog detection, DIS(Gyro), PoE/PoE+, IP66/IP67/IP69K9K, IK10+, NEMA4X, -50°C ~ +60°C (-58°F ~ +140°F)	\$ 1,850.00	8801089187666
Camera - Network	XNV-8081R	5MP IR Outdoor Dome		Wisenet X series Plus powered by Wisenet 5 IR network outdoor vandal dome camera, modular structure, 5MP @ 30fps, motorized vari-focal lens 2.6x (3.6-9.4mm) (102.5"-38.7"), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video analytics, sound classification and business analytics, high powered IR LEDs range of 164', shock detection, audio playback, true D/N, dual SD card, hallway view, H.LC, defog detection, DIS (Gyro), 12VDC/PoE, optional 24VAC, IP67/IP66/IP69K9K, IK10+, Nema 4X, -50°C ~ +60°C (-58°F ~ +140°F), white color, ivory skin included, optional black skin cover	\$ 1,800.00	8801089153647
Camera - Network	XND-8081RF	5MP IR Flush Mount Dome		Wisenet X series Plus powered by Wisenet 5 IR network indoor flush mount vandal dome camera, modular structure, 5MP @ 30fps, motorized vari-focal lens 2.6x (3.6-9.4mm) (102.5"-38.7"), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video analytics, sound classification and business analytics, high powered IR LEDs range of 164', shock detection, audio playback, true D/N, dual SD card, hallway view, H.LC, defog detection, DIS (Gyro), 12VDC/PoE, IP52, plenum housing	\$ 1,550.00	8801089153418
Camera - Network	XND-8081RV	5MP IR Indoor Dome		Wisenet X series Plus powered by Wisenet 5 IR network indoor vandal dome camera, modular structure, 5MP @ 30fps, motorized vari-focal lens 2.6x (3.6-9.4mm) (102.5"-38.7"), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video analytics, sound classification and business analytics, high powered IR LEDs range of 164', shock detection, audio playback, built-in mic, true D/N, dual SD card, hallway view, H.LC, defog detection, DIS (Gyro), 12VDC/PoE, IP52, IK10, white color, ivory skin included, optional black skin cover	\$ 1,550.00	8801089153463
Camera - Network	XNV-8081Z	5MP Outdoor PTRZ Dome		Wisenet X series Plus powered by Wisenet 5 network outdoor vandal dome camera, modular structure, 5MP @ 30fps, motorized vari-focal lens 2.6x (3.6-9.4mm) (102.5"-38.7"), PTRZ, triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video analytics, sound classification and business analytics, shock detection, audio playback, true D/N, dual SD card, hallway view, H.LC, defog detection, DIS (Gyro), 12VDC/PoE, optional 24VAC, IP67/IP66/IP69K9K, IK10+, Nema 4X, -50°C ~ +60°C (-58°F ~ +140°F), white color, ivory skin included, optional black skin cover	\$ 1,850.00	8801089152732
Camera - Network	XND-8081VZ	5MP Indoor PTRZ Dome		Wisenet X series Plus powered by Wisenet 5 network indoor vandal dome camera, modular structure, 5MP @ 30fps, motorized vari-focal lens 2.6x (3.6-9.4mm) (102.5"-38.7"), PTRZ, triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video analytics, sound classification and business analytics, shock detection, audio playback, built-in mic, true D/N, dual SD card, hallway view, H.LC, defog detection, DIS (Gyro), 12VDC/PoE, IP52, IK10, white color, ivory skin included, optional black skin cover	\$ 1,600.00	8801089152787
Camera - Network	XND-8081FZ	5MP Flush Mount PTRZ Dome		Wisenet X series Plus powered by Wisenet 5 network indoor flush mount vandal dome camera, modular structure, 5MP @ 30fps, motorized vari-focal lens 2.6x (3.6-9.4mm) (102.5"-38.7"), PTRZ, triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video analytics, sound classification and business analytics, shock detection, audio playback, true D/N, dual SD card, hallway view, H.LC, defog detection, DIS (Gyro), 12VDC/PoE, IP52, plenum housing	\$ 1,600.00	8801089152848
Camera - Network	XNF-8010R	X-Series Indoor IR Fisheye		Wisenet X powered by Wisenet 5 network indoor fisheye, 6MP CMOS sensor, 2048x2048 @ 30fps, 1.6mm fixed lens (192"), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video, sound classification and business analytics, high powered IR LEDs range of 49', simple focus, dual SD card, H.LC, defog detection, DIS, 12VDC/PoE	\$ 950.00	8801089125293
Camera - Network	XNF-8010RW	X-Series Indoor IR Fisheye (White Color)		Wisenet X powered by Wisenet 5 network indoor fisheye (white color), 6MP CMOS sensor, 2048x2048 @ 30fps, 1.6mm fixed lens (192"), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video, sound classification and business analytics, high powered IR LEDs range of 49', simple focus, dual SD card, H.LC, defog detection, DIS, 12VDC/PoE, white color	\$ 950.00	8801089133441
Camera - Network	XNF-8010RV	X-Series Outdoor IR Fisheye		Wisenet X powered by Wisenet 5 network outdoor fisheye, 6MP CMOS sensor, 2048x2048 @ 30fps, 1.6mm fixed lens (192"), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video, sound classification and business analytics, high powered IR LEDs range of 49', simple focus, dual SD card, H.LC, defog detection, DIS, 12VDC/PoE, IP66, IK10, -40°C ~ +55°C (-40°F ~ +131°F)	\$ 1,050.00	8801089125316
Camera - Network	XNF-8010RVM	X-Series Mobile IR Fisheye		Wisenet X powered by Wisenet 5 network mobile vandal fisheye, 6MP CMOS sensor, 2048x2048 @ 30fps, 1.6mm fixed lens (192"), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video, sound classification and business analytics, high powered IR LEDs range of 49', simple focus, dual SD card, H.LC, defog detection, DIS, For Mobile Application (M12 Connector) RJ45 to M12 adapter is NOT included, 12VDC/PoE, IP66, IK10, -40°C ~ +55°C (-40°F ~ +131°F)	\$ 1,150.00	8801089125347
Camera - Network	XNV-8080RSA	5MP Stainless Steel IR Dome	IP69K9K	Wisenet X powered by Wisenet 5 network IR stainless steel dome camera, 5MP @30fps, motorized vari-focal lens 2.4x (3.9-9.4mm) (92.1"-38.7"), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video analytics and sound classification, high powered IR LEDs range of 164', true D/N, dual SD card, hallway view, H.LC, defog detection, DIS, 12VDC/24VAC/PoE, IP67/IP69K9K/ IK10, Nema 4X, IP69K9K, -40°C ~ +55°C (-40°F ~ +131°F)	\$ 2,200.00	8801089172747
Camera - Network	XNV-8080R	5MP IR Outdoor Dome		Wisenet X powered by Wisenet 5 network IR outdoor vandal dome camera, 5MP @30fps, motorized vari-focal lens 2.4x (3.9-9.4mm) (92.1"-38.7"), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video analytics and sound classification, high powered IR LEDs range of 164', true D/N, dual SD card, hallway view, H.LC, defog detection, DIS, 12VDC/24VAC/PoE, IP67, IK10, Nema 4X, -40°C ~ +55°C (-40°F ~ +131°F)	\$ 1,550.00	8801089125712
Camera - Network	XNV-8020R	5MP IR Outdoor Dome		Wisenet X powered by Wisenet 5 network IR outdoor vandal dome camera, 5MP @30fps, 3.7mm fixed focal lens (97.5"), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video analytics and sound classification and business analytics, high powered IR LEDs range of 98', true D/N, dual SD card, hallway view, H.LC, defog detection, DIS, 12VDC/PoE, IP67, IK10	\$ 900.00	8801089125729
Camera - Network	XNV-8030R	5MP IR Outdoor Dome		Wisenet X powered by Wisenet 5 network IR outdoor vandal dome camera, 5MP @30fps, 4.6mm fixed focal lens (77.9"), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video analytics and sound classification and business analytics, high powered IR LEDs range of 98', true D/N, dual SD card, hallway view, H.LC, defog detection, DIS, 12VDC/PoE, IP67, IK10	\$ 900.00	8801089125699
Camera - Network	XNV-8040R	5MP IR Outdoor Dome		Wisenet X powered by Wisenet 5 network IR outdoor vandal dome camera, 5MP @30fps, 7mm fixed focal lens (50.7"), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video analytics and sound classification and business analytics, high powered IR LEDs range of 98', true D/N, dual SD card, hallway view, H.LC, defog detection, DIS, 12VDC/PoE, IP67, IK10	\$ 900.00	8801089125705
Camera - Network	XNO-8080R	5MP IR Bullet		Wisenet X powered by Wisenet 5 network IR outdoor bullet camera, 5MP @30fps, motorized vari-focal lens 2.4x (3.7-9.4mm) (100.2"-38.7"), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video analytics and sound classification and business analytics, high powered IR LEDs range of 164', true D/N, dual SD card, hallway view, H.LC, defog detection, DIS, backbox included, 12VDC/24VAC/PoE, IP67, IK10, Nema 4X, -40°C ~ +55°C (-40°F ~ +131°F)	\$ 1,550.00	8801089125446
Camera - Network	XNO-8020R	5MP IR Bullet		Wisenet X powered by Wisenet 5 network outdoor vandal bullet camera, 5MP @30fps, 3.7mm fixed lens (97.5"), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video analytics and sound classification and business analytics, high powered IR LEDs range of 98', true D/N, dual SD card, hallway view, H.LC, defog detection, DIS, backbox included, 12VDC/PoE, IP67, IK10, Nema 4X	\$ 900.00	8801089125408
Camera - Network	XNO-8030R	5MP IR Bullet		Wisenet X powered by Wisenet 5 network outdoor vandal bullet camera, 5MP @30fps, 4.6mm fixed lens (77.9"), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video analytics and sound classification and business analytics, high powered IR LEDs range of 98', true D/N, dual SD card, hallway view, H.LC, defog detection, DIS, backbox included, 12VDC/PoE, IP67, IK10, Nema 4X	\$ 900.00	8801089125422
Camera - Network	XNO-8040R	5MP IR Bullet		Wisenet X powered by Wisenet 5 network outdoor vandal bullet camera, 5MP @30fps, 7mm fixed lens (50.7"), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video analytics and sound classification and business analytics, high powered IR LEDs range of 98', true D/N, dual SD card, hallway view, H.LC, defog detection, DIS, backbox included, 12VDC/PoE, IP67, IK10, Nema 4X	\$ 900.00	8801089125439
Camera - Network	XND-8080RV	5MP Indoor IR Vandal Dome		Wisenet X powered by Wisenet 5 network IR indoor vandal dome camera, 5MP @30fps, motorized vari-focal lens 2.4x (3.9-9.4mm) (92.1"-38.7"), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video analytics and sound classification and business analytics, high powered IR LEDs range of 98', true D/N, dual SD card, hallway view, H.LC, defog detection, DIS, 12VDC/PoE, IK08	\$ 1,350.00	8801089125309
Camera - Network	XND-8020R	5MP Indoor IR Vandal Dome		Wisenet X powered by Wisenet 5 network IR indoor vandal dome camera, 5MP @30fps, 3.7mm fixed focal lens (97.5"), triple codec H.265/H.264/MJPEG with WiseStream I technology, 120dB WDR, USB port for easy installation, advanced video analytics and sound classification and business analytics, high powered IR LEDs range of 98', true D/N, dual SD card, hallway view, H.LC, defog detection, DIS, 12VDC/PoE, IK08	\$ 775.00	8801089125248
Camera - Network	XND-8030R	5MP Indoor IR Vandal Dome		Wisenet X powered by Wisenet 5 network IR indoor vandal dome camera, 5MP @30fps, 4.6mm fixed focal lens (77.9"), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video analytics and sound classification and business analytics, high powered IR LEDs range of 98', true D/N, dual SD card, hallway view, H.LC, defog detection, DIS, 12VDC/PoE, IK08	\$ 775.00	8801089125279
Camera - Network	XND-8040R	5MP Indoor IR Vandal Dome		Wisenet X powered by Wisenet 5 network IR indoor vandal dome camera, 5MP @30fps, 7mm fixed focal lens (50.7"), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video analytics and sound classification and business analytics, high powered IR LEDs range of 98', true D/N, dual SD card, hallway view, H.LC, defog detection, DIS, 12VDC/PoE, IK08	\$ 775.00	8801089125262
Camera - Network	XND-8020F	5MP Flush Mount		Wisenet X powered by Wisenet 5 network flush mount dome camera, 5MP @ 30fps, 3.7mm fixed lens (97.5"), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video analytics and sound classification and business analytics, built-in Mic, magnetic cover, electronic D/N, SD card, hallway view, H.LC, defog detection, DIS, PoE only	\$ 600.00	8801089125255
Camera - Network	XNB-8000	5MP Box		Wisenet X powered by Wisenet 5 network box camera, 5MP @30fps, simple focus, triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video analytics and sound classification and business analytics, true D/N, dual SD card, hallway view, H.LC, defog detection, DIS using a Gyro sensor, 12VDC/24VAC/PoE	\$ 950.00	8801089125149
Camera - Network	QNO-8010R	5MP IR Bullet		Wisenet Q network outdoor vandal bullet camera, 5MP @ 30fps, 2.8mm fixed focal lens (104"), triple codec H.265/H.264/MJPEG with Wisestream II, 120dB WDR, IR LEDs range 65', defocus detection, hallway View, SD card, video analytics, CVBS, open platform, IP66, IK10, PoE	\$ 470.00	8801089163332
Camera - Network	QNO-8020R	5MP IR Bullet		Wisenet Q network outdoor vandal bullet camera, 5MP @ 30fps, 4.0mm fixed focal lens (79"), triple codec H.265/H.264/MJPEG with Wisestream II, 120dB WDR, IR LEDs range 82', defocus detection, hallway View, SD card, video analytics, CVBS, open platform, IP66, IK10, PoE	\$ 470.00	8801089164216
Camera - Network	QNO-C8083R	5MP IR Bullet AI camera		Wisenet Q network outdoor vandal bullet camera, 5MP @ 30fps, motorized vari-focal lens 3.2-10.2mm (H: 95°-29° / V: 69°-21"), triple codec H.265/H.264/MJPEG with Wisestream II (Based on AI engine), WisenR II (Based on AI engine), WDR 120dB, IR viewable length 50m (98ft), WisenMD based on AI engine, Classified object type: Person/Vehicle (vehicle type: car/bus/truck, motorcycle/bike), IVA events based on AI engine: Virtual line (Crossing/Direction), Virtual area (Loitering/Intrusion/Enter/Exit/Dis/Appear), *Audio: Selectable(mic inline in), defocus detection, hallway View, SD card, video analytics, USB for easy installation, open platform, IP66, IK10, PoE, Operating temperature -30°C~+55°C(-22°F ~ +131°F) white color.	\$ 790.00	8801089219886
Camera - Network	QNO-8080R	5MP IR Bullet		Wisenet Q network outdoor vandal bullet camera, 5MP @ 30fps, motorized vari-focal lens 3.1x (3.2 ~ 10.0mm) (100"-31"), triple codec H.265/H.264/MJPEG with Wisestream II, 120dB WDR, IR LEDs range 98', defocus detection, hallway View, SD card, video analytics, CVBS, open platform, IP66, IK10, PoE	\$ 680.00	8801089164278

Camera - Network	QNV-C8011R	5MP IR Outdoor Vandal Dome AI Camera	Wisenet Q mini network outdoor vandal dome camera, 5MP @ 30fps, fix lens 3mm (H:100°V: 73°), triple codec H.265/H.264/MJPEG with Wisestream III (Based on AI engine), WiseNR II (Based on AI engine), WDR 120dB, IR viewable length 20m(65.62ft), WiseMD based on AI engine, Classified object type: Person/Vehicle (vehicle type: car/bus/truck/motorcycle/bicycle), IVA events based on AI engine, Virtual line (Crossing/Direction), Virtual area (Loitering/Intrusion/Enter/Exit/Dis/Appear), defocus detection, hallway View, SD card, video analytics, USB for easy installation, open platform, IP66, IK10, NEMA4X, PoE, Operating temperature -40°C~+55°C(-40°F ~ +131°F) white color.	\$ 549.00	8801089220332
Camera - Network	QNV-C8012	5MP Outdoor Vandal Dome AI Camera	Wisenet Q mini network outdoor vandal dome camera, 5MP @ 30fps, fix lens 2.4mm (H:123°V: 91°), triple codec H.265/H.264/MJPEG with Wisestream III (Based on AI engine), WiseNR II (Based on AI engine), WDR 120dB, WiseMD based on AI engine, Classified object type: Person/Vehicle (vehicle type: car/bus/truck/motorcycle/bicycle), IVA events based on AI engine, Virtual line (Crossing/Direction), Virtual area (Loitering/Intrusion/Enter/Exit/Dis/Appear), defocus detection, hallway View, SD card, video analytics, USB for easy installation, open platform, IP66, IK10, NEMA4X, PoE, Operating temperature -40°C~+55°C(-40°F ~ +131°F) white color.	\$ 549.00	8801089224484
Camera - Network	QNV-8010R	5MP IR Outdoor Dome	Wisenet Q network outdoor vandal dome camera, 5MP @ 30fps, 2.8mm fixed focal lens (104°), triple codec H.265/H.264/MJPEG with Wisestream II, 120dB WDR, IR LEDs range 65', defocus detection, hallway View, SD card, video analytics, CVBS, open platform, IP66, IK10, PoE, white color	\$ 470.00	8801089164360
Camera - Network	QNV-8020R	5MP IR Outdoor Dome	Wisenet Q network outdoor vandal dome camera, 5MP @ 30fps, 4.0mm fixed focal lens (79°), triple codec H.265/H.264/MJPEG with Wisestream II, 120dB WDR, IR LEDs range 82', defocus detection, hallway View, SD card, video analytics, CVBS, open platform, IP66, IK10, PoE, white color	\$ 470.00	8801089164513
Camera - Network	QNV-C8083R	5MP IR Outdoor Vandal Dome AI Camera	Wisenet Q network outdoor vandal dome camera, 5MP @ 30fps, motorized vari-focal lens 3.2~10.2mm (H: 95°~29° / V: 69°~21°), triple codec H.265/H.264/MJPEG with Wisestream II (Based on AI engine), WiseNR II (Based on AI engine), WDR 120dB, IR viewable length 30m (98ft), WiseMD based on AI engine, Classified object type: Person/Vehicle (vehicle type: car/bus/truck/motorcycle/bicycle), IVA events based on AI engine, Virtual line (Crossing/Direction), Virtual area (Loitering/Intrusion/Enter/Exit/Dis/Appear), 'Audio: Selectable(mic inline in), defocus detection, hallway View, SD card, video analytics, USB for easy installation, open platform, IP66, IK10, PoE, Operating temperature -30°C~+55°C(-22°F ~ +131°F) white color. * Alarm I/O and audio is supported through an optional cable (SPP-C7400)	\$ 790.00	8801089219909
Camera - Network	QNV-8080R	5MP IR Outdoor Dome	Wisenet Q network outdoor vandal dome camera, 5MP @ 30fps, motorized vari-focal lens 3.1x (3.2 ~ 10.0mm) (100°~31°), triple codec H.265/H.264/MJPEG with Wisestream II, 120dB WDR, IR LEDs range 98', defocus detection, hallway View, SD card, video analytics, CVBS, open platform, IP66, IK10, PoE, white color	\$ 680.00	8801089165046
Camera - Network	QND-8010R	5MP Indoor IR Dome	Wisenet Q network indoor dome camera, 5MP @ 30fps, 2.8mm fixed focal lens (104°), triple codec H.265/H.264/MJPEG with Wisestream II, 120dB WDR, IR LEDs range 65', defocus detection, hallway View, SD card, video analytics, CVBS, open platform, PoE, white color	\$ 370.00	8801089162991
Camera - Network	QND-8020R	5MP Indoor IR Dome	Wisenet Q network indoor dome camera, 5MP @ 30fps, 4.0mm fixed focal lens (79°), triple codec H.265/H.264/MJPEG with Wisestream II, 120dB WDR, IR LEDs range 65', defocus detection, hallway View, SD card, video analytics, CVBS, open platform, PoE, white color	\$ 370.00	8801089163004
Camera - Network	QND-8080R	5MP Indoor IR Dome	Wisenet Q network indoor dome camera, 5MP @ 30fps, motorized vari-focal lens 3.1x (3.2 ~ 10.0mm) (100°~31°), triple codec H.265/H.264/MJPEG with Wisestream II, 120dB WDR, IR LEDs range 98', defocus detection, hallway View, SD card, video analytics, CVBS, open platform, PoE, white color	\$ 615.00	8801089163127
Camera - Network	QND-8011	5MP Indoor Dome	Wisenet Q mini network indoor dome camera, 5MP @ 30fps, 2.8mm fixed focal lens (104°), triple codec H.265/H.264/MJPEG with Wisestream II, 120dB WDR, defocus detection, hallway View, SD card, people counting, open platform, IP42, IK08, PoE, white color	\$ 370.00	8801089162540
Camera - Network	QND-8021	5MP Indoor Dome	Wisenet Q mini network indoor dome camera, 5MP @ 30fps, 4.0mm fixed focal lens (80°), triple codec H.265/H.264/MJPEG with Wisestream II, 120dB WDR, defocus detection, hallway View, SD card, people counting, open platform, IP42, IK08, PoE, white color	\$ 370.00	8801089162656
Camera - Network	QNE-C8013RL	4K Dual Light Outdoor Flat-Eye	Wisenet Q network outdoor flat-eye camera, 4K @ 30fps, 3mm fixed focal lens (H: 108°V: 59°), triple codec H.265/H.264/MJPEG with Wisestream III, 120dB WDR, Dual Light – White LED range 30m (98ft), IR viewable length 30m (98ft), Motion Detection based on AI engine, Classified object type: Person/Vehicle (vehicle type: car/bus/truck/motorcycle/bicycle), IVA events based on AI engine, Virtual line (Crossing/Direction), Virtual area (Loitering/Intrusion/Enter/Exit/Dis/Appear), defocus detection, hallway View, SD card, video analytics, IP66/IP67, IK10, PoE, Operating temperature -40°C~+60°C(-40°F ~ +140°F) white color.	\$ 750.00	8801089212221
Camera - Network	QNE-C8013RL	5MP Dual Light Outdoor Flat-Eye	Wisenet Q network outdoor flat-eye camera, 5MP @ 30fps, 3mm fixed focal lens (H: 97° / V: 53°), triple codec H.265/H.264/MJPEG with Wisestream III, 120dB WDR, Dual Light – White LED range 30m (98ft), Motion Detection based on AI engine, Classified object type: Person/Vehicle (vehicle type: car/bus/truck/motorcycle/bicycle), IVA events based on AI engine, Virtual line (Crossing/Direction), Virtual area (Loitering/Intrusion/Enter/Exit/Dis/Appear), defocus detection, hallway View, SD card, video analytics, IP66/IP67, IK10, PoE, Operating temperature -40°C~+60°C(-40°F ~ +140°F) white color	\$ 660.00	8801089212177
Camera - Network	QNE-8011R	5MP IR Outdoor Flat-Eye	Wisenet Q mini network outdoor flateye camera, 5MP @ 30fps, 2.8mm fixed focal lens (104°), triple codec H.265/H.264/MJPEG with Wisestream II, 120dB WDR, IR LEDs range 65', defocus detection, hallway View, IP67, IK10, PoE, white color	\$ 470.00	8801089163868
Camera - Network	QNF-8010	6MP Indoor fisheye	Wisenet Q series network Indoor fisheye dome camera, 6MP CMOS sensor, max resolution 2048x2048 @ 30fps, triple codec H.265/H.264/MJPEG with WiseStream II technology, WDR 120dB, business analytics (heatmap and people counting), built-in SD card slot, PoE	\$ 675.00	8801089153753
Camera - Network	TNV-C8011RW	5MP AI, IR Wall Mount Panoramic Camera	T Series, wall mount AI panoramic camera, 5MP @ 30 FPS, 1.6mm fixed focal lens (HFOV: 175°, VFOV: 125°), Triple CODEC (H.265/H.264/MJPEG) with WiseStream III (based on AI engine) support, 120dB WDR, IR viewable length 15m (49ft), WiseMD based on AI engine, Classified object type: Person/Vehicle (vehicle type: car/bus/truck/motorcycle/bicycle), IVA events based on AI engine, Virtual line (Crossing/Direction), Virtual area (Loitering/Intrusion/Enter/Exit/Dis/Appear), virtual area (intrusion/enter/exit), virtual line (crossing/ direction), Business analytics: People Counting, Queue Management, Heatmap, Occupancy, Tamper detection, built-in mic, SD card, IP66, PoE, white color	\$ 860.00	8801089228246
Camera - Network	TNV-8011C	5MP Compact corner mount camera	Compact corner mount camera, 5MP @ 30fps, triple codec, WDR 120dB, 2.3mm fixed, USB and CVBS, true DIN, SD cards slots, hallway view, HLC, defog detection, PoE, Audio-In/Audio-out, Wisenet open platform IP66, IP6K9K, IK10, video analytics- Defocus, Directional, Motion, Enter/Exit, Tampering, Virtual line, Audio	\$ 850.00	8801089210524
4MP Cameras					
Camera - Network	PNM-C7083RVD	2MP X 2 AI, IR outdoor Dome	Network vandal outdoor 2CH AI IR dome camera, (2MP X 2 sensors) 4MP @ 30fps, 3-6mm(2x) (107°~56.3°) motorized varifocal lens, Triple codec (H.265/H.264/MJPEG), IR viewable length 25m (82ft), USB port for easy installation, Day & Night (ICR), extremeWDR (120dB), DIS, Handover, Analytics events based on AI engine: Object detection(Person/Face/Vehicle/License plate), IVA (Virtual line/Area, Enter/Exit, Loitering, direction, intrusion), Analytics events : Defocus detection, Motion detection, Tampering, Audio detection, Sound classification, Appear/Disappear, FIPS 140-2, micro SD card 512GB, IP66, NEMA4X, IK10, Operating temperature: -40°C~+55°C(-40°F ~ +131°F), Power: PoE+, Metal shielded RJ-45, Hard-coated dome bubble	\$ 1,750.00	8801089217448
Camera - Network	XNP-C7310R	4MP AI Focus IR, PTZ	Powered by WN7 and AI.AMP @ 30FPS resolution, 6.91mm~214.64mm (31x) lens with Wise AF intelligent autofocus, adaptive Wise IR (300m), extreme WDR 120dB, Day & Night ICR, H.265, H.264, MJPEG triple codec with WiseStream III (based on AI engine) support, Analytics events based on AI engine: Object detection (Person/Face/ Vehicle/License plate), Virtual line (Crossing/ Direction), Virtual area (Loitering/Intrusion/Enter/Exit), Analytics events: Defocus detection, Motion detection, Tampering, Fog detection, Audio detection, Sound classification (with NW I/O box), AI object auto-tracking (Person/Vehicle) with target lock tracking, BLC, HLC, SSDR, lens heater for water/snow removal, IP66, IP67, IK10, NEMA4X, NEMA-TS 212.2.7, 2.2.8, 2.2.9), FIPS 140-2, PoE++HfPoE injector included, Operating Temperature -50°C~+55°C(-58°F ~ +131°F), Compatible with I/O Box SPM-4210)	\$ 4,250.00	8801089222441
Camera - Network	PNM-7082RVD	2MP X 2, IR outdoor Dome	Network vandal outdoor 2CH IR dome camera, (2MP X 2 sensors) 4MP @ 30fps, 3-6mm(2x) (107°~56.3°) motorized varifocal lens, Triple codec (H.265/H.264/MJPEG), IR viewable length 25m (82ft), USB port for easy installation, Day & Night (ICR), extremeWDR (150dB), DIS, Handover, IVA (Virtual line/Area, Enter/Exit, Loitering, direction, intrusion), Analytics events : Defocus detection, Directional detection, Motion detection, Appear/Disappear, Enter/Exit, Loitering, Tampering, Virtual line, Audio detection, Sound classification, FIPS 140-2, micro SD card 512GB, IP66, NEMA4X, IK10, Operating temperature: -40°C~+55°C(-40°F ~ +131°F), Power: PoE+, Metal shielded RJ-45, Hard-coated dome bubble	\$ 1,400.00	8801089217462
Camera - Network	PNM-7002VD	2MP X 2 outdoor Dome	Network vandal outdoor Multi-sensor Multi-Directional dome camera, (2MP X 2 sensors sold separately) 4MP @ 60fps, modular lenses from 2.4, 2.8, 3.6 and 6mm lenses, triple codec H.265/H.264/MJPEG with WiseStream II technology, 150dB WDR, built in analytics, 4x SD card, hallway view, HLC, defog detection, DIS, PoE, IP66/IK10, -40°C ~ +55°C (-40°F ~ +131°F). Size modules: SLA-2M4202D (2.4mm), SLA-2M802D (2.8mm), SLA-2M3602D (3.6mm), SLA-2M6002D (6mm), WHITE COLOR	\$ 1,100.00	8801089176691
Camera - Network	ANO-L7012R	4MP IR Bullet	Wisenet A Series bullet camera, AMP @ 30 FPS, 3mm fixed focal lens, WiseStream II, triple codec (H.265/H.264/MJPEG), 120dB WDR, IR LEDs 20m(65.62ft), day & night (ICR), FOV H: 98.3° / V: 54.2°, virtual area (intrusion/enter/exit), virtual Line (crossing/ direction), motion detection, tampering, hallway view, SD card, IP66, PoE, white.	\$ 220.00	8801089212412
Camera - Network	ANO-L7022R	4MP IR Bullet	Wisenet A Series bullet camera, 4MP @ 30 FPS, 4mm fixed focal lens, WiseStreamII, triple codec (H.265/H.264/MJPEG), 120dB WDR, IR LEDs 25m(82.02ft), day & night (ICR), FOV H: 78.3° / V: 42.9°, virtual area (intrusion/enter/exit), virtual Line (crossing/ direction), motion detection, tampering, hallway view, SD card, IP66, PoE, white.	\$ 220.00	8801089212405
Camera - Network	ANO-L7082R	4MP IR Bullet	Wisenet A Series bullet camera, AMP @ 30 FPS, motorized varifocal lens 3.1x (3.3~10.3mm) (94.8° ~ 28.1°), WiseStream II, triple codec (H.265/H.264/MJPEG), 120dB WDR, IR LEDs 30m (98.43ft), day & night (ICR), virtual area (intrusion/enter/exit), virtual Line (crossing/ direction), motion detection, tampering, hallway view, SD card, IP66, PoE, white.	\$ 300.00	8801089212443
Camera - Network	ANV-L7012R	4MP IR Vandal Dome	Wisenet A Series outdoor vandal dome camera, 4MP @ 30 FPS, 3mm fixed focal lens, WiseStreamII, triple codec (H.265/H.264/MJPEG), 120dB WDR, IR LEDs 20m(65.62ft), day & night (ICR), FOV H: 98.3° / V: 54.2°, virtual area (intrusion/enter/exit), virtual Line (crossing/ direction), motion detection, tampering, hallway view, SD card, IP66, IK10, PoE, white.	\$ 220.00	8801089212689
Camera - Network	ANV-L7082R	4MP IR Vandal Dome	Wisenet A Series outdoor vandal dome camera, 4MP @ 30 FPS, motorized varifocal lens 3.1x (3.3~10.3mm) (94.8° ~ 28.1°), WiseStream II, triple codec (H.265/H.264/MJPEG), 120dB WDR, IR LEDs 30m (98.43ft), day & night (ICR), virtual area (intrusion/enter/exit), virtual Line (crossing/ direction), motion detection, tampering, hallway view, SD card, IP66, IK10, PoE, white.	\$ 300.00	8801089212450
Camera - Network	ANE-L7012L	4MP White Light Turret Camera	Wisenet A Series White Light turret camera, 4MP @ 30 FPS, 3mm fixed focal lens, WiseStream II, Triple codec (H.265/H.264/MJPEG), 120dB WDR, 24h color mode, FOV H: 98.3° / V: 54.2°, virtual area (intrusion/enter/exit), virtual Line (crossing/ direction), motion detection, tampering, hallway view, SD card, IP66, PoE, white	\$ 270.00	8801089226013
Camera - Network	ANE-L7012R	4MP Turret Camera	Wisenet A Series turret camera, AMP @ 30 FPS, 3mm fixed focal lens, WiseStream II, Triple codec (H.265/H.264/MJPEG), 120dB WDR, IR LEDs 20m(65.62ft), day & night (ICR), FOV H: 98.3° / V: 54.2°, virtual area (intrusion/enter/exit), virtual Line (crossing/ direction), motion detection, tampering, hallway view, SD card, IP66, PoE, white.	\$ 270.00	8801089216038
Camera - Network	QND-7012R	4MP IR Dome	Wisenet Q network indoor dome camera, 4MP @30fps, 2.8mm fixed focal lens (107°), triple codec H.265/H.264/MJPEG with Wisestream II, 120dB WDR, IR LEDs range 65', motion detection, tampering, defocus detection, hallway View, one way audio and SD card (max. 128GB), PoE/12VDC, white color	\$ 339.00	8801089202154
Camera - Network	QND-7022R	4MP IR Dome	Wisenet Q network indoor dome camera, 4MP @30fps, 4mm fixed focal lens (78°), triple codec H.265/H.264/MJPEG with Wisestream II, 120dB WDR, IR LEDs range 65', motion detection, tampering, defocus detection, hallway View, one way audio and SD card (max. 128GB), PoE/12VDC, white color	\$ 339.00	8801089202215
Camera - Network	QND-7032R	4MP IR Dome	Wisenet Q network indoor dome camera, 4MP @30fps, 6mm fixed focal lens (49°), triple codec H.265/H.264/MJPEG with Wisestream II, 120dB WDR, IR LEDs range 65', motion detection, tampering, defocus detection, hallway View, one way audio and SD card (max. 128GB), PoE/12VDC, white color	\$ 339.00	8801089202185
Camera - Network	QND-7082R	4MP IR Dome	Wisenet Q network indoor dome camera, 4MP @30fps, motorized vari-focal lens 3.1x (3.2 ~ 10.0mm) (109°~33.2°), triple codec H.265/H.264/MJPEG with Wisestream II, 120dB WDR, IR LEDs range 20m (65.62'), Motion detection, Tampering, Defocus detection, Hallway view, LDC support, Built-in mic (One way audio), Micro SD/SDHC/SDXC card 1 slot (Max. 128GB), PoE/12VDC (White color)	\$ 559.00	8801089202314
Camera - Network	QNV-7012R	4MP IR Vandal Dome	Wisenet Q network outdoor vandal dome camera, 4MP @30fps, 2.8mm fixed focal lens (107°), triple codec H.265/H.264/MJPEG with Wisestream II, 120dB WDR, IR LEDs range 65', motion detection, tampering, defocus detection, hallway View, one way audio and SD card (max. 128GB), IP66, IK10, PoE/12VDC, white color	\$ 429.00	8801089202574
Camera - Network	QNV-7022R	4MP IR Vandal Dome	Wisenet Q network outdoor vandal dome camera, 4MP @30fps, 4mm fixed focal lens (78°), triple codec H.265/H.264/MJPEG with Wisestream II, 120dB WDR, IR LEDs range 82', motion detection, tampering, defocus detection, hallway View, one way audio and SD card (max. 128GB), IP66, IK10, PoE/12VDC, white color	\$ 429.00	8801089202581
Camera - Network	QNV-7032R	4MP IR Vandal Dome	Wisenet Q network outdoor vandal dome camera, 4MP @30fps, 6mm fixed focal lens (49°), triple codec H.265/H.264/MJPEG with Wisestream II, 120dB WDR, IR LEDs range 98', motion detection, tampering, defocus detection, hallway View, one way audio and SD card (max. 128GB), IP66, IK10, PoE/12VDC, white color	\$ 429.00	8801089202673
Camera - Network	QNV-7082R	4MP IR Vandal Dome	Wisenet Q network outdoor vandal dome camera, 4MP @30fps, motorized vari-focal lens 3.1x (3.2 ~ 10.0mm) (109°~33.2°), triple codec H.265/H.264/MJPEG with Wisestream II, 120dB WDR, IR LEDs range 30m (98.42'), Motion detection, Tampering, Defocus detection, Hallway view, LDC support, One way audio - Line in, Micro SD/SDHC/SDXC card 1 slot (Max. 128GB), IP66, IK10, PoE/12VDC (White color)	\$ 619.00	8801089202703
Camera - Network	QNO-7012R	4MP IR Bullet	Wisenet Q network outdoor vandal bullet camera, 4MP @30fps, 2.8mm fixed focal lens (107°), triple codec H.265/H.264/MJPEG with Wisestream II, 120dB WDR, IR LEDs range 65', motion detection, tampering, defocus detection, hallway View, one way audio and SD card (max. 128GB), IP66, IK10, PoE/12VDC	\$ 429.00	8801089202352
Camera - Network	QNO-7022R	4MP IR Bullet	Wisenet Q network outdoor vandal bullet camera, 4MP @30fps, 4mm fixed focal lens (78°), triple codec H.265/H.264/MJPEG with Wisestream II, 120dB WDR, IR LEDs range 82', motion detection, tampering, defocus detection, hallway View, one way audio and SD card (max. 128GB), IP66, IK10, PoE/12VDC	\$ 429.00	8801089202413
Camera - Network	QNO-7032R	4MP IR Bullet	Wisenet Q network outdoor vandal bullet camera, 4MP @30fps, 6mm fixed focal lens (49°), triple codec H.265/H.264/MJPEG with Wisestream II, 120dB WDR, IR LEDs range 98', motion detection, tampering, defocus detection, hallway View, one way audio and SD card (max. 128GB), IP66, IK10, PoE/12VDC	\$ 429.00	8801089202383
Camera - Network	QNO-7082R	4MP IR Bullet	Wisenet Q network outdoor vandal bullet camera, 4MP @30fps, motorized vari-focal lens 3.1x (3.2 ~ 10.0mm) (109°~33.2°), triple codec H.265/H.264/MJPEG with Wisestream II, 120dB WDR, IR LEDs range 30m (98.42'), Motion detection, Tampering, Defocus detection, Hallway view, LDC support, One way audio - Line in, Micro SD/SDHC/SDXC card 1 slot (Max. 128GB), IP66, IK10, PoE/12VDC	\$ 619.00	8801089202390

Camera - Network	XND-C7083RV	4MP IR Indoor Vandal Dome AI Camera	Powered by WN7, Indoor Network AI IR Dome Camera, 4MP resolution @ 60FPS (WDR off)/30FPS (WDR on), 2.8-10mm(3.6x) (109.7°~30.4°) motorized varifocal lens, Triple codec (H.265/H.264/MJPEG), IR viewable length 40m (131.2ft), USB port for easy installation, Day & Night (ICR), extremeWDR (120dB), DIS with built-in Gyro sensor, Handover, Hard-coated dome bubble, Analytics events based on AI engine: Object detection(Person/Face/Vehicle/License plate), IVA (Virtual line/Area, Enter/Exit, Littering, direction, intrusion), Analytics events : Defocus detection, Motion detection, Tampering, Fog detection, Audio detection, Sound classification, Shock detection, Appear/Disappear, IP52, IK08, Operating temperature: -10 °C ~ 50 °C(14°F ~ +122°F), Power: PoE/12VDC, Metal shielded RJ-45	\$ 1,300.00	8801089207968
Camera - Network	XNO-C7083R	4MP IR Bullet AI camera	Powered by WN7, Outdoor Network AI IR Bullet Camera, 4MP resolution @ 60FPS (WDR off)/30FPS (WDR on), 2.8-10mm(3.6x) (109.7°~30.4°) motorized varifocal lens, Triple codec (H.265/H.264/MJPEG), IR viewable length 40m (131.2ft), USB port for easy installation, Day & Night (ICR), extremeWDR (120dB), DIS with built-in Gyro sensor, Handover, Hard-coated window, Analytics events based on AI engine: Object detection(Person/Face/Vehicle/License plate), IVA (Virtual line/Area, Enter/Exit, Littering, direction, intrusion), Analytics events : Defocus detection, Motion detection, Tampering, Fog detection, Audio detection, Sound classification, Shock detection, Appear/Disappear, UL CAP certified, P66, IP67, NEMA4X, IK10, Operating temperature 40°C→55°C(40°F ~ +131°F), Power: PoE/12VDC, Metal shielded RJ-45	\$ 1,400.00	8801089207913
Camera - Network	XNV-C7083R	4MP IR Outdoor Vandal Dome AI Camera	Powered by WN7, Outdoor Network AI IR Vandal Dome Camera, 4MP resolution @ 60FPS (WDR off)/30FPS (WDR on), 2.8-10mm(3.6x) (109.7°~30.4°) motorized varifocal lens, Triple codec (H.265/H.264/MJPEG), IR viewable length 40m (131.2ft), USB port for easy installation, Day & Night (ICR), extremeWDR (120dB), DIS with built-in Gyro sensor, Handover, Hard-coated dome bubble, Analytics events based on AI engine : Object detection(Person/Face/Vehicle/License plate), IVA (Virtual line/Area, Enter/Exit, Littering, direction, intrusion), Analytics events : Defocus detection, Motion detection, Tampering, Fog detection, Audio detection, Sound classification, Shock detection, Appear/Disappear, P66, IP67, NEMA4X, IK10, Operating temperature: -40°C→55°C(40°F ~ +131°F), Power: PoE/12VDC, Metal shielded RJ-45	\$ 1,400.00	8801089208019
3MP Cameras					
Camera - Network	TNV-C7013RC	3MP AI IR Vandal Corner Camera	Wisenet T network outdoor AI, IR corner mount camera, 3MP @ 30fps, fixed lens 2.39mm (H:128°, V:100°), 940nm Wise IR 15m(49.21ft), built-in mic, triple codec H.265H.264/MJPEG with, edreamWDR 120dB, Improve image quality based on AI (WiseStreamII), WiseNRII, prefer shutter control) Classified object type: Person/Face/License Plate/Vehicle, Handover, Hard-coated window, Analytics events based on AI engine: IVA (Virtual line/Area, Enter/Exit, Littering, Direction, Intrusion), Clothes color detection, single SD card, HLC, defog detection, DIS, PoE, IP66, IP6K9K, IK10+, Anti-ligature design, Operating Temperature -10°C ~ +55°C (14°F ~ +131°F)	\$ 1,500.00	8801089225320
Camera - Network	TNV-7011RC	3MP IR Vandal Corner Camera	Wisenet T powered by Wisenet 5 network outdoor IR corner mount camera, 3MP, 2048*1536 @ 30fps, 2.8mm fixed lens (102°/75°), 940nm IR 32', built-in mic, triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, advanced video analytics and business analytics, single SD card, HLC, defog detection, DIS, PoE, IP66 Nema 4X, IK10	\$ 1,500.00	8801089210517
2MP Cameras					
Camera - Network	PND-A6081RF	2MP IR Indoor Flush Mount Dome AI Camera	2MP Network AI IR Dome Camera, Max 2MP resolution, Up to 120fps, 0.007Lux@F1.3 (Color), 0Lux (B/W, IR LED on), IR Viewable Length 40m(131.23ft), Wise IR, Day & Night (ICR), WDR (120dB), WiseNR II (Using AI engine), H.265, H.264, MJPEG, WiseStream II, WiseStream III (Using AI engine), Video Analytics based on AI [Object detection and classification (Person, Face, Vehicle, License Plate), Face mask detection, Social distancing detection, Attribute, BestShot] People counting, Heatmap, Queue management based on AI, TPM with FIPS 140-2 level2, Secure boot, Verify firmware forgery, Hard-coated dome bubble, IP52, IK10, Plenum rate, Modular structure for easy install, PoE+	\$ 1,470.00	8801089199423
Camera - Network	PND-A6081RV	2MP IR Indoor Vandal Dome AI Camera	2MP Network AI IR Dome Camera, Max 2MP resolution, Up to 120fps, 0.007Lux@F1.3 (Color), 0Lux (B/W, IR LED on), IR Viewable Length 40m(131.23ft), Wise IR, Day & Night (ICR), WDR (120dB), WiseNR II (Using AI engine), H.265, H.264, MJPEG, WiseStream II, WiseStream III (Using AI engine), Video Analytics based on AI [Object detection and classification (Person, Face, Vehicle, License Plate), Face mask detection, Social distancing detection, Attribute, BestShot] People counting, Heatmap, Queue management based on AI, TPM with FIPS 140-2 level2, Secure boot, Verify firmware forgery, Hard-coated dome bubble, IP52, IK10, Modular structure for easy install, PoE+	\$ 1,470.00	8801089199492
Camera - Network	PNV-A6081R-E2T	2MP IR Outdoor Vandal Dome, SolidEdge Camera with 2TB SSD	2MP Network AI IR Vandal Dome Camera with built-in 2TB SSD and pre-installed WAVE server and ability to record up to 5 additional cameras. Max 2MP resolution, Up to 120fps, 0.007Lux@F1.3 (Color), 4.38-9.33mm(2.13x) motorized varifocal lens, 0Lux (B/W, IR LED on), IR Viewable Length 40m(131.23ft), Wise IR, Day & Night (ICR), WDR (120dB), WiseNR II, H.265, H.264, MJPEG, WiseStream II, People counting, Heatmap, Queue management, TPM with FIPS 140-2 level2, Secure boot, Verify firmware forgery, Hard-coated dome bubble/IP66, IP67, IP6K9K, IK10+, NEMA4X, Modular structure for easy Install, PoE+, 2TB SSD included, Pre-Installed WAVE server with 1CH Pro license	\$ 3,100.00	8801089232777
Camera - Network	PNV-A6081R-E1T	2MP IR Outdoor Vandal Dome, SolidEdge Camera with 1TB SSD	2MP Network AI IR Vandal Dome Camera with built-in 1TB SSD and pre-installed WAVE server and ability to record up to 5 additional cameras. Max 2MP resolution, Up to 120fps, 0.007Lux@F1.3 (Color), 4.38-9.33mm(2.13x) motorized varifocal lens, 0Lux (B/W, IR LED on), IR Viewable Length 40m(131.23ft), Wise IR, Day & Night (ICR), WDR (120dB), WiseNR II, H.265, H.264, MJPEG, WiseStream II, People counting, Heatmap, Queue management, TPM with FIPS 140-2 level2, Secure boot, Verify firmware forgery, Hard-coated dome bubble/IP66, IP67, IP6K9K, IK10+, NEMA4X, Modular structure for easy Install, PoE+, 1TB SSD included, Pre-Installed WAVE server with 1CH Pro license	\$ 2,750.00	8801089223760
Camera - Network	PNV-A6081R	2MP IR Outdoor Vandal Dome AI Camera	2MP Network AI IR Vandal Dome Camera, Max 2MP resolution, Up to 120fps, 0.007Lux@F1.3 (Color), 0Lux (B/W, IR LED on), IR Viewable Length 40m(131.23ft), Wise IR, Day & Night (ICR), WDR (120dB), WiseNR II (Using AI engine), H.265, H.264, MJPEG, WiseStream II, WiseStream III (Using AI engine), Video Analytics based on AI [Object detection and classification (Person, Face, Vehicle, License Plate), Face mask detection, Social distancing detection, Attribute, BestShot] People counting, Heatmap, Queue management based on AI, TPM with FIPS 140-2 level2, Secure boot, Verify firmware forgery, Hard-coated dome bubble/IP66, IP67, IP6K9K, IK10+, NEMA4X, Modular structure for easy install, PoE+	\$ 1,670.00	8801089199355
Camera - Network	PNO-A6081R	2MP IR Bullet AI camera	2MP Network AI IR Bullet Camera, Max 2MP resolution, Up to 120fps, 0.007Lux@F1.3 (Color), 0Lux (B/W, IR LED on), IR Viewable Length 40m(131.23ft), Wise IR, Day & Night (ICR), WDR (120dB), WiseNR II (Using AI engine), H.265, H.264, MJPEG, WiseStream II, WiseStream III (Using AI engine), Video Analytics based on AI [Object detection and classification (Person, Face, Vehicle, License Plate), Face mask detection, Social distancing detection, Attribute, BestShot] People counting, Heatmap, Queue management based on AI, TPM with FIPS 140-2 level2, Secure boot, Verify firmware forgery, IP66, IP67, IK10, NEMA4X, PoE+	\$ 1,570.00	8801089199287
Camera - Network	PNB-A6001	2MP Box AI camera	2MP Network AI Box Camera, Max 2MP resolution, Up to 120fps, 0.006Lux@F1.2, (Color), 0.006Lux@F1.2, 130sec. (B/W), Day & Night (ICR), WDR (120dB), WiseNR II (Using AI engine), H.265, H.264, MJPEG, WiseStream II, WiseStream III (Using AI engine), Video Analytics based on AI [Object detection and classification (Person, Face, Vehicle, License Plate), Face mask detection, Social distancing detection, Attribute, BestShot] People counting, Heatmap, Queue management based on AI, TPM with FIPS 140-2 level2, Secure boot, Verify firmware forgery, PoE+	\$ 1,120.00	8801089199119
Camera - Network	XND-C6083RV	2MP IR Indoor Vandal Dome AI Camera	Powered by WN7, Indoor Network AI IR Dome Camera, 2MP resolution @ 60FPS, 2.8-12mm(4.3x) (119.5°-27.9°) motorized varifocal lens, Triple codec (H.265/H.264/MJPEG), IR viewable length 40m (131.2ft), USB port for easy installation, Day & Night (ICR), extremeWDR (150dB), DIS with built-in Gyro sensor, Handover, Hard-coated dome bubble, Analytics events based on AI engine : Object detection(Person/Face/Vehicle/License plate), IVA (Virtual line/Area, Enter/Exit, Littering, direction, intrusion), Analytics events : Defocus detection, Motion detection, Tampering, Fog detection, Audio detection, Sound classification, Shock detection, Appear/Disappear, IP52, IK08, Operating temperature: -10 °C ~ 50 °C(14°F ~ +122°F), Power: PoE/12VDC, Metal shielded RJ-45	\$ 1,050.00	8801089207960 8801089207906
Camera - Network	XNV-C6083R	2MP IR Outdoor Vandal Dome AI Camera	Powered by WN7, Outdoor Network AI IR Vandal Dome Camera, 2MP resolution @ 60FPS, 2.8-12mm(4.3x) (119.5°-27.9°) motorized varifocal lens, Triple codec (H.265/H.264/MJPEG), IR viewable length 40m (131.2ft), USB port for easy installation, Day & Night (ICR), extremeWDR (150dB), DIS with built-in Gyro sensor, Handover, Hard-coated dome bubble, Analytics events based on AI engine: Object detection(Person/Face/Vehicle/License plate), IVA (Virtual line/Area, Enter/Exit, Littering, direction, intrusion), Analytics events : Defocus detection, Motion detection, Tampering, Fog detection, Audio detection, Sound classification, Shock detection, Appear/Disappear, P66, IP67, NEMA4X, IK10, Operating temperature: -40°C→55°C(40°F ~ +131°F), Power: PoE/12VDC, Metal shielded RJ-45	\$ 1,200.00	8801089198242 8801089208057
Camera - Network	XND-6083RV	2MP IR Indoor Vandal Dome AI Camera	Powered by WN7, X-Plus series, Indoor Network AI IR Dome Camera, 2MP resolution @ 120FPS, 2.8-12mm(4.3x) (119.5°-27.9°) motorized varifocal lens, Triple codec (H.265/H.264/MJPEG), IR viewable length 50m (164ft), USB port for easy installation, Day & Night (ICR), extremeWDR (150dB), DIS with built-in Gyro sensor, Handover, Hard-coated dome bubble, Analytics events based on AI engine : Object detection(Person/Face/Vehicle/License plate), IVA (Virtual line/Area, Enter/Exit, Littering, direction, intrusion), Analytics events : Defocus detection, Motion detection, Tampering, Fog detection, Audio detection, Sound classification, Shock detection, Appear/Disappear, FIPS 140-2, 2x micro SD card (512GB x2), IP52, IK10, Operating temperature: -25 °C ~ 60 °C(13°F ~ +140°F), Power: PoE+/12VDC, Metal shielded RJ-45	\$ 1,200.00	8801089207791
Camera - Network	XNV-6083RZ	2MP IR Outdoor Vandal Dome AI, PTRZ Camera	Powered by WN7, X-Plus series, Outdoor Network AI IR Vandal Dome Camera, 2MP resolution @ 120FPS, 2.8-12mm (4.3x) (120°-27°) motorized varifocal lens, Remote lens adjustment (PTZ), Triple codec (H.265/H.264/MJPEG), IR Viewable Length: 15m(49.21ft) / 30m(98.43ft) based on scene, USB port for easy installation, Day & Night (ICR), extremeWDR (150dB), DIS with built-in Gyro sensor, Handover, Hard-coated dome bubble, Analytics events based on AI engine: Object detection(Person/Face/Vehicle/License plate), IVA (Virtual line/Area, Enter/Exit, Littering, direction, intrusion), Analytics events : Defocus detection, Motion detection, Tampering, Fog detection, Audio detection, Sound classification (with NW I/O box), Shock detection, Appear/Disappear, FIPS 140-2, 2x micro SD card (512GB x2), IP66, IP67, IP6K9K, NEMA4X, IK10+, Operating temperature: -50°C→55°C(58°F ~ +131°F), Power: PoE+/12VDC, Metal shielded RJ-45	\$ 1,450.00	8801089211330
Camera - Network	XNV-6083R	2MP IR Outdoor Vandal Dome AI Camera	Powered by WN7, X-Plus series, Outdoor Network AI IR Vandal Dome Camera, 2MP resolution @ 120FPS, 2.8-12mm(4.3x) (119.5°-27.9°) motorized varifocal lens, Triple codec (H.265/H.264/MJPEG), IR viewable length 50m (164ft), USB port for easy installation, Day & Night (ICR), extremeWDR (150dB), DIS with built-in Gyro sensor, Handover, Hard-coated dome bubble, Analytics events based on AI engine: Object detection(Person/Face/Vehicle/License plate), IVA (Virtual line/Area, Enter/Exit, Littering, direction, intrusion), Analytics events : Defocus detection, Motion detection, Tampering, Fog detection, Audio detection, Sound classification, Shock detection, Appear/Disappear, FIPS 140-2, 2x micro SD card (512GB x2), P66, IP67, NEMA4X, IK10+, Operating temperature: -50°C→55°C(58°F ~ +131°F), Power: PoE+/12VDC, Metal shielded RJ-45	\$ 1,400.00	8801089207876
Camera - Network	XNB-6003	2MP Box AI Camera	Powered by WN7, X-Plus series, Box Camera, 2MP resolution @ 120FPS, Triple codec (H.265/H.264/MJPEG), USB port for easy installation, Day & Night (ICR), extremeWDR (150dB), DIS with built-in Gyro sensor, Handover, Analytics events based on AI engine: Object detection(Person/Face/Vehicle/License plate), IVA (Virtual line/Area, Enter/Exit, Littering, direction, intrusion), Analytics events : Defocus detection, Motion detection, Tampering, Fog detection, Audio detection, Sound classification, Shock detection, Appear/Disappear, FIPS 140-2, 2x micro SD card (512GB x2), Operating temperature: -10 °C ~ 55 °C(14°F ~ +131°F), Power: PoE+/12VDC, Metal shielded RJ-45	\$ 900.00	8801089207739
Camera - Network	XNP-C6403RW	2MP AI IR, Wiper PTZ	Powered by WN7 PTZ Plus with AI, 2MP @ 60FPS resolution, 4.25mm-170mm (40x) lens, build in wiper and adaptive Wise IR (200m), extreme WDR 150dB, Day & Night ICR, H.265, H.264, MJPEG codec support, Intelligent Analytics, Object auto tracking(Person/Vehicle), Target lock track, BLC, HLC, SSDR, lens heater for water/snow removal, IP66, IK10, NEMA4X, NEMA-TS 2(2.2.7, 2.2.8, 2.2.9), PoE++/HPoE injector included, Operating Temperature -40°C→55°C(40°F ~ +131°F), (Compatible with I/O Box SPM-4210)	\$ 4,100.00	8801089224712
Camera - Network	XNP-6400RW	2MP IR, Wiper PTZ	Powered by WN7, 2MP @ 60FPS resolution, 4.25mm-170mm (40x) lens, build in wiper and Wise IR (200m), extreme WDR 150dB, Day & Night ICR, H.265, H.264, MJPEG codec support, Intelligent Analytics, Object auto tracking(Person/Vehicle), Target lock track, BLC, HLC, SSDR, lens heater for water/snow removal, IP66, IK10(Camera body only), NEMA4X, NEMA-TS 2(2.2.7, 2.2.8, 2.2.9), PoE++/HPoE injector included, Operating Temperature -40°C→55°C(40°F ~ +131°F), (Compatible with I/O Box SPM-4210)	\$ 3,900.00	8801089192059
Camera - Network	XNP-C6403R	2MP AI IR PTZ	Powered by WN7 PTZ Plus with AI, 2MP @ 60FPS resolution, 4.25mm-170mm (40x) lens, adaptive Wise IR (200m), extreme WDR 150dB, Day & Night ICR, H.265, H.264, MJPEG codec support, Analytics events based on AI engine: Object detection (Person/Face/Vehicle/License plate), IVA (Virtual line/Area, Enter/Exit, Littering, direction, intrusion), Analytics events : Defocus detection, Motion detection, Tampering, Fog detection, Audio detection, Sound classification (with NW I/O box), Object auto-tracking (Person/Vehicle), Target lock track, BLC, HLC, SSDR, lens heater for water/snow removal, IP66, IK10, NEMA4X, NEMA-TS 2(2.2.7, 2.2.8, 2.2.9), FIPS 140-2, PoE++/HPoE injector included, Operating Temperature -40°C→55°C(40°F ~ +131°F), (Compatible with I/O Box SPM-4210)	\$ 3,800.00	8801089224668
Camera - Network	XNP-6400R	2MP, 40x, IR PTZ camera	Powered by WN7, 2MP @ 60FPS resolution, 4.25mm-170mm (40x) lens, Wise IR (200m), extreme WDR 150dB, Day & Night ICR, H.265, H.264, MJPEG codec support, Intelligent Analytics, Object auto tracking(Person/Vehicle), Target lock track, BLC, HLC, SSDR, lens heater for water/snow removal, IP66, IK10(Camera body only), NEMA4X, NEMA-TS 2 (2.2.7, 2.2.8, 2.2.9), PoE++/HPoE injector included, Operating Temperature -40°C→55°C(40°F ~ +131°F), (Compatible with I/O Box SPM-4210)	\$ 3,600.00	8801089182166
Camera - Network	XNP-C6403	2MP AI PTZ	Powered by WN7 PTZ Plus with AI, 2MP @ 60FPS resolution, 4.25mm-170mm (40x) lens, extreme WDR 150dB, Day & Night ICR, H.265, H.264, MJPEG codec support, Analytics events based on AI engine: Object detection (Person/Face/Vehicle/License plate), IVA (Virtual line/Area, Enter/Exit, Littering, direction, intrusion), Analytics events : Defocus detection, Motion detection, Tampering, Fog detection, Audio detection, Sound classification (with NW I/O box), Object auto-tracking (Person/Vehicle), Target lock track, BLC, HLC, SSDR, lens heater for water/snow removal, IP66, IK10, NEMA4X, NEMA-TS 2(2.2.7, 2.2.8, 2.2.9), FIPS 140-2, PoE++/HPoE injector included, Operating Temperature -40°C→55°C(40°F ~ +131°F), (Compatible with I/O Box SPM-4210)	\$ 3,550.00	8801089224613
Camera - Network	XNP-6400	2MP, 40x PTZ camera	Powered by WN7, 2MP @ 60FPS resolution, 4.25mm-170mm (40x) lens, extreme WDR 150dB, Day & Night ICR, H.265, H.264, MJPEG codec support, Intelligent Analytics, Object auto tracking (Person/Vehicle), Target lock track, BLC, HLC, SSDR, lens heater for water/snow removal, IP66, IK10, NEMA4X, NEMA-TS 2 (2.2.7, 2.2.8, 2.2.9), Power: PoE+, Operating Temperature -40°C→55°C(40°F ~ +131°F), (Compatible with I/O Box SPM-4210)	\$ 3,350.00	8801089181992
Camera - Network	XND-6081REV	2MP Indoor Dome, PoE extender camera	Wisenet X powered by Wisenet 5 network IR indoor dome camera with PoE Extender, PoE+ in PoE out, 2MP @60fps, Motorized Varifocal Lens (2.8mm-12mm), triple codec H.265H.264/MJPEG with WiseStream II technology,WDR 150dB, USB port for easy installation, advanced video analytics and sound classification, true DIN, dual SD card, hallway view, HLC, defog detection, DIS(Gyro), PoE/PoE+ , IP52, IK10, -25 °C ~ +60 °C (15 °F ~ +140 °F)	\$ 1,250.00	8801089187758

Camera - Network	XNV-6081RE	2MP Outdoor Dome, PoE extender camera	PoE+ Required	Wisenet X powered by Wisenet 5 network IR outdoor vandal dome camera with PoE Extender, PoE+ in PoE out, 2MP @60fps, Motorized Varifocal Lens (2.8mm - 12mm), triple codec H.265/H.264/MJPEG with WiseStream II technology, WDR 150dB, USB port for easy installation, advanced video analytics and sound classification, true D/N, dual SD card, hallway view, H.LC, defog detection, DIS(Gyro), PoE+PoE+, IP66/IP67/IP69K9, IK10+, NEMA4X, -50°C ~ +60°C (-58°F ~ +140°F)	\$ 1,350.00	8801089153685
Camera - Network	XNV-6081R	2MP IR Outdoor Dome		Wisenet X series Plus powered by Wisenet 5 IR network outdoor vandal dome camera, modular structure, 2MP, Full HD(1080p) @ 60fps, motorized vari-focal lens 4.3x (2.8~12mm) (119.5°~27.9°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 150dB WDR, USB port for easy installation, advanced video analytics, sound classification and business analytics, high powered IR LEDs range of 164', shock detection, audio playback, true D/N, dual SD card, hallway view, H.LC, defog detection, DIS (Gyro), 12VDC/PoE, optional 24VAC, IP67/IP66/IP69K9, IK10+, Nema 4X, -50°C ~ +60°C (-58°F ~ +140°F), white color, ivory skin included, optional black skin cover	\$ 1,300.00	8801089155986
Camera - Network	XND-6081RF	2MP IR Flush Mount Dome		Wisenet X series Plus powered by Wisenet 5 IR network indoor flush mount vandal dome camera, modular structure, 2MP, Full HD(1080p) @ 60fps, motorized vari-focal lens 4.3x (2.8~12mm) (119.5°~27.9°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 150dB WDR, USB port for easy installation, advanced video analytics, sound classification and business analytics, high powered IR LEDs range of 164', shock detection, audio playback, true D/N, dual SD card, hallway view, H.LC, defog detection, DIS (Gyro), 12VDC/PoE, IP52, plenum housing	\$ 1,200.00	8801089154750
Camera - Network	XND-6081RV	2MP IR Indoor Dome		Wisenet X series Plus powered by Wisenet 5 IR network indoor vandal dome camera, modular structure, 2MP, Full HD(1080p) @ 60fps, motorized vari-focal lens 4.3x (2.8~12mm) (119.5°~27.9°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 150dB WDR, USB port for easy installation, advanced video analytics, sound classification and business analytics, high powered IR LEDs range of 164', shock detection, audio playback, built-in mic, true D/N, dual SD card, hallway view, H.LC, defog detection, DIS (Gyro), 12VDC/PoE, IP52, IK10, white color, ivory skin included, optional black skin cover	\$ 1,200.00	8801089154828
Camera - Network	XNV-6081	2MP Outdoor Dome		Wisenet X series Plus powered by Wisenet 5 network outdoor vandal dome camera, modular structure, 2MP, Full HD(1080p) @ 60fps, motorized vari-focal lens 4.3x (2.8~12mm) (119.5°~27.9°), PTRZ, triple codec H.265/H.264/MJPEG with WiseStream II technology, 150dB WDR, USB port for easy installation, advanced video analytics, sound classification and business analytics, shock detection, audio playback, true D/N, dual SD card, hallway view, H.LC, defog detection, DIS (Gyro), 12VDC/PoE, optional 24VAC, IP67/IP66/IP69K9, IK10+, Nema 4X, -50°C ~ +60°C (-58°F ~ +140°F), white color, ivory skin included, optional black skin cover	\$ 1,200.00	8801089155047
Camera - Network	XND-6081V	2MP Indoor Vandal Dome		Wisenet X series Plus powered by Wisenet 5 network indoor vandal dome camera, modular structure, 2MP, Full HD(1080p) @ 60fps, motorized vari-focal lens 4.3x (2.8~12mm) (119.5°~27.9°), PTRZ, triple codec H.265/H.264/MJPEG with WiseStream II technology, 150dB WDR, USB port for easy installation, advanced video analytics, sound classification and business analytics, shock detection, audio playback, built-in mic, true D/N, dual SD card, hallway view, H.LC, defog detection, DIS (Gyro), 12VDC/PoE, IP52, IK10, white color, ivory skin included, optional black skin cover	\$ 1,100.00	8801089154910
Camera - Network	XNV-6081Z	2MP Outdoor PTRZ Dome		Wisenet X series Plus powered by Wisenet 5 network outdoor vandal dome camera, modular structure, 2MP, Full HD(1080p) @ 60fps, motorized vari-focal lens 4.3x (2.8~12mm) (119.5°~27.9°), PTRZ, triple codec H.265/H.264/MJPEG with WiseStream II technology, 150dB WDR, USB port for easy installation, advanced video analytics, sound classification and business analytics, shock detection, audio playback, true D/N, dual SD card, hallway view, H.LC, defog detection, DIS (Gyro), 12VDC/PoE, optional 24VAC, IP67/IP66/IP69K9, IK10+, Nema 4X, -50°C ~ +60°C (-58°F ~ +140°F), white color, ivory skin included, optional black skin cover	\$ 1,350.00	8801089152510
Camera - Network	XND-6081VZ	2MP Indoor PTRZ Dome		Wisenet X series Plus powered by Wisenet 5 network indoor vandal dome camera, modular structure, 2MP, Full HD(1080p) @ 60fps, motorized vari-focal lens 4.3x (2.8~12mm) (119.5°~27.9°), PTRZ, triple codec H.265/H.264/MJPEG with WiseStream II technology, 150dB WDR, USB port for easy installation, advanced video analytics, sound classification and business analytics, shock detection, audio playback, built-in mic, true D/N, dual SD card, hallway view, H.LC, defog detection, DIS (Gyro), 12VDC/PoE, IP52, IK10, white color, ivory skin included, optional black skin cover	\$ 1,250.00	8801089152558
Camera - Network	XND-6081FZ	2MP Flush Mount PTRZ Dome		Wisenet X series Plus powered by Wisenet 5 network indoor flush mount vandal dome camera, modular structure, 2MP, Full HD(1080p) @ 60fps, motorized vari-focal lens 4.3x (2.8~12mm) (119.5°~27.9°), PTRZ, triple codec H.265/H.264/MJPEG with WiseStream II technology, 150dB WDR, USB port for easy installation, advanced video analytics, sound classification and business analytics, shock detection, audio playback, true D/N, dual SD card, hallway view, H.LC, defog detection, DIS (Gyro), 12VDC/PoE, IP52, plenum housing	\$ 1,250.00	8801089152688
Camera - Network	XNP-6550RH	2MP IR 55x PTZ		Wisenet X powered by Wisenet 5 network outdoor PTZ camera, 2MP, Full HD(1080p) @ 60fps, 55X optical zoom lens (4.75mm - 261.4mm) (58.6° ~ 1.23°), Pan: 360° endless. Tilt: -5°~ 185°, triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video analytics and sound classification, true D/N, dual SD card, H.LC, defog (optical) DIS(Gyro), 24VAC/HPoE, IP66/IK10, -58°F ~ +131°F W/ 24VAC power supply	\$ 5,000.00	8801089144898
Camera - Network	XNP-6120H	2MP 12X PTZ		Wisenet X powered by Wisenet 5 network outdoor PTZ camera, 2MP, Full HD(1080p) @ 60fps, 12X optical zoom lens (5.2mm ~62.4mm) (54.58° ~ 5.30°), Pan: 360° endless. Tilt: -5°~ 185°, triple codec H.265/H.264/MJPEG with WiseStream II technology, 150dB WDR, USB port for easy installation, advanced video analytics and sound classification, true D/N, dual SD card, H.LC, defog detection, DIS(Gyro), 12VDC/PoE, IP66, IK10, -22°F ~ 131°F	\$ 1,700.00	8801089125477
Camera - Network	XNP-6040H	2MP 4.3X PTZ		Wisenet X powered by Wisenet 5 network outdoor PTZ camera, 2MP, Full HD(1080p) @ 60fps, 4.3X optical zoom lens (2.8mm ~12mm) (119.5° ~ 27.9°), Pan: 0°~350°. Tilt: 0°~ 90°, triple codec H.265/H.264/MJPEG with WiseStream II technology, 150dB WDR, USB port for easy installation, advanced video analytics and sound classification, true D/N, dual SD card, H.LC, defog detection, DIS(Gyro), 12VDC/PoE, IP66, IK10, -22°F ~ 131°F	\$ 1,200.00	8801089125480
Camera - Network	XNO-6085R	eXtraLUX IR Bullet		Wisenet X powered by Wisenet 5 network IR outdoor vandal bullet camera, eXtraLUX features 1/2" sensor with F0.94 Lens, back box, 2MP, Full HD(1080p) @60fps, motorized vari-focal lens 4.0x (4.1~16.4mm) (100°~26.2.9°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 150dB WDR, USB port for easy installation, advanced video analytics and sound classification, high powered IR LEDs range of 229', true D/N, dual SD card, hallway view, H.LC, defog detection, DIS (Gyro), backbox included, 12VDC/24VAC/PoE, IP67, IK10, Nema 4X, -40°C ~ +55°C (-40°F ~ +131°F)	\$ 1,350.00	8801089125354
Camera - Network	XNV-6085	eXtraLUX Outdoor PTRZ Dome		Wisenet X powered by Wisenet 5 network outdoor vandal dome camera, eXtraLUX features 1/2" sensor with F0.94 Lens, PTRZ, 2MP, Full HD(1080p) @60fps, motorized vari-focal lens 4.0x (4.1~16.4mm) (100°~26.2.9°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 150dB WDR, USB port for easy installation, advanced video analytics and sound classification, true D/N, dual SD card, hallway view, H.LC, defog detection, DIS (Gyro), 12VDC/24VAC/PoE, IP67, IK10, Nema 4X, -40°C ~ +55°C (-40°F ~ +131°F)	\$ 1,400.00	8801089125644
Camera - Network	XNB-6005	eXtraLUX Box Camera		Wisenet X powered by Wisenet 5 network box camera, eXtraLUX features 1/2" sensor, 2MP, Full HD(1080p) @60fps, triple codec H.265/H.264/MJPEG with WiseStream II technology, 150dB WDR, USB port for easy installation, advanced video analytics and sound classification and business analytics, true D/N, dual SD card, hallway view, H.LC, defog detection, DIS (Gyro), 12VDC/24VAC/PoE	\$ 950.00	8801089125156
Camera - Network	XNV-6123R	2MP 12X IR outdoor Dome		Powered by WN7, Outdoor Network AI IR 12x Zoom Vandal Dome Camera, 2MP @ 120 FPS, 5.2~62.4mm(12x) (54.58°~5.30°) zoom lens, Triple codec (H.265/H.264/MJPEG), IR viewable length 90m (295.28ft), USB port for easy installation, Day & Night (ICR), extremeWDR (150dB), DIS with built-in Gyro sensor, Handover, Hard-coated dome bubble, Analytics events based on AI engine: Object detection(Person/Face/Vehicle/License plate), IVA (Virtual line/Area, Enter/Exit, Loitering, direction, intrusion), Analytics events : Defocus detection, Motion detection, Tampering, Fog detection, Audio detection, Sound classification, Shock detection, Appear/Disappear, FIPS 140-2 certified, P66, IP67, NEMA4X, IK10, Power: PoE/12VDC, Metal shielded RJ-45	\$ 1,600.00	8801089210814
Camera - Network	XNV-6120R	2M 12X IR outdoor Dome		Wisenet X powered by Wisenet 5 network IR outdoor vandal dome camera, 2MP, Full HD(1080p) @60fps, 12X optical zoom lens (5.2mm ~62.4mm) (54.58° ~ 5.30°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 150dB WDR, USB port for easy installation, advanced video analytics and sound classification, high powered IR LEDs range of 229', true D/N, dual SD card, hallway view, H.LC, defog detection, DIS(Gyro), 12VDC/24VAC/PoE, IP67, IK10, Nema 4X, -40°C ~ +55°C (-40°F ~ +131°F)	\$ 1,500.00	8801089125675
Camera - Network	XNV-6120RLPR	Low Speed LPR Outdoor IR Dome	1 week Lead time	Wisenet X powered by Wisenet 5 network IR outdoor Low Speed LPR dome camera for Parking Lots; Drive-thrus; and Entry Gates up to 35MPH, 2MP, Full HD(1080p) @60fps, 12X optical zoom lens (5.2mm ~62.4mm) (54.58° ~ 5.30°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 150dB WDR, USB port for easy installation, backbox included, 12VDC/24VAC/PoE, IP67, IK10, NEMA4X, -40°C ~ +55°C (-40°F ~ +131°F) CARE IS RECOMMENDED IN SELECTING MOUNTING LOCATION - See Quick Start Guide Step 1. DEALER TRAINING OR HANWWA ENGINEER CONSULT RECOMMENDED BEFORE INSTALLING.	\$ 2,000.00	849688013243
Camera - Network	XNV-6120	2M 12X Outdoor Dome		Wisenet X powered by Wisenet 5 network outdoor vandal dome camera, 2MP, Full HD(1080p) @60fps, 12X optical zoom lens (5.2mm ~62.4mm) (54.58° ~ 5.30°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 150dB WDR, USB port for easy installation, advanced video analytics and sound classification, true D/N, dual SD card, hallway view, H.LC, defog detection, DIS(Gyro), 12VDC/24VAC/PoE, IP67, IK10, Nema 4X, -40°C ~ +55°C (-40°F ~ +131°F)	\$ 1,350.00	8801089125651
Camera - Network	XNO-6123R	2MP 12X IR Bullet		Powered by WN7, Outdoor Network AI IR 12x Zoom Bullet Camera, 2MP @ 120 FPS, 5.2~62.4mm(12x) (54.58°~5.30°) zoom lens, Triple codec (H.265/H.264/MJPEG), IR viewable length 90m (295.28ft), USB port for easy installation, Day & Night (ICR), extremeWDR (150dB), DIS with built-in Gyro sensor, Handover, Hard-coated window, Analytics events based on AI engine: Object detection(Person/Face/Vehicle/License plate), IVA (Virtual line/Area, Enter/Exit, Loitering, direction, intrusion), Analytics events : Defocus detection, Motion detection, Tampering, Fog detection, Audio detection, Sound classification, Shock detection, Appear/Disappear, FIPS 140-2 certified, P66, IP67, NEMA4X, IK10, Power: PoE/12VDC, Metal shielded RJ-45	\$ 1,600.00	8801089210821
Camera - Network	XNO-6120R	2M 12X IR Bullet		Wisenet X powered by Wisenet 5 network IR outdoor bullet camera, 2MP, Full HD(1080p) @60fps, 12X optical zoom lens (5.2mm ~62.4mm) (54.58° ~ 5.30°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 150dB WDR, USB port for easy installation, advanced video analytics and sound classification, high powered IR LEDs range of 229', true D/N, dual SD card, hallway view, H.LC, defog detection, DIS(Gyro), backbox included, 12VDC/24VAC/PoE, IP67, IK10, Nema 4X, -40°C ~ +55°C (-40°F ~ +131°F)	\$ 1,500.00	8801089125385
Camera - Network	XNO-6120RLPR	Low Speed LPR IR Bullet	1 week Lead time	Wisenet X powered by Wisenet 5 network IR outdoor Low Speed LPR bullet camera for Parking Lots; Drive-thrus; and Entry Gates up to 35MPH, 2MP, Full HD(1080p) @60fps, 12X optical zoom lens (5.2mm ~62.4mm) (54.58° ~ 5.30°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 150dB WDR, USB port for easy installation, backbox included, 12VDC/24VAC/PoE, IP67, IK10, NEMA4X, -40°C ~ +55°C (-40°F ~ +131°F) CARE IS RECOMMENDED IN SELECTING MOUNTING LOCATION - See Quick Start Guide Step 1. DEALER TRAINING OR HANWWA ENGINEER CONSULT RECOMMENDED BEFORE INSTALLING.	\$ 2,000.00	849688013236
Camera - Network	XNV-6080RSA	2MP Stainless Steel IR Dome	IP69K9K	Wisenet X powered by Wisenet 5 network IR stainless steel dome camera, 2MP, Full HD(1080p) @60fps, motorized vari-focal lens 4.3x (2.8~12mm) (119.5°~27.9°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 150dB WDR, USB port for easy installation, advanced video analytics and sound classification, high powered IR LEDs range of 164', true D/N, dual SD card, hallway view, H.LC, defog detection, DIS, 12VDC/24VAC/PoE, IP67, IK10, Nema 4X, IP69K9K, -40°C ~ +55°C (-40°F ~ +131°F)	\$ 1,620.00	8801089172662
Camera - Network	XNV-6080R	2MP IR Outdoor Dome		Wisenet X powered by Wisenet 5 network IR outdoor vandal dome camera, 2MP, Full HD(1080p) @60fps, motorized vari-focal lens 4.3x (2.8~12mm) (119.5°~27.9°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 150dB WDR, USB port for easy installation, advanced video analytics and sound classification, high powered IR LEDs range of 164', true D/N, dual SD card, hallway view, H.LC, defog detection, DIS, 12VDC/24VAC/PoE, IP67, IK10, Nema 4X, -40°C ~ +55°C (-40°F ~ +131°F)	\$ 1,150.00	8801089125613
Camera - Network	XNV-6080	2MP Outdoor Dome		Wisenet X powered by Wisenet 5 network outdoor vandal dome camera, 2MP, Full HD(1080p) @60fps, motorized vari-focal lens 4.3x (2.8~12mm) (119.5°~27.9°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 150dB WDR, USB port for easy installation, advanced video analytics and sound classification, true D/N, dual SD card, hallway view, H.LC, defog detection, DIS, 12VDC/24VAC/PoE, IP67, IK10, Nema 4X, -40°C ~ +55°C (-40°F ~ +131°F)	\$ 1,050.00	8801089125606
Camera - Network	XNV-6010	2MP Outdoor Dome		Wisenet X powered by Wisenet 5 network outdoor vandal dome camera, 2MP, Full HD(1080p) @60fps, 2.4mm fixed lens (139°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 150dB WDR, USB port for easy installation, advanced video analytics and sound classification and business analytics, true D/N, dual SD card, hallway view, H.LC, defog detection, DIS, 12VDC/PoE, IP67, IK10	\$ 650.00	8801089125576
Camera - Network	XNV-6020R	2MP IR Outdoor Dome		Wisenet X powered by Wisenet 5 network outdoor vandal dome camera, 2MP, Full HD(1080p) @60fps, 4mm fixed lens (88.6°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 150dB WDR, USB port for easy installation, advanced video analytics and sound classification and business analytics, high powered IR LEDs range of 98', true D/N, dual SD card, hallway view, H.LC, defog detection, DIS, 12VDC/PoE, IP67, IK10	\$ 650.00	8801089125590
Camera - Network	XNV-6011	2MP Compact Vandal Dome		Wisenet X powered by Wisenet 5 network outdoor compact vandal dome camera, 2MP, Full HD(1080p) @60fps, 2.8mm fixed lens (112°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 150dB WDR, USB port for easy installation, advanced video analytics and business analytics, single SD card, hallway view, H.LC, defog detection, DIS, PoE, IP66, Nema 4X, IK10	\$ 399.00	8801089125583
Camera - Network	XNV-6011W (White Color)	2MP Compact Vandal Dome		Wisenet X powered by Wisenet 5 network outdoor compact vandal dome camera (white color), 2MP, Full HD(1080p) @60fps, 2.8mm fixed lens (112°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 150dB WDR, USB port for easy installation, advanced video analytics and business analytics, single SD card, hallway view, H.LC, defog detection, DIS, PoE, IP66, Nema 4X, IK10, white color	\$ 399.00	8801089133465
Camera - Network	XNO-C6083R	2MP IR Bullet AI camera		Powered by WN7, Outdoor Network AI IR Bullet Camera, 2MP @ 60FPS, 2.8~12mm(4.3x) (119.5°~27.9°) motorized varifocal lens, Triple codec (H.265/H.264/MJPEG), IR viewable length 40m (131.2ft), USB port for easy installation, Day & Night (ICR), extremeWDR (150dB), DIS with built-in Gyro sensor, Handover, Hard-coated window, Analytics events based on AI engine: Object detection(Person/Face/Vehicle/License plate), IVA (Virtual line/Area, Enter/Exit, Loitering, direction, intrusion), Analytics events : Defocus detection, Motion detection, Tampering, Fog detection, Audio detection, Sound classification, Shock detection, Appear/Disappear, UL CAP certified, P66, IP67, NEMA4X, IK10, Power: PoE/12VDC, Metal shielded RJ-45	\$ 1,200.00	8801089208033
Camera - Network	XNO-6083R	2MP IR Bullet AI Camera		Powered by WN7, X-Plus series, Outdoor Network AI IR Bullet Camera, 2MP @ 120FPS, 2.8~12mm(4.3x) (119.5°~27.9°) motorized varifocal lens, Triple codec (H.265/H.264/MJPEG), IR viewable length 50m (164ft), USB port for easy installation, Day & Night (ICR), extremeWDR (150dB), DIS with built-in Gyro sensor, Handover, Hard-coated window, Analytics events based on AI engine: Object detection(Person/Face/Vehicle/License plate), IVA (Virtual line/Area, Enter/Exit, Loitering, direction, intrusion), Analytics events : Defocus detection, Motion detection, Tampering, Fog detection, Audio detection, Sound classification, Shock detection, Appear/Disappear, FIPS 140-2, 2x micro SD card (512GB x2), P66, IP67, NEMA4X, IK10, Operating temperature: -50°C~+60°C(-58°F ~ +140°F), Power: PoE+12VDC, Metal shielded RJ-45	\$ 1,400.00	8801089207647

Camera - Network	XNO-6080R	2MP IR Bullet		Wisenet X powered by Wisenet 5 network IR outdoor vandal bullet camera, 2MP, Full HD(1080p) @60fps, motorized vari-focal lens 4.3x (2.8~12mm) (119.5°~27.9°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 150dB WDR, USB port for easy installation, advanced video analytics and sound classification, high powered IR LEDs range of 164', true D/N, dual SD card, hallway view, HLC, defog detection, DIS, backbox included, 12VDC/PoE, IP67, IK10, Nema 4X, -40°C ~ +55°C (-40°F ~ +131°F)	\$ 1,150.00	8801089125361
Camera - Network	XNO-6010R	2MP IR Bullet		Wisenet X powered by Wisenet 5 network IR outdoor vandal bullet camera, 2MP, Full HD(1080p) @60fps, 2.4mm fixed focal lens (139'), triple codec H.265/H.264/MJPEG with WiseStream II technology, 150dB WDR, USB port for easy installation, advanced video analytics and sound classification and business analytics, high powered IR LEDs range of 65', true D/N, dual SD card, hallway view, HLC, defog detection, DIS, backbox included, 12VDC/PoE, IP67, IK10, Nema 4X	\$ 650.00	8801089125330
Camera - Network	XNO-6020R	2MP IR Bullet		Wisenet X powered by Wisenet 5 network IR outdoor vandal bullet camera, 2MP, Full HD(1080p) @60fps, 4mm fixed focal lens (88.6'), triple codec H.265/H.264/MJPEG with WiseStream II technology, 150dB WDR, USB port for easy installation, advanced video analytics and sound classification and business analytics, high powered IR LEDs range of 98', true D/N, dual SD card, hallway view, HLC, defog detection, DIS, backbox included, 12VDC/PoE, IP67, IK10, Nema 4X	\$ 650.00	8801089125323
Camera - Network	XND-6080RV	2MP Indoor IR Vandal Dome		Wisenet X powered by Wisenet 5 network IR indoor vandal dome camera, 2MP, Full HD(1080p) @60fps, motorized vari-focal lens 4.3x (2.8~12mm) (119.5°~27.9°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 150dB WDR, USB port for easy installation, advanced video analytics and sound classification, high powered IR LEDs range of 98', true D/N, dual SD card, hallway view, HLC, defog detection, DIS, 12VDC/PoE, IK08	\$ 1,050.00	8801089125194
Camera - Network	XND-6080V	2MP Indoor Vandal Dome		Wisenet X powered by Wisenet 5 network indoor vandal dome camera, 2MP, Full HD(1080p) @60fps, motorized vari-focal lens 4.3x (2.8~12mm) (119.5°~27.9°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 150dB WDR, USB port for easy installation, advanced video analytics and sound classification, true D/N, dual SD card, hallway view, HLC, defog detection, DIS, 12VDC/PoE, IK08	\$ 950.00	8801089125200
Camera - Network	XND-6010	2MP Indoor Vandal Dome		Wisenet X powered by Wisenet 5 network indoor vandal dome camera, 2MP, Full HD(1080p) @60fps, 2.4mm fixed lens (139'), triple codec H.265/H.264/MJPEG with WiseStream II technology, 150dB WDR, USB port for easy installation, advanced video analytics and sound classification and business analytics, true D/N, dual SD card, hallway view, HLC, defog detection, DIS, 12VDC/PoE, IK08	\$ 600.00	8801089125163
Camera - Network	XND-6020R	2MP Indoor IR Vandal Dome		Wisenet X powered by Wisenet 5 network indoor vandal dome camera, 2MP, Full HD(1080p) @60fps, 4mm fixed lens (88.6'), triple codec H.265/H.264/MJPEG with WiseStream II technology, 150dB WDR, USB port for easy installation, advanced video analytics and sound classification and business analytics and business analytics, high powered IR LEDs range of 98', true D/N, dual SD card, hallway view, HLC, defog detection, DIS, 12VDC/PoE, IK08	\$ 600.00	8801089125187
Camera - Network	XND-6011F	2MP Flush Mount		Wisenet X powered by Wisenet 5 network flush mount dome camera, 2MP, Full HD(1080p) @60fps, 2.8mm fixed lens (112'), triple codec H.265/H.264/MJPEG with WiseStream II technology, 150dB WDR, USB port for easy installation, advanced video analytics and sound classification and business analytics, built-in Mic, magnetic cover, electronic D/N, SD card, hallway view, HLC, defog detection, DIS, PoE only	\$ 500.00	8801089125170
Camera - Network	XNV-6013M	2MP Mobile Vandal Dome		Wisenet X powered by Wisenet 5 network outdoor vandal dome camera, 2MP, Full HD(1080p) @60fps, 2.8mm fixed lens (107.4'), triple codec H.265/H.264/MJPEG with WiseStream II technology, 150dB WDR, USB port for easy installation, advanced video analytics and sound classification, electrical D/N, single SD card, hallway view, HLC, defog detection, DIS, PoE, IP6K9K, IK10 NEMA 4X, -40°C ~ +60°C (-40°F ~ +140°F) This camera was designed to be mounted outside of the vehicle, M12 connector (M12 to RJ45 is not included)	\$ 810.00	8801089132123
Camera - Network	XNV-6012	2MP Mobile Vandal Dome		Wisenet X powered by Wisenet 5 network outdoor vandal dome camera, 2MP, Full HD(1080p) @60fps, 2.4mm fixed lens (135.4'), triple codec H.265/H.264/MJPEG with WiseStream II technology, 150dB WDR, USB port for easy installation, advanced video analytics and sound classification, electrical D/N, single SD card, hallway view, HLC, defog detection, DIS, PoE, IP66, IK10 NEMA 4X	\$ 670.00	8801089132093
Camera - Network	XNV-6012M	2MP Mobile Vandal Dome		Wisenet X powered by Wisenet 5 network outdoor vandal dome camera, 2MP, Full HD(1080p) @60fps, 2.4mm fixed lens (135.4'), triple codec H.265/H.264/MJPEG with WiseStream II technology, 150dB WDR, USB port for easy installation, advanced video analytics and sound classification, electrical D/N, single SD card, hallway view, HLC, defog detection, DIS, PoE, IP66, IK10 NEMA 4X, M12 connector (M12 to RJ45 is not included)	\$ 670.00	8801089132109
Camera - Network	XNV-6022R	2MP Mobile Vandal Dome		Wisenet X powered by Wisenet 5 network outdoor vandal dome camera, 2MP, Full HD(1080p) @60fps, 3.6mm fixed lens (94.8'), triple codec H.265/H.264/MJPEG with WiseStream II technology, 150dB WDR, USB port for easy installation, advanced video analytics and sound classification, IR LEDs range of 49', true D/N, single SD card, hallway view, HLC, defog detection, DIS, PoE, IP66, IK10 NEMA 4X	\$ 740.00	8801089132130
Camera - Network	XNV-6022RM	2MP Mobile Vandal Dome		Wisenet X powered by Wisenet 5 network outdoor vandal dome camera, 2MP, Full HD(1080p) @60fps, 3.6mm fixed lens (94.8'), triple codec H.265/H.264/MJPEG with WiseStream II technology, 150dB WDR, USB port for easy installation, advanced video analytics and sound classification, IR LEDs range of 49', true D/N, single SD card, hallway view, HLC, defog detection, DIS, PoE, IP66, IK10 NEMA 4X, M12 connector (M12 to RJ45 is not included)	\$ 740.00	8801089132147
Camera - Network	XNZ-6320A	2MP 32x Zoom Box		Wisenet X powered by Wisenet 5 network zoom box camera, 2MP, Full HD(1080p) @60fps, 32X optical zoom lens (4.44mm ~ 142.6mm) (61.8° ~ 2.19°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 150dB WDR, USB port for easy installation, SFP slot, advanced video analytics and sound classification, true D/N, dual SD card, HLC, defog detection, DIS(Gyro), 12VDC/PoE	\$ 1,500.00	8801089209931
Camera - Network	XNZ-L6320A	2MP 32x Zoom Box		Wisenet X powered by Wisenet 5 network zoom box camera, 2MP, Full HD(1080p) @60fps, 32X optical zoom lens (4.44mm ~ 142.6mm) (61.8° ~ 2.19°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, advanced video analytics and sound classification, true D/N, built-in SD card slot, HLC, defog detection, 12VDC/PoE	\$ 1,400.00	8801089210005
Camera - Network	XNB-6000	2MP Box		Wisenet X powered by Wisenet 5 network box camera, 2MP, Full HD(1080p) @60fps, simple focus, triple codec H.265/H.264/MJPEG with WiseStream II technology, 150dB WDR, USB port for easy installation, advanced video analytics and sound classification and business analytics, true D/N, dual SD card, hallway view, HLC, defog detection, DIS(Gyro), 12VDC/24VAC/PoE	\$ 850.00	8801089125125
Camera - Network	XNB-6002	2MP Covert Camera Main Module		Powered by Wisenet 7 covert camera body, 2MP, Full HD (1080p) 60fps, triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, micro SD/SDHC/SDXC, USB port for easy installation, advanced video analytics and sound classification and business analytics, hallway view, HLC, defog detection, DIS, 12VDC/PoE, +14°F ~ 131°F, lens module is not included, TFM 2.0 (FIPS 140-2 level 2) Compatible lens modules (SLA-T2480A, SLA-T2480AV, SLA-T4680A, SLA-T4680AV, SLA-T1080FA)	\$ 510.00	8801089218353
Camera - Network	XNB-6001	2MP Covert Camera Main Module		Wisenet X powered by Wisenet 5 covert camera body, 2MP, Full HD(1080p) 60fps, triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, micro SD/SDHC/SDXC, USB port for easy installation, advanced video analytics and sound classification and business analytics, hallway view, HLC, defog detection, DIS, 12VDC/PoE, +14°F ~ 131°F, lens module is not included compatible lens modules (SLA-T2480, SLA-T2480V, SLA-T4680, SLA-T4680V, SLA-T1080F, SLA-T4680D, SLA-T4680DS, SLA-T4680DW)	\$ 510.00	8801089125132
Camera - Network	XNV-L6080R	2MP IR Outdoor Dome		Wisenet X powered by Wisenet 5 network outdoor vandal dome camera, 2MP, Full HD(1080p) @60fps, motorized vari-focal lens 3.1x (3.2~10mm) (109°~33.2'), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, high powered IR LEDs range of 98.43', true D/N, single SD card, hallway view, HLC, defog detection, DIS, PoE, IP66, IK10, -40°C ~ +55°C (-40°F ~ +131°F)	\$ 925.00	8801089133014
Camera - Network	XNV-L6080	2MP Outdoor Dome		Wisenet X powered by Wisenet 5 network outdoor vandal dome camera, 2MP, Full HD(1080p) @60fps, motorized vari-focal lens 3.1x (3.2~10mm) (109°~33.2'), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, true D/N, single SD card, hallway view, HLC, defog detection, DIS, PoE, IP66, IK10, -40°C ~ +55°C (-40°F ~ +131°F)	\$ 825.00	8801089132024
Camera - Network	XND-L6080RV	2MP Indoor IR Vandal Dome		Wisenet X powered by Wisenet 5 network indoor vandal dome camera, 2MP, Full HD(1080p) @60fps, motorized vari-focal lens 3.1x (3.2~10mm) (109°~33.2'), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, high powered IR LEDs range of 98.43', true D/N, single SD card, hallway view, HLC, defog detection, DIS, PoE, IK08	\$ 825.00	8801089132000
Camera - Network	XND-L6080V	2MP Indoor Vandal Dome		Wisenet X powered by Wisenet 5 network indoor vandal dome camera, 2MP, Full HD(1080p) @60fps, motorized vari-focal lens 3.1x (3.2~10mm) (109°~33.2'), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, true D/N, single SD card, hallway view, HLC, defog detection, DIS, PoE, IK08	\$ 725.00	8801089131973
Camera - Network	XNO-L6080R	2MP IR Bullet		Wisenet X powered by Wisenet 5 network IR outdoor bullet camera, 2MP, Full HD(1080p) @60fps, motorized vari-focal lens 3.1x (3.2~10mm) (109°~33.2'), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, high powered IR LEDs range of 98.43', true D/N, single SD card, hallway view, HLC, defog detection, DIS, PoE, IP66, IK10, -40°C ~ +55°C (-40°F ~ +131°F)	\$ 925.00	8801089132833
Camera - Network	TNB-6030	PVM Camera	Special order Need Accessory SBP-300NM	PVM camera powered by Wisenet 5, 1080p (1920x1080), 16:9 aspect ratio, face detection display for visual deterrent, customizable text overlay, 4.8mm fixed lens(73.8°), 150dB WDR, H.265/H.264/MJPEG, WiseStream II compression technology, micro SD/SDHC/SDXC, bi-directional audio, hallway view mode	\$ 709.00	8801089102751
Camera - Network	TNO-6010M	Front Facing Mobile Camera	Limited stock, Recommended replacement XNV-6012M	Wisenet T network mobile front facing camera, 2MP @ 60fps, 2.8mm fixed focal lens (113'), triple codec H.265/H.264/MJPEG with WiseStream II technology, 150dB WDR, USB port for easy installation, advanced video analytics, true D/N, SD card, hallway view, HLC, defog detection, DIS (Gyro), PoE, IP66, IK10, M12 connector (M12 to RJ45 is not included)	\$ 750.00	8801089165679
Camera - Network	QNO-6012R	2MP IR Bullet	Special Order Comparable Model QNO-6022R1	Wisenet Q network outdoor vandal bullet camera, 2MP @ 30fps, 2.8mm fixed focal lens (113'), triple codec H.265/H.264/MJPEG with Wisestream II, 120dB WDR, IR LEDs range 65', defocus detection, hallway View, one way audio and SD card, video analytics, CVBS, open platform, IP66, IK10, PoE/12VDC, white color	\$ 379.00	8801089163905
Camera - Network	QNO-6012R1	2MP IR Bullet	Available No Audio in/out	Wisenet Q network outdoor vandal bullet camera, 2MP @ 30fps, 2.8mm fixed focal lens (113'), triple codec H.265/H.264/MJPEG with Wisestream II, 120dB WDR, IR LEDs range 65', defocus detection, hallway View, no audio in/out, SD card, video analytics, CVBS, open platform, IP66, IK10, PoE/12VDC	\$ 379.00	8801089209023
Camera - Network	QNO-6022R	2MP IR Bullet	Special Order Comparable Model QNO-6022R1	Wisenet Q network outdoor vandal bullet camera, 2MP @ 30fps, 4.0mm fixed focal lens (87'), triple codec H.265/H.264/MJPEG with Wisestream II, 120dB WDR, IR LEDs range 82', defocus detection, hallway View, one way audio and SD card, video analytics, CVBS, open platform, IP66, IK10, PoE/12VDC, white color	\$ 379.00	8801089164629
Camera - Network	QNO-6022R1	2MP IR Bullet	Available No Audio in/out	Wisenet Q network outdoor vandal bullet camera, 2MP @ 30fps, 4.0mm fixed focal lens (87'), triple codec H.265/H.264/MJPEG with Wisestream II, 120dB WDR, IR LEDs range 82', defocus detection, hallway View, no audio in/out, SD card, video analytics, CVBS, open platform, IP66, IK10, PoE/12VDC	\$ 379.00	8801089209054
Camera - Network	QNO-6082R	2MP IR Bullet	Special Order Comparable Model QNO-6082R1	Wisenet Q network outdoor vandal bullet camera, 2MP @ 30fps, motorized vari-focal lens 3.1x (3.2 ~ 10.0mm) (109°~33'), triple codec H.265/H.264/MJPEG with Wisestream II, 120dB WDR, IR LEDs range 98', defocus detection, hallway View, one way audio and SD card, video analytics, CVBS, open platform, IP66, IK10, PoE/12VDC, white color	\$ 519.00	8801089165473
Camera - Network	QNO-6082R1	2MP IR Bullet	Available No Audio in/out	Wisenet Q network outdoor vandal bullet camera, 2MP @ 30fps, motorized vari-focal lens 3.1x (3.2 ~ 10.0mm) (109°~33'), triple codec H.265/H.264/MJPEG with Wisestream II, 120dB WDR, IR LEDs range 98', defocus detection, hallway View, no audio in/out, SD card, video analytics, CVBS, open platform, IP66, IK10, PoE/12VDC	\$ 519.00	8801089209045
Camera - Network	QNV-6012R	2MP IR Outdoor Dome	Special Order Comparable Model QNV-6012R1	Wisenet Q network outdoor vandal dome camera, 2MP @ 30fps, 2.8mm fixed focal lens (113'), triple codec H.265/H.264/MJPEG with Wisestream II, 120dB WDR, IR LEDs range 65', defocus detection, hallway View, one way audio and SD card, video analytics, CVBS, open platform, IP66, IK10, PoE/12VDC, white color	\$ 395.00	8801089164094
Camera - Network	QNV-6012R1	2MP IR Outdoor Dome	Available No Audio in/out	Wisenet Q network outdoor vandal dome camera, 2MP @ 30fps, 2.8mm fixed focal lens (113'), triple codec H.265/H.264/MJPEG with Wisestream II, 120dB WDR, IR LEDs range 65', defocus detection, hallway View, no audio in/out, SD card, video analytics, CVBS, open platform, IP66, IK10, PoE/12VDC, white color	\$ 395.00	8801089209029
Camera - Network	QNV-6022R	2MP IR Outdoor Dome	Special Order Comparable Model QNV-6022R1	Wisenet Q network outdoor vandal dome camera, 2MP @ 30fps, 4.0mm fixed focal lens (87'), triple codec H.265/H.264/MJPEG with Wisestream II, 120dB WDR, IR LEDs range 82', defocus detection, hallway View, one way audio and SD card, video analytics, CVBS, open platform, IP66, IK10, PoE/12VDC, white color	\$ 395.00	8801089165114
Camera - Network	QNV-6022R1	2MP IR Outdoor Dome	Available No Audio in/out	Wisenet Q network outdoor vandal dome camera, 2MP @ 30fps, 4.0mm fixed focal lens (87'), triple codec H.265/H.264/MJPEG with Wisestream II, 120dB WDR, IR LEDs range 82', defocus detection, hallway View, no audio in/out, SD card, video analytics, CVBS, open platform, IP66, IK10, PoE/12VDC, white color	\$ 395.00	8801089209054
Camera - Network	QNV-6024RM	2M Mobile IR Flat Camera		Wisenet Q network Mobile IR vandal dome camera, 2MP, Full HD(1080p) 30fps, triple codec H.265/H.264/MJPEG with WiseStream technology, Fixed focal lens 3.6mm, Built in Mic, M12 Network connectors (M12 connector to RJ-45 adaptor is not included), hallway View, 120dB WDR, built-in IR range of 32.8', true D/N, built-in SD card slot, IP66, IK10	\$ 399.00	8801089174345
Camera - Network	QNV-6082R	2MP IR Outdoor Dome	Special Order Comparable Model QNV-6082R1	Wisenet Q network outdoor vandal dome camera, 2MP @ 30fps, motorized vari-focal lens 3.1x (3.2 ~ 10.0mm) (109°~33'), triple codec H.265/H.264/MJPEG with Wisestream II, 120dB WDR, IR LEDs range 98', defocus detection, hallway View, one way audio and SD card, video analytics, CVBS, open platform, IP66, IK10, PoE/12VDC, white color	\$ 535.00	8801089165367
Camera - Network	QNV-6082R1	2MP IR Outdoor Dome	Available No Audio in/out	Wisenet Q network outdoor vandal dome camera, 2MP @ 30fps, motorized vari-focal lens 3.1x (3.2 ~ 10.0mm) (109°~33'), triple codec H.265/H.264/MJPEG with Wisestream II, 120dB WDR, IR LEDs range 98', defocus detection, hallway View, no audio in/out, SD card, video analytics, CVBS, open platform, IP66, IK10, PoE/12VDC, white color	\$ 535.00	8801089209627
Camera - Network	QND-6012R	2MP IR Indoor Dome	Special Order Comparable Model QND-6012R1	Wisenet Q network indoor dome camera, 2MP @ 30fps, 2.8mm fixed focal lens (113'), triple codec H.265/H.264/MJPEG with Wisestream II, 120dB WDR, IR LEDs range 65', defocus detection, hallway View, one way audio and SD card, video analytics, CVBS, open platform, PoE/12VDC, white color	\$ 289.00	8801089169198
Camera - Network	QND-6012R1	2MP IR Indoor Dome	Available No Audio in/out	Wisenet Q network indoor dome camera, 2MP @ 30fps, 2.8mm fixed focal lens (113'), triple codec H.265/H.264/MJPEG with Wisestream II, 120dB WDR, IR LEDs range 65', defocus detection, hallway View, no audio in/out, SD card, video analytics, CVBS, open platform, PoE/12VDC, white color	\$ 289.00	8801089208590
Camera - Network	QND-6022R	2MP IR Indoor Dome	Special Order Comparable model QND-6022R1	Wisenet Q network indoor dome camera, 2MP @ 30fps, 4.0mm fixed focal lens (87'), triple codec H.265/H.264/MJPEG with Wisestream II, 120dB WDR, IR LEDs range 65', defocus detection, hallway View, one way audio and SD card, video analytics, CVBS, open platform, PoE/12VDC, white color	\$ 289.00	8801089169211
Camera - Network	QND-6022R1	2MP IR Indoor Dome	Available No Audio in/out	Wisenet Q network indoor dome camera, 2MP @ 30fps, 4.0mm fixed focal lens (87'), triple codec H.265/H.264/MJPEG with Wisestream II, 120dB WDR, IR LEDs range 65', defocus detection, hallway View, no audio in/out, SD card, video analytics, CVBS, open platform, PoE/12VDC, white color	\$ 289.00	8801089208712
Camera - Network	QND-6082R	2MP IR Indoor Dome	Special Order Comparable Model QND-6082R1	Wisenet Q network indoor dome camera, 2MP @ 30fps, motorized vari-focal lens 3.1x (3.2 ~ 10.0mm) (109°~33'), triple codec H.265/H.264/MJPEG with Wisestream II, 120dB WDR, IR LEDs range 98', defocus detection, hallway View, one way audio and SD card, video analytics, CVBS, open platform, PoE/12VDC, white color	\$ 459.00	8801089163622

Camera - Network	QND-6082R1	2MP IR Indoor Dome	Available No Audio in/out	Wisenet Q network indoor dome camera, 2MP @ 30fps, motorized vari-focal lens 3.1x (3.2 ~ 10.0mm) (109°~33°), triple codec H.265/H.264/MJPEG with Wisestream II, 120dB WDR, IR LEDs range 98°, defocus detection, hallway View, no audio in/out, SD card, video analytics, CVBS, open platform, PoE/12VDC, white color	\$ 459.00	8801089208927
Camera - Network	QND-6011	2MP Indoor Dome		Wisenet Q mini network indoor dome camera, 2MP @ 30fps, 2.8mm fixed focal lens (113°), triple codec H.265/H.264/MJPEG with Wisestream II, 120dB WDR, defocus detection, hallway View, SD card, people counting, open platform, IP42, IK08, PoE, white color	\$ 280.00	8801089155191
Camera - Network	QND-6021	2MP Indoor Dome		Wisenet Q mini network indoor dome camera, 2MP @ 30fps, 4.0mm fixed focal lens (87°), triple codec H.265/H.264/MJPEG with Wisestream II, 120dB WDR, defocus detection, hallway View, SD card, people counting, open platform, IP42, IK08, PoE, white color	\$ 280.00	8801089162809
Camera - Network	LNV-6072R	2MP IR Vandal Dome	Limited stock, Recommended replacement ANV-L6082R	L series outdoor vandal dome camera, 2MP @ 30fps, vari-focal lens 3.1x (3.2 ~ 10mm) (101.6° ~31.3°), Double codec H.264/MJPEG, Wisestream II, 120dB WDR, IR LEDs, hallway view, SD card, IP66, IK10, PoE, White	\$ 359.00	8801089170002
Camera - Network	LNV-6012R	2MP IR Vandal Dome	Limited stock, Recommended replacement ANV-L6012R	L series outdoor vandal dome camera, 2MP @ 30fps, 2.8mm fixed focal lens (102°), Double codec H.264/MJPEG, Wisestream II, 120dB WDR, IR LEDs, hallway view, SD card, IP66, IK10, PoE, White	\$ 265.00	8801089170026
Camera - Network	LNV-6022R	2MP IR Vandal Dome	Limited stock, Recommended replacement ANV-L6012R	L series outdoor vandal dome camera, 2MP @ 30fps,4mm fixed focal lens (80°), Double codec H.264/MJPEG, Wisestream II, 120dB WDR, IR LEDs, hallway view, SD card, IP66, IK10, PoE, White	\$ 265.00	8801089170019
Camera - Network	LND-6072R	2MP IR Dome	Limited stock, Recommended replacement ANV-L6082R	L series indoor dome camera, 2MP @ 30fps, vari-focal lens 3.1x (3.2 ~ 10mm) (101.6° ~31.3°), Double codec H.264/MJPEG, Wisestream II, 120dB WDR, IR LEDs, hallway view, SD card, PoE, White	\$ 319.00	8801089170040
Camera - Network	LND-6012R	2MP IR Dome		L series indoor dome camera, 2MP @ 30fps,2.8mm fixed focal lens (102°), Double codec H.264/MJPEG, Wisestream II, 120dB WDR, IR LEDs, hallway view, SD card, PoE, White	\$ 209.00	8801089170071
Camera - Network	LND-6022R	2MP IR Dome		L series indoor dome camera, 2MP @ 30fps,4mm fixed focal lens (80°), Double codec H.264/MJPEG, Wisestream II, 120dB WDR, IR LEDs, hallway view, SD card, PoE, White	\$ 209.00	8801089170057
Camera - Network	LNO-6072R	2MP IR Bullet		L series outdoor bullet camera, 2MP @ 30fps, vari-focal lens 3.1x (3.2 ~ 10mm) (101.6° ~31.3°), Double codec H.264/MJPEG, Wisestream II, 120dB WDR, IR LEDs, hallway view, SD card, IP66, PoE, White	\$ 359.00	8801089170064
Camera - Network	LNO-6012R	2MP IR Bullet		L series outdoor bullet camera, 2MP @ 30fps,2.8mm fixed focal lens (102°), Double codec H.264/MJPEG, Wisestream II, 120dB WDR, IR LEDs, hallway view, SD card, IP66, PoE, White	\$ 249.00	8801089170101
Camera - Network	LNO-6022R	2MP IR Bullet		L series outdoor bullet camera, 2MP @ 30fps,4mm fixed focal lens (80°), Double codec H.264/MJPEG, Wisestream II, 120dB WDR, IR LEDs, hallway view, SD card, IP66, PoE, White	\$ 249.00	8801089170088
Camera - Network	ANO-L6012R	2MP IR Bullet		Wisenet A Series bullet camera, 2MP @ 30 FPS, 2.8mm fixed focal lens, FoV H: 113.7° / V: 61.5°, WiseStream II, triple codec (H.265/H.264/MJPEG), 120dB WDR, IR LEDs 30m(98.43ft), day & night (ICR), virtual area (intrusion/enter/exit), virtual Line (crossing/ direction), motion detection, tampering, hallway view, SD card, IP66, PoE, white.	\$ 190.00	8801089212382
Camera - Network	ANO-L6022R	2MP IR Bullet		Wisenet A Series bullet camera, 2MP @ 30 FPS, 4mm fixed focal lens, FoV H: 84.3° / V: 45.6° WiseStream II, triple codec (H.265/H.264/MJPEG), 120dB WDR, IR LEDs 30m(98.43ft), day & night (ICR), virtual area (intrusion/enter/exit), virtual line (crossing/ direction), motion detection, tampering, hallway view, SD card, IP66, PoE, white.	\$ 190.00	8801089212399
Camera - Network	ANO-L6082R	2MP IR Bullet		Wisenet A Series bullet camera, 2MP @30FPS, motorized varifocal lens 3.1x (3.3~10.3mm) (105.2°~ 30.6°), WiseStream II, triple codec (H.265/H.264/MJPEG), 120dB WDR, IR LEDs 30m(98.43ft), day & night (ICR), virtual area (intrusion/enter/exit), virtual line (crossing/ direction), motion detection, tampering, hallway view, SD card, IP66, PoE, white.	\$ 280.00	8801089215963
Camera - Network	ANV-L6012R	2MP IR Vandal Dome		Wisenet A Series outdoor vandal dome camera, 2MP @ 30 FPS, 2.8mm fixed focal lens, FoV H: 113.7° / V: 61.5°, WiseStream II, triple codec (H.265/H.264/MJPEG), 120dB WDR, IR LEDs 30m(98.43ft), day & night (ICR), virtual area (intrusion/enter/exit), virtual line (crossing/ direction), motion detection, tampering, hallway view, SD card, IP66, PoE, white.	\$ 190.00	8801089212429
Camera - Network	ANV-L6023R	2MP IR Vandal Dome		Wisenet A Series outdoor vandal mini dome camera, 2MP @ 30 FPS, 3.6mm fixed focal lens, FoV H: 94.8° / V: 49.3°, WiseStream II, triple codec (H.265/H.264/MJPEG) , 120dB WDR, IR LEDs 15m(49.21ft) , day & night (ICR), virtual area (intrusion/enter/exit), virtual line (crossing/ direction), motion detection, tampering, hallway view, SD card, IP66, PoE, white.	\$ 260.00	8801089212436 8801089210809
Camera - Network	ANV-L6082R	2MP IR Vandal Dome		Wisenet A Series outdoor vandal dome camera, 2MP @ 30fps, motorized vari-focal lens 3.1x (3.3~10.3mm) (105.2°~ 30.6°), WiseStream II, triple codec (H.265/H.264/MJPEG), 120dB WDR, IR LEDs 30m(98.43ft), day & night (ICR), virtual area (intrusion/enter/exit), virtual line (crossing/ direction), motion detection, tampering, hallway view, SD card, IP66, PoE, white.	\$ 280.00	8801089215970
Camera - Network	ANE-L6012R	2MP Turret Camera		Wisenet A Series turret camera, 2MP @ 30 FPS, 3mm fixed focal lens, FoV H: 107.7° / V: 59.0°, WiseStream II, triple codec (H.265/H.264/MJPEG) , 120dB WDR, IR LEDs 20m(65.62ft), day & night (ICR), virtual area (intrusion/enter/exit), virtual Line (crossing/ direction), motion detection, tampering, hallway view, SD card, IP66, PoE, white.	\$ 250.00	8801089216021
Camera - Network	XNB-H6241A	2MP Network ATM Camera Kit		Wisenet X powered by Wisenet 5 network ATM camera, 2MP, Full HD(1080p) 60fps, 2.4mm fixed lens (138°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, micro SD/SDHC/SDXC, USB port for easy installation, advanced video analytics and sound classification and business analytics, hallway view, HLC, defog detection, DIS, 12VDC/PoE, +14°F ~ 131°F, cable Length is 8m (26 feet).	\$ 849.00	044701001096
Camera - Network	XNB-H6244A	2MP Network ATM Camera Kit		Wisenet X Powered by Wisenet 7 network camera, ATM kit, 2MP, Full HD(1080p) 60fps, 2.4mm fixed lens (138°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, micro SD/SDHC/SDXC, USB port for easy installation, advanced video analytics and sound classification and business analytics, hallway view, HLC, defog detection, DIS, 12VDC/PoE, +14°F ~ 131°F, TPM 2.0 (FIPS 140-2 level 2), cable Length is 1.5m (4.9 feet). (Package includes XNB-6002-SLA-T2415A+STB-2000)	\$ 849.00	8801089227720
Camera - Network	XNB-H6240A	2MP Network ATM Camera Kit		Wisenet X powered by Wisenet 5 network ATM camera, 2MP, Full HD(1080p) 60fps, 2.4mm fixed lens (138°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, micro SD/SDHC/SDXC, USB port for easy installation, advanced video analytics and sound classification and business analytics, hallway view, HLC, defog detection, DIS, 12VDC/PoE, +14°F ~ 131°F, cable Length is 1.5m (4.9 feet).	\$ 849.00	044701001089
Camera - Network	XNB-H6461H	2MP Pinhole Height Strip Camera Kit		Wisenet X powered by Wisenet 5 network pinhole camera with height strip housing, 2MP, Full HD(1080p) 60fps, 4.6mm fixed lens (73°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, micro SD/SDHC/SDXC, USB port for easy installation, advanced video analytics and sound classification and business analytics, hallway view, HLC, defog detection, DIS, 12VDC/PoE, +14°F ~ 131°F, cable Length is 8m (26 feet).	\$ 1,055.00	044701001102
Camera - Network	XNB-H6282B	2MP Bandit Barrier		Wisenet X Powered by Wisenet 7 network Bandit Barrier camera, 2MP, Full HD(1080p) 60fps, 2.8mm fixed lens (107.4°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, micro SD/SDHC/SDXC, USB port for easy installation, advanced video analytics and sound classification and business analytics, hallway view, HLC, defog detection, DIS, 12VDC/PoE, +14°F ~ 131°F, TPM 2.0 (FIPS 140-2 level 2), cable Length is 8m (26 feet). (Package includes XNB-6002 and SLA-T2880BA)	\$ 1,300.00	849688021194
Camera - Network	XNB-H6280B	2MP Bandit Barrier		Wisenet X powered by Wisenet 5 network Bandit Barrier camera, 2MP, Full HD(1080p) 60fps, 2.8mm fixed lens (107.4°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, micro SD/SDHC/SDXC, USB port for easy installation, advanced video analytics and sound classification and business analytics, hallway view, HLC, defog detection, DIS, 12VDC/PoE, +14°F ~ 131°F, cable Length is 1.5m (4.9 feet).	\$ 1,300.00	849688011171
Camera - Network	QNP-6230	2MP 23x PTZ	Limited Stock Comparable Model QNP-6250	Wisenet Q network indoor PTZ camera, 2MP, Full HD(1080p) 30fps, H.265/H.264/MJPEG, Optical Zoom Lens 23x (4.4-102.1mm), 120dB WDR, true DIN, 500°/sec Pan, SD/SDHC/SDXC, 24VAC/PoE+	\$ 1,500.00	8801089132215
Camera - Network	QNP-6250	2MP 25x PTZ	3 Week Lead Time (Updated Mar'22)	Wisenet Q network indoor PTZ camera, 2MP, Full HD(1080p) 60fps, triple codec H.265/H.264/MJPEG with WiseStream II technology, 4.44~111mm (25x) lens, 120dB WDR, Day & Night (ICR), DIS (Built-in gyro sensor), Intelligent Analytics, Micro SD/SDHC/SDXC 1slot 256GB, Focus Save, white color	\$ 1,500.00	8801089204486
Camera - Network	QNP-6250H	2MP 25x PTZ	3 Week Lead Time (Updated Mar'22)	Wisenet Q network outdoor PTZ camera, 2MP, Full HD(1080p) 60fps, triple codec H.265/H.264/MJPEG with WiseStream II technology, 4.44~111mm (25x) lens, 120dB WDR, Day & Night (ICR), DIS (Built-in gyro sensor), Intelligent Analytics, Micro SD/SDHC/SDXC 1slot 256GB, Focus Save, IP66, IK10, NEMA4X, white color	\$ 1,700.00	8801089196118
Camera - Network	QNP-6250R	2MP IR 25x PTZ	3 Week Lead Time (Updated Mar'22)	Wisenet Q network IR PTZ camera, IR range of up to 328ft, 2MP, Full HD(1080p) 60fps, triple codec H.265/H.264/MJPEG with WiseStream II technology, 4.44~111mm (25x) lens, 120dB WDR, Day & Night (ICR), DIS (Built-in gyro sensor), Intelligent Analytics, Micro SD/SDHC/SDXC 1slot 256GB, Focus Save, IP66, IK10, NEMA4X, white color	\$ 2,000.00	8801089205445
Camera - Network	QNP-6320	2MP 32x PTZ	3 Week Lead Time (Updated Mar'22)	Wisenet Q network indoor PTZ camera, 2MP, Full HD(1080p) 60fps, triple codec H.265/H.264/MJPEG with WiseStream II technology, 4.44~142.6mm (32x) lens, 120dB WDR, Day & Night (ICR), DIS (Built-in gyro sensor), Intelligent Analytics, Micro SD/SDHC/SDXC 1slot 256GB, Focus Save, white color	\$ 2,300.00	8801089204479
Camera - Network	QNP-6320H	2MP 32x PTZ	3 Week Lead Time (Updated Mar'22)	Wisenet Q network outdoor PTZ camera, 2MP, Full HD(1080p) 60fps, triple codec H.265/H.264/MJPEG with WiseStream II technology, 4.44~142.6mm (32x) lens, 120dB WDR, Day & Night (ICR), DIS (Built-in gyro sensor), Intelligent Analytics, Micro SD/SDHC/SDXC 1slot 256GB, Focus Save, IP66, IK10, NEMA4X, white color	\$ 2,500.00	8801089204448
Camera - Network	QNP-6320R	2MP IR 32x PTZ	3 Week Lead Time (Updated Mar'22)	Wisenet Q network IR PTZ camera, IR range of up to 328ft, 2MP, Full HD(1080p) 60fps, triple codec H.265/H.264/MJPEG with WiseStream II technology, 4.44~142.6mm (32x) lens, 120dB WDR, Day & Night (ICR), DIS (Built-in gyro sensor), Intelligent Analytics, Micro SD/SDHC/SDXC 1slot 256GB, Focus Save, IP66, IK10, NEMA4X, white color	\$ 2,700.00	8801089192653
Camera - Network	QNP-6320HS	2MP 32x PTZ	Special Order Only	Wisenet Q stainless steel PTZ camera, 2MP, Full HD(1080p) 60fps, triple codec H.265/H.264/MJPEG with WiseStream II technology, 4.44~142.6mm (32x) lens, 120dB WDR, Day & Night (ICR), DIS (Built-in gyro sensor), Directional detection, Motion detection, Enter/Exit, Tampering, Virtual line, Audio detection* (with NW I/O Box), Micro SD/SDHC/SDXC 1slot 256GB, Focus Save, IP66/IP67, IK10, NEMA4X, PoE+	\$ 5,040.00	8801089210029
Camera - Network	TNU-6321	2MP 32x Positioning Camera	Special Order Only	2MP Network Positioning Camera (1920 x 1080) resolution, 4.44 ~ 142.6mm (32x) varifocal lens, 60fps@2MP (H.264), 30fps@2MP (MJPEG), H.265, H.264, MJPEG codec support, 360° Endless, Tilt -90° ~40°, Day & Night (ICR), WDR (120dB), Defog, Tampering, Virtual line, Enter / Exit, (Dis)Appear, Audio detection, Face detection, Motion detection, micro SD / SDHC / SDXC slot, Power 24VAC (Optional IR illuminators: SPI-50)	\$ 5,100.00	8801089190413
Wisenet Road AI						
Network - Camera	PNB-A9091RLPH	4K AI LPR Box Camera Kit with Enclosure and IR	Care is recommended in selecting the install location – See product selector and quick reference guide for details	4K Moderate Speed (up to 75MPH) LPR Box Camera Kit with Enclosure and IR, Licensed with Wisenet Road AI. Max. 4K resolution, 12-50 mm lens, H.265, H.264, MJPEG codec, WiseStream III, includes PoE+ Camera enclosure with Wall mount and IR LPR + MMCR: Make, Model & Color* Recognition on the Edge. 32GB Micro SD storage for up to 10,000 LPR/Vehicle images, Licensed open platform application for multiple regions/countries (USA, Canada, Mexico, Brazil, Uruguay, Paraguay, Argentina, Colombia, Chile) (* Color recognition only during day time)	\$ 3,860.00	849688019214
Network - Camera	PNV-A9081RLP	4K IR Vandal Dome AI camera with Wisenet Road AI	Care is recommended in selecting the install location – See product selector and quick reference guide for details	4K Low-Moderate Speed LPR Vandal Dome Camera with Wisenet Road AI. Max. 4K resolution, 4.5~10mm(2.2x) M-Varifocal(4K) lens, 0.05Lux@F1.6 (Color), 0Lux (B/W, IR LED on), Day & Night(ICR), WDR(120dB), H.265, H.264, MJPEG codec, WiseStream III, POE+, IP66/67/IP69K, IK10+, NEMA4X	\$ 3,050.00	8801089199225
Camera - Network	TNO-7180RLP	3MP Global shutter LPR camera	Care is recommended in selecting the install location – See product selector and quick reference guide for details	High Speed Global Shutter Camera with Road AI 3MP, Max 60fps @3MP, 6.8~1220mm (18x) motorized varifocal lens, 32GB industrial Micro SD, Embedded Wisenet Road AI application, Adaptive IR, IP66, IK10, NEMA 4X, NEMA TS. (No PoE switch included)	\$ 4,500.00	8801089224187
Camera - Network	PNO-A9311RLP	4K, AI IR Zoom (31x), Bullet Camera with Wisenet Road AI	Care is recommended in selecting the install location – Refer to the quick reference guide for details	4K Low-Moderate Speed dedicated LPR Bullet Camera with Wisenet Road AI, Max. 4K resolution @ 30FPS, 0.05Lux@F1.6 (Color), 0Lux (B/W, IR LED on), WiseIR for LPR plate reads for approx. 200ft (61m), Day & Night(ICR), 6.91~214.64mm (31x) zoom lens, WDR(120dB) H.265, H.264, MJPEG codec, WiseStream II, Using AI engine), Operating temperature: -40°C~+55°C(-40°F ~ +131°F), Power: PoE+/12VDC, Metal shielded RJ-45, IP66/IP67, IK10, NEMA4X Road AI, LPR application is pre-installed and licensed on the camera that provides LPR + MMCR (Make, Model & Color*) Recognition on the Edge. (* Color recognition only during day time)	\$ 3,500.00	8801089230386
Network - Camera	PNO-A9081RLP	4K IR Bullet AI camera with Wisenet Road AI	Care is recommended in selecting the install location – See product selector and quick reference guide for details	4K Low-Moderate Speed LPR Bullet Camera with Wisenet Road AI. Max. 4K resolution, 4.5~10mm(2.2x) M-Varifocal(4K) lens, 0.05Lux@F1.6 (Color), 0Lux (B/W, IR LED on), Day & Night(ICR), WDR(120dB), H.265, H.264, MJPEG codec, WiseStream III, POE+, IP66/67/IP69K, IK10+, NEMA4X LPR + MMCR: Make, Model & Color* Recognition on the Edge. 32GB Micro SD storage for up to 10,000 LPR/Vehicle images, Licensed open platform application for multiple regions/countries. (* Color recognition only during day time)	\$ 2,950.00	8801089199171
Thermal Cameras (Note: Thermal cameras are non-returnable products)						

Camera - Network	TNM-C4960TD	Bi-spectrum AI Thermal Camera VGA thermal / 4K visible	Special order Non-returnable	Wisenet T network Bi-spectrum AI Thermal Camera (uncooled), Dual sensor camera with VGA thermal and 4K visible video output, built-in 25mm fixed lens (FoV: 17.4° thermal) & 10.9-29mm motorized varifocal lens (FoV: 42°~15° visible), Triple codec (H.265H/264M/JPEG), WiseStream II (thermal), WDR 120dB, Features Based on AI engine: WiseNR II, Wise Stream II (visible only), Analytics events based on AI engine (visible only): Object detection (Person/Face/Vehicle/License plate), IVA (Virtual line/Area, Enter/Exit, Lottering, direction, intrusion), Stopped vehicle, Traffic jam, FIPS 140-2, 2x micro SD card (512GB x2), IP66/IP67, IK10, NEMA4X, NEMA TS 2(2.2.8, 2.2.9), PoE+/12VDC This product is subject to the Thermal agreement.	\$ 10,950.00	8801089217622
Camera - Network	TNM-C4950TD	Bi-spectrum AI Thermal Camera VGA thermal / 4K visible	Special order Non-returnable	Wisenet T network Bi-spectrum AI Thermal Camera (uncooled), Dual sensor camera with VGA thermal and 4K visible video output, built-in 13.5mm fixed lens (FoV: 31.9° thermal) & 10.9-29mm motorized varifocal lens (FoV: 42°~15° visible), Triple codec (H.265H/264M/JPEG), WiseStream II (thermal), WDR 120dB, Features Based on AI engine: WiseNR II, Wise Stream II (visible only), Analytics events based on AI engine (visible only): Object detection (Person/Face/Vehicle/License plate), IVA (Virtual line/Area, Enter/Exit, Lottering, direction, intrusion), Stopped vehicle, Traffic jam, FIPS 140-2, 2x micro SD card (512GB x2), IP66/IP67, IK10, NEMA4X, NEMA TS 2(2.2.8, 2.2.9), PoE+/12VDC This product is subject to the Thermal agreement.	\$ 10,500.00	8801089217615
Camera - Network	TNM-C4940TD	Bi-spectrum AI Thermal Camera VGA thermal / 4K visible	Special order Non-returnable	Wisenet T network Bi-spectrum AI Thermal Camera (uncooled), Dual sensor camera with VGA thermal and 4K visible video output, built-in 9.1mm fixed lens (FoV: 50° thermal) & 4.4-9.3mm motorized varifocal lens (FoV: 112.1°~47.5° visible), Triple codec (H.265H/264M/JPEG), WiseStream II (thermal), WDR 120dB, IR viewable length 30m (98ft), Features Based on AI engine: WiseNR II, Wise Stream II (visible only), Analytics events based on AI engine (visible only): Object detection (Person/Face/Vehicle/License plate), IVA (Virtual line/Area, Enter/Exit, Lottering, direction, intrusion), Stopped vehicle, Traffic jam, FIPS 140-2, 2x micro SD card (512GB x2), IP66/IP67, IK10, NEMA4X, NEMA TS 2(2.2.8, 2.2.9), PoE+/12VDC This product is subject to the Thermal agreement.	\$ 10,400.00	8801089217608
Camera - Network	TNO-4040T	VGA Thermal Bullet	Special order Non-returnable	Wisenet T network outdoor vandal thermal bullet camera (uncooled), 640x480 @ 30fps, 19mm fixed focal lens (32"), triple codec H.265H/264M/JPEG with Wisestream II, SD card, advanced video analytics and sound classification, PTZ handover, open platform, DiS(Gyro), integrated back box, IP66, IK10, PoE/12VDC/24VAC, white color This product is subject to the Thermal agreement.	\$ 7,000.00	8801089118363
Camera - Network	TNO-4030T	VGA Thermal Bullet	Special order Non-returnable	Wisenet T network outdoor vandal thermal bullet camera (uncooled), 640x480 @ 30fps, 13mm fixed focal lens (48.6"), triple codec H.265H/264M/JPEG with Wisestream II, SD card, advanced video analytics and sound classification, PTZ handover, open platform, DiS(Gyro), integrated back box, IP66, IK10, PoE/12VDC/24VAC, white color This product is subject to the Thermal agreement.	\$ 7,000.00	8801089118264
Camera - Network	TNO-4050T	VGA Thermal Bullet	Special order Non-returnable	Wisenet T network outdoor vandal thermal bullet camera (uncooled), 640x480 @ 30fps, 35mm fixed focal lens (17.2"), triple codec H.265H/264M/JPEG with Wisestream II, SD card, advanced video analytics and sound classification, PTZ handover, open platform, DiS(Gyro), integrated back box, IP66, IK10, PoE/12VDC/24VAC, white color This product is subject to the Thermal agreement.	\$ 8,400.00	8801089118462
Camera - Network	TNU-4041T	VGA Thermal Positioning	Special order Non-returnable	Wisenet T network outdoor thermal positioning camera (uncooled), 640x480 @ 30fps, 19mm fixed focal lens (32"), pan: 360° endless, Tilt: -90°~40°, triple codec H.265H/264M/JPEG with Wisestream II, SD card, advanced video analytics and sound classification, PTZ handover, open platform, DiS(Gyro), integrated back box, IP66, IK10, 24VAC, white color This product is subject to the Thermal agreement.	\$ 14,250.00	8801089148087
Camera - Network	TNU-4051T	VGA Thermal Positioning	Special order Non-returnable	Wisenet T network outdoor thermal positioning camera (uncooled), 640x480 @ 30fps, 35mm fixed focal lens (17.2"), pan: 360° endless, Tilt: -90°~40°, triple codec H.265H/264M/JPEG with Wisestream II, SD card, advanced video analytics and sound classification, PTZ handover, open platform, DiS(Gyro), integrated back box, IP66, IK10, 24VAC, white color This product is subject to the Thermal agreement.	\$ 16,000.00	8801089148155
Camera - Network	TNO-4030TR	VGA Radiometric Bullet	Price decrease from \$9,500.00 to \$8,400.00	Wisenet T network outdoor vandal Radiometric bullet camera (uncooled), 640x480 @ 30fps, 13mm fixed focal lens (48.6"), triple codec H.265H/264M/JPEG with Wisestream II, SD card, advanced video analytics and sound classification, PTZ handover, up to 6 user programmable temperature detection areas, temperature detection range is from (-4°F ~ 266°F) , open platform, DiS(Gyro), integrated back box, IP66, IK10, PoE/12VDC/24VAC, white color This product is subject to the Thermal agreement.	\$ 8,400.00	8801089151131
Camera - Network	TNO-L4030TR	VGA Radiometric Bullet	Thermal cameras with frame rates under 9fps versions do not require end user export documentation	Wisenet T network outdoor vandal Radiometric bullet camera (uncooled), 640x480 @ 8.3fps, 13mm fixed focal lens (48.6"), triple codec H.265H/264M/JPEG with Wisestream II, SD card, advanced video analytics and sound classification, PTZ handover, up to 6 user programmable temperature detection areas, temperature detection range is from (-4°F ~ 266°F) , open platform, DiS(Gyro), integrated back box, IP66, IK10, PoE/12VDC/24VAC, white color	\$ 8,400.00	8801089214003
Camera - Network	TNO-L4030T	VGA Thermal Bullet	Thermal cameras with frame rates under 9fps versions do not require end user export documentation	Wisenet T network outdoor vandal thermal bullet camera (uncooled), 640x480 @ 8.3fps, 13mm fixed focal lens (48.6"), triple codec H.265H/264M/JPEG with Wisestream II, SD card, advanced video analytics and sound classification, PTZ handover, open platform, DiS(Gyro), integrated back box, IP66, IK10, PoE/12VDC/24VAC, white color	\$ 7,000.00	8801089214140
Camera - Network	TNO-4040TR	VGA Radiometric Bullet	Price decrease from \$9,500.00 to \$8,400.00	Wisenet T network outdoor vandal Radiometric bullet camera (uncooled), 640x480 @ 30fps, 19mm fixed focal lens (32"), triple codec H.265H/264M/JPEG with Wisestream II, SD card, advanced video analytics and sound classification, PTZ handover, up to 6 user programmable temperature detection areas, temperature detection range is from (-4°F ~ 266°F) , open platform, DiS(Gyro), integrated back box, IP66, IK10, PoE/12VDC/24VAC, white color This product is subject to the Thermal agreement.	\$ 8,400.00	8801089128348
Camera - Network	TNM-3620TDY	EBT camera	Limited Stock, comparable model TNM-C4940TD	Wisenet T network indoor body temperature detection camera (uncooled), dual sensor camera with QVGA thermal (320x240) & 2MP (1920x1080) visible video outputs, built-in 4.7mm fixed lens (50") (thermal), 4mm fixed lens (87.6") (visible), AI Face & temperature detection, Estimated Body Temperature Mode: +30°C~+45°C (+86°F~+113°F), accuracy ±0.5°C (±0.9°F) / with blackbody ±0.3°C (±0.54°F), normal radiometric mode temperature detection range from (-4°F~-266°F), triple codec H.265H/264M/JPEG with Wisestream II, 150db WDR, USB and CVBS port for easy installation, advanced video analytics, micro SD, DiS, PoE+/12VDC This product is subject to the Thermal agreement.	\$ 7,600.00	8801089192745
Camera - Network	TNO-L3030T	QVGA Thermal Bullet	Thermal cameras with frame rates under 9fps versions do not require end user export documentation	QVGA Thermal camera, Max. 320 x 240 resolution support, built-in 13.7mm fixed lens, H.265, H.264, MJPEG codec, Max. 8.3fps@all resolutions, full video and audio analytics, temperature detection, shock detection, micro SD Max. 256GB, Halfway View, WiseStreamII, PoE, 24VAC, 12VDC / IP66, NEMA4X, IK10	\$ 4,100.00	8801089214096
Camera - Network	TNO-3010T	QVGA Thermal Bullet	Special order only Non-returnable	QVGA Thermal camera, Max. 320 x 240 resolution support, built-in 2.7mm fixed lens, H.265, H.264, MJPEG codec, Max. 30fps@all resolutions, full video and audio analytics, temperature detection, shock detection, micro SD Max. 256GB, Halfway View, WiseStreamII, PoE, 24VAC, 12VDC / IP66, NEMA4X, IK10 This product is subject to the Thermal agreement.	\$ 4,100.00	8801089191724
Camera - Network	TNO-3020T	QVGA Thermal Bullet	Special order only Non-returnable	QVGA Thermal camera, Max. 320 x 240 resolution support, built-in 4.3mm fixed lens, H.265, H.264, MJPEG codec, Max. 30fps@all resolutions, full video and audio analytics, temperature detection, shock detection, micro SD Max. 256GB, Halfway View, WiseStreamII, PoE, 24VAC, 12VDC / IP66, NEMA4X, IK10 This product is subject to the Thermal agreement.	\$ 4,100.00	8801089191694
Camera - Network	TNO-3030T	QVGA Thermal Bullet	Special order only Non-returnable	QVGA Thermal camera, Max. 320 x 240 resolution support, built-in 13.7mm fixed lens, H.265, H.264, MJPEG codec, Max. 30fps@all resolutions, full video and audio analytics, temperature detection, shock detection, micro SD Max. 256GB, Halfway View, WiseStreamII, PoE, 24VAC, 12VDC / IP66, NEMA4X, IK10 This product is subject to the Thermal agreement.	\$ 4,100.00	8801089191700
Camera - Network	TNO-3040T	QVGA Thermal Bullet	Special order only Non-returnable	QVGA Thermal camera, Max. 320 x 240 resolution support, built-in 19mm fixed lens, H.265, H.264, MJPEG codec, Max. 30fps@all resolutions, full video and audio analytics, temperature detection, shock detection, micro SD Max. 256GB, Halfway View, WiseStreamII, PoE, 24VAC, 12VDC / IP66, NEMA4X, IK10 This product is subject to the Thermal agreement.	\$ 5,000.00	8801089200495
Camera - Network	TNO-C3032TRA	AI QVGA Radiometric Bullet	Thermal cameras with frame rates under 9fps versions do not require end user export documentation	Wisenet T network AI Radiometric compact bullet camera (uncooled), 384 x 288 @ 8fps, <30mK (NETD), 9.7mm fixed focal lens (HfOV: 37.9"), Triple triple codec H.265H/264M/JPEG with Wisestream II and WiseStream III (based on AI engine) support, Analytics events based on AI engine: Object detection (Person/Vehicle), Virtual line (Crossing/ Direction), Virtual area (Lottering/Intrusion/Enter/Exit), Analytics events: Motion detection, Tampering, Audio detection, Sound classification, Shock detection, Virtual area(Appear/Disappear), PTZ handover, Radiometrics: whole FoV area or up to 10 user programmable polygonal ROIs, temperature detection range from -40°C to 550°C (-40°F to 1022°F), SD card, integrated back box, IP66, NEMA4X, IK10, PoE/12VDC, white color	\$ 5,650.00	8801089226723
Camera - Network	TNO-C3032TRA	AI QVGA Radiometric Bullet	Thermal cameras with frame rates under 9fps versions do not require end user export documentation	Wisenet T network AI Radiometric compact bullet camera (uncooled), 384 x 288 @ 8fps, <30mK (NETD), 6.6mm fixed focal lens (HfOV: 60.0"), Triple triple codec H.265H/264M/JPEG with Wisestream II and WiseStream III (based on AI engine) support, Analytics events based on AI engine: Object detection (Person/Vehicle), Virtual line (Crossing/ Direction), Virtual area (Lottering/Intrusion/Enter/Exit), Analytics events: Motion detection, Tampering, Audio detection, Sound classification, Shock detection, Virtual area(Appear/Disappear), PTZ handover, Radiometrics: whole FoV area or up to 10 user programmable polygonal ROIs, temperature detection range from -40°C to 550°C (-40°F to 1022°F), SD card, integrated back box, IP66, NEMA4X, IK10, PoE/12VDC, white color	\$ 5,650.00	8801089226716
Camera - Network	TNO-C3012TRA	AI QVGA Radiometric Bullet	Thermal cameras with frame rates under 9fps versions do not require end user export documentation	Wisenet T network AI Radiometric compact bullet camera (uncooled), 384 x 288 @ 8fps, <30mK (NETD), 4.4mm fixed focal lens (HfOV: 90.0"), Triple triple codec H.265H/264M/JPEG with Wisestream II and WiseStream III (based on AI engine) support, Analytics events based on AI engine: Object detection (Person/Vehicle), Virtual line (Crossing/ Direction), Virtual area (Lottering/Intrusion/Enter/Exit), Analytics events: Motion detection, Tampering, Audio detection, Sound classification, Shock detection, Virtual area(Appear/Disappear), PTZ handover, Radiometrics: whole FoV area or up to 10 user programmable polygonal ROIs, temperature detection range from -40°C to 550°C (-40°F to 1022°F), SD card, integrated back box, IP66, NEMA4X, IK10, PoE/12VDC, white color	\$ 5,650.00	8801089226709
Camera - Network	TNO-C3030TRA	AI QVGA Radiometric Bullet	Special order Non-returnable	Wisenet T network AI Radiometric compact bullet camera (uncooled), 384 x 288 @ 30fps, <30mK (NETD), 9.7mm fixed focal lens (HfOV: 37.9"), Triple triple codec H.265H/264M/JPEG with Wisestream II and WiseStream III (based on AI engine) support, Analytics events based on AI engine: Object detection (Person/Vehicle), Virtual line (Crossing/ Direction), Virtual area (Lottering/Intrusion/Enter/Exit), Analytics events: Motion detection, Tampering, Audio detection, Sound classification, Shock detection, Virtual area(Appear/Disappear), PTZ handover, Radiometrics: whole FoV area or up to 10 user programmable polygonal ROIs, temperature detection range from -40°C to 550°C (-40°F to 1022°F), SD card, integrated back box, IP66, NEMA4X, IK10, PoE/12VDC, white color This product is subject to the Thermal agreement.	\$ 5,650.00	8801089226754
Camera - Network	TNO-C3020TRA	AI QVGA Radiometric Bullet	Special order Non-returnable	Wisenet T network AI Radiometric compact bullet camera (uncooled), 384 x 288 @ 30fps, <30mK (NETD), 6.6mm fixed focal lens (HfOV: 60.0"), Triple triple codec H.265H/264M/JPEG with Wisestream II and WiseStream III (based on AI engine) support, Analytics events based on AI engine: Object detection (Person/Vehicle), Virtual line (Crossing/ Direction), Virtual area (Lottering/Intrusion/Enter/Exit), Analytics events: Motion detection, Tampering, Audio detection, Sound classification, Shock detection, Virtual area(Appear/Disappear), PTZ handover, Radiometrics: whole FoV area or up to 10 user programmable polygonal ROIs, temperature detection range from -40°C to 550°C (-40°F to 1022°F), SD card, integrated back box, IP66, NEMA4X, IK10, PoE/12VDC, white color This product is subject to the Thermal agreement.	\$ 5,650.00	8801089226747
Camera - Network	TNO-C3010TRA	AI QVGA Radiometric Bullet	Special order Non-returnable	Wisenet T network AI Radiometric compact bullet camera (uncooled), 384 x 288 @ 30fps, <30mK (NETD), 4.4mm fixed focal lens (HfOV: 90.0"), Triple triple codec H.265H/264M/JPEG with Wisestream II and WiseStream III (based on AI engine) support, Analytics events based on AI engine: Object detection (Person/Vehicle), Virtual line (Crossing/ Direction), Virtual area (Lottering/Intrusion/Enter/Exit), Analytics events: Motion detection, Tampering, Audio detection, Sound classification, Shock detection, Virtual area(Appear/Disappear), PTZ handover, Radiometrics: whole FoV area or up to 10 user programmable polygonal ROIs, temperature detection range from -40°C to 550°C (-40°F to 1022°F), SD card, integrated back box, IP66, NEMA4X, IK10, PoE/12VDC, white color This product is subject to the Thermal agreement.	\$ 5,650.00	8801089226730
Camera - Network	TNO-3050T	QVGA Thermal Bullet	Special order only Non-returnable	QVGA Thermal camera, Max. 320 x 240 resolution support, built-in 35mm fixed lens, H.265, H.264, MJPEG codec, Max. 30fps@all resolutions, full video and audio analytics, temperature detection, shock detection, micro SD Max. 256GB, Halfway View, WiseStreamII, PoE, 24VAC, 12VDC / IP66, NEMA4X, IK10 This product is subject to the Thermal agreement.	\$ 6,520.00	8801089200549
Explosion Proof (Note: There is a 15% cancellation fee for any Explosion Proof camera orders)						
Camera-Network	TNU-X6320A2WT1-Z	Explosion Proof Positioning Camera	Special order only (16 Week lead time) 15% Cancellation fee	Explosion proof positioning camera XP40B using the XNZ-6320A 110VAC Only, with Wiper, cLUS C1/D1 certification, -40°C ~ +60°C (-40°F ~ +140°F), IP66/IP67, -Z" for cLUS C1/D1	\$ 33,115.00	849688020999
Camera-Network	TNU-X6320A2WT2-C	Explosion Proof Positioning Camera	Special order only (16 Week lead time) 15% Cancellation fee	Explosion proof positioning camera XP40B using the XNZ-6320A 110VAC Only, with Wiper, cLUS C1/D1 certification, -60°C ~ +40°C (-67°F ~ +104°F), IP66/IP67, -C" for cLUS CSA	\$ 33,115.00	849688021002
Camera-Network	TNU-X6320A2F2WT1-Z	Explosion Proof Positioning Camera	Special order only (16 Week lead time) 15% Cancellation fee	Explosion proof positioning camera XP40B using the XNZ-6320A 110VAC Only, Single Mode Fiber with Wiper, cLUS C1/D1 certification, -40°C ~ +60°C (-40°F ~ +140°F), IP66/IP67, -Z" for cLUS C1/D1	\$ 34,565.00	849688021019
Camera-Network	TNU-X6320A2F2WT2-C	Explosion Proof Positioning Camera	Special order only (16 Week lead time) 15% Cancellation fee	Explosion proof positioning camera XP40B using the XNZ-6320A, 110VAC Only, Single Mode Fiber with Wiper, cLUS C1/D1 certification, -60°C ~ +40°C (-67°F ~ +104°F), IP66/IP67, -C" for cLUS CSA	\$ 35,335.00	849688021026

Camera-Network	TNU-X6320A2F2WT1-M	Explosion Proof Positioning Camera	Special order only (16 Week lead time) 15% Cancellation fee	Explosion proof positioning camera XP40B using the XNZ-6320A, 110VAC Only, Single Mode Fiber with Wiper, cLCus C1/D1 certification, -40°C ~ +60°C (-40°F ~ +140°F), IP66/IP67, "M" for INMETRO	\$ 34,565.00	849688021033
Camera-Network	TNU-X6320A1WT1-Z	Explosion Proof Positioning Camera	Special order only (16 Week lead time) 15% Cancellation fee	Explosion proof positioning camera XP40B using the XNZ-6320A, 24VAC Only, with Wiper, cLCus C1/D1 certification, -40°C ~ +60°C (-40°F ~ +140°F), IP66/IP67, "Z" for cLCus C1/D1	\$ 33,115.00	849688021040
Camera-Network	TNU-X6320A1WT2-C	Explosion Proof Positioning Camera	Special order only (16 Week lead time) 15% Cancellation fee	Explosion proof positioning camera XP40B using the XNZ-6320A, 24VAC Only, with Wiper, cLCus C1/D1 certification, -60°C ~ +40°C (-67°F ~ +104°F), IP66/IP67, "C" for cLC CSA	\$ 33,885.00	849688021057
Camera-Network	TNU-X6320A1WT1-M	Explosion Proof Positioning Camera	Special order only (16 Week lead time) 15% Cancellation fee	Explosion proof positioning camera XP40B using the XNZ-6320A, 24VAC Only, with Wiper, cLCus C1/D1 certification, -40°C ~ +60°C (-40°F ~ +140°F), IP66/IP67, "M" for INMETRO	\$ 33,115.00	849688021064
Camera-Network	TNU-X6320A1F2WT1-Z	Explosion Proof Positioning Camera	Special order only (16 Week lead time) 15% Cancellation fee	Explosion proof positioning camera XP40B using the XNZ-6320A, 24VAC Only, Single Mode Fiber with Wiper, cLCus C1/D1 certification, -40°C ~ +60°C (-40°F ~ +140°F), IP66/IP67, "Z" for cLCus C1/D1	\$ 34,565.00	849688021071
Explosion Proof Positioning	TNU-X6320A1F2WT2-C	Explosion proof		Explosion proof positioning camera XP40B using the XNZ-6320A, 24VAC Only, Single Mode Fiber with Wiper, cLCus C1/D1 certification, -60°C ~ +40°C (-67°F ~ +104°F), IP66/IP67, "C" for cLC CSA	\$ 35,335.00	849688021088
Explosion Proof Positioning	TNU-X6320A1F2WT1-M	Explosion proof		Explosion proof housing using the XNZ-6320A PoE Only (No Wiper), cLCus C1/D1 certification, -10°C ~ +55°C (+14°F ~ +131°F), IP66/IP67, IP68, "Z" for cLCus C1/D1	\$ 34,565.00	849688021095
Camera-Network	TNO-X6320EPT0-Z	Explosion Proof Fixed Camera	6 Week lead time 15% Cancellation fee	Explosion proof positioning camera XP40B using the XNZ-6320A, 24VAC Only, Single Mode Fiber with Wiper, cLCus C1/D1 certification, -40°C ~ +60°C (-40°F ~ +140°F), IP66/IP67, "M" for INMETRO	\$ 8,395.00	849688012758
Camera-Network	TNO-X6320EPT0-C	Explosion Proof Fixed Camera	6 Week lead time 15% Cancellation fee	Explosion proof housing using the XNZ-6320A PoE Only (No Wiper), cLCus C1/D1 certification, -10°C ~ +55°C (+14°F ~ +131°F), IP66/IP67, IP68, "C" for cLC CSA	\$ 8,395.00	849688012765
Camera-Network	TNO-X6320EPT0-M	Explosion Proof Fixed Camera	6 Week lead time 15% Cancellation fee	Explosion proof housing using the XNZ-6320A PoE Only (No Wiper), cLCus C1/D1 certification, -10°C ~ +55°C (+14°F ~ +131°F), IP66/IP67, IP68, "M" for INMETRO	\$ 8,395.00	849688012772
Camera-Network	TNO-X6320E1WT1-Z	Explosion Proof Fixed Camera	6 Week lead time 15% Cancellation fee	Explosion proof housing using the XNZ-6320A 24VAC Only with wiper, cLCus C1/D1 certification, -40°C ~ +60°C (-40°F ~ +140°F), IP66/IP67, IP68, "Z" for cLCus C1/D1	\$ 11,415.00	849688012789
Camera-Network	TNO-X6320E1WT1-C	Explosion Proof Fixed Camera	6 Week lead time 15% Cancellation fee	Explosion proof housing using the XNZ-6320 24VAC Only with wiper, cLCus C1/D1 certification, -40°C ~ +60°C (-40°F ~ +140°F), IP66/IP67, IP68, "C" for cLC CSA	\$ 11,415.00	849688012796
Camera-Network	TNO-X6320E1WT2-C	Explosion Proof Fixed Camera	6 Week lead time 15% Cancellation fee	Explosion proof housing using the XNZ-6320A 24VAC Only with wiper, cLCus C1/D1 certification, -60°C ~ +40°C (-67°F ~ +104°F), IP66/IP67, IP68, "C" for cLC CSA	\$ 12,185.00	849688012802
Camera-Network	TNO-X6320E1WT1-M	Explosion Proof Fixed Camera	6 Week lead time 15% Cancellation fee	Explosion proof housing using the XNZ-6320A 24VAC Only with wiper, cLCus C1/D1 certification, -40°C ~ +60°C (-40°F ~ +140°F), IP66/IP67, IP68, "M" for INMETRO	\$ 11,415.00	849688012819
Camera-Network	TNO-X6320E2FT1-Z	Explosion Proof Fixed Camera	6 Week lead time 15% Cancellation fee	Explosion proof housing using the XNZ-6320A 110VAC Only, Single Mode Fiber (No Wiper), cLCus C1/D1 certification, -40°C ~ +60°C (-40°F ~ +140°F), IP66/IP67, IP68, "Z" for cLCus C1/D1	\$ 15,365.00	849688012826
Camera-Network	TNO-X6320E2FT1-C	Explosion Proof Fixed Camera	6 Week lead time 15% Cancellation fee	Explosion proof housing using the XNZ-6320A 110VAC Only, Single Mode Fiber (No Wiper), cLCus C1/D1 certification, -40°C ~ +60°C (-40°F ~ +140°F), IP66/IP67, IP68, "C" for cLC CSA	\$ 15,365.00	849688012833
Camera-Network	TNO-X6320E2FT2-C	Explosion Proof Fixed Camera	6 Week lead time 15% Cancellation fee	Explosion proof housing using the XNZ-6320A 110VAC Only, Single Mode Fiber (No Wiper), cLCus C1/D1 certification, -60°C ~ +40°C (-67°F ~ +104°F), IP66/IP67, IP68, "C" for cLC CSA	\$ 16,815.00	849688012840
Camera-Network	TNO-X6320E2FT21-M	Explosion Proof Fixed Camera	6 Week lead time 15% Cancellation fee	Explosion proof housing using the XNZ-6320A 110VAC Only, Single Mode Fiber (No Wiper), cLCus C1/D1 certification, -40°C ~ +60°C (-40°F ~ +140°F), IP66/IP67, IP68, "M" for INMETRO	\$ 15,365.00	849688012857
Camera-Network	TNO-X6320E2F2WT1-Z	Explosion Proof Fixed Camera	6 Week lead time 15% Cancellation fee	Explosion proof housing using the XNZ-6320A 110VAC Only, Single Mode Fiber with Wiper, cLCus C1/D1 certification, -40°C ~ +60°C (-40°F ~ +140°F), IP66/IP67, IP68, "Z" for cLCus C1/D1	\$ 16,815.00	849688012864
Camera-Network	TNO-X6320E2F2WT1-C	Explosion Proof Fixed Camera	6 Week lead time 15% Cancellation fee	Explosion proof housing using the XNZ-6320A 110VAC Only, Single Mode Fiber with Wiper, cLCus C1/D1 certification, -40°C ~ +60°C (-40°F ~ +140°F), IP66/IP67, IP68, "C" for cLC CSA	\$ 16,815.00	849688012871
Camera-Network	TNO-X6320E2F2WT2-C	Explosion Proof Fixed Camera	6 Week lead time 15% Cancellation fee	Explosion proof housing using the XNZ-6320A 110VAC Only, Single Mode Fiber with Wiper, cLCus C1/D1 certification, -60°C ~ +40°C (-67°F ~ +104°F), IP66/IP67, IP68, "C" for cLC CSA	\$ 17,585.00	849688012888
Camera-Network	TNO-X6320E2F2WT1-M	Explosion Proof Fixed Camera	6 Week lead time 15% Cancellation fee	Explosion proof housing using the XNZ-6320A 110VAC Only, Single Mode Fiber with Wiper, cLCus C1/D1 certification, -40°C ~ +60°C (-40°F ~ +140°F), IP66/IP67, IP68, "M" for INMETRO	\$ 16,815.00	849688012895
Camera-Network	TNU-X6320E2WT1-C	Explosion Proof Positioning Camera	Limited stock, Special order only, (16 Week lead time), 15% Cancellation fee (16 Week lead time) 15% Cancellation fee Comparable Model SPC-2019	Explosion proof positioning camera using the XNZ-6320 110VAC Only, with Wiper, cLCus C1/D1 certification, -40°C ~ +60°C (-40°F ~ +140°F), IP66/IP67, "C" for cLC CSA	\$ 33,115.00	849688012918
Camera-Network	TNU-X6320E2F2WT1-C	Explosion Proof Positioning Camera	Limited stock, Special order only, (16 Week lead time), 15% Cancellation fee (16 Week lead time) 15% Cancellation fee Comparable Model SPC-2023	Explosion proof positioning camera using the XNZ-6320 110VAC Only, Single Mode Fiber with Wiper, cLCus C1/D1 certification, -40°C ~ +60°C (-40°F ~ +140°F), IP66/IP67, "C" for cLC CSA	\$ 34,565.00	849688012956
Camera-Network	TNU-X6320E1WT1-C	Explosion Proof Positioning Camera	Limited stock, Special order only, (16 Week lead time), 15% Cancellation fee (16 Week lead time) 15% Cancellation fee Comparable Model SPC-2027	Explosion proof positioning camera using the XNZ-6320 24VAC Only, with Wiper, cLCus C1/D1 certification, -40°C ~ +60°C (-40°F ~ +140°F), IP66/IP67, "C" for cLC CSA	\$ 33,115.00	849688012994
Camera-Network	TNU-X6320E1F2WT1-C	Explosion Proof Positioning Camera	Limited stock, Special order only, (16 Week lead time), 15% Cancellation fee (16 Week lead time) 15% Cancellation fee Comparable Model SPC-2031	Explosion proof positioning camera using the XNZ-6320 24VAC Only, Single Mode Fiber with Wiper, cLCus C1/D1 certification, -40°C ~ +60°C (-40°F ~ +140°F), IP66/IP67, "C" for cLC CSA	\$ 34,565.00	849688013038
Explosion Proof - Accessory	HT-E-XWP10UL	Explosion Proof Accessories Washer Tank	Special order only (16 Week lead time) 15% Cancellation fee	Stainless steel Washer tank for cameras with Wiper model (TNP-6320E2W, TNP-6320E2WF, TNP-6320E1W, TNP-6320E1WF, TNU positioning camera, TNO-6070E2WF, TNO-6320E2WF, TNO-6070E1W)	\$ 7,725.00	849688007976
Explosion Proof - Accessory	HT-E-BFP00SW	Explosion Proof Accessories Mounting Bracket	Special order only (16 Week lead time) 15% Cancellation fee	Stainless steel Top mounting bracket	\$ 775.00	849688007983
Explosion Proof - Accessory	HT-E-BFW320SW	Explosion Proof Accessories Wall Mount	Special order only (16 Week lead time) 15% Cancellation fee	Stainless steel wall mount for (TNO-6070EP, TNO-6320EP, TNO-6070EW2, TNO-6320EW2)	\$ 1,650.00	849688007990
Explosion Proof - Accessory	HT-E-BPW6800	Explosion Proof Accessories PTZ wall Mount	Special order only (16 Week lead time) 15% Cancellation fee	Stainless steel Wall mount for (TNP-xxx, TNU-xxxx)	\$ 1,475.00	849688008003
Explosion Proof - Accessory	HT-E-BFW50SW	Explosion Proof Accessories Wall Mount	Special order only (16 Week lead time) 15% Cancellation fee	Stainless steel wall mount for (TNO-6070EF2, TNO-6320EF2, TNO-6070EWF2, TNO-6320EWF2)	\$ 1,825.00	849688008010
Explosion Proof - Accessory	HT-E-BFP00CL	Explosion Proof Accessories Pole Adaptor	Special order only (16 Week lead time) 15% Cancellation fee	Stainless steel pole mount adaptor	\$ 1,550.00	849688008027
Camera - Network	TNO-X6072EPT1-Z	Explosion Proof Fixed Camera	6 Week lead time 15% Cancellation fee	Explosion proof camera using the XNB-6000 (2MP @ 60fps) + 2.8-9mm Lens PoE Only (No Wiper), -40°C ~ +55°C (-40°F ~ +131°F), type 4x, IP66, FM (Factory Mutual), C1/D1 certification	\$ 8,330.00	849688012659
Camera - Network	TNO-X8072EPT1-Z	Explosion Proof Fixed Camera	6 Week lead time 15% Cancellation fee	Explosion proof camera using the XNB-8000 (8MP @ 30fps) + 4.1-9mm Lens PoE Only (No Wiper), -40°C ~ +55°C (-40°F ~ +131°F), type 4x, IP66, FM (Factory Mutual), C1/D1 certification	\$ 8,620.00	849688013212
Camera - Network	TNO-X6322EPT1-Z	Explosion Proof Zoom Camera	6 Week lead time 15% Cancellation fee	Explosion proof zoom camera using the XNZ-L6320 (2MP @ 60fps) with 32x optical zoom, PoE Only (No Wiper), -40°C ~ +55°C (-40°F ~ +131°F), type 4x, IP66, FM (Factory Mutual), C1/D1 certification	\$ 9,100.00	849688012666
Camera - Network	TNM-XNF9013EPT3-Z	Explosion proof Camera	Explosion Proof Fish Eye Camera Special order (12 Week lead time)15% Cancellation fee	Explosion proof Fisheye camera using the XNF-9013RV (12 MP, AI 360° camera, Stereographic fish eye lens PoE+ (No Wiper), -40°C ~ +60°C (-40°F ~ +140°F), type 4x, IP66, FM (Factory Mutual), C1/D1, CA/CE, and Inmetro certifications	\$ 13,850.00	849688021200
Camera - Network	TNO-X6322EPT3-Z	Explosion Proof PTZ	6 Week lead time 15% Cancellation fee	Explosion proof PTZ using the XNP-6320 (2MP @ 60fps) +with 32x optical zoom PoE+ (No Wiper), -20°C ~ +55°C (-4°F ~ +131°F), type 4x, IP66, FM (Factory Mutual), C1/D1 certification	\$ 25,210.00	849688013229
Camera - Network	TNO-P9072EPT1-Z	Explosion Proof Fixed Camera	6 Week lead time 15% Cancellation fee	AJ 4K Explosion proof camera using the PNB-A9001 (8MP @ 30fps) + 3.9-10mm f1.5 Varifocal i-CS Lens PoE+ (No Wiper), -40°C ~ +55°C (-40°F ~ +131°F), type 4x, IP66, FM (Factory Mutual), cLCus C1/D1 certification	\$ 9,475.00	849688015339
Camera - Network	TNM-P9022EPT3-Z	Explosion Proof Panoramic Camera	12 Week lead time 15% Cancellation fee	WN7 Panoramic Multi-sensor explosion proof camera, 180° view, (2MP X 4 sensors) 7.3MP @ 30fps, panoramic 209° view, 8.3MP, triple codec H.265/H.264/MJPEG with WiseStream II technology, extreme WDR 120dB, defocus detection, built in analytics, Heatmap, Micro USB for easy installation, 2 x Micro SD cards PoE+, IP66/IK10/NEMA4X; FM (Factory Mutual), cLCus C1/D1 certification	\$ 14,500.00	849688018774
Explosion Proof - Accessory	HT-F1XX-WM	Wall Mount	6 Week lead time 15% Cancellation fee	Wall mount for the (TNO-X6072EPT1-Z, TNO-X8072EPT1-Z, and TNO-X6322EPT1-Z)	\$ 1,450.00	849688012734
Explosion Proof - Accessory	HT-SD-FP	Protection Kit	Protection accessory is part of the explosion proof camera	Protection kit for the (TNP-X6322EPT3-Z, TNP-Q6322EPT3-Z)	\$ 1,660.00	849688012741
Explosion Proof - Accessory	HT-SD-WM	Wall Mount	6 Week lead time 15% Cancellation fee	Wall mount for the (TNP-X6322EPT3-Z, TNP-Q6322EPT3-Z)	\$ 2,790.00	849688012680
Explosion Proof - Accessory	HT-SF-FP	Protection Kit	Protection accessory is part of the explosion proof camera Price decrease from \$2,010.00 to \$400.00	Protection kit for the (TNO-X6072EPT1-Z, TNO-X8072EPT1-Z and TNO-X6322EPT1-Z)	\$ 400.00	849688012697
Explosion Proof - Accessory	HT-SPMA-SD	Pole Mount	6 Week lead time 15% Cancellation fee	Pole mount for the (TNO-X6072EPT1-Z, TNO-X8072EPT1-Z and TNO-X6322EPT1-Z, TNP-X6322EPT3-Z, TNP-Q6322EPT3-Z) requires a wall mount	\$ 2,260.00	849688012703
Explosion Proof - Accessory	HT-SD-CM	Corner Mount	6 Week lead time 15% Cancellation fee	Corner mount for the (TNO-X6072EPT1-Z, TNO-X8072EPT1-Z and TNO-X6322EPT1-Z, TNP-X6322EPT3-Z, TNP-Q6322EPT3-Z) requires a wall mount	\$ 1,255.00	849688012727

Audio

IP Audio System	SPA-W100W	IP Wall Speaker		IP Audio Speaker, Two-way audio, Scheduler, Background Music, Text To Speech, 10W Amp, 101dB Output, Freq. Range 120Hz-20kHz, 1GB Internal Storage, Single Micro SD slot (Up to 32GB), Built in Relay, SUNAPI, Onvif, SIP, P2P-SIP, IP54, PoE, PoE+, White Color	\$ 967.00	8801089194473
IP Audio System	SPA-W100B	IP Wall Speaker		IP Audio Speaker, Two-way audio, Scheduler, Background Music, Text To Speech, 10W Amp, 101dB Output, Freq. Range 120Hz-20kHz, 1GB Internal Storage, Single Micro SD slot (Up to 32GB), Built in Relay, SUNAPI, Onvif, SIP, P2P-SIP, IP54, PoE, PoE+, Black Color	\$ 967.00	8801089194466
IP Audio System	SPA-S1000	IP Audio Server		IP Audio Server, Scheduler, Background Music, Text To Speech, SUNAPI, Onvif	\$ 4,913.00	8801089196811
IP Audio System	SPA-P100W	IP Pendant Speaker		IP Audio Speaker, Two-way audio, Scheduler, Background Music, Text To Speech, 10W Amp, 101dB Output, Freq. Range 130Hz-20kHz, 1GB Internal Storage, Single Micro SD slot (Up to 32GB), Built in Relay, SUNAPI, Onvif, SIP, P2P-SIP, PoE, PoE+, White Color	\$ 892.00	8801089207289
IP Audio System	SPA-P100B	IP Pendant Speaker		IP Audio Speaker, Two-way audio, Scheduler, Background Music, Text To Speech, 10W Amp, 101dB Output, Freq. Range 130Hz-20kHz, 1GB Internal Storage, Single Micro SD slot (Up to 32GB), Built in Relay, SUNAPI, Onvif, SIP, P2P-SIP, PoE, PoE+, Black Color	\$ 892.00	8801089207272
IP Audio System	SPA-H100W	IP Horn Speaker		IP Audio Speaker, Two-way audio, Scheduler, Background Music, Text To Speech, 10W Amp, 124dB Output, Freq. Range 650Hz-5.3kHz, 1GB Internal Storage, Single Micro SD slot (Up to 32GB), Built in Relay, SUNAPI, Onvif, SIP, P2P-SIP, IP66, PoE, PoE+, White Color	\$ 1,071.00	8801089187444

IP Audio System	SPA-H100B	IP Horn Speaker		IP Audio Speaker, Two-way audio, Scheduler, Background Music, Text To Speech, 10W Amp, 124dB Output, Freq. Range 850Hz-5.3KHz, 1GB Internal Storage, Single Micro SD slot (Up to 32GB), Built in Relay, SUNAPI, Omvif, SIP, P2P-SIP, IP66, PoE, PoE+, Black Color	\$ 1,071.00		8801089187437
IP Audio System	SPA-D1000	IP Audio Module		IP Audio Module, Scheduler, Background Music, Text To Speech, 10W / 8 Ohm Analog Speaker Output, 1GB Internal Storage, Single Micro SD slot (Up to 32GB), Built in Relay, SUNAPI, Omvif, SIP, P2P-SIP, PoE, PoE+	\$ 639.00		8801089184382
IP Audio System	SPA-C110W	IP Ceiling Speaker		IP Audio Speaker, Two-way audio, Scheduler, Background Music, Text To Speech, 10W, 100dB Output, Freq. Range 120Hz-20KHz, 1GB Internal Storage, Single Micro SD slot (Up to 32GB), Built in Relay, SUNAPI, Omvif, SIP, P2P-SIP, PoE, PoE+, White Color	\$ 743.00		8801089190703
IP Audio System	SPA-C110B	IP Ceiling Speaker		IP Audio Speaker, Two-way audio, Scheduler, Background Music, Text To Speech, 10W, 100dB Output, Freq. Range 120Hz-20KHz, 1GB Internal Storage, Single Micro SD slot (Up to 32GB), Built in Relay, SUNAPI, Omvif, SIP, P2P-SIP, PoE, PoE+, Black Color	\$ 743.00		8801089190697
Intercoms							
Intercoms	TCIS-2	Outdoor Audio Intercom	One of the mounts (TA-1 / TA-13 / TA-18 - Purchased separately) is required for installation Price increase from \$1,940.00 to \$2,030.00	Zenitel Turbine Intercom, Audio only, Full Duplex, Group call, AVC, AEC, HD voice, Outdoor IP66, IK10, 95dB at 1 m (Open Duplex), 105 dB at 1m(Half Duplex) PoE, 6 x IO, 12mA LED driver output, SIP, UL , Cisco Certified, Avaya Certified,NEC Certified, -40° to 70° C (-40° to 158 ° F),UV Resistance, 10 W Amp, Audio out 600 Ohm	\$ 2,030.00		849688019108
Intercoms	TCIS-3	Outdoor Audio Intercom	One of the mounts (TA-1 / TA-13 / TA-18 - Purchased separately) is required for installation Price increase from \$1,700.00 to \$1,790.00	Zenitel Turbine Intercom, Audio only, Full Duplex, Group call, AVC, AEC, HD voice, Outdoor IP66, IK08, 95dB at 1 m (Open Duplex), 105 dB at 1m(Half Duplex) PoE, 6 x IO, 12mA LED driver output, SIP, UL , Cisco Certified, Avaya Certified,NEC Certified, -40° to 70° C (-40° to 158 ° F),UV Resistance, 10 W Amp Audio out 600 Ohm	\$ 1,790.00		849688019115
Intercoms	TMIS-1	Indoor Audio Intercom	Price increase from \$1,320.00 to \$1,380.00	Zenitel Turbine Mini Intercom, Audio only, Full Duplex, Group call, AVC, AEC, HD voice, Indoor IP42, 90dB at 1 m (Open Duplex), PoE, 6 x IO, 12mA LED driver output, SIP, UL , Cisco Certified, Avaya Certified,NEC Certified, -40° to 70° C (-40° to 158 ° F),UV Resistance, 10 W Amp Audio out 600 Ohm	\$ 1,380.00		849688019122
Intercoms	TID-600R	Video Intercom		Video Intercom Station, 2MP@60fps, 1.6mm fixed lens (180° x 114°), triple codec H.265/H.264/MJPEG with Wisestream II, 150dB WDR, IR LEDs range 16', Touchless call, Tow-way (Full duplex) audio, 85dB@0.5m, Echo cancellation and noise reduction, Built in tamper switch, Built in Relay, SIP 2.0, P2P-SIP, SIPS, IP65, IK08, NEMA4X, PoE, 12VDC	\$ 1,133.00		8801089198655
PC based Solution							
Wisenet WAVE Software	WAVE-PRO-01	WAVE, 1x IP camera license		WAVE Professional License. Enables one (1) IP stream recording, includes life-time SW upgrade. No annual & maintenance cost required.	\$ 165.00		849688010136
Wisenet WAVE Software	WAVE-PRO-04	WAVE, 4x IP camera license		WAVE Professional License. Enables four (4) IP stream recording, includes life-time SW upgrade. No annual & maintenance cost required.	\$ 660.00		849688010143
Wisenet WAVE Software	WAVE-PRO-05	WAVE, 5x IP camera license		WAVE Professional License. Enables five (5) IP stream recording, includes life-time SW upgrade. No annual & maintenance cost required.	\$ 825.00		849688021101
Wisenet WAVE Software	WAVE-PRO-08	WAVE, 8x IP camera license		WAVE Professional License. Enables eight (8) IP stream recording, includes life-time SW upgrade. No annual & maintenance cost required.	\$ 1,320.00		849688010150
Wisenet WAVE Software	WAVE-PRO-16	WAVE, 16x IP camera license		WAVE Professional License. Enables sixteen (16) IP stream recording, includes life-time SW upgrade. No annual & maintenance cost required.	\$ 2,640.00		849688010167
Wisenet WAVE Software	WAVE-PRO-24	WAVE, 24x IP camera license		WAVE Professional License. Enables twenty-four (24) IP stream recording, includes life-time SW upgrade. No annual & maintenance cost required.	\$ 3,960.00		849688010174
Wisenet WAVE Software	WAVE-PRO-48	WAVE, 48x IP camera license		WAVE Professional License. Enables forty-eight (48) IP stream recording, includes life-time SW upgrade. No annual & maintenance cost required.	\$ 7,920.00		849688010181
Wisenet WAVE Software	WAVE-VW-02	WAVE, Video Wall license		WAVE Video Wall License. Enables up to two (2) monitors, includes life-time SW upgrade. No annual & maintenance cost required.	\$ 1,400.00		849688010204
Wisenet WAVE Software	WAVE-ENC-04	WAVE, 4 channel encoder license		WAVE Encoder License. Enables up to four (4) recording channels, includes life-time SW upgrade. No annual & maintenance cost required.	\$ 165.00		849688010198
Wisenet WAVE Software	WAVE-IO-01	WAVE, I/O module license		WAVE I/O License. Enables one (1) I/O module, includes life-time SW upgrade. No annual & maintenance cost required.	\$ 165.00		849688010211
Wisenet WAVE Software	WAVE-EMB-04	WAVE, 4 channel embedded recorder		WAVE Embedded Recorder License. Enables four (4) channel Hanwha Embedded Recorder playback, includes life-time SW upgrade. No annual & maintenance cost required.	\$ 110.00		849688010228
Wisenet WAVE Software	WAVE-EMB-08	WAVE, 8 channel embedded recorder		WAVE Embedded Recorder License. Enables eight (8) channel Hanwha Embedded Recorder playback, includes life-time SW upgrade. No annual & maintenance cost required.	\$ 220.00		849688010242
Wisenet WAVE Software	WAVE-EMB-16	WAVE, 16 channel embedded recorder		WAVE Embedded Recorder License. Enables sixteen (16) channel Hanwha Embedded Recorder playback, includes life-time SW upgrade. No annual & maintenance cost required.	\$ 440.00		849688010259
Wisenet WAVE Software	WAVE-EMB-32	WAVE, 32 channel embedded recorder		WAVE Embedded Recorder License. Enables thirty-two (32) channel Hanwha Embedded Recorder playback, includes life-time SW upgrade. No annual & maintenance cost required.	\$ 880.00		849688010266
Wisenet WAVE Software	WAVE-EMB-64	WAVE, 64 channel embedded recorder		WAVE Embedded Recorder License. Enables sixty-four (64) channel Hanwha Embedded Recorder playback, includes life-time SW upgrade. No annual & maintenance cost required.	\$ 1,760.00		849688010273
WAVE - Client	WWT-P-7203MW	WAVE Client	2 Weeks Lead Time	Micro form factor Wisenet WAVE Client Workstation for 2 monitor output, Wisenet WAVE pre-installed, (Gen 13) Intel Core i7, 16GB RAM, 256GB SSD OS Drive, Windows 10 IoT Enterprise, Single GbE NIC, (1) VGA, (1) HDMI, (1) DisplayPort outputs, (1) DisplayPort to HDMI adapter included, Keyboard and Mouse included	\$ 3,910.00		849688021132
WAVE - Client	WWT-P-7203ML	WAVE Client (Linux OS)	2 Weeks Lead Time	Micro form factor Wisenet WAVE Client Workstation for 2 monitor output, Wisenet WAVE pre-installed, (Gen 13) Intel Core i7, 16GB RAM, 256GB SSD OS Drive, Ubuntu Linux 20.04 LTS, Single GbE NIC, (1) VGA, (1) HDMI, (1) DisplayPort outputs, (1) DisplayPort to HDMI adapter included, Keyboard and Mouse included	\$ 3,910.00		849688021149
WAVE - Client	WWT-P-3203W	WAVE Client	2 Weeks Lead Time	Small form factor Wisenet WAVE Client Workstation for 2 monitor output, Wisenet WAVE pre-installed, (Gen 13) Intel Core i3, 8GB RAM, 256 SSD OS Drive, Windows 10 IoT Enterprise, Nvidia Quadro T400 GPU w/ (3) Mini DisplayPort output, Single GbE NIC, (2) MiniDisplayPort to HDMI adapters included, Keyboard and mouse included	\$ 3,650.00		849688021163
WAVE - Client	WWT-P-3203L	WAVE Client (Linux OS)	2 Weeks Lead Time	Small form factor Wisenet WAVE Client Workstation for 2 monitor output, Wisenet WAVE pre-installed, (Gen 13) Intel Core i3, 8GB RAM, 256 SSD OS Drive, Ubuntu Linux 20.04 LTS, Nvidia Quadro T400 GPU w/ (3) Mini DisplayPort output, Single GbE NIC, (2) MiniDisplayPort to HDMI adapters included, Keyboard and mouse included	\$ 3,650.00		849688021156
WAVE - Client	WWT-P-5403W	WAVE Client	2 Weeks Lead Time	Small form factor Wisenet WAVE Client Workstation for 4 monitor output, Wisenet WAVE pre-installed, (Gen 13) Intel Core i5, 16GB RAM, 256 SSD OS Drive, Windows 10 IoT Enterprise, Single GbE NIC, (1) VGA, (1) HDMI, (1) DisplayPort outputs, Nvidia Quadro T400 GPU w/ (3) mDP output, (3) mDP to HDMI adapters included, Keyboard and mouse included	\$ 4,380.00		849688021170
WAVE - Client	WWT-P-5403L	WAVE Client (Linux OS)	2 Weeks Lead Time	Small form factor Wisenet WAVE Client Workstation for 4 monitor output, Wisenet WAVE pre-installed, (Gen 13) Intel Core i5, 16GB RAM, 256 SSD OS Drive, Ubuntu Linux 20.04 LTS, Single GbE NIC, (1) VGA, (1) HDMI, (1) DisplayPort outputs, Nvidia Quadro T400 GPU w/ (3) mDP output, (3) mDP to HDMI adapters included, Keyboard and mouse included	\$ 4,380.00		849688021187
WAVE - Appliance	WRN-1610S-2TB	WAVE recording server with PoE+	3 Weeks Lead Time	2U WAVE PoE NVR (Intel based) with 4 Professional licenses, 6TB RAW, supports: 16 channels with 16 PoE/PoE+ ports (PoE Budget 200W), Wisenet WAVE pre-installed, H.264/H.265/MJPEG, 4 fixed internal SATA HDDs (6TB max per HDD), Wisestream technology, HDMI/VGA output, Dual GbE NICs	\$ 2,983.00		849688015162
WAVE - Appliance	WRN-1610S-4TB	WAVE recording server with PoE+	3 Weeks Lead Time	2U WAVE PoE NVR (Intel based) with 4 Professional licenses, 6TB RAW, supports: 16 channels with 16 PoE/PoE+ ports (PoE Budget 200W), Wisenet WAVE pre-installed, H.264/H.265/MJPEG, 4 fixed internal SATA HDDs (6TB max per HDD), Wisestream technology, HDMI/VGA output, Dual GbE NICs	\$ 3,343.00		849688015179
WAVE - Appliance	WRN-1610S-6TB	WAVE recording server with PoE+	3 Weeks Lead Time	2U WAVE PoE NVR (Intel based) with 4 Professional licenses, 6TB RAW, supports: 16 channels with 16 PoE/PoE+ ports (PoE Budget 200W), Wisenet WAVE pre-installed, H.264/H.265/MJPEG, 4 fixed internal SATA HDDs (6TB max per HDD), Wisestream technology, HDMI/VGA output, Dual GbE NICs	\$ 3,703.00		849688015186
WAVE - Appliance	WRN-1610S-8TB	WAVE recording server with PoE+	3 Weeks Lead Time	2U WAVE PoE NVR (Intel based) with 4 Professional licenses, 6TB RAW, supports: 16 channels with 16 PoE/PoE+ ports (PoE Budget 200W), Wisenet WAVE pre-installed, H.264/H.265/MJPEG, 4 fixed internal SATA HDDs (6TB max per HDD), Wisestream technology, HDMI/VGA output, Dual GbE NICs	\$ 4,423.00		849688015193
WAVE - Appliance	WRN-1610S-12TB	WAVE recording server with PoE+	3 Weeks Lead Time	2U WAVE PoE NVR (Intel based) with 4 Professional licenses, 12TB RAW, supports: 16 channels with 16 PoE/PoE+ ports (PoE Budget 200W), Wisenet WAVE pre-installed, H.264/H.265/MJPEG, 4 fixed internal SATA HDDs (6TB max per HDD), Wisestream technology, HDMI/VGA output, Dual GbE NICs	\$ 5,503.00		849688016596
WAVE - Appliance	WRN-1610S-18TB	WAVE recording server with PoE+	3 Weeks Lead Time	2U WAVE PoE NVR (Intel based) with 4 Professional licenses, 18TB RAW, supports: 16 channels with 16 PoE/PoE+ ports (PoE Budget 200W), Wisenet WAVE pre-installed, H.264/H.265/MJPEG, 4 fixed internal SATA HDDs (6TB max per HDD), Wisestream technology, HDMI/VGA output, Dual GbE NICs	\$ 6,583.00		849688016602
WAVE - Appliance	WRN-1610S-24TB	WAVE recording server with PoE+	3 Weeks Lead Time	2U WAVE PoE NVR (Intel based) with 4 Professional licenses, 24TB RAW, supports: 16 channels with 16 PoE/PoE+ ports (PoE Budget 200W), Wisenet WAVE pre-installed, H.264/H.265/MJPEG, 4 fixed internal SATA HDDs (6TB max per HDD), Wisestream technology, HDMI/VGA output, Dual GbE NICs	\$ 7,663.00		849688016608
WAVE - Appliance	WRN-810S-1TB	WAVE recording server with PoE+	3 Weeks Lead Time	1U WAVE PoE NVR (Intel based) with 4 Professional licenses, 1TB RAW, supports: 8 channels with 8 PoE/PoE+ ports (PoE Budget 100W), Wisenet WAVE pre-installed, H.264/H.265/MJPEG, 2 fixed internal SATA HDDs (6TB max per HDD), Wisestream technology, HDMI/VGA output, Dual GbE NICs	\$ 2,036.00		849688015124
WAVE - Appliance	WRN-810S-2TB	WAVE recording server with PoE+	3 Weeks Lead Time	1U WAVE PoE NVR (Intel based) with 4 Professional licenses, 2TB RAW, supports: 8 channels with 8 PoE/PoE+ ports (PoE Budget 100W), Wisenet WAVE pre-installed, H.264/H.265/MJPEG, 2 fixed internal SATA HDDs (6TB max per HDD), Wisestream technology, HDMI/VGA output, Dual GbE NICs	\$ 2,216.00		849688015209
WAVE - Appliance	WRN-810S-4TB	WAVE recording server with PoE+	3 Weeks Lead Time	1U WAVE PoE NVR (Intel based) with 4 Professional licenses, 4TB RAW, supports: 8 channels with 8 PoE/PoE+ ports (PoE Budget 100W), Wisenet WAVE pre-installed, H.264/H.265/MJPEG, 2 fixed internal SATA HDDs (6TB max per HDD), Wisestream technology, HDMI/VGA output, Dual GbE NICs	\$ 2,576.00		849688015131
WAVE - Appliance	WRN-810S-6TB	WAVE recording server with PoE+	3 Weeks Lead Time	1U WAVE PoE NVR (Intel based) with 4 Professional licenses, 6TB RAW, supports: 8 channels with 8 PoE/PoE+ ports (PoE Budget 100W), Wisenet WAVE pre-installed, H.264/H.265/MJPEG, 2 fixed internal SATA HDDs (6TB max per HDD), Wisestream technology, HDMI/VGA output, Dual GbE NICs	\$ 2,936.00		849688015148
WAVE - Appliance	WRN-810S-8TB	WAVE recording server with PoE+	3 Weeks Lead Time	1U WAVE PoE NVR (Intel based) with 4 Professional licenses, 8TB RAW, supports: 8 channels with 8 PoE/PoE+ ports (PoE Budget 100W), Wisenet WAVE pre-installed, H.264/H.265/MJPEG, 2 fixed internal SATA HDDs (6TB max per HDD), Wisestream technology, HDMI/VGA output, Dual GbE NICs	\$ 3,297.00		849688017548
WAVE - Appliance	WRN-810S-12TB	WAVE recording server with PoE+	3 Weeks Lead Time	1U WAVE PoE NVR (Intel based) with 4 Professional licenses, 12TB RAW, supports: 8 channels with 8 PoE/PoE+ ports (PoE Budget 100W), Wisenet WAVE pre-installed, H.264/H.265/MJPEG, 2 fixed internal SATA HDDs (6TB max per HDD), Wisestream technology, HDMI/VGA output, Dual GbE NICs	\$ 4,017.00		849688017166
WAVE - Appliance	WRT-P-3103MW-1TB	WAVE Recording Server	2 Weeks Lead Time	Micro form factor Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 1TB raw, 45 Mbps recording B/W, (1) 2.5" HDD, (Gen 13) Intel Core i3, 8GB RAM, 256 GB SSD OS Drive, Windows 10 IoT Enterprise, (1) VGA, (1) HDMI, (1) DisplayPort output, 1 GbE NIC, Keyboard and mouse included	\$ 3,270.00		849688021118
WAVE - Appliance	WRT-P-3103MW-2TB	WAVE Recording Server	2 Weeks Lead Time	Micro form factor Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 2TB raw, 45 Mbps recording B/W, (1) 2.5" HDD, (Gen 13) Intel Core i3, 8GB RAM, 256 GB SSD OS Drive, Windows 10 IoT Enterprise, (1) VGA, (1) HDMI, (1) DisplayPort outputs, 1 GbE NIC, Keyboard and mouse included	\$ 3,410.00		849688021125
WAVE - Appliance	WRT-P-3102W-4TB	WAVE Recording Server	2 Weeks Lead Time	Mini-tower form factor Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 4TB raw, 170 Mbps recording B/W, (1) 3.5" HDD, (Gen 12) Intel Core i3, 16GB RAM, 256 GB SSD OS Drive, Windows 10 IoT Enterprise, (2) DisplayPort output, (1) DisplayPort to HDMI adapter included, Dual GbE NICs, Single 550W power supply, Keyboard and mouse included	\$ 5,830.00		849688020388
WAVE - Appliance	WRT-P-3102W-8TB	WAVE Recording Server	2 Weeks Lead Time	Mini-tower form factor Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 8TB raw, 170 Mbps recording B/W, (2) 3.5" HDD, (Gen 12) Intel Core i3, 16GB RAM, 256 GB SSD OS Drive, Windows 10 IoT Enterprise, (2) DisplayPort output, (1) DisplayPort to HDMI adapter included, Dual GbE NICs, Single 550W power supply, Keyboard and mouse included	\$ 6,280.00		849688020395
WAVE - Appliance	WRT-P-3102W-12TB	WAVE Recording Server	2 Weeks Lead Time	Mini-tower form factor Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 12TB raw, 170 Mbps recording B/W, (3) 3.5" HDD, (Gen 12) Intel Core i3, 16GB RAM, 256 GB SSD OS Drive, Windows 10 IoT Enterprise, (2) DisplayPort output, (1) DisplayPort to HDMI adapter included, Dual GbE NICs, Single 550W power supply, Keyboard and mouse included	\$ 6,740.00		849688020401
WAVE - Appliance	WRT-P-3102W-16TB	WAVE Recording Server	2 Weeks Lead Time	Mini-tower form factor Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 16TB raw, 170 Mbps recording B/W, (2) 3.5" HDD, (Gen 12) Intel Core i3, 16GB RAM, 256 GB SSD OS Drive, Windows 10 IoT Enterprise, (2) DisplayPort output, (1) DisplayPort to HDMI adapter included, Dual GbE NICs, Single 550W power supply, Keyboard and mouse included	\$ 7,120.00		849688020418
WAVE - Appliance	WRT-P-5202W-4TB	WAVE Recording Server	2 Weeks Lead Time	Mini-tower form factor Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 4TB raw, 470 Mbps recording B/W, (1) 3.5" HDD, (Gen 12) Intel Core i3, 16GB RAM, 256 GB SSD OS Drive, Windows 10 IoT Enterprise, (2) DisplayPort output, (1) DisplayPort to HDMI adapter included, Dual GbE NICs, Single 550W power supply, Keyboard and mouse included	\$ 6,360.00		849688020265
WAVE - Appliance	WRT-P-5202W-8TB	WAVE Recording Server	2 Weeks Lead Time	Mini-tower form factor Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 8TB raw, 470 Mbps recording B/W, (2) 3.5" HDD, (Gen 12) Intel Core i3, 16GB RAM, 256 GB SSD OS Drive, Windows 10 IoT Enterprise, (2) DisplayPort output, (1) DisplayPort to HDMI adapter included, Dual GbE NICs, Single 550W power supply, Keyboard and mouse included	\$ 6,820.00		849688020272
WAVE - Appliance	WRT-P-5202W-12TB	WAVE Recording Server	2 Weeks Lead Time	Mini-tower form factor Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 12TB raw, 470 Mbps recording B/W, (3) 3.5" HDD, (Gen 12) Intel Core i3, 16GB RAM, 256 GB SSD OS Drive, Windows 10 IoT Enterprise, (2) DisplayPort output, (1) DisplayPort to HDMI adapter included, Dual GbE NICs, Single 550W power supply, Keyboard and mouse included	\$ 7,280.00		849688020289

Wave - Appliance	WRR-P-S204S-240TB	Wave Recording Server (Windows Server OS)		2U Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 240TB raw (200TB usable after disk formatting & RAID 5 configuration), 470 Mbps recording BW, 12 HDD Bay (3.5"), Intel Xeon 4410Y, 16GB RAM, Dual 480GB SSD OS drives (RAID 1), Windows Server 2022, Support RAID 0/1/5/6 + 8GB NV cache, mDP output, VGA output, 4 x 1GbE NICs, IPMI, Redundant 800W power supplies, Keyboard and mouse included, Rail kit included	\$ 45,281.00	849688021989
Wave - Appliance	WRR-P-S204L-48TB	Wave Recording Server (Ubuntu OS)		2U Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 48TB raw (28TB usable after disk formatting & RAID 5 configuration), 470 Mbps recording BW, 12 HDD Bay (3.5"), Intel Xeon 4410Y, 16GB RAM, Dual 480GB SSD OS drives (RAID 1), Ubuntu 22.04, Support RAID 0/1/5/6 + 8GB NV cache, mDP output, VGA output, 4 x 1GbE NICs, IPMI, Redundant 800W power supplies, Keyboard and mouse included, Rail kit included	\$ 22,155.00	849688021996
Wave - Appliance	WRR-P-S204L-96TB	Wave Recording Server (Ubuntu OS)		2U Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 96TB raw (72TB usable after disk formatting & RAID 5 configuration), 470 Mbps recording BW, 12 HDD Bay (3.5"), Intel Xeon 4410Y, 16GB RAM, Dual 480GB SSD OS drives (RAID 1), Ubuntu 22.04, Support RAID 0/1/5/6 + 8GB NV cache, mDP output, VGA output, 4 x 1GbE NICs, IPMI, Redundant 800W power supplies, Keyboard and mouse included, Rail kit included	\$ 26,463.00	849688022009
Wave - Appliance	WRR-P-S204L-112TB	Wave Recording Server (Ubuntu OS)		2U Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 112TB raw (87TB usable after disk formatting & RAID 5 configuration), 470 Mbps recording BW, 12 HDD Bay (3.5"), Intel Xeon 4410Y, 16GB RAM, Dual 480GB SSD OS drives (RAID 1), Ubuntu 22.04, Support RAID 0/1/5/6 + 8GB NV cache, mDP output, VGA output, 4 x 1GbE NICs, IPMI, Redundant 800W power supplies, Keyboard and mouse included, Rail kit included	\$ 30,100.00	849688022016
Wave - Appliance	WRR-P-S204L-128TB	Wave Recording Server (Ubuntu OS)		2U Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 128TB raw (101TB usable after disk formatting & RAID 5 configuration), 470 Mbps recording BW, 12 HDD Bay (3.5"), Intel Xeon 4410Y, 16GB RAM, Dual 480GB SSD OS drives (RAID 1), Ubuntu 22.04, Support RAID 0/1/5/6 + 8GB NV cache, mDP output, VGA output, 4 x 1GbE NICs, IPMI, Redundant 800W power supplies, Keyboard and mouse included, Rail kit included	\$ 31,435.00	849688022023
Wave - Appliance	WRR-P-S204L-144TB	Wave Recording Server (Ubuntu OS)		2U Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 144TB raw (115TB usable after disk formatting & RAID 5 configuration), 470 Mbps recording BW, 12 HDD Bay (3.5"), Intel Xeon 4410Y, 16GB RAM, Dual 480GB SSD OS drives (RAID 1), Ubuntu 22.04, Support RAID 0/1/5/6 + 8GB NV cache, mDP output, VGA output, 4 x 1GbE NICs, IPMI, Redundant 800W power supplies, Keyboard and mouse included, Rail kit included	\$ 32,761.00	849688022030
Wave - Appliance	WRR-P-S204L-160TB	Wave Recording Server (Ubuntu OS)		2U Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 160TB raw (131TB usable after disk formatting & RAID 5 configuration), 470 Mbps recording BW, 12 HDD Bay (3.5"), Intel Xeon 4410Y, 16GB RAM, Dual 480GB SSD OS drives (RAID 1), Ubuntu 22.04, Support RAID 0/1/5/6 + 8GB NV cache, mDP output, VGA output, 4 x 1GbE NICs, IPMI, Redundant 800W power supplies, Keyboard and mouse included, Rail kit included	\$ 34,095.00	849688022047
Wave - Appliance	WRR-P-S204L-176TB	Wave Recording Server (Ubuntu OS)		2U Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 176TB raw (145TB usable after disk formatting & RAID 5 configuration), 470 Mbps recording BW, 12 HDD Bay (3.5"), Intel Xeon 4410Y, 16GB RAM, Dual 480GB SSD OS drives (RAID 1), Ubuntu 22.04, Support RAID 0/1/5/6 + 8GB NV cache, mDP output, VGA output, 4 x 1GbE NICs, IPMI, Redundant 800W power supplies, Keyboard and mouse included, Rail kit included	\$ 34,475.00	849688022054
Wave - Appliance	WRR-P-S204L-200TB	Wave Recording Server (Ubuntu OS)		2U Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 200TB raw (163TB usable after disk formatting & RAID 5 configuration), 470 Mbps recording BW, 12 HDD Bay (3.5"), Intel Xeon 4410Y, 16GB RAM, Dual 480GB SSD OS drives (RAID 1), Ubuntu 22.04, Support RAID 0/1/5/6 + 8GB NV cache, mDP output, VGA output, 4 x 1GbE NICs, IPMI, Redundant 800W power supplies, Keyboard and mouse included, Rail kit included	\$ 35,566.00	849688022061
Wave - Appliance	WRR-P-S204L-220TB	Wave Recording Server (Ubuntu OS)		2U Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 220TB raw (182TB usable after disk formatting & RAID 5 configuration), 470 Mbps recording BW, 12 HDD Bay (3.5"), Intel Xeon 4410Y, 16GB RAM, Dual 480GB SSD OS drives (RAID 1), Ubuntu 22.04, Support RAID 0/1/5/6 + 8GB NV cache, mDP output, VGA output, 4 x 1GbE NICs, IPMI, Redundant 800W power supplies, Keyboard and mouse included, Rail kit included	\$ 38,694.00	849688022078
Wave - Appliance	WRR-P-S204L-240TB	Wave Recording Server (Ubuntu OS)		2U Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 240TB raw (200TB usable after disk formatting & RAID 5 configuration), 470 Mbps recording BW, 12 HDD Bay (3.5"), Intel Xeon 4410Y, 16GB RAM, Dual 480GB SSD OS drives (RAID 1), Ubuntu 22.04, Support RAID 0/1/5/6 + 8GB NV cache, mDP output, VGA output, 4 x 1GbE NICs, IPMI, Redundant 800W power supplies, Keyboard and mouse included, Rail kit included	\$ 42,106.00	849688022085
Wave - Appliance	WRR-P-S10GBSFP	Wave Recording Server Accessory		2 x 10GbE SFP network interface add-on card for WRR-P-E201X Wave Appliance	\$ 950.00	849688022092
WAVE - Appliance	WRR-P-S206S-256TB	WAVE Recording Server	2 Weeks Lead Time	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 256TB raw (203TB usable after disk formatting & RAID 6 configuration), 470 Mbps recording BW, 26 HDD Bay (3.5"), Dual Intel Xeon, 32GB RAM, Dual 240GB SSD OS drives (RAID 1), Windows Server 2019 Standard, Support RAID 0/1/5/6 + 8GB NV cache, Nvidia GPU, MiniDP output, VGA output, Quad GbE NICs, Dual 10GbE SFP+, IPMI, Redundant 1100W power supplies, Keyboard and mouse included, Rail kit included	\$ 69,580.00	849688018897
WAVE - Appliance	WRR-P-S206S-288TB	WAVE Recording Server	2 Weeks Lead Time	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 288TB raw (232TB usable after disk formatting & RAID 6 configuration), 470 Mbps recording BW, 26 HDD Bay (3.5"), Dual Intel Xeon, 32GB RAM, Dual 240GB SSD OS drives (RAID 1), Windows Server 2019 Standard, Support RAID 0/1/5/6 + 8GB NV cache, Nvidia GPU, MiniDP output, VGA output, Quad GbE NICs, Dual 10GbE SFP+, IPMI, Redundant 1100W power supplies, Keyboard and mouse included, Rail kit included	\$ 71,910.00	849688018903
WAVE - Appliance	WRR-P-S206S-320TB	WAVE Recording Server	2 Weeks Lead Time	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 320TB raw (262TB usable after disk formatting & RAID 6 configuration), 470 Mbps recording BW, 26 HDD Bay (3.5"), Dual Intel Xeon, 32GB RAM, Dual 240GB SSD OS drives (RAID 1), Windows Server 2019 Standard, Support RAID 0/1/5/6 + 8GB NV cache, Nvidia GPU, MiniDP output, VGA output, Quad GbE NICs, Dual 10GbE SFP+, IPMI, Redundant 1100W power supplies, Keyboard and mouse included, Rail kit included	\$ 75,380.00	849688018910
WAVE - Appliance	WRR-P-S206S-352TB	WAVE Recording Server	2 Weeks Lead Time	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 352TB raw (291TB usable after disk formatting & RAID 6 configuration), 470 Mbps recording BW, 26 HDD Bay (3.5"), Dual Intel Xeon, 32GB RAM, Dual 240GB SSD OS drives (RAID 1), Windows Server 2019 Standard, Support RAID 0/1/5/6 + 8GB NV cache, Nvidia GPU, MiniDP output, VGA output, Quad GbE NICs, Dual 10GbE SFP+, IPMI, Redundant 1100W power supplies, Keyboard and mouse included, Rail kit included	\$ 78,840.00	849688018927
WAVE - Appliance	WRR-P-S206S-384TB	WAVE Recording Server	2 Weeks Lead Time	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 384TB raw (320TB usable after disk formatting & RAID 6 configuration), 470 Mbps recording BW, 26 HDD Bay (3.5"), Dual Intel Xeon, 32GB RAM, Dual 240GB SSD OS drives (RAID 1), Windows Server 2019 Standard, Support RAID 0/1/5/6 + 8GB NV cache, Nvidia GPU, MiniDP output, VGA output, Quad GbE NICs, Dual 10GbE SFP+, IPMI, Redundant 1100W power supplies, Keyboard and mouse included, Rail kit included	\$ 82,310.00	849688018934
WAVE - Appliance	WRR-P-S206S-416TB	WAVE Recording Server	2 Weeks Lead Time	2U Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 416TB raw (349TB usable after disk formatting & RAID 6 configuration), 470 Mbps recording BW, 26 HDD Bay (3.5"), Dual Intel Xeon, 32GB RAM, Dual 240GB SSD OS drives (RAID 1), Windows Server 2019 Standard, Support RAID 0/1/5/6 + 8GB NV cache, Nvidia GPU, MiniDP output, VGA output, Quad GbE NICs, Dual 10GbE SFP+, IPMI, Redundant 1100W power supplies, Keyboard and mouse included, Rail kit included	\$ 85,770.00	849688018941
WAVE - Appliance	WRT-P-3102L-4TB	WAVE Recording Server (Linux OS)	2 Weeks Lead Time	Mini-tower form factor Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 4TB raw, 170 Mbps recording BW, (1) 3.5" HDD, (Gen 12) Intel Core i3, 16GB RAM, 256 Gb SSD OS Drive, Ubuntu Linux 20.04 LTS, (2) DisplayPort output, (1) DisplayPort to HDMI adapter included, Dual GbE NICs, Single 550W power supply, Keyboard and mouse included	\$ 5,830.00	849688020425
WAVE - Appliance	WRT-P-3102L-8TB	WAVE Recording Server (Linux OS)	2 Weeks Lead Time	Mini-tower form factor Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 8TB raw, 170 Mbps recording BW, (2) 3.5" HDD, (Gen 12) Intel Core i3, 16GB RAM, 256 Gb SSD OS Drive, Ubuntu Linux 20.04 LTS, (2) DisplayPort output, (1) DisplayPort to HDMI adapter included, Dual GbE NICs, Single 550W power supply, Keyboard and mouse included	\$ 6,280.00	849688020432
WAVE - Appliance	WRT-P-3102L-12TB	WAVE Recording Server (Linux OS)	2 weeks lead time	Mini-tower form factor Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 12TB raw, 170 Mbps recording BW, (3) 3.5" HDD, (Gen 12) Intel Core i3, 16GB RAM, 256 Gb SSD OS Drive, Ubuntu Linux 20.04 LTS, (2) DisplayPort output, (1) DisplayPort to HDMI adapter included, Dual GbE NICs, Single 550W power supply, Keyboard and mouse included	\$ 6,740.00	849688020449
WAVE - Appliance	WRT-P-3102L-16TB	WAVE Recording Server (Linux OS)	2 weeks lead time	Mini-tower form factor Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 16TB raw, 170 Mbps recording BW, (2) 3.5" HDD, (Gen 12) Intel Core i3, 16GB RAM, 256 Gb SSD OS Drive, Ubuntu Linux 20.04 LTS, (2) DisplayPort output, (1) DisplayPort to HDMI adapter included, Dual GbE NICs, Single 550W power supply, Keyboard and mouse included	\$ 7,120.00	849688020456
WAVE - Appliance	WRT-P-5202L-4TB	WAVE Recording Server (Linux OS)	2 weeks lead time	Mini-tower form factor Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 4TB raw, 470 Mbps recording BW, (1) 3.5" HDD, (Gen 12) Intel Core i5, 16GB RAM, 256 Gb SSD OS Drive, Ubuntu Linux 20.04 LTS, (2) DisplayPort output, (1) DisplayPort to HDMI adapter included, Dual GbE NICs, Single 550W power supply, Keyboard and mouse included	\$ 6,360.00	849688020326
WAVE - Appliance	WRT-P-5202L-8TB	WAVE Recording Server (Linux OS)	2 weeks lead time	Mini-tower form factor Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 8TB raw, 470 Mbps recording BW, (2) 3.5" HDD, (Gen 12) Intel Core i5, 16GB RAM, 256 Gb SSD OS Drive, Ubuntu Linux 20.04 LTS, (2) DisplayPort output, (1) DisplayPort to HDMI adapter included, Dual GbE NICs, Single 550W power supply, Keyboard and mouse included	\$ 6,820.00	849688020333
WAVE - Appliance	WRT-P-5202L-12TB	WAVE Recording Server (Linux OS)	2 weeks lead time	Mini-tower form factor Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 12TB raw, 470 Mbps recording BW, (3) 3.5" HDD, (Gen 12) Intel Core i5, 16GB RAM, 256 Gb SSD OS Drive, Ubuntu Linux 20.04 LTS, (2) DisplayPort output, (1) DisplayPort to HDMI adapter included, Dual GbE NICs, Single 550W power supply, Keyboard and mouse included	\$ 7,280.00	849688020340
WAVE - Appliance	WRT-P-5202L-16TB	WAVE Recording Server (Linux OS)	2 weeks lead time	Mini-tower form factor Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 16TB raw, 470 Mbps recording BW, (2) 3.5" HDD, (Gen 12) Intel Core i5, 16GB RAM, 256 Gb SSD OS Drive, Ubuntu Linux 20.04 LTS, (2) DisplayPort output, (1) DisplayPort to HDMI adapter included, Dual GbE NICs, Single 550W power supply, Keyboard and mouse included	\$ 7,660.00	849688020357
WAVE - Appliance	WRT-P-5202L-24TB	WAVE Recording Server (Linux OS)	2 weeks lead time	Mini-tower form factor Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 24TB raw, 470 Mbps recording BW, (3) 3.5" HDD, (Gen 12) Intel Core i5, 16GB RAM, 256 Gb SSD OS Drive, Ubuntu Linux 20.04 LTS, (2) DisplayPort output, (1) DisplayPort to HDMI adapter included, Dual GbE NICs, Single 550W power supply, Keyboard and mouse included	\$ 8,240.00	849688020364
WAVE - Appliance	WRT-P-5202L-36TB	WAVE Recording Server (Linux OS)	2 Weeks Lead Time	Mini-tower form factor Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 36TB raw, 470 Mbps recording BW, (3) 3.5" HDD, (Gen 12) Intel Core i5, 16GB RAM, 256 Gb SSD OS Drive, Ubuntu Linux 20.04 LTS, (2) DisplayPort output, (1) DisplayPort to HDMI adapter included, Dual GbE NICs, Single 550W power supply, Keyboard and mouse included	\$ 9,410.00	849688020371
Software Solutions						
WAVE Integration	WAVE-S2NETBOX-INT	WAVE Plugin for LenelS2 NetBox		Plugin to bring WAVE video and events into LenelS2 NetBox Access Control. License is valid for one NetBox server and unlimited WAVE connections.	\$ 3,000.00	
WAVE Integration	WAVE-AMAG-INT	WAVE Plugin for AMAG		Plugin to bring WAVE video and events into AMAG Symmetry Access Control. License is valid for one AMAG server and unlimited WAVE connections.	\$ 5,000.00	
Wisenet SKY (Wisenet SKY products are only available for Wisenet SKY certified partners)						
Wisenet SKY - Hardware	SKY-SU301-0	Bridge 301	Orders over 25 units require additional lead time	Location Setup Fee Bridge 301 (Rack Form Factor) 1MP: 25CH, 4MP: 20CH, Analytics: 5CH, up to 2 days of local video buffering, 1TB HDD, VGA, DVI This product is subject to the Wisenet SKY agreement.	\$ 940.00	849688017845
Wisenet SKY - Hardware	SKY-SU304p-0	Bridge 304+	Orders over 25 units require additional lead time	Location Setup Fee Bridge 304+ (Compact and Ruggedized Form Factor) 1MP: 25CH, 4MP: 20CH, Analytics: 5CH, up to 2 days of local video buffering, 1TB SSD, VGA, HDMI This product is subject to the Wisenet SKY agreement.	\$ 940.00	849688018972
Wisenet SKY - Hardware	SKY-SU305-0	Bridge 305	Orders over 25 units require additional lead time	Location Setup Fee Bridge 305 (Compact and Ruggedized Form Factor with 4 PoE Ports) 1MP: 15CH, 4MP: 12CH, Analytics: 5CH, up to 2 days of local video buffering, 1TB HDD, HDMI, DP, 4PoE ports This product is subject to the Wisenet SKY agreement.	\$ 1,306.00	849688018392
Wisenet SKY - Hardware	SKY-SU401-0	Bridge 401	Orders over 25 units require additional lead time	Location Setup Fee Bridge 401 (Rack Form Factor) 1MP: 42CH, 4MP: 35CH, Analytics: 10CH, up to 2 LPR cameras, up to 2 days of local video buffering, 1TB HDD, VGA, HDMI, DP This product is subject to the Wisenet SKY agreement.	\$ 1,568.00	849688017876
Wisenet SKY - Hardware	SKY-SU406p-0	Bridge 406+	Orders over 25 units require additional lead time	Location Setup Fee Bridge 406+ (Compact Form Factor) 1MP: 44CH, 4MP: 35CH, Analytics: 15CH, up to 4 LPR cameras, up to 2 days of local video buffering for 35CH @ 4MP, 2x HDMI This product is subject to the Wisenet SKY agreement.	\$ 1,830.00	849688020609
Wisenet SKY - Hardware	SKY-SU501-0	Bridge 501	Orders over 25 units require additional lead time	Location Setup Fee Bridge 501 (Rack Form Factor) 1MP: 72CH, 4MP: 50CH, Analytics: 10CH, up to 4 LPR cameras, up to 2 days of local video buffering, 1TB HDD, VGA, HDMI, DP This product is subject to the Wisenet SKY agreement.	\$ 2,091.00	849688017883
Wisenet SKY - Hardware	SKY-SU504p-0	Bridge 504+	Orders over 25 units require additional lead time	Location Setup Fee Bridge 504+ Compact and Ruggedized Form Factor) 1MP: 72CH, 4MP: 50CH, Analytics: 20CH, up to 4 LPR cameras, up to 2 days of local video buffering 50CH @ 4MP, HDMI, DP This product is subject to the Wisenet SKY agreement.	\$ 2,615.00	849688019948
Wisenet SKY - Hardware	SKY-BR320-0	CMVR 320	Orders over 25 units require additional lead time	CMVR 320 with 4TB (Rack Form Factor) 1MP: 25CH, 4MP: 20CH, Analytics: 5CH, 4TB HDD (35 days for 20 cameras @ 1MP), VGA, DVI This product is subject to the Wisenet SKY agreement.	\$ 1,394.00	849688017906
Wisenet SKY - Hardware	SKY-BR324p-0	CMVR 324+	Orders over 25 units require additional lead time	CMVR 324+ with 4TB (Compact and Ruggedized Form Factor) 1MP: 12CH, 4MP: 8CH, Analytics: 5CH, 4TB HDD (60 days for 12 cameras @ 1MP), VGA, HDMI This product is subject to the Wisenet SKY agreement.	\$ 1,394.00	849688019016

Wisenet SKY - Hardware	SKY-BR325-0	CMVR 325	Orders over 25 units require additional lead time	CMVR 325 with 2TB (Compact and Ruggedized Form Factor with 4 PoE Ports) 1MP: 12CH, 4MP: 8CH, Analytics: 5CH, 2TB HDD (45 days for 8 cameras @ 1MP), HDMI, DP, 4PoE ports This product is subject to the Wisenet SKY agreement.	\$ 1,655.00	849688018385
Wisenet SKY - Hardware	SKY-BR426p-0	CMVR 426+	Orders over 25 units require additional lead time	CMVR 426+ with 4TB (Compact and Ruggedized Form Factor) 4MP: 20CH, Analytics: 15CH, up to 2 LPR cameras, 16TB HDD (35 days for 20 cameras @ 4MP), 2x HDMI This product is subject to the Wisenet SKY agreement.	\$ 2,963.00	849688020616
Wisenet SKY - Hardware	SKY-BR524p-0	CMVR 524+	Orders over 25 units require additional lead time	CMVR 524+ with 4TB (Compact and Ruggedized Form Factor) 4MP: 25CH, Analytics: 20CH, up to 4 LPR cameras, 16TB HDD (30 days for 25 cameras @ 4MP), HDMI, DP This product is subject to the Wisenet SKY agreement.	\$ 4,359.00	849688020623
Wisenet SKY - Hardware	SKY-BR420-0	CMVR 420	Orders over 25 units require additional lead time	CMVR 420 with 10TB (Rack Form Factor) 1MP: 42CH, 4MP: 35CH, Analytics: 10CH, up to 2 LPR Cameras, 10TB HDD (50 days for 35 camera @ 1MP), VGA, HDMI, DP This product is subject to the Wisenet SKY agreement.	\$ 2,963.00	849688017920
Wisenet SKY - Hardware	SKY-BR520-0	CMVR 520	Orders over 25 units require additional lead time	CMVR 520 with 40TB (raw) 30TB (useable) RAID 5 (Enterprise Rack Form Factor) 1MP: 62CH, 4MP: 50CH, Analytics: 20CH, up to 4 LPR cameras, 40TB (raw) 30TB (useable) RAID 5, (30 days for 40 cameras @ 4MP), VGA, HDMI, DP This product is subject to the Wisenet SKY agreement.	\$ 6,975.00	849688017937
Wisenet SKY - Hardware	SKY-BR620-0	CMVR 620	Orders over 25 units require additional lead time	CMVR 620 with 64TB (raw) 48TB (useable) RAID 5 (Enterprise Rack Form Factor) 1MP: 125CH, 4MP: 100CH, Analytics: 30CH, 64TB (raw) 48TB (useable) RAID 5, (30 days for 60 cameras @ 4MP), VGA, HDMI, DP This product is subject to the Wisenet SKY agreement.	\$ 12,208.00	849688017944
Wisenet SKY - Hardware	SKY-BR820-0	CMVR 820	Orders over 25 units require additional lead time	CMVR 820 with 120TB (raw) 100TB (usable) Raid 6 (Enterprise Rack Form Factor) 1MP: 195CH, 4MP: 165CH, Analytics: 40CH, 120TB (raw) 100TB (useable) Raid 6, (30 days for 130 cameras @ 4MP), VGA, HDMI, DP This product is subject to the Wisenet SKY agreement.	\$ 20,928.00	849688017951
Wisenet SKY - Hardware	SKY-DS200-0a	Local Display Station DS200	Orders over 25 units require additional lead time	Local Display Station DS200 (Dual Monitor Output with 4K support) 4K or 2x 1080p, 2x HDMI, Throughput 160Mbps, 64CH This product is subject to the Wisenet SKY agreement.	\$ 3,138.00	849688017968
Wisenet SKY - Hardware	SKY-SW 10g-001	Network Switch SW10g	Power Cycle capability via Wisenet SKY interface. Orders over 25 units require additional lead time.	Switch SW 10g (8 Port Gigabit PoE+ Switch with 2xSFP, 802.3af (max 15.4W), 802.3at (max 30W), max power budget 125W, 10/100/1000 Mbps)	\$ 399.00	849688020630
Wisenet SKY - Hardware	SKY-SW20g-001	Network Switch SW20g	Power Cycle capability via Wisenet SKY interface. Orders over 25 units require additional lead time.	Switch SW20g (16 Port Gigabit PoE+ Switch with 2xUplink and 2xSFP, 802.3af (max 15.4W), 802.3at (max 30W), max power budget 250W, 10/100/1000 Mbps)	\$ 870.00	849688020647
Wisenet SKY - Hardware	SKY-SW28g-001	Network Switch SW28g	Power Cycle capability via Wisenet SKY interface. Orders over 25 units require additional lead time.	Switch SW28g (24 Port Gigabit PoE+ Switch with 2xUplink and 2xSFP, 802.3af (max 15.4W), 802.3at (max 30W), max power budget 370W, 10/100/1000 Mbps)	\$ 1,394.00	849688020654
Wisenet SKY - Hardware	SKY-SWSFP-002	Network Module	Orders over 25 units require additional lead time	Switch SFP Copper MMF Module	\$ 68.00	849688020661
Wisenet SKY - Hardware	SKY-SWSFP-001	Network Module	Orders over 25 units require additional lead time	Switch SFP Optical MMF Module (850nm, 1.25Gbps, 550m)	\$ 68.00	849688018026
Embedded NVR						
Recording - Network	PRN-6400DB4	NVR	No HDD	8K NVR (Intel based), No HDD, 64 channels, H.265, H.264, MJPEG, 16 fixed internal SATA HDDs (10TB max per HDD), RAID 5 & 6, ARB (Automatic Recovery Backup), 400 Mbps recording / up to 32 Mbps playback, Dual stream recording, WiseStream technology, HDMI/VGA dual display, max. resolution of 32MP recording/display and fisheye dewarping, add AI to some P, X and Q series Hanwha Cameras, web UI 2.0 (no plugins required), AI search (Wisenet AI cameras only), QR Code. NDAA & FCC Compliant Model.	\$ 13,120.00	8801089204974
Recording - Network	PRN-6400DB4-12TB	NVR		8K NVR (Intel based), 12TB RAW, 64 channels, H.265, H.264, MJPEG, 16 fixed internal SATA HDDs (10TB max per HDD), RAID 5 & 6, ARB (Automatic Recovery Backup), 400 Mbps recording / up to 32 Mbps playback, Dual stream recording, WiseStream technology, HDMI/VGA dual display, max. resolution of 32MP recording/display and fisheye dewarping, add AI to some P, X and Q series Hanwha Cameras, web UI 2.0 (no plugins required), AI search (Wisenet AI cameras only), QR Code. NDAA & FCC Compliant Model.	\$ 14,560.00	849688019221
Recording - Network	PRN-6400DB4-16TB	NVR		8K NVR (Intel based), 16TB RAW, 64 channels, H.265, H.264, MJPEG, 16 fixed internal SATA HDDs (10TB max per HDD), RAID 5 & 6, ARB (Automatic Recovery Backup), 400 Mbps recording / up to 32 Mbps playback, Dual stream recording, WiseStream technology, HDMI/VGA dual display, max. resolution of 32MP recording/display and fisheye dewarping, add AI to some P, X and Q series Hanwha Cameras, web UI 2.0 (no plugins required), AI search (Wisenet AI cameras only), QR Code. NDAA & FCC Compliant Model.	\$ 15,040.00	849688019238
Recording - Network	PRN-6400DB4-20TB	NVR		8K NVR (Intel based), 20TB RAW, 64 channels, H.265, H.264, MJPEG, 16 fixed internal SATA HDDs (10TB max per HDD), RAID 5 & 6, ARB (Automatic Recovery Backup), 400 Mbps recording / up to 32 Mbps playback, Dual stream recording, WiseStream technology, HDMI/VGA dual display, max. resolution of 32MP recording/display and fisheye dewarping, add AI to some P, X and Q series Hanwha Cameras, web UI 2.0 (no plugins required), AI search (Wisenet AI cameras only), QR Code. NDAA & FCC Compliant Model.	\$ 15,520.00	849688019245
Recording - Network	PRN-6400DB4-24TB	NVR		8K NVR (Intel based), 24TB RAW, 64 channels, H.265, H.264, MJPEG, 16 fixed internal SATA HDDs (10TB max per HDD), RAID 5 & 6, ARB (Automatic Recovery Backup), 400 Mbps recording / up to 32 Mbps playback, Dual stream recording, WiseStream technology, HDMI/VGA dual display, max. resolution of 32MP recording/display and fisheye dewarping, add AI to some P, X and Q series Hanwha Cameras, web UI 2.0 (no plugins required), AI search (Wisenet AI cameras only), QR Code. NDAA & FCC Compliant Model.	\$ 16,000.00	849688019252
Recording - Network	PRN-6400DB4-32TB	NVR		8K NVR (Intel based), 32TB RAW, 64 channels, H.265, H.264, MJPEG, 16 fixed internal SATA HDDs (10TB max per HDD), RAID 5 & 6, ARB (Automatic Recovery Backup), 400 Mbps recording / up to 32 Mbps playback, Dual stream recording, WiseStream technology, HDMI/VGA dual display, max. resolution of 32MP recording/display and fisheye dewarping, add AI to some P, X and Q series Hanwha Cameras, web UI 2.0 (no plugins required), AI search (Wisenet AI cameras only), QR Code. NDAA & FCC Compliant Model.	\$ 16,960.00	849688019269
Recording - Network	PRN-6400DB4-40TB	NVR		8K NVR (Intel based), 40TB RAW, 64 channels, H.265, H.264, MJPEG, 16 fixed internal SATA HDDs (10TB max per HDD), RAID 5 & 6, ARB (Automatic Recovery Backup), 400 Mbps recording / up to 32 Mbps playback, Dual stream recording, WiseStream technology, HDMI/VGA dual display, max. resolution of 32MP recording/display and fisheye dewarping, add AI to some P, X and Q series Hanwha Cameras, web UI 2.0 (no plugins required), AI search (Wisenet AI cameras only), QR Code. NDAA & FCC Compliant Model.	\$ 17,920.00	849688019276
Recording - Network	PRN-6400DB4-48TB	NVR		8K NVR (Intel based), 48TB RAW, 64 channels, H.265, H.264, MJPEG, 16 fixed internal SATA HDDs (10TB max per HDD), RAID 5 & 6, ARB (Automatic Recovery Backup), 400 Mbps recording / up to 32 Mbps playback, Dual stream recording, WiseStream technology, HDMI/VGA dual display, max. resolution of 32MP recording/display and fisheye dewarping, add AI to some P, X and Q series Hanwha Cameras, web UI 2.0 (no plugins required), AI search (Wisenet AI cameras only), QR Code. NDAA & FCC Compliant Model.	\$ 18,880.00	849688019283
Recording - Network	PRN-6400DB4-56TB	NVR		8K NVR (Intel based), 56TB RAW, 64 channels, H.265, H.264, MJPEG, 16 fixed internal SATA HDDs (10TB max per HDD), RAID 5 & 6, ARB (Automatic Recovery Backup), 400 Mbps recording / up to 32 Mbps playback, Dual stream recording, WiseStream technology, HDMI/VGA dual display, max. resolution of 32MP recording/display and fisheye dewarping, add AI to some P, X and Q series Hanwha Cameras, web UI 2.0 (no plugins required), AI search (Wisenet AI cameras only), QR Code. NDAA & FCC Compliant Model.	\$ 19,840.00	849688019290
Recording - Network	PRN-6400DB4-64TB	NVR		8K NVR (Intel based), 64TB RAW, 64 channels, H.265, H.264, MJPEG, 16 fixed internal SATA HDDs (10TB max per HDD), RAID 5 & 6, ARB (Automatic Recovery Backup), 400 Mbps recording / up to 32 Mbps playback, Dual stream recording, WiseStream technology, HDMI/VGA dual display, max. resolution of 32MP recording/display and fisheye dewarping, add AI to some P, X and Q series Hanwha Cameras, web UI 2.0 (no plugins required), AI search (Wisenet AI cameras only), QR Code. NDAA & FCC Compliant Model.	\$ 20,800.00	849688019306
Recording - Network	PRN-6400DB4-88TB	NVR		8K NVR (Intel based), 88TB RAW, 64 channels, H.265, H.264, MJPEG, 16 fixed internal SATA HDDs (10TB max per HDD), RAID 5 & 6, ARB (Automatic Recovery Backup), 400 Mbps recording / up to 32 Mbps playback, Dual stream recording, WiseStream technology, HDMI/VGA dual display, max. resolution of 32MP recording/display and fisheye dewarping, add AI to some P, X and Q series Hanwha Cameras, web UI 2.0 (no plugins required), AI search (Wisenet AI cameras only), QR Code. NDAA & FCC Compliant Model.	\$ 23,680.00	849688019320
Recording - Network	PRN-6400DB4-96TB	NVR		8K NVR (Intel based), 96TB RAW, 64 channels, H.265, H.264, MJPEG, 16 fixed internal SATA HDDs (10TB max per HDD), RAID 5 & 6, ARB (Automatic Recovery Backup), 400 Mbps recording / up to 32 Mbps playback, Dual stream recording, WiseStream technology, HDMI/VGA dual display, max. resolution of 32MP recording/display and fisheye dewarping, add AI to some P, X and Q series Hanwha Cameras, web UI 2.0 (no plugins required), AI search (Wisenet AI cameras only), QR Code. NDAA & FCC Compliant Model.	\$ 24,640.00	849688019337
Recording - Network	PRN-6400DB4-104TB	NVR		8K NVR (Intel based), 104TB RAW, 64 channels, H.265, H.264, MJPEG, 16 fixed internal SATA HDDs (10TB max per HDD), RAID 5 & 6, ARB (Automatic Recovery Backup), 400 Mbps recording / up to 32 Mbps playback, Dual stream recording, WiseStream technology, HDMI/VGA dual display, max. resolution of 32MP recording/display and fisheye dewarping, add AI to some P, X and Q series Hanwha Cameras, web UI 2.0 (no plugins required), AI search (Wisenet AI cameras only), QR Code. NDAA & FCC Compliant Model.	\$ 25,600.00	849688020920
Recording - Network	PRN-6400DB4-112TB	NVR		8K NVR (Intel based), 112TB RAW, 64 channels, H.265, H.264, MJPEG, 16 fixed internal SATA HDDs (10TB max per HDD), RAID 5 & 6, ARB (Automatic Recovery Backup), 400 Mbps recording / up to 32 Mbps playback, Dual stream recording, WiseStream technology, HDMI/VGA dual display, max. resolution of 32MP recording/display and fisheye dewarping, add AI to some P, X and Q series Hanwha Cameras, web UI 2.0 (no plugins required), AI search (Wisenet AI cameras only), QR Code. NDAA & FCC Compliant Model.	\$ 26,560.00	849688020937
Recording - Network	PRN-6400DB4-120TB	NVR		8K NVR (Intel based), 120TB RAW, 64 channels, H.265, H.264, MJPEG, 16 fixed internal SATA HDDs (10TB max per HDD), RAID 5 & 6, ARB (Automatic Recovery Backup), 400 Mbps recording / up to 32 Mbps playback, Dual stream recording, WiseStream technology, HDMI/VGA dual display, max. resolution of 32MP recording/display and fisheye dewarping, add AI to some P, X and Q series Hanwha Cameras, web UI 2.0 (no plugins required), AI search (Wisenet AI cameras only), QR Code. NDAA & FCC Compliant Model.	\$ 27,520.00	849688020944
Recording - Network	PRN-6400DB4-128TB	NVR		8K NVR (Intel based), 128TB RAW, 64 channels, H.265, H.264, MJPEG, 16 fixed internal SATA HDDs (10TB max per HDD), RAID 5 & 6, ARB (Automatic Recovery Backup), 400 Mbps recording / up to 32 Mbps playback, Dual stream recording, WiseStream technology, HDMI/VGA dual display, max. resolution of 32MP recording/display and fisheye dewarping, add AI to some P, X and Q series Hanwha Cameras, web UI 2.0 (no plugins required), AI search (Wisenet AI cameras only), QR Code. NDAA & FCC Compliant Model.	\$ 28,480.00	849688020951
Recording - Network	PRN-6400DB4-140TB	NVR		8K NVR (Intel based), 140TB RAW, 64 channels, H.265, H.264, MJPEG, 16 fixed internal SATA HDDs (10TB max per HDD), RAID 5 & 6, ARB (Automatic Recovery Backup), 400 Mbps recording / up to 32 Mbps playback, Dual stream recording, WiseStream technology, HDMI/VGA dual display, max. resolution of 32MP recording/display and fisheye dewarping, add AI to some P, X and Q series Hanwha Cameras, web UI 2.0 (no plugins required), AI search (Wisenet AI cameras only), QR Code. NDAA & FCC Compliant Model.	\$ 29,920.00	849688020968
Recording - Network	PRN-6400DB4-150TB	NVR		8K NVR (Intel based), 150TB RAW, 64 channels, H.265, H.264, MJPEG, 16 fixed internal SATA HDDs (10TB max per HDD), RAID 5 & 6, ARB (Automatic Recovery Backup), 400 Mbps recording / up to 32 Mbps playback, Dual stream recording, WiseStream technology, HDMI/VGA dual display, max. resolution of 32MP recording/display and fisheye dewarping, add AI to some P, X and Q series Hanwha Cameras, web UI 2.0 (no plugins required), AI search (Wisenet AI cameras only), QR Code. NDAA & FCC Compliant Model.	\$ 31,120.00	849688020975
Recording - Network	PRN-6400DB4-160TB	NVR		8K NVR (Intel based), 160TB RAW, 64 channels, H.265, H.264, MJPEG, 16 fixed internal SATA HDDs (10TB max per HDD), RAID 5 & 6, ARB (Automatic Recovery Backup), 400 Mbps recording / up to 32 Mbps playback, Dual stream recording, WiseStream technology, HDMI/VGA dual display, max. resolution of 32MP recording/display and fisheye dewarping, add AI to some P, X and Q series Hanwha Cameras, web UI 2.0 (no plugins required), AI search (Wisenet AI cameras only), QR Code. NDAA & FCC Compliant Model.	\$ 32,320.00	849688020982

Recording - Network	XRN-1620SB1-12TB	NVR with PoE+		8K NVR (Intel based), 12TB RAW, 16 channels with 16 PoE/PoE+ ports (PoE Budget 200W), H265,H264, MJPEG, 4 fixed internal SATA HDDs (6TB max per HDD), ARB (Automatic Recovery Backup), 140 Mbps recording / up to 32 Mbps playback, Dual stream recording, WiseStream technology, HDMI/VGA dual display, max. resolution of 32MP recording/display and fisheye dewarping on web and CMS, web UI 2.0 (no plugins required), AI search (Wisenet AI cameras only), QR Code	\$ 3,374.00	849688017685
Recording - Network	XRN-1620SB1-16TB	NVR with PoE+		8K NVR (Intel based), 16TB RAW, 16 channels with 16 PoE/PoE+ ports (PoE Budget 200W), H265,H264, MJPEG, 4 fixed internal SATA HDDs (6TB max per HDD), ARB (Automatic Recovery Backup), 140 Mbps recording / up to 32 Mbps playback, Dual stream recording, WiseStream technology, HDMI/VGA dual display, max. resolution of 32MP recording/display and fisheye dewarping on web and CMS, web UI 2.0 (no plugins required), AI search (Wisenet AI cameras only), QR Code	\$ 3,854.00	849688017692
Recording - Network	XRN-1620SB1-24TB	NVR with PoE+		8K NVR (Intel based), 24TB RAW, 16 channels with 16 PoE/PoE+ ports (PoE Budget 200W), H265,H264, MJPEG, 4 fixed internal SATA HDDs (6TB max per HDD), ARB (Automatic Recovery Backup), 140 Mbps recording / up to 32 Mbps playback, Dual stream recording, WiseStream technology, HDMI/VGA dual display, max. resolution of 32MP recording/display and fisheye dewarping on web and CMS, web UI 2.0 (no plugins required), AI search (Wisenet AI cameras only), QR Code	\$ 4,814.00	849688017708
Recording - Network	XRN-820S	NVR with PoE+	No HDD	8K NVR (Intel based), No HDD, 8 channels with 8 PoE/PoE+ ports (PoE Budget 100W), H265,H264, MJPEG, 2 fixed internal SATA HDDs (6TB max per HDD), ARB (Automatic Recovery Backup), 100 Mbps recording / up to 32 Mbps playback, Dual stream recording, WiseStream technology, HDMI/VGA dual display, max. resolution of 32MP recording/display and fisheye dewarping on web and CMS, web UI 2.0 (no plugins required), AI search (Wisenet AI cameras only), QR Code	\$ 1,367.00	8801089177919
Recording - Network	XRN-820S-2TB	NVR with PoE+		8K NVR (Intel based), 2TB RAW, 8 channels with 8 PoE/PoE+ ports (PoE Budget 100W), H265,H264, MJPEG, 2 fixed internal SATA HDDs (6TB max per HDD), ARB (Automatic Recovery Backup), 100 Mbps recording / up to 32 Mbps playback, Dual stream recording, WiseStream technology, HDMI/VGA dual display, max. resolution of 32MP recording/display and fisheye dewarping on web and CMS, web UI 2.0 (no plugins required), AI search (Wisenet AI cameras only), QR Code	\$ 1,607.00	849688017715
Recording - Network	XRN-820S-4TB	NVR with PoE+		8K NVR (Intel based), 4TB RAW, 8 channels with 8 PoE/PoE+ ports (PoE Budget 100W), H265,H264, MJPEG, 2 fixed internal SATA HDDs (6TB max per HDD), ARB (Automatic Recovery Backup), 100 Mbps recording / up to 32 Mbps playback, Dual stream recording, WiseStream technology, HDMI/VGA dual display, max. resolution of 32MP recording/display and fisheye dewarping on web and CMS, web UI 2.0 (no plugins required), AI search (Wisenet AI cameras only), QR Code	\$ 1,847.00	849688017722
Recording - Network	XRN-820S-6TB	NVR with PoE+		8K NVR (Intel based), 6TB RAW, 8 channels with 8 PoE/PoE+ ports (PoE Budget 100W), H265,H264, MJPEG, 2 fixed internal SATA HDDs (6TB max per HDD), ARB (Automatic Recovery Backup), 100 Mbps recording / up to 32 Mbps playback, Dual stream recording, WiseStream technology, HDMI/VGA dual display, max. resolution of 32MP recording/display and fisheye dewarping on web and CMS, web UI 2.0 (no plugins required), AI search (Wisenet AI cameras only), QR Code	\$ 2,087.00	849688017739
Recording - Network	XRN-820S-8TB	NVR with PoE+		8K NVR (Intel based), 8TB RAW, 8 channels with 8 PoE/PoE+ ports (PoE Budget 100W), H265,H264, MJPEG, 2 fixed internal SATA HDDs (6TB max per HDD), ARB (Automatic Recovery Backup), 100 Mbps recording / up to 32 Mbps playback, Dual stream recording, WiseStream technology, HDMI/VGA dual display, max. resolution of 32MP recording/display and fisheye dewarping on web and CMS, web UI 2.0 (no plugins required), AI search (Wisenet AI cameras only), QR Code	\$ 2,327.00	849688017746
Recording - Network	XRN-820S-12TB	NVR with PoE+		8K NVR (Intel based), 12TB RAW, 8 channels with 8 PoE/PoE+ ports (PoE Budget 100W), H265,H264, MJPEG, 2 fixed internal SATA HDDs (6TB max per HDD), ARB (Automatic Recovery Backup), 100 Mbps recording / up to 32 Mbps playback, Dual stream recording, WiseStream technology, HDMI/VGA dual display, max. resolution of 32MP recording/display and fisheye dewarping on web and CMS, web UI 2.0 (no plugins required), AI search (Wisenet AI cameras only), QR Code	\$ 2,807.00	849688017753
Recording - Network	QRN-1630S	NVR		16CH NVR with 16 PoE Ports (POE Budget 130W) with 8MP Camera Support, H265, H264, MJPEG, 2 fixed internal SATA HDDs (10TB each or 20TB Total), 128Mbps Network camera recording, Dual Stream recording option, 2 HDMI Outputs with local 4K display resolution (HDMI1: 3840x2160(30Hz), HDMI2: 1920x1080(60Hz)) - Automatic Recovery Back up (ARB) feature (A.K.A Edge recording retrieval), Four (4) Alarm In/ Two(2) Alarm out and Audio Output (RCA). Easy connection using P2P service (QR code connect) with Wisenet Mobile APP (for Android and IOS) and the free of charge Wisenet Viewer, NDAA & FCC Compliant Model.	\$ 1,150.00	8801089210135
Recording - Network	QRN-1630S-2TB	16 CH NVR	Price decrease from \$1,510.00 to \$1,390.00	16CH NVR 2TB with 16 PoE Ports (POE Budget 130W) with 8MP Camera Support, H265, H264, MJPEG, 2 fixed internal SATA HDDs (10TB each or 20TB Total), 128Mbps Network camera recording, Dual Stream recording option, 2 HDMI Outputs with local 4K display resolution (HDMI1: 3840x2160(30Hz), HDMI2: 1920x1080(60Hz)) - Automatic Recovery Back up (ARB) feature (A.K.A Edge recording retrieval), Four (4) Alarm In/ Two(2) Alarm out and Audio Output (RCA). Easy connection using P2P service (QR code connect) with Wisenet Mobile APP (for Android and IOS) and the free of charge Wisenet Viewer, NDAA & FCC Compliant Model.	\$ 1,390.00	849688019702
Recording - Network	QRN-1630S-4TB	16 CH NVR	Price decrease from \$1,870.00 to \$1,630.00	16CH NVR 4TB with 16 PoE Ports (POE Budget 130W) with 8MP Camera Support, H265, H264, MJPEG, 2 fixed internal SATA HDDs (10TB each or 20TB Total), 128Mbps Network camera recording, Dual Stream recording option, 2 HDMI Outputs with local 4K display resolution (HDMI1: 3840x2160(30Hz), HDMI2: 1920x1080(60Hz)) - Automatic Recovery Back up (ARB) feature (A.K.A Edge recording retrieval), Four (4) Alarm In/ Two(2) Alarm out and Audio Output (RCA). Easy connection using P2P service (QR code connect) with Wisenet Mobile APP (for Android and IOS) and the free of charge Wisenet Viewer, NDAA & FCC Compliant Model.	\$ 1,630.00	849688019719
Recording - Network	QRN-1630S-6TB	16 CH NVR	Price decrease from \$2,230.00 to \$1,870.00	16CH NVR 6TB with 16 PoE Ports (POE Budget 130W) with 8MP Camera Support, H265, H264, MJPEG, 2 fixed internal SATA HDDs (10TB each or 20TB Total), 128Mbps Network camera recording, Dual Stream recording option, 2 HDMI Outputs with local 4K display resolution (HDMI1: 3840x2160(30Hz), HDMI2: 1920x1080(60Hz)) - Automatic Recovery Back up (ARB) feature (A.K.A Edge recording retrieval), Four (4) Alarm In/ Two(2) Alarm out and Audio Output (RCA). Easy connection using P2P service (QR code connect) with Wisenet Mobile APP (for Android and IOS) and the free of charge Wisenet Viewer, NDAA & FCC Compliant Model.	\$ 1,870.00	849688019733
Recording - Network	QRN-1630S-8TB	16 CH NVR	Price decrease from \$2,590.00 to \$2,110.00	16CH NVR 8TB with 16 PoE Ports (POE Budget 130W) with 8MP Camera Support, H265, H264, MJPEG, 2 fixed internal SATA HDDs (10TB each or 20TB Total), 128Mbps Network camera recording, Dual Stream recording option, 2 HDMI Outputs with local 4K display resolution (HDMI1: 3840x2160(30Hz), HDMI2: 1920x1080(60Hz)) - Automatic Recovery Back up (ARB) feature (A.K.A Edge recording retrieval), Four (4) Alarm In/ Two(2) Alarm out and Audio Output (RCA). Easy connection using P2P service (QR code connect) with Wisenet Mobile APP (for Android and IOS) and the free of charge Wisenet Viewer, NDAA & FCC Compliant Model.	\$ 2,110.00	849688019740
Recording - Network	QRN-1630S-10TB	16 CH NVR	Price decrease from \$2,950.00 to \$2,350.00	16CH NVR 10TB with 16 PoE Ports (POE Budget 130W) with 8MP Camera Support, H265, H264, MJPEG, 2 fixed internal SATA HDDs (10TB each or 20TB Total), 128Mbps Network camera recording, Dual Stream recording option, 2 HDMI Outputs with local 4K display resolution (HDMI1: 3840x2160(30Hz), HDMI2: 1920x1080(60Hz)) - Automatic Recovery Back up (ARB) feature (A.K.A Edge recording retrieval), Four (4) Alarm In/ Two(2) Alarm out and Audio Output (RCA). Easy connection using P2P service (QR code connect) with Wisenet Mobile APP (for Android and IOS) and the free of charge Wisenet Viewer, NDAA & FCC Compliant Model.	\$ 2,350.00	849688019757
Recording - Network	QRN-1630S-12TB	16 CH NVR	Price decrease from \$3,310.00 to \$2,590.00	16CH NVR 12TB with 16 PoE Ports (POE Budget 130W) with 8MP Camera Support, H265, H264, MJPEG, 2 fixed internal SATA HDDs (10TB each or 20TB Total), 128Mbps Network camera recording, Dual Stream recording option, 2 HDMI Outputs with local 4K display resolution (HDMI1: 3840x2160(30Hz), HDMI2: 1920x1080(60Hz)) - Automatic Recovery Back up (ARB) feature (A.K.A Edge recording retrieval), Four (4) Alarm In/ Two(2) Alarm out and Audio Output (RCA). Easy connection using P2P service (QR code connect) with Wisenet Mobile APP (for Android and IOS) and the free of charge Wisenet Viewer, NDAA & FCC Compliant Model.	\$ 2,590.00	849688019771
Recording - Network	QRN-1630S-16TB	16 CH NVR	Price decrease from \$4,030.00 to \$3,070.00	16CH NVR 16TB with 16 PoE Ports (POE Budget 130W) with 8MP Camera Support, H265, H264, MJPEG, 2 fixed internal SATA HDDs (10TB each or 20TB Total), 128Mbps Network camera recording, Dual Stream recording option, 2 HDMI Outputs with local 4K display resolution (HDMI1: 3840x2160(30Hz), HDMI2: 1920x1080(60Hz)) - Automatic Recovery Back up (ARB) feature (A.K.A Edge recording retrieval), Four (4) Alarm In/ Two(2) Alarm out and Audio Output (RCA). Easy connection using P2P service (QR code connect) with Wisenet Mobile APP (for Android and IOS) and the free of charge Wisenet Viewer, NDAA & FCC Compliant Model.	\$ 3,070.00	849688019764
Recording - Network	QRN-1630S-20TB	16 CH NVR	Price decrease from \$4,750.00 to \$3,550.00	16CH NVR 20TB with 16 PoE Ports (POE Budget 130W) with 8MP Camera Support, H265, H264, MJPEG, 2 fixed internal SATA HDDs (10TB each or 20TB Total), 128Mbps Network camera recording, Dual Stream recording option, 2 HDMI Outputs with local 4K display resolution (HDMI1: 3840x2160(30Hz), HDMI2: 1920x1080(60Hz)) - Automatic Recovery Back up (ARB) feature (A.K.A Edge recording retrieval), Four (4) Alarm In/ Two(2) Alarm out and Audio Output (RCA). Easy connection using P2P service (QR code connect) with Wisenet Mobile APP (for Android and IOS) and the free of charge Wisenet Viewer, NDAA & FCC Compliant Model.	\$ 3,550.00	849688019931
Recording - Network	QRN-830S	8 CH PoE NVR		8CH NVR with 8 PoE Ports (PoE Budget 65W) with 8MP Camera Support, H.265, H.264, MJPEG, 1 fixed internal SATA HDDs (up to 6TB), 80Mbps Network camera recording, Dual Stream recording option, HDMI Outputs with local 4K display resolution (HDMI1: 3840x2160(30Hz)), Automatic Recovery Back-up (ARB) feature (A.K.A Edge recording retrieval), Easy connection using P2P service (QR code connect) with Wisenet Mobile APP (for Android and IOS) and the free of charge Wisenet Viewer, NDAA & FCC Compliant Model.	\$ 760.00	8801089210203
Recording - Network	QRN-830S-2TB	8 CH NVR	Price decrease from \$1,120.00 to \$1,000.00	8CH NVR 2TB with 8 PoE Ports (PoE Budget 65W) with 8MP Camera Support, H.265, H.264, MJPEG, 1 fixed internal SATA HDDs (up to 6TB), 80Mbps Network camera recording, Dual Stream recording option, HDMI Outputs with local 4K display resolution (HDMI1: 3840x2160(30Hz)), Automatic Recovery Back-up (ARB) feature (A.K.A Edge recording retrieval), Easy connection using P2P service (QR code connect) with Wisenet Mobile APP (for Android and IOS) and the free of charge Wisenet Viewer, NDAA & FCC Compliant Model.	\$ 1,000.00	849688019962
Recording - Network	QRN-830S-4TB	8 CH NVR	Price decrease from \$1,480.00 to \$1,240.00	8CH NVR 4TB with 8 PoE Ports (PoE Budget 65W) with 8MP Camera Support, H.265, H.264, MJPEG, 1 fixed internal SATA HDDs (up to 6TB), 80Mbps Network camera recording, Dual Stream recording option, HDMI Outputs with local 4K display resolution (HDMI1: 3840x2160(30Hz)), Automatic Recovery Back-up (ARB) feature (A.K.A Edge recording retrieval), Easy connection using P2P service (QR code connect) with Wisenet Mobile APP (for Android and IOS) and the free of charge Wisenet Viewer, NDAA & FCC Compliant Model.	\$ 1,240.00	849688019979
Recording - Network	QRN-830S-6TB	8 CH NVR	Price decrease from \$1,840.00 to \$1,480.00	8CH NVR 6TB with 8 PoE Ports (PoE Budget 65W) with 8MP Camera Support, H.265, H.264, MJPEG, 1 fixed internal SATA HDDs (up to 6TB), 80Mbps Network camera recording, Dual Stream recording option, HDMI Outputs with local 4K display resolution (HDMI1: 3840x2160(30Hz)), Automatic Recovery Back-up (ARB) feature (A.K.A Edge recording retrieval), Easy connection using P2P service (QR code connect) with Wisenet Mobile APP (for Android and IOS) and the free of charge Wisenet Viewer, NDAA & FCC Compliant Model.	\$ 1,480.00	849688019986
Recording - Network	XRN-420S	NVR with PoE+	No HDD	4K NVR (Intel based), 4CH with 4 PoE/PoE+ ports (PoE Budget 50W), H265,H264, MJPEG, 1 fixed internal SATA HDDs (6TB max), ARB (Automatic Recovery Backup), 50 Mbps recording / up to 32 Mbps playback, Dual stream recording, WiseStream technology, HDMI/VGA dual display, max. resolution of 8MP recording/display, AI search (Wisenet AI cameras only), QR Code	\$ 587.00	8801089177933
Recording - Network	XRN-420S-2TB	NVR with PoE+		4K NVR (Intel based), 2TB RAW, 4CH with 4 PoE/PoE+ ports (PoE Budget 50W), H265,H264, MJPEG, 1 fixed internal SATA HDDs (6TB max), ARB (Automatic Recovery Backup), 50 Mbps recording / up to 32 Mbps playback, Dual stream recording, WiseStream technology, HDMI/VGA dual display, max. resolution of 8MP recording/display, AI search (Wisenet AI cameras only), QR Code	\$ 947.00	849688010020
Recording - Network	XRN-420S-4TB	NVR with PoE+		4K NVR (Intel based), 4TB RAW, 4CH with 4 PoE/PoE+ ports (PoE Budget 50W), H265,H264, MJPEG, 1 fixed internal SATA HDDs (6TB max), ARB (Automatic Recovery Backup), 50 Mbps recording / up to 32 Mbps playback, Dual stream recording, WiseStream technology, HDMI/VGA dual display, max. resolution of 8MP recording/display, AI search (Wisenet AI cameras only), QR Code	\$ 1,307.00	849688018712
Recording - Network	XRN-420S-6TB	NVR with PoE+		4K NVR (Intel based), 6TB RAW, 4CH with 4 PoE/PoE+ ports (PoE Budget 50W), H265,H264, MJPEG, 1 fixed internal SATA HDDs (6TB max), ARB (Automatic Recovery Backup), 50 Mbps recording / up to 32 Mbps playback, Dual stream recording, WiseStream technology, HDMI/VGA dual display, max. resolution of 8MP recording/display, AI search (Wisenet AI cameras only), QR Code	\$ 1,667.00	849688018729
Recording - Network	QRN-430S	NVR with PoE+	No HDD	4K NVR (Intel based), 4CH with 4 PoE/PoE+ ports (PoE Budget 35W), H265,H264, MJPEG, 1 fixed internal SATA HDDs (6TB max), ARB (Automatic Recovery Backup), 40 Mbps recording / up to 32 Mbps playback, Dual stream recording, WiseStream technology, 4K HDMI display, max. resolution of 8MP recording/display, QR Code	\$ 517.00	8801089205216
Recording - Network	QRN-430S-2TB	4 CH NVR	Price decrease from \$877.00 to \$757.00	4K NVR (Intel based), 2TB RAW, 4CH with 4 PoE/PoE+ ports (PoE Budget 35W), H265,H264, MJPEG, 1 fixed internal SATA HDDs (6TB max), ARB (Automatic Recovery Backup), 40 Mbps recording / up to 32 Mbps playback, Dual stream recording, WiseStream technology, 4K HDMI display, max. resolution of 8MP recording/display, QR Code	\$ 757.00	849688018736
Recording - Network	QRN-430S-4TB	4 CH NVR	Price decrease from \$1,237.00 to \$997.00	4K NVR (Intel based), 4TB RAW, 4CH with 4 PoE/PoE+ ports (PoE Budget 35W), H265,H264, MJPEG, 1 fixed internal SATA HDDs (6TB max), ARB (Automatic Recovery Backup), 40 Mbps recording / up to 32 Mbps playback, Dual stream recording, WiseStream technology, 4K HDMI display, max. resolution of 8MP recording/display, QR Code	\$ 997.00	849688018743
Recording - Network	QRN-430S-6TB	4 CH NVR	Price decrease from \$1,665.00 to \$1,237.00	4K NVR (Intel based), 6TB RAW, 4CH with 4 PoE/PoE+ ports (PoE Budget 35W), H265,H264, MJPEG, 1 fixed internal SATA HDDs (6TB max), ARB (Automatic Recovery Backup), 40 Mbps recording / up to 32 Mbps playback, Dual stream recording, WiseStream technology, 4K HDMI display, max. resolution of 8MP recording/display, QR Code	\$ 1,237.00	849688018750

Encoders and Decoders

Network - Encoder	SPE-1630	16 Channel Encoder		Encoder, 16CH H.265/H.264/MJPEG, Supports: AHD, CVI, TVI and CVBS (AUTO), Up to 5MP@12fps, 4MP@15fps, 2MP@30fps, RS-485/Interface, Coaxial Control, Pelco C when using CVBS or ACP up-coax protocol @ AHD, ONVIF Profile S support, 1 HDMI OUT (16 multi Image, 1920x1080), I/O 16/4, Audio in/out 4/1	\$ 1,375.00	8801089213624
Network - Encoder	SPE-1610	16 Channel Encoder	Limited Stock Comparable model SPE-1620	Encoder, 16CH H.264/MJPEG, 30fps @ 2MP or lower and 15 fps @ 4MP, AHD/CVIT/VI/CVBS compatible, RS-485/422 Interface, Pelco C when using CVBS or ACP up-coax protocol @ AHD, ONVIF protocol support, HDMI output 4/1, 12VDC	\$ 1,365.00	8801089130846
Network - Encoder	SPE-420	4 Channel Encoder		Encoder, 4CH H.265/H.264/MJPEG, 5MP, 12fps/CH, 4MP, 15fps/CH, 1080p, 30fps/CH, 720p/WD14CIF/CIF, 30fps, AHD/CVIT/VI/CVBS compatible, RS-485/422 Interface, Pelco C when using CVBS or ACP up-coax protocol @ AHD, ONVIF protocol support, HDMI output, I/O 4/2, Audio in/out 4/1, DC12V, PoE(IEEE 802.3af)	\$ 535.00	8801089207593
Decoder - Network	SPD-152	64CH Network Video Decoder		Video decoding up to 64 cameras, Dual HDMI output (HDMI#1 UHD, HDMI#2 FHD), Supported resolution: 4K@60FPS ~ 2M@360FPS, ONVIF, SUNAPI, RTSP, H.265 / H.264 / MJPEG codec, up to 20 Layout, Sequence Support, 12V DC, PoE	\$ 850.00	8801089218957
Decoder - Network	SPD-150	49 Channel Decoder	Limited Stock Comparable model SPD-152	Decoder, 49CH on 3 different monitors: HDMI 32 channel max, VGA 16 channel max, BNC 1 channel, H.265, H.264, MJPEG, Onvif support, decode up to 12MP, configurable through the attached monitor only no web based configuration, PoE or 12VDC	\$ 800.00	8801089097538

Network Switches and Transmission Devices

Switch	AT-GS970M10PS-R-10	8 x Gigabit Ethernet PoE+ 124W	4 weeks lead time	AT 8 x Gigabit Ethernet managed switch, 2 x SFP Uplink, PoE+ 124W total PoE budget	\$ 850.00	90849688022101
Switch	AT-GS970M18PS-R-10	16 x Gigabit Ethernet PoE+ 247W	4 weeks lead time	AT 16 x Gigabit Ethernet managed switch, 2 x SFP Uplink, PoE+ 247W total PoE budget	\$ 1,290.00	90849688022118
Switch	AT-GS970M28PS-10	24 x Gigabit Ethernet PoE+ 370W	4 weeks lead time	AT 24 x Gigabit Ethernet managed switch, 4X SFP uplink ports, PoE+ 370W total PoE budget	\$ 1,700.00	90849688022125
Switch	AT-GS980M25PS-10	48 x Gigabit Ethernet PoE+ 740W	4 weeks lead time	AT 48 x Gigabit Ethernet managed switch, 4X SFP uplink port, PoE+ 740W total PoE budget	\$ 3,000.00	90849688022132
Switch	AT-x530L-28SFPX-901	24 x Gigabit Ethernet PoE+ 740W	4 weeks lead time	AT 24 x Gigabit Ethernet PoE+ with advanced management features, 4X10GB SFP+uplink ports, PoE+ 740W total PoE budget	\$ 5,600.00	90849688022149
Switch	AT-x530L-52GSPX-901	48 x Gigabit Ethernet PoE+ 740W	4 weeks lead time	AT 48 x Gigabit Ethernet PoE+ with advanced management features, 4x10GB SFP+uplink, 740W total PoE budget	\$ 9,200.00	90849688022156
Switch	AT-x530L-10GHXm-10	8 x 1/2.5/5 Gigabit Ethernet PoE++ 500W	4 weeks lead time	8 x 1/2.5/5 Gigabit Ethernet PoE++ switch with advanced management features, 2x 10GB (SFP+)uplink, 500W total PoE budget	\$ 8,000.00	90849688022163

Switch	AT-x30L-18GHXm-10	16 x 1/2.5/5 Gigabit Ethernet PoE++ 720W	4 weeks lead time	16 x 1/2.5/5 Gigabit Ethernet PoE++ switch with advanced management features, 2x 10GB (SFP+) uplink, 720W total PoE budget	\$ 10,600.00	90849688022170
Switch	AT-x30DP-28GHXm-10	20 x Gigabit Ethernet 4 x 1/2.5/5 Gigabit Ethernet "dual hot swap psu's PoE++ 1480 W, not included	4 weeks lead time	AT 20 x Gigabit Ethernet 4 x 1/2.5/5 Gigabit Ethernet PoE++ switch with advance management features 4 x 10GB (SFP+) uplink. PoE++ 1480 W total PoE budget. * hot swap psu's sold separately, can take two psu.	\$ 6,700.00	90849688022187
Switch	AT-PWR120H	Secondary Hot swap power supply	4 weeks lead time	Hot swap power supply for AT-x30DP-28GHXm-10 switch.	\$ 3,800.00	90849688022194
Switch	AT-IE220-6GHX-980	4 x Gigabit Ethernet PoE++ 180W	4 weeks lead time	AT Industrial rugged switch with 4 x Gigabit Ethernet DIN Rail Mount, optional PoE++ and optional 2x 10G (SFP+). 180W total PoE budget *Power supply sold separately	\$ 2,300.00	90849688022200
Switch	AT-IE220-10GHX-980	8 x Gigabit Ethernet PoE++ 240W	4 weeks lead time	AT Industrial rugged switch with 8 x Gigabit Ethernet, optional PoE++ and optional 2x 10G (SFP+). 240W total PoE budget *Power supply sold separately	\$ 2,700.00	90849688022217
Switch	AT-IE340-12GP-980	8 x Gigabit Ethernet PoE++ 240W (8 + 8 PoE a/a/f)	4 weeks lead time	AT Industrial rugged switch with 8 x Gigabit Ethernet 4x 1G SFP. PoE+ 240W (8 + 8 PoE a/a/f) *Power supply sold separately	\$ 3,000.00	90849688022224
Switch	AT-IE340-20GP-980	16 x Gigabit Ethernet PoE++ 240W 480W @48Vdc, Industrial AC/DC power supply, DIN rail mount	4 weeks lead time	AT Industrial rugged switch with 16 x Gigabit Ethernet 4x 1G SFP. PoE+ 240W (8 + 8 PoE a/a/f) *Power supply sold separately	\$ 4,100.00	90849688022231
Switch	AT-IE048-480	240W @48Vdc, Industrial AC/DC power supply, DIN rail mount	4 weeks lead time	AT Power supply for Rugged switches, 480W @48Vdc, Industrial AC/DC power supply, DIN rail mount	\$ 1,000.00	90849688022248
Switch	AT-IE048-240	240W @48Vdc, Industrial AC/DC power supply, DIN rail mount	4 weeks lead time	AT Power supply for Rugged switches, 240W @48Vdc, Industrial AC/DC power supply, DIN rail mount	\$ 850.00	90849688022255
Switch	SWT-G11MGHP	11 Port Hardened Managed Gigabit Ethernet Switch with 60W PoE	4 weeks lead time	Hardened 11 Port - 2 x 100/1000/2500FX + 1 x 100/1000FX SFP Ports and 8 x 10/100/1000TX Ports Managed Switch, four 1000Mbps TX with 30W PoE, four 1000Mbps TX Combo Ports with 60W PoE, Hardened 48VDC 480Watt (10A) DIN Rail High Temp Power Supply (-40°C to +71°C With -40°C Start-Up) Included	\$ 3,850.00	849688012307
Switch	SWT-F11MGHP	11 Port Hardened Managed Gigabit Ethernet Switch with 60W PoE	4 weeks lead time	Hardened 3 FX SFP 100/1000/2500Mbps FX + 8 Port 10/100Mbps TX Ports Managed Switch 60 Watt PoE, Hardened 48VDC 480Watt (10A) DIN Rail High Temp Power Supply (-40°C to +71°C With -40°C Start-Up) Included	\$ 3,100.00	849688012321
Transmission-Fiber	SBP-303HF	Fiber Optic for PTZ	4 weeks lead time	RJ-45 to Fiber mounting accessory for PTZ XNP-8320H8321H, XNP-8550RH and QNP-6230H	\$ 269.00	8801089155849
Transmission-Fiber	TMC-FSTM1ACM-A	Mini 100M Media Converter (A)	4 weeks lead time	Hardened mini media fiber converter (A),100Mbps, ST connector, multi-mode, 1 fiber, power supply included (not hardened), TMC-FSTM1-B required to work as a pair	\$ 730.00	849688011935
Transmission-Fiber	TMC-FSTS1ACM-A	Mini 100M Media Converter (A)	4 weeks lead time	Hardened mini media fiber converter (A),100Mbps, ST connector, single-mode, 1 fiber, power supply included (not hardened), TMC-FSTS1-B required to work as a pair	\$ 850.00	849688011942
Transmission-Fiber	TMC-FSTM1PoEM-A	100M Media Converter (A)	4 weeks lead time	Hardened media fiber converter (A), 100Mbps, ST Connector, multi-mode, 1 fiber, PoE+ output, 48V power supply included (not hardened), TMC-FSTM1-B required to work as a pair	\$ 900.00	849688011959
Transmission-Fiber	TMC-FSTS1PoEM-A	100M Media Converter (A)	4 weeks lead time	Hardened media fiber converter (A), 100Mbps, ST Connector, single-mode, 1 fiber, PoE+ output, 48V power supply included (not hardened), TMC-FSTS1-B required to work as a pair	\$ 1,025.00	849688011966
Transmission-Fiber	TMC-FSTM1-B	100M Media Converter (B)	4 weeks lead time	Hardened media fiber converter (B), cage mountable, 100Mbps, ST connector, multi-mode, 1 fiber, power supply included, TMC-FSTM1ACM-A or TMC-FSTM1PoEM-A required to work as a pair	\$ 730.00	849688011973
Transmission-Fiber	TMC-FSTS1-B	100M Media Converter (B)	4 weeks lead time	Hardened media fiber converter (B), cage mountable, 100Mbps, ST connector, single-mode, 1 fiber, power supply included, TMC-FSTS1ACM-A or TMC-FSTS1PoEM-A required to work as a pair	\$ 850.00	849688011980
Transmission-Fiber	TMC-FSCM1ACM-A	Mini 100M Media Converter (A)	4 weeks lead time	Hardened mini media fiber converter (A),100Mbps, SC connector, multi-mode, 1 fiber, power supply included (not hardened), TMC-FSCM1-B required to work as a pair	\$ 730.00	849688011997
Transmission-Fiber	TMC-FSCS1ACM-A	Mini 100M Media Converter (A)	4 weeks lead time	Hardened mini media fiber converter (A),100Mbps, SC connector, single-mode, 1 fiber, power supply included (not hardened), TMC-FSCS1-B required to work as a pair	\$ 850.00	849688012000
Transmission-Fiber	TMC-FSCM1PoEM-A	100M Media Converter (A)	4 weeks lead time	Hardened media fiber converter (A), 100Mbps, SC Connector, multi-mode, 1 fiber, PoE+ output, 48V power supply included (not hardened), TMC-FSCM1-B required to work as a pair	\$ 900.00	849688012017
Transmission-Fiber	TMC-FSCS1PoEM-A	100M Media Converter (A)	4 weeks lead time	Hardened media fiber converter (A), 100Mbps, SC Connector, single-mode, 1 fiber, PoE+ output, 48V power supply included (not hardened), TMC-FSCS1-B required to work as a pair	\$ 1,025.00	849688012031
Transmission-Fiber	TMC-FSCM1-B	100M Media Converter (B)	4 weeks lead time	Hardened media fiber converter (B), cage mountable, 100Mbps, SC connector, multi-mode, 1 fiber, power supply included, TMC-FSCM1ACM-A or TMC-FSCM1PoEM-A required to work as a pair	\$ 730.00	849688012024
Transmission-Fiber	TMC-FSCS1-B	100M Media Converter (B)	4 weeks lead time	Hardened media fiber converter (B), cage mountable, 100Mbps, SC connector, single-mode, 1 fiber, power supply included, TMC-FSCS1ACM-A or TMC-FSCS1PoEM-A required to work as a pair	\$ 850.00	849688012048
Transmission-Fiber	TMC-GSFPM	Mini 1000M Multi-Rate Media Converter	4 weeks lead time	10/100/1000Mbps Multi-Rate media converter, SFP, 100FX/1000FX selectable, small size, SFP module required	\$ 1,125.00	849688012055
Transmission-Fiber	TMC-GSFP	1000M Multi-Rate Media Converter	4 weeks lead time	10/100/1000Mbps Multi-Rate media converter, SFP, 100FX/1000FX selectable, SFP module required	\$ 1,250.00	849688012062
Transmission-Fiber	TMC-GSFPPEM	Mini 1000M Multi-Rate Media Converter	4 weeks lead time	10/100/1000Mbps Multi-Rate media converter, SFP, 100FX/1000FX selectable, small size, PoE+ SFP module required	\$ 1,225.00	849688012079
Transmission-Fiber	TMC-FSPRPE30M	Mini 100M Media Converter	4 weeks lead time	Hardened 100M fiber converter, SFP, 48V PoE, Power Supply Included, 30w output, SFP module required	\$ 225.00	849688012086
SFP Module	SFP-GRJC SFP to RJ45	SFP to RJ45	4 weeks lead time	Copper 10/100/1000Mbps RJ45, MSA Compliant	\$ 225.00	849688012093
SFP Module	SFP-FLCM202	Multi Mode SFP module	4 weeks lead time	100Mbps, 1310nm, 2km, LC, 2 Fiber, Multi Mode, MSA Compliant	\$ 160.00	849688012109
SFP Module	SFP-FLCS220	Single Mode SFP module	4 weeks lead time	100Mbps, 1310nm, 20km, LC, 2 Fiber, Single Mode, MSA Compliant	\$ 170.00	849688012116
SFP Module	SFP-FSCM102-A	Multi Mode SFP module A	4 weeks lead time	100Mbps, 1310nm, 2km, SC, 1 Fiber, Pair with SFP-FSCM102-B, Multi Mode, MSA Compliant	\$ 260.00	849688012123
SFP Module	SFP-FSCM102-B	Multi Mode SFP module B	4 weeks lead time	100Mbps, 1550nm, 2km, SC, 1 Fiber, Pair with SFP-FSCM102-A, Multi Mode, MSA Compliant	\$ 260.00	849688012130
SFP Module	SFP-FSCS120-A	Single Mode SFP module A	4 weeks lead time	100Mbps, 1310nm, 20km, SC, 1 Fiber, Pair with SFP-FSCM102-B, Single Mode, MSA Compliant	\$ 260.00	849688012147
SFP Module	SFP-FSCS120-B	Single Mode SFP module B	4 weeks lead time	100Mbps, 1550nm, 20km, SC, 1 Fiber, Pair with SFP-FSCS120-A, Single Mode, MSA Compliant	\$ 260.00	849688012154
SFP Module	SFP-GLCS215	Single Mode SFP module	4 weeks lead time	100Mbps, 1310nm, 15km, LC, 2 Fiber, Single Mode, MSA Compliant	\$ 160.00	849688012161
SFP Module	SFP-GLCS120-A	Single Mode SFP module A	4 weeks lead time	100Mbps, 1310nm, 20km, LC, 1 Fiber, Pair with SFP-GLCS120-B, Single Mode, MSA Compliant	\$ 385.00	849688012178
SFP Module	SFP-GLCS120-B	Single Mode SFP module B	4 weeks lead time	100Mbps, 1550nm, 20km, LC, 1 Fiber, Pair with SFP-GLCS120-A, Single Mode, MSA Compliant	\$ 385.00	849688012185
SFP Module	SFP-GLCM202	Multi Mode SFP module	4 weeks lead time	100Mbps 1310nm, 2km, 2 Fiber, LC, Multi Mode, MSA Compliant	\$ 325.00	849688012192
Transmission-Accessory	SBP-C14	Card Cage Rack Mount	4 weeks lead time	14 slot card cage rack, power supply included	\$ 1,025.00	849688012208
Transmission-Accessory	SBP-C03	3 Unit Card Cage	4 weeks lead time	3 slot card cage rack, power supply included	\$ 580.00	849688012215
Transmission-Accessory	SBP-C14PS1	Rack Mount Power Supply	4 weeks lead time	90-284 VAC 50/60Hz power supply for SBP-C14	\$ 580.00	849688012222
Transmission-Accessory	SBP-C14BP1	1 Slot Blank Filter Panel	4 weeks lead time	1 slot blank filter panel for SBP-C14 card cage	\$ 35.00	849688012239
Transmission-Accessory	SBP-C14BP3	3 Slot Blank Filter Panel	4 weeks lead time	3 slot blank filter panel for SBP-C14 card cage	\$ 35.00	849688012246
Transmission-Accessory	SBP-UDR	Universal Din Rail Adapter	4 weeks lead time	Universal DIN-Rail mount adapter kit that allow the Hanwha product to be mounted on the adaptor in a vertical axis configuration	\$ 35.00	849688012253
Transmission-Network	TEU-F01	Single Channel over UTP	4 weeks lead time	Single-Channel Ethernet over UTP with Pass-through PoE	\$ 470.00	849688011850
Transmission-Network	TEC-F01	Single Channel over COAX	4 weeks lead time	Single-Channel Ethernet over COAX with Pass-through PoE	\$ 440.00	849688011867
Transmission-Network	TEU-F04	Four Channels over UTP	4 weeks lead time	Four-Channel Ethernet over UTP with Pass-through PoE	\$ 1,700.00	849688011874
Transmission-Network	TEC-F04	Four Channels over COAX	4 weeks lead time	Four-Channel Ethernet over COAX with Pass-through PoE	\$ 1,650.00	849688011881
Transmission-Network	TEU-F16	16 Channels over UTP	4 weeks lead time	Sixteen-Channel Ethernet over UTP with Pass-through PoE	\$ 4,900.00	849688011894
Transmission-Network	TEC-F16	16 Channels over COAX	4 weeks lead time	Sixteen-Channel Ethernet over COAX with Pass-through PoE	\$ 4,850.00	849688011898
Transmission-Network	TER-F01	Ethernet Repeater	4 weeks lead time	100 Meter Ethernet Repeater Pass-Through PoE Power	\$ 385.00	849688011911
Transmission-Network	TER-F01PD	Ethernet Repeater	4 weeks lead time	100 Meter Ethernet Repeater External Power	\$ 385.00	849688011928

Analog High Definition Cameras

Camera - Analog HD	HCF-8011RV	5MP IR Analog HD Fisheye Camera		5MP (2560x1944) resolution, 20FPS @5MP, IR Viewable Length: 10m(32.8ft), BLC, Day & Night (ICR), WDR 120dB, Coaxial communication (ACP / Coaxontrol), Selectable universal output (AHD / CVBS), IP66, IK10, Power 12VDC/24VAC, Operating Temperature: -30°C ~ +55°C(22°F ~ +131°F), hard coated dome bubble white, white color	\$ 500.00	8801089221995
Camera - Analog HD	HCF-8010V	5MP Analog HD Fisheye Camera	Limited Stock	5MP (2560x1944) resolution, 20FPS @5MP, BLC, Day & Night (ICR), Digital Wide Dynamic Range, Coaxial communication (HD / SD mode), Selectable universal output (TVI / AHD / CVBS), IP66, IK10, Power 12VDC/24VAC	\$ 399.00	8801089156945
Camera - Analog HD	HCB-7000A	4MP Wisenet HD+ Box Camera		Wisenet HD+ 4MP box camera, AHD or CVBS formats are available, RS485/Coaxial Control, true DIN, 24VAC/12VDC (Require 4MP or higher CS Mount Lens).	\$ 180.00	8801089185204
Camera - Analog HD	HCO-7070RA	4MP Wisenet HD+ Bullet Camera		Wisenet HD+ 4MP IR bullet camera, AHD or CVBS formats are available, manual vari-focal Lens (3.1X) (3.2-10mm), true DIN, 24VAC/12VDC, IR distance 98 feet, IP66/IK10.	\$ 300.00	8801089184603
Camera - Analog HD	HCO-7010RA	4MP Wisenet HD+ Bullet Camera		Wisenet HD+ 4MP IR bullet camera, AHD or CVBS formats are available, 2.8 mm fixed lens, true DIN, 12VDC, IR distance 65 feet, IP66/IK10.	\$ 200.00	8801089184665
Camera - Analog HD	ACO-8020R	5MP Analog IR Bullet		Wisenet A Series 5MP IR bullet camera, AHD / TVI / CVI / CVBS formats are available, 5MP @ 30 FPS, (CVI supports up to 4M), 3.6mm fixed focal lens, FoV H: 84° / V: 54°, DWDR, IR distance 20m(65.6 ft), day & night, IP67, IK10, 12VDC, Analog, white	\$ 115.00	8801089219373
Camera - Analog HD	ACE-8020R	5MP Turret Camera		Wisenet A Series 5MP IR turret camera, AHD / TVI / CVI / CVBS formats are available, 5MP @ 30 FPS, (CVI supports up to 4M), 3.6mm fixed focal lens, FoV H: 84° / V: 54°, DWDR, IR distance 20m(65.6 ft), day & night, IP67, IK10, 12VDC, Analog, white	\$ 115.00	8801089219381
Camera - Analog HD	HCO-7020RA	4MP Wisenet HD+ Bullet Camera		Wisenet HD+ 4MP IR bullet camera, AHD or CVBS formats are available, 4.0 mm fixed lens, true DIN, 12VDC, IR distance 82 feet, IP66/IK10.	\$ 200.00	8801089184719
Camera - Analog HD	HCO-7030RA	4MP Wisenet HD+ Bullet Camera		Wisenet HD+ 4MP IR bullet camera, AHD or CVBS formats are available, 6.0 mm fixed lens, true DIN, 12VDC, IR distance 98 feet, IP66/IK10.	\$ 200.00	8801089184801
Camera - Analog HD	ACV-8080R	5MP Analog HD IR Outdoor Dome		Wisenet A Series 5MP IR vandal dome camera, AHD / TVI / CVI / CVBS formats are available, 5MP @ 30fps (CVI supports up to 4M), motorized vari-focal lens 3x (3.5-10.5mm) (114°~ 33.9°), DWDR, IR distance 20m(65.6 ft), day & night, IP66, IK10, 12VDC, Analog, white.	\$ 185.00	8801089219411
Camera - Analog HD	ACV-8081R	5MP Analog HD IR Outdoor Dome		Wisenet A Series 5MP IR vandal dome camera, AHD / TVI / CVI / CVBS formats are available, 5MP @ 30fps, motorized vari-focal lens 3x (3.5-10.5mm) (99.1°~ 30.3°), WDR, IR distance 20m(65.6 ft), day & night, IP66, IK10, 12VDC, Analog, white.	\$ 270.00	8801089219428
Camera - Analog HD	HCV-7070RA	4MP Wisenet HD+ Outdoor Dome Camera		Wisenet HD+ 4MP IR outdoor dome camera, AHD or CVBS formats are available, manual vari-focal Lens (3.1X) (3.2-10mm), true DIN, 24VAC/12VDC, IR distance 98 feet, IP66/IK10.	\$ 300.00	8801089184894
Camera - Analog HD	HCV-7010RA	4MP Wisenet HD+ Outdoor Dome Camera		Wisenet HD+ 4MP IR outdoor dome camera, AHD or CVBS formats are available, 2.8 mm fixed lens, true DIN, 12VDC, IR distance 65 feet, IP66/IK10.	\$ 200.00	8801089184863
Camera - Analog HD	HCV-7020RA	4MP Wisenet HD+ Outdoor Dome Camera		Wisenet HD+ 4MP IR outdoor dome camera, AHD or CVBS formats are available, 4.0 mm fixed lens, true DIN, 12VDC, IR distance 82 feet, IP66/IK10.	\$ 200.00	8801089184917
Camera - Analog HD	HCV-7030RA	4MP Wisenet HD+ Outdoor Dome Camera		Wisenet HD+ 4MP IR outdoor dome camera, AHD or CVBS formats are available, 6.0 mm fixed lens, true DIN, 12VDC, IR distance 98 feet, IP66/IK10.	\$ 200.00	8801089184913
Camera - Analog HD	HCD-7070RA	4MP Wisenet HD+ Indoor Dome Camera		Wisenet HD+ 4MP IR indoor dome camera, AHD or CVBS formats are available, manual vari-focal Lens (3.1X) (3.2-10mm), true DIN, 24VAC/12VDC, IR distance 65 feet.	\$ 270.00	8801089185020
Camera - Analog HD	HCD-7010RA	4MP Wisenet HD+ Indoor Dome Camera		Wisenet HD+ 4MP IR indoor dome camera, AHD or CVBS formats are available, 2.8 mm fixed lens, true DIN, 12VDC, IR distance 65 feet.	\$ 180.00	8801089185099
Camera - Analog HD	HCD-7020RA	4MP Wisenet HD+ Indoor Dome Camera		Wisenet HD+ 4MP IR indoor dome camera, AHD or CVBS formats are available, 4.0 mm fixed lens, true DIN, 12VDC, IR distance 82 feet.	\$ 180.00	8801089185211
Camera - Analog HD	HCD-7030RA	4MP Wisenet HD+ Indoor Dome Camera		Wisenet HD+ 4MP IR indoor dome camera, AHD or CVBS formats are available, 6.0 mm fixed lens, true DIN, 12VDC, IR distance 98 feet.	\$ 180.00	8801089185259
Camera - Analog HD	HCB-6000	2MP Analog HD Box		Wisenet HD+ 2MP, Full HD(1080p) 30fps box camera, AHD/TVI/CVI/CVBS, 120 dB true WDR, RS485/Coaxial Control, true DIN, 24VAC/12VDC (Require 2MP or higher CS Mount Lens)	\$ 180.00	8801089131751
Camera - Analog HD	HCB-6001	2MP Analog HD Box		Wisenet HD+ 2MP, Full HD(1080p) 30fps box camera, AHD/TVI/CVI/CVBS, 120 dB true WDR, RS485/Coaxial Control, simple focus, true DIN, 24VAC/12VDC (Require 2MP or higher CS Mount Lens)	\$ 215.00	8801089131188
Camera - Analog HD	HCD-6070R	2MP Analog HD IR Indoor Dome		Wisenet HD+ 2MP, Full HD(1080p) 30fps IR indoor dome camera, AHD/TVI/CVI/CVBS, manual Vari-focal Lens (3.1X) (3.2-10mm), 120 dB true WDR, true DIN, 24VAC/12VDC, IR distance 65 feet	\$ 200.00	8801089131218
Camera - Analog HD	HCD-6080R	2MP Analog HD IR Indoor Dome		Wisenet HD+ 2MP, Full HD(1080p) 30fps IR indoor dome camera, AHD/TVI/CVI/CVBS, motorized vari-focal lens (3.1X) (3.2-10mm), 120 dB true WDR, true DIN, 24VAC/12VDC, IR distance 65 feet	\$ 320.00	8801089131263
Camera - Analog HD	HCD-6010	2MP Wisenet HD+ Indoor Dome Camera		Wisenet HD+ 2MP indoor dome camera, AHD, CVI, TVI, CVBS formats are available, 2.8 mm fixed lens, true DIN, 12VDC	\$ 180.00	8801089155092
Camera - Analog HD	HCD-6020R	2MP Wisenet HD+ Indoor Dome Camera		Wisenet HD+ 2MP IR indoor dome camera, AHD, CVI, TVI, CVBS formats are available, 4.0 mm fixed lens, true DIN, 12VDC	\$ 210.00	8801089155306
Camera - Analog HD	HCV-6070R	2MP Analog HD IR Outdoor Dome		Wisenet HD+ 2MP, Full HD(1080p) 30fps IR outdoor dome camera, AHD/TVI/CVI/CVBS, manual vari-focal lens (3.1X) (3.2-10mm), 120 dB true WDR, true DIN, 24VAC/12VDC, IR distance 98 feet, IP66/IK10	\$ 300.00	8801089131133
Camera - Analog HD	HCV-6080R	2MP Analog HD IR Outdoor Dome		Wisenet HD+ 2MP, Full HD(1080p) 30fps IR outdoor dome camera, AHD/TVI/CVI/CVBS, motorized vari-focal lens (3.1X) (3.2-10mm), 120 dB true WDR, true DIN, 24VAC/12VDC, IR distance 98 feet, IP66/IK10	\$ 350.00	8801089131140
Camera - Analog HD	HCO-6070R	2MP Analog HD IR Bullet		Wisenet HD+ 2MP, Full HD(1080p) 30fps IR outdoor bullet camera, AHD/TVI/CVI/CVBS, manual Vari-focal Lens (3.1X) (3.2-10mm), 120 dB true WDR, true DIN, 24VAC/12VDC, IR distance 98 feet, IP66/IK10	\$ 300.00	8801089131294
Camera - Analog HD	ACO-6020R	2MP Analog HD IR Bullet		Wisenet A Series 2MP IR bullet camera, AHD / TVI / CVI / CVBS formats are available, 2MP @ 30 FPS, 3.6mm fixed focal lens, FoV H: 81° / V: 42°, DWDR, IR distance 25m(82 ft), day & night, IP67, IK10, 12VDC, Analog, white.	\$ 89.00	8801089219367
Camera - Analog HD	ACE-6020R	2MP Turret Camera		Wisenet A Series 2MP IR turret camera, AHD / TVI / CVI / CVBS formats are available, 2MP @ 30 FPS, 3.6mm fixed focal lens, FoV H: 81° / V: 42°, DWDR, IR distance 20m(65.6 ft), day & night, IP67, IK10, 12VDC, Analog, white.	\$ 89.00	8801089219404
Camera - Analog HD	HCO-6020R	2MP Wisenet HD+ Bullet Camera		Wisenet HD+ 2MP IR bullet camera, AHD, CVI, TVI, CVBS formats are available, 4.0 mm fixed lens, true DIN, 12VDC	\$ 210.00	8801089155300
Camera - Analog HD	HCO-6080R	2MP Analog HD IR Bullet		Wisenet HD+ 2MP, Full HD(1080p) 30fps IR outdoor bullet camera, AHD/TVI/CVI/CVBS, motorized vari-focal lens (3.1X) (3.2-10mm), 120 dB true WDR, true DIN, 24VAC/12VDC, IR distance 98 feet, IP66/IK10	\$ 350.00	8801089131382
Camera - Analog HD	HCP-6320A	AHD PTZ		Wisenet HD+ 2MP, Full HD(1080p) 30fps PTZ camera, Optical zoom lens 32X (4.44~142.6mm), true WDR 120dB, RS485/Up coax (ACP protocol only) PTZ control, true DIN, 24VAC.	\$ 1,270.00	8801089132239
Camera - Analog HD	HCP-6320HA	AHD PTZ		Wisenet HD+ 2MP, Full HD(1080p) 30fps PTZ camera, Optical zoom lens 32X (4.44~142.6mm), RS485/Up coax (ACP protocol only) PTZ control, true WDR 120dB, true DIN, 24VAC, IP66 IK10.	\$ 1,470.00	8801089132222
Camera - Analog HD	SCO-6085R	AHD IR Bullet		Wisenet HD+ 2MP, Full HD(1080p) 30fps IR bullet camera, 1/2.8" 2M CMOS, vari-focal Lens (3.1X) (3.2-10mm), 60dB DWDR, Coaxial Control, true DIN, 24VAC/12VDC, IR distance 98.45 feet, IP66 IK10	\$ 250.00	8801089155535
Camera - Analog HD	SCV-6085R	AHD IR Vandal Dome		Wisenet HD+ 2MP, Full HD(1080p) 30fps IR vandal dome camera, 1/2.8" 2M CMOS, Vari-focal Lens (3.1X) (3.2-10mm), 60dB DWDR, true DIN, 24VAC/12VDC, IR distance 98.42 feet, IP66 IK10	\$ 250.00	8801089179876
Camera - Analog HD	SCD-6085R	AHD IR Dome		Wisenet HD+ 2MP, Full HD(1080p) 30fps IR dome camera, 1/2.8" 2M CMOS, vari-focal Lens (3.1X) (3.2-10mm), 60dB DWDR, Coaxial Control, true DIN, 24VAC/12VDC, IR distance 65.62 feet	\$ 230.00	8801089180261

Camera - Analog HD	SCB-6005	AHD Box	Wisenet HD+ 2MP, Full HD(1080p) 30fps, 1/2.8" 2M CMOS, 60dB DWDR, RS485 /Coaxial Control, true DIN, 24VAC/12VDC (Requires 2MP or higher CS Mount Lens)	\$	159.00	8801089178756
Pentabrid						
Recording - Hybrid	ARD-1610	16CH AHD, TVI, CVI, CVBS, IP Recorder	A-Series 16CH DVR, AHD / TVI / CVI up to 5MP (Half), CVBS (NTSC/Pal), Max. Analog 16CH + NW 2CH(2MP), 12/12fps@5MP(Half), 15/12fps@4MP(Half), 15/12fps@2MP recording, H.265/H.264/MJPEG, Recording Bandwidth Max. 100Mbps. 4CH audio input/ 1CH audio output, 4 alarm input and 1 relay output, coaxial control, HDMI/VA video output, 1 x spot monitor output, QR code, up to 2 6TB SATA HDDs (Max. 12TB).	\$	583.00	8801089219008
Recording - Hybrid	ARD-1610-4TB	16CH AHD, TVI, CVI, CVBS, IP Recorder	A-Series 16CH DVR, 4TB HDD, AHD / TVI / CVI up to 5MP (Half), CVBS (NTSC/Pal), Max. Analog 16CH + NW 2CH(2MP), 12/12fps@5MP(Half), 15/12fps@4MP(Half), 15/12fps@2MP recording, H.265/H.264/MJPEG, Recording Bandwidth Max. 100Mbps. 4CH audio input/ 1CH audio output, 4 alarm input and 1 relay output, coaxial control, HDMI/VA video output, 1 x spot monitor output, QR code, up to 2 6TB SATA HDDs (Max. 12TB).	\$	1,063.00	8801089219015
Recording - Hybrid	HRX-1634	16CH AHD, TVI, CVI, CVBS, IP Recorder	5-in-1 16CH Pentabrid DVR, AHD, HDTV, HDCVI (up to 8MP), Total 18CH(Analog Maximum 16CH and 2 Network Maximum 18CH), Analog Camera up 8MP(15/12fps), 5MP(20/12fps), 4MP(30/25fps), 2MP(30/25fps), 960H(or 720H)(30/25fps) * per CH and Network camera 2MP (480fps). Codec H.265/H.264/MJPEG, Recording Bandwidth Max. 128Mbps, Playback Bandwidth 32Mbps. 4CH audio input/ 1CH audio output, 16 alarm input and 4 relay output, coaxial control, HDMI/VA video output, 1 X spot monitor output, QR code, up to 2 SATA HDDs (6TB/HDD), NDAA & FCC Compliant Model.	\$	800.00	8801089213471
Recording - Hybrid	HRX-1634-4TB	16CH AHD, TVI, CVI, CVBS, IP Recorder	5-in-1 16CH Pentabrid DVR- 4TB Raw Storage, AHD, HDTV, HDCVI (up to 8MP), Total 18CH(Analog Maximum 16CH and 2 Network Maximum 18CH), Analog Camera up 8MP(15/12fps), 5MP(20/12fps), 4MP(30/25fps), 2MP(30/25fps), 960H(or 720H)(30/25fps) * per CH and Network camera 2MP (480fps). Codec H.265/H.264/MJPEG, Recording Bandwidth Max. 128Mbps, Playback Bandwidth 32Mbps. 4CH audio input/ 1CH audio output, 16 alarm input and 4 relay output, coaxial control, HDMI/VA video output, 1 X spot monitor output, QR code, Up to 2 SATA HDDs (6TB/HDD), NDAA & FCC Compliant Model.	\$	1,280.00	8801089219473 849688019481
Recording - Hybrid	HRX-1634-6TB	16CH AHD, TVI, CVI, CVBS, IP Recorder	5-in-1 16CH Pentabrid DVR- 6TB Raw Storage, AHD, HDTV, HDCVI (up to 8MP), Total 18CH(Analog Maximum 16CH and 2 Network Maximum 18CH), Analog Camera up 8MP(15/12fps), 5MP(20/12fps), 4MP(30/25fps), 2MP(30/25fps), 960H(or 720H)(30/25fps) * per CH and Network camera 2MP (480fps). Codec H.265/H.264/MJPEG, Recording Bandwidth Max. 128Mbps, Playback Bandwidth 32Mbps. 4CH audio input/ 1CH audio output, 16 alarm input and 4 relay output, coaxial control, HDMI/VA video output, 1 X spot monitor output, QR code, Up to 2 SATA HDDs (6TB/HDD), NDAA & FCC Compliant Model.	\$	1,520.00	849688019818
Recording - Hybrid	HRX-1634-8TB	16CH AHD, TVI, CVI, CVBS, IP Recorder	5-in-1 16CH Pentabrid DVR- 8TB Raw Storage, AHD, HDTV, HDCVI (up to 8MP), Total 18CH(Analog Maximum 16CH and 2 Network Maximum 18CH), Analog Camera up 8MP(15/12fps), 5MP(20/12fps), 4MP(30/25fps), 2MP(30/25fps), 960H(or 720H)(30/25fps) * per CH and Network camera 2MP (480fps). Codec H.265/H.264/MJPEG, Recording Bandwidth Max. 128Mbps, Playback Bandwidth 32Mbps. 4CH audio input/ 1CH audio output, 16 alarm input and 4 relay output, coaxial control, HDMI/VA video output, 1 X spot monitor output, QR code, Up to 2 SATA HDDs (6TB/HDD), NDAA & FCC Compliant Model.	\$	1,760.00	849688019498
Recording - Hybrid	HRX-1634-10TB	16CH AHD, TVI, CVI, CVBS, IP Recorder	5-in-1 16CH Pentabrid DVR- 10TB Raw Storage, AHD, HDTV, HDCVI (up to 8MP), Total 18CH(Analog Maximum 16CH and 2 Network Maximum 18CH), Analog Camera up 8MP(15/12fps), 5MP(20/12fps), 4MP(30/25fps), 2MP(30/25fps), 960H(or 720H)(30/25fps) * per CH and Network camera 2MP (480fps). Codec H.265/H.264/MJPEG, Recording Bandwidth Max. 128Mbps, Playback Bandwidth 32Mbps. 4CH audio input/ 1CH audio output, 16 alarm input and 4 relay output, coaxial control, HDMI/VA video output, 1 X spot monitor output, QR code, Up to 2 SATA HDDs (6TB/HDD), NDAA & FCC Compliant Model.	\$	2,000.00	849688019504
Recording - Hybrid	HRX-1634-12TB	16CH AHD, TVI, CVI, CVBS, IP Recorder	5-in-1 16CH Pentabrid DVR- 12TB Raw Storage, AHD, HDTV, HDCVI (up to 8MP), Total 18CH(Analog Maximum 16CH and 2 Network Maximum 18CH), Analog Camera up 8MP(15/12fps), 5MP(20/12fps), 4MP(30/25fps), 2MP(30/25fps), 960H(or 720H)(30/25fps) * per CH and Network camera 2MP (480fps). Codec H.265/H.264/MJPEG, Recording Bandwidth Max. 128Mbps, Playback Bandwidth 32Mbps. 4CH audio input/ 1CH audio output, 16 alarm input and 4 relay output, coaxial control, HDMI/VA video output, 1 X spot monitor output, QR code, Up to 2 SATA HDDs (6TB/HDD), NDAA & FCC Compliant Model.	\$	2,240.00	849688019511
Recording - Hybrid	HRX-1635	16CH AHD, TVI, CVI, CVBS, IP Recorder	5-in-1 16CH Pentabrid DVR, AHD, HDTV, HDCVI (up to 8MP), Total 18CH(Analog Maximum 16CH and 2 Network Maximum 18CH), Analog Camera up 8MP(15/12fps), 5MP(20/12fps), 4MP(30/25fps), 2MP(30/25fps), 960H(or 720H)(30/25fps) * per CH and Network camera 2MP (480fps). Codec H.265/H.264/MJPEG, Recording Bandwidth Max. 128Mbps, Playback Bandwidth 32Mbps. 4CH audio input/ 1CH audio output, 16 alarm input and 4 relay output, coaxial control, HDMI/VA video output, 1 X spot monitor output, QR code, Up to 8 SATA HDDs (6TB/HDD), NDAA & FCC Compliant Model.	\$	1,367.00	8801089213428
Recording - Hybrid	HRX-1635-4TB	16CH AHD, TVI, CVI, CVBS, IP Recorder	5-in-1 16CH Pentabrid DVR- 4TB Raw Storage, AHD, HDTV, HDCVI (up to 8MP), Total 18CH(Analog Maximum 16CH and 2 Network Maximum 18CH), Analog Camera up 8MP(15/12fps), 5MP(20/12fps), 4MP(30/25fps), 2MP(30/25fps), 960H(or 720H)(30/25fps) * per CH and Network camera 2MP (480fps). Codec H.265/H.264/MJPEG, Recording Bandwidth Max. 128Mbps, Playback Bandwidth 32Mbps. 4CH audio input/ 1CH audio output, 16 alarm input and 4 relay output, coaxial control, HDMI/VA video output, 1 X spot monitor output, QR code, Up to 8 SATA HDDs (6TB/HDD), NDAA & FCC Compliant Model.	\$	1,847.00	849688019528
Recording - Hybrid	HRX-1635-8TB	16CH AHD, TVI, CVI, CVBS, IP Recorder	5-in-1 16CH Pentabrid DVR- 8TB Raw Storage, AHD, HDTV, HDCVI (up to 8MP), Total 18CH(Analog Maximum 16CH and 2 Network Maximum 18CH), Analog Camera up 8MP(15/12fps), 5MP(20/12fps), 4MP(30/25fps), 2MP(30/25fps), 960H(or 720H)(30/25fps) * per CH and Network camera 2MP (480fps). Codec H.265/H.264/MJPEG, Recording Bandwidth Max. 128Mbps, Playback Bandwidth 32Mbps. 4CH audio input/ 1CH audio output, 16 alarm input and 4 relay output, coaxial control, HDMI/VA video output, 1 X spot monitor output, QR code, Up to 8 SATA HDDs (6TB/HDD), NDAA & FCC Compliant Model.	\$	2,327.00	849688019535
Recording - Hybrid	HRX-1635-12TB	16CH AHD, TVI, CVI, CVBS, IP Recorder	5-in-1 16CH Pentabrid DVR- 12TB Raw Storage, AHD, HDTV, HDCVI (up to 8MP), Total 18CH(Analog Maximum 16CH and 2 Network Maximum 18CH), Analog Camera up 8MP(15/12fps), 5MP(20/12fps), 4MP(30/25fps), 2MP(30/25fps), 960H(or 720H)(30/25fps) * per CH and Network camera 2MP (480fps). Codec H.265/H.264/MJPEG, Recording Bandwidth Max. 128Mbps, Playback Bandwidth 32Mbps. 4CH audio input/ 1CH audio output, 16 alarm input and 4 relay output, coaxial control, HDMI/VA video output, 1 X spot monitor output, QR code, Up to 8 SATA HDDs (6TB/HDD), NDAA & FCC Compliant Model.	\$	2,807.00	849688019542
Recording - Hybrid	HRX-1635-16TB	16CH AHD, TVI, CVI, CVBS, IP Recorder	5-in-1 16CH Pentabrid DVR- 16TB Raw Storage, AHD, HDTV, HDCVI (up to 8MP), Total 18CH(Analog Maximum 16CH and 2 Network Maximum 18CH), Analog Camera up 8MP(15/12fps), 5MP(20/12fps), 4MP(30/25fps), 2MP(30/25fps), 960H(or 720H)(30/25fps) * per CH and Network camera 2MP (480fps). Codec H.265/H.264/MJPEG, Recording Bandwidth Max. 128Mbps, Playback Bandwidth 32Mbps. 4CH audio input/ 1CH audio output, 16 alarm input and 4 relay output, coaxial control, HDMI/VA video output, 1 X spot monitor output, QR code, Up to 8 SATA HDDs (6TB/HDD), NDAA & FCC Compliant Model.	\$	3,287.00	849688019559
Recording - Hybrid	HRX-1635-20TB	16CH AHD, TVI, CVI, CVBS, IP Recorder	5-in-1 16CH Pentabrid DVR- 20TB Raw Storage, AHD, HDTV, HDCVI (up to 8MP), Total 18CH(Analog Maximum 16CH and 2 Network Maximum 18CH), Analog Camera up 8MP(15/12fps), 5MP(20/12fps), 4MP(30/25fps), 2MP(30/25fps), 960H(or 720H)(30/25fps) * per CH and Network camera 2MP (480fps). Codec H.265/H.264/MJPEG, Recording Bandwidth Max. 128Mbps, Playback Bandwidth 32Mbps. 4CH audio input/ 1CH audio output, 16 alarm input and 4 relay output, coaxial control, HDMI/VA video output, 1 X spot monitor output, QR code, Up to 8 SATA HDDs (6TB/HDD), NDAA & FCC Compliant Model.	\$	3,767.00	849688019566
Recording - Hybrid	HRX-1635-24TB	16CH AHD, TVI, CVI, CVBS, IP Recorder	5-in-1 16CH Pentabrid DVR- 24TB Raw Storage, AHD, HDTV, HDCVI (up to 8MP), Total 18CH(Analog Maximum 16CH and 2 Network Maximum 18CH), Analog Camera up 8MP(15/12fps), 5MP(20/12fps), 4MP(30/25fps), 2MP(30/25fps), 960H(or 720H)(30/25fps) * per CH and Network camera 2MP (480fps). Codec H.265/H.264/MJPEG, Recording Bandwidth Max. 128Mbps, Playback Bandwidth 32Mbps. 4CH audio input/ 1CH audio output, 16 alarm input and 4 relay output, coaxial control, HDMI/VA video output, 1 X spot monitor output, QR code, Up to 8 SATA HDDs (6TB/HDD), NDAA & FCC Compliant Model.	\$	4,247.00	849688019573
Recording - Hybrid	HRX-1635-30TB	16CH AHD, TVI, CVI, CVBS, IP Recorder	5-in-1 16CH Pentabrid DVR- 30TB Raw Storage, AHD, HDTV, HDCVI (up to 8MP), Total 18CH(Analog Maximum 16CH and 2 Network Maximum 18CH), Analog Camera up 8MP(15/12fps), 5MP(20/12fps), 4MP(30/25fps), 2MP(30/25fps), 960H(or 720H)(30/25fps) * per CH and Network camera 2MP (480fps). Codec H.265/H.264/MJPEG, Recording Bandwidth Max. 128Mbps, Playback Bandwidth 32Mbps. 4CH audio input/ 1CH audio output, 16 alarm input and 4 relay output, coaxial control, HDMI/VA video output, 1 X spot monitor output, QR code, Up to 8 SATA HDDs (6TB/HDD), NDAA & FCC Compliant Model.	\$	4,967.00	849688019580
Recording - Hybrid	HRX-1635-36TB	16CH AHD, TVI, CVI, CVBS, IP Recorder	5-in-1 16CH Pentabrid DVR- 36TB Raw Storage, AHD, HDTV, HDCVI (up to 8MP), Total 18CH(Analog Maximum 16CH and 2 Network Maximum 18CH), Analog Camera up 8MP(15/12fps), 5MP(20/12fps), 4MP(30/25fps), 2MP(30/25fps), 960H(or 720H)(30/25fps) * per CH and Network camera 2MP (480fps). Codec H.265/H.264/MJPEG, Recording Bandwidth Max. 128Mbps, Playback Bandwidth 32Mbps. 4CH audio input/ 1CH audio output, 16 alarm input and 4 relay output, coaxial control, HDMI/VA video output, 1 X spot monitor output, QR code, Up to 8 SATA HDDs (6TB/HDD), NDAA & FCC Compliant Model.	\$	5,687.00	849688019603
Recording - Hybrid	HRX-1635-48TB	16CH AHD, TVI, CVI, CVBS, IP Recorder	5-in-1 16CH Pentabrid DVR- 48TB Raw Storage, AHD, HDTV, HDCVI (up to 8MP), Total 18CH(Analog Maximum 16CH and 2 Network Maximum 18CH), Analog Camera up 8MP(15/12fps), 5MP(20/12fps), 4MP(30/25fps), 2MP(30/25fps), 960H(or 720H)(30/25fps) * per CH and Network camera 2MP (480fps). Codec H.265/H.264/MJPEG, Recording Bandwidth Max. 128Mbps, Playback Bandwidth 32Mbps. 4CH audio input/ 1CH audio output, 16 alarm input and 4 relay output, coaxial control, HDMI/VA video output, 1 X spot monitor output, QR code, Up to 8 SATA HDDs (6TB/HDD), NDAA & FCC Compliant Model.	\$	7,127.00	849688019597
Recording - Hybrid	ARD-810	8CH AHD, TVI, CVI, CVBS, IP Recorder	A-Series 8CH DVR, AHD / TVI / CVI up to 5MP Half, CVBS (NTSC/Pal), Max. Analog 8CH + NW 2CH(2MP), 12/12fps@5MP(Half), 15/12fps@4MP(Half), 15/12fps@2MP recording, H.265/H.264/MJPEG, Recording Bandwidth Max. 40Mbps, 1CH audio input/ 1CH audio output, 4 alarm input and 1 relay output, coaxial control, HDMI/VA video output, 1 x spot monitor output, QR code, up to one 6TB SATA HDD (Max. 6TB).	\$	352.00	8801089218988
Recording - Hybrid	ARD-810-2TB	8CH AHD, TVI, CVI, CVBS, IP Recorder	A-Series 8CH DVR, 2TB HDD, AHD / TVI / CVI up to 5MP Half, CVBS (NTSC/Pal), Max. Analog 8CH + NW 2CH(2MP), 12/12fps@5MP(Half), 15/12fps@4MP(Half), 15/12fps@2MP recording, H.265/H.264/MJPEG, Recording Bandwidth Max. 40Mbps, 1CH audio input/ 1CH audio output, 4 alarm input and 1 relay output, coaxial control, HDMI/VA video output, 1 x spot monitor output, QR code, up to one 6TB SATA HDD (Max. 6TB).	\$	592.00	8801089218995
Recording - Hybrid	HRX-835	8CH AHD, TVI, CVI, CVBS, IP Recorder	Wisenet HD+ Pentabrid DVR AHD (up to 8MP), TVI (up to 8MP), CVI (up to 5MP), CVBS and IP (up to 8MP), Max. Analog 8CH + NW 10CH, up to 8MP, 8/8fps@8MP, 12/12fps@5MP recording (frame rate at higher resolutions will vary), triple codec H.265/H.264/MJPEG, Recording Bandwidth Max. 50Mbps, Playback Bandwidth 32Mbps. 8CH audio input/ 1CH audio output, 8 alarm input and 2 relay output, coaxial control, HDMI/VA video output, 1 X spot monitor output, QR code , Up to 4 SATA HDDs (6TB/HDD)	\$	1,067.00	8801089203724
Recording - Hybrid	HRX-835-4TB	8CH AHD, TVI, CVI, CVBS, IP Recorder	Wisenet HD+ Pentabrid DVR AHD (up to 8MP), - 4TB Raw Storage,TVI (up to 8MP), CVI (up to 5MP), CVBS and IP (up to 8MP), Max. Analog 8CH + NW 10CH, up to 8MP, 8/8fps@8MP, 12/12fps@5MP recording (frame rate at higher resolutions will vary), triple codec H.265/H.264/MJPEG, Recording Bandwidth Max. 50Mbps, Playback Bandwidth 32Mbps. 8CH audio input/ 1CH audio output, 8 alarm input and 2 relay output, coaxial control, HDMI/VA video output, 1 X spot monitor output, QR code , Up to 4 SATA HDDs (6TB/HDD)	\$	1,547.00	849688018484
Recording - Hybrid	HRX-835-6TB	8CH AHD, TVI, CVI, CVBS, IP Recorder	Wisenet HD+ Pentabrid DVR AHD (up to 8MP), - 6TB Raw Storage,TVI (up to 8MP), CVI (up to 5MP), CVBS and IP (up to 8MP), Max. Analog 8CH + NW 10CH, up to 8MP, 8/8fps@8MP, 12/12fps@5MP recording (frame rate at higher resolutions will vary), triple codec H.265/H.264/MJPEG, Recording Bandwidth Max. 50Mbps, Playback Bandwidth 32Mbps. 8CH audio input/ 1CH audio output, 8 alarm input and 4 relay output, coaxial control, HDMI/VA video output, 1 X spot monitor output, QR code , Up to 4 SATA HDDs (6TB/HDD)	\$	1,787.00	849688018491
Recording - Hybrid	HRX-835-8TB	8CH AHD, TVI, CVI, CVBS, IP Recorder	Wisenet HD+ Pentabrid DVR AHD (up to 8MP), - 8TB Raw Storage,TVI (up to 8MP), CVI (up to 5MP), CVBS and IP (up to 8MP), Max. Analog 8CH + NW 10CH, up to 8MP, 8/8fps@8MP, 12/12fps@5MP recording (frame rate at higher resolutions will vary), triple codec H.265/H.264/MJPEG, Recording Bandwidth Max. 50Mbps, Playback Bandwidth 32Mbps. 8CH audio input/ 1CH audio output, 8 alarm input and 4 relay output, coaxial control, HDMI/VA video output, 1 X spot monitor output, QR code , Up to 4 SATA HDDs (6TB/HDD)	\$	2,027.00	849688018507
Recording - Hybrid	HRX-835-12TB	8CH AHD, TVI, CVI, CVBS, IP Recorder	Wisenet HD+ Pentabrid DVR AHD (up to 8MP), - 12TB Raw Storage,TVI (up to 8MP), CVI (up to 5MP), CVBS and IP (up to 8MP), Max. Analog 8CH + NW 10CH, up to 8MP, 8/8fps@8MP, 12/12fps@5MP recording (frame rate at higher resolutions will vary), triple codec H.265/H.264/MJPEG, Recording Bandwidth Max. 50Mbps, Playback Bandwidth 32Mbps. 8CH audio input/ 1CH audio output, 8 alarm input and 4 relay output, coaxial control, HDMI/VA video output, 1 X spot monitor output, QR code , Up to 4 SATA HDDs (6TB/HDD)	\$	2,507.00	849688018514
Recording - Hybrid	HRX-835-16TB	8CH AHD, TVI, CVI, CVBS, IP Recorder	Wisenet HD+ Pentabrid DVR AHD (up to 8MP), - 16TB Raw Storage,TVI (up to 8MP), CVI (up to 5MP), CVBS and IP (up to 8MP), Max. Analog 8CH + NW 10CH, up to 8MP, 8/8fps@8MP, 12/12fps@5MP recording (frame rate at higher resolutions will vary), triple codec H.265/H.264/MJPEG, Recording Bandwidth Max. 50Mbps, Playback Bandwidth 32Mbps. 8CH audio input/ 1CH audio output, 8 alarm input and 4 relay output, coaxial control, HDMI/VA video output, 1 X spot monitor output, QR code , Up to 4 SATA HDDs (6TB/HDD)	\$	2,987.00	849688018521
Recording - Hybrid	HRX-835-24TB	8CH AHD, TVI, CVI, CVBS, IP Recorder	Wisenet HD+ Pentabrid DVR AHD (up to 8MP), - 24TB Raw Storage,TVI (up to 8MP), CVI (up to 5MP), CVBS and IP (up to 8MP), Max. Analog 8CH + NW 10CH, up to 8MP, 8/8fps@8MP, 12/12fps@5MP recording (frame rate at higher resolutions will vary), triple codec H.265/H.264/MJPEG, Recording Bandwidth Max. 50Mbps, Playback Bandwidth 32Mbps. 8CH audio input/ 1CH audio output, 8 alarm input and 4 relay output, coaxial control, HDMI/VA video output, 1 X spot monitor output, QR code , Up to 4 SATA HDDs (6TB/HDD)	\$	3,947.00	849688018538
Recording - Hybrid	HRX-435	4CH AHD, TVI, CVI, CVBS, IP Recorder	Wisenet HD+ Pentabrid DVR AHD (up to 8MP), TVI (up to 8MP), CVI (up to 5MP), CVBS and IP (up to 8MP), • Max. Analog 4CH + NW 6CH, up to 8MP, 8/8fps@8MP, 12/12fps@5MP recording (frame rate at higher resolutions will vary), triple codec H.265/H.264/MJPEG, Recording Bandwidth Max. 30Mbps, Playback Bandwidth 32Mbps. 4CH audio input/ 1CH audio output, 4 alarm input and 2 relay output, coaxial control, HDMI/VA video output, QR code , Up to 2 SATA HDDs (6TB/HDD)	\$	400.00	8801089203786
Recording - Hybrid	HRX-435-2TB	4CH AHD, TVI, CVI, CVBS, IP Recorder	Wisenet HD+ Pentabrid DVR AHD (up to 8MP), - 2TB Raw Storage,TVI (up to 8MP), CVI (up to 5MP), CVBS and IP (up to 8MP), • Max. Analog 4CH + NW 6CH, up to 8MP, 8/8fps@8MP, 12/12fps@5MP recording (frame rate at higher resolutions will vary), triple codec H.265/H.264/MJPEG, Recording Bandwidth Max. 30Mbps, Playback Bandwidth 32Mbps. 4CH audio input/ 1CH audio output, 4 alarm input and 2 relay output, coaxial control, HDMI/VA video output, 1 X spot monitor output, QR code , Up to 2 SATA HDDs (6TB/HDD)	\$	640.00	849688018545
Recording - Hybrid	HRX-435-4TB	4CH AHD, TVI, CVI, CVBS, IP Recorder	Wisenet HD+ Pentabrid DVR AHD (up to 8MP), - 4TB Raw Storage,TVI (up to 8MP), CVI (up to 5MP), CVBS and IP (up to 8MP), • Max. Analog 4CH + NW 6CH, up to 8MP, 8/8fps@8MP, 12/12fps@5MP recording (frame rate at higher resolutions will vary), triple codec H.265/H.264/MJPEG, Recording Bandwidth Max. 30Mbps, Playback Bandwidth 32Mbps. 4CH audio input/ 1CH audio output, 4 alarm input and 2 relay output, coaxial control, HDMI/VA video output, 1 X spot monitor output, QR code , Up to 2 SATA HDDs (6TB/HDD)	\$	880.00	849688018552

Recording - Hybrid	HRX-435-6TB	4CH AHD, TVI, CVI, CVBS, IP Recorder	Wisenet HD+ Pentabrid DVR AHD (up to 8MP), - 6TB Raw Storage.TVI (up to 8MP), CVI (up to 5MP), CVBS and IP (up to 8MP), • Max. Analog 4CH + NW 6CH, up to 8MP, 8/8fps@8MP, 12/12fps@5MP recording (frame rate at higher resolutions will vary), triple codec H.265/H.264/MJPEG, Recording Bandwidth Max. 30Mbps, Playback Bandwidth 32Mbps. 4CH audio input/ 1CH audio output, 4 alarm input and 2 relay output, coaxial control, HDMI/VGA video output, 1 X spot monitor output, QR code , Up to 2 SATA HDDs (6TB/HDD)	\$ 1,120.00	849688018569
Recording - Hybrid	HRX-435-8TB	4CH AHD, TVI, CVI, CVBS, IP Recorder	Wisenet HD+ Pentabrid DVR AHD (up to 8MP), - 8TB Raw Storage.TVI (up to 8MP), CVI (up to 5MP), CVBS and IP (up to 8MP), • Max. Analog 4CH + NW 6CH, up to 8MP, 8/8fps@8MP, 12/12fps@5MP recording (frame rate at higher resolutions will vary), triple codec H.265/H.264/MJPEG, Recording Bandwidth Max. 30Mbps, Playback Bandwidth 32Mbps. 4CH audio input/ 1CH audio output, 4 alarm input and 2 relay output, coaxial control, HDMI/VGA video output, 1 X spot monitor output, QR code , Up to 2 SATA HDDs (6TB/HDD)	\$ 1,360.00	849688018576
Recording - Hybrid	HRX-435-12TB	4CH AHD, TVI, CVI, CVBS, IP Recorder	Wisenet HD+ Pentabrid DVR AHD (up to 8MP), - 12TB Raw Storage.TVI (up to 8MP), CVI (up to 5MP), CVBS and IP (up to 8MP), • Max. Analog 4CH + NW 6CH, up to 8MP, 8/8fps@8MP, 12/12fps@5MP recording (frame rate at higher resolutions will vary), triple codec H.265/H.264/MJPEG, Recording Bandwidth Max. 30Mbps, Playback Bandwidth 32Mbps. 4CH audio input/ 1CH audio output, 4 alarm input and 2 relay output, coaxial control, HDMI/VGA video output, 1 X spot monitor output, QR code , Up to 2 SATA HDDs (6TB/HDD)	\$ 1,840.00	849688018583
Recording - Hybrid	ARD-410	4CH AHD, TVI, CVI, CVBS, IP Recorder	A-Series 4CH DVR, AHD / TVI / CVI up to 5MP Half, CVBS (NTSC/Pal), Max. Analog 4CH + NW 2CH(2MP), 12/12fps@5MP(Half), 15/12fps@4MP(Half), 15/12fps@2MP recording, H.265/H.264/MPEG, Recording Bandwidth Max. 30Mbps. 1CH audio input/ 1CH audio output, 4 alarm input and 1 relay output, coaxial control, HDMI/VGA video output, 1 x spot monitor output, QR code, up to one 6TB SATA HDD (Max. 6TB).	\$ 220.00	8801089218964
Recording - Hybrid	ARD-410-2TB	4CH AHD, TVI, CVI, CVBS, IP Recorder	A-Series 4CH DVR, 2TB HDD, AHD / TVI / CVI up to 5MP Half, CVBS (NTSC/Pal), Max. Analog 4CH + NW 2CH(2MP), 12/12fps@5MP(Half), 15/12fps@4MP(Half), 15/12fps@2MP, recording, H.265/H.264/MJPEG, Recording Bandwidth Max. 30Mbps. 1CH audio input/ 1CH audio output, 4 alarm input and 1 relay output, coaxial control, HDMI/VGA video output, 1 x spot monitor output, QR code, up to one 6TB SATA HDD (Max. 6TB).	\$ 460.00	8801089218971
Recording - Hybrid	HRX-434	4CH AHD, TVI, CVI, CVBS, IP Recorder	Wisenet HD+ Pentabrid DVR AHD (up to 8MP), TVI (up to 8MP), CVI (up to 5MP), CVBS and IP (up to 8MP), • Max. Analog 4CH + NW 6CH, up to 8MP, 8/8fps@8MP, 12/12fps@5MP recording (frame rate at higher resolutions will vary), triple codec H.265/H.264/MJPEG, Recording Bandwidth Max. 30Mbps, Playback Bandwidth 32Mbps. 4CH audio input/ 1CH audio output, 4 alarm input and 2 relay output, coaxial control, HDMI/VGA video output, 1 X spot monitor output, QR code , Up to 1 SATA HDDs (6TB/HDD)	\$ 334.00	8801089203847
Recording - Hybrid	HRX-434-2TB	4CH AHD, TVI, CVI, CVBS, IP Recorder	Wisenet HD+ Pentabrid DVR AHD (up to 8MP), - 2TB Raw Storage.TVI (up to 8MP), CVI (up to 5MP), CVBS and IP (up to 8MP), • Max. Analog 4CH + NW 6CH, up to 8MP, 8/8fps@8MP, 12/12fps@5MP recording (frame rate at higher resolutions will vary), triple codec H.265/H.264/MJPEG, Recording Bandwidth Max. 30Mbps, Playback Bandwidth 32Mbps. 4CH audio input/ 1CH audio output, 4 alarm input and 2 relay output, coaxial control, HDMI/VGA video output, 1 X spot monitor output, QR code , Up to 1 SATA HDDs (6TB/HDD)	\$ 574.00	849688018590
Recording - Hybrid	HRX-434-4TB	4CH AHD, TVI, CVI, CVBS, IP Recorder	Wisenet HD+ Pentabrid DVR AHD (up to 8MP), - 4TB Raw Storage.TVI (up to 8MP), CVI (up to 5MP), CVBS and IP (up to 8MP), • Max. Analog 4CH + NW 6CH, up to 8MP, 8/8fps@8MP, 12/12fps@5MP recording (frame rate at higher resolutions will vary), triple codec H.265/H.264/MJPEG, Recording Bandwidth Max. 30Mbps, Playback Bandwidth 32Mbps. 4CH audio input/ 1CH audio output, 4 alarm input and 2 relay output, coaxial control, HDMI/VGA video output, 1 X spot monitor output, QR code , Up to 1 SATA HDDs (6TB/HDD)	\$ 814.00	849688018606
Recording - Hybrid	HRX-434-6TB	4CH AHD, TVI, CVI, CVBS, IP Recorder	Wisenet HD+ Pentabrid DVR AHD (up to 8MP), - 6TB Raw Storage.TVI (up to 8MP), CVI (up to 5MP), CVBS and IP (up to 8MP), • Max. Analog 4CH + NW 6CH, up to 8MP, 8/8fps@8MP, 12/12fps@5MP recording (frame rate at higher resolutions will vary), triple codec H.265/H.264/MJPEG, Recording Bandwidth Max. 30Mbps, Playback Bandwidth 32Mbps. 4CH audio input/ 1CH audio output, 4 alarm input and 2 relay output, coaxial control, HDMI/VGA video output, 1 X spot monitor output, QR code , Up to 1 SATA HDDs (6TB/HDD)	\$ 1,054.00	849688018613

DVR's Accessories

Lenses

Lens	SLA-T2480BA	Bandit Barrier	Compatible with XNB-6002 and PNM-9000QB	Bandit Barrier 2.4mm fixed lens (138°), compatible with PNM-9000QB, and XNB-6002 (not included), cable length 8m (26 feet), black color	\$ 790.00	8801089228345
Lens	SLA-C-E24	Canon EF 24mm f/1.4L II USM		Canon 24mm f1.4L, Auto-Iris (EF 24mm f1.4L II USM) : Horizontal field of view: 8K 62.1° , CarePak 4 Years warranty	\$ 5,025.00	849688014830
Lens	SLA-C-E50	Canon EF 50mm f/1.2L USM		Canon 50mm f1.2, Auto-Iris (EF 50mm f/1.2 USM) : Horizontal field of view: 8K 31.6° , CarePak 4 Years Warranty	\$ 3,950.00	849688014847
Lens	SLA-C-E2470	Canon EF 24-70mm f/2.8L II USM		Canon 24-70mm f2.8L II USM (EF 24-70mm f2.8L USM) : Horizontal field of view :8K 62.1° ~ 23.2° , CarePak 4 Years Warranty	\$ 4,900.00	849688014861
Lens	SLA-C-E70200	Canon EF 70-200mm f/2.8L IS III USM		Canon 70-200mm f2.8L, Auto-Iris, Vari Focal (EF 70-200mm f2.8L USM) : Horizontal field of view: 8K 23.2° - 8.3° , CarePak 4 Years Warranty	\$ 5,450.00	849688014878
Lens	SLA-C-I3910	1/1.8" 3.9-10mm (i-CS Mount)	4 weeks lead time	1/1.8" 3.9-10mm F1.5 Varifocal, HD Series P-Iris (i-CS Mount) Day/Night IR (12 MP capable) for AI Box Camera (PNB-A9001)	\$ 455.00	849688015261
Lens	SLA-C-I2885	1/2.7" 2.8-8.5mm (i-CS Mount)	4 weeks lead time	1/2.7" 2.8-8.5mm F1.2 Varifocal, HD Series P-Iris (i-CS Mount) Day/Night IR (8 MP capable) for WN7 Box Cameras (XNB-9002 and XNB-8002)	\$ 435.00	849688015278
Lens	SLA-T1080F	1.6mm Lens/Imager straight body for XNB-6001 (8.0m cable)		1.6mm fixed lens module, compatible with the XNB-6001, straight body style, 2MP @ 60fps, 0.03 Lux, 120dB WDR, 187° horizontal field of view, 8 meters cable/ 26 feet cable	\$ 310.00	8801089137920 8801089125057
Lens	SLA-T2480	2.4mm Lens/Imager straight body for XNB-6001 (8.0m cable)		2.4mm fixed lens module, compatible with the XNB-6001, straight body style, 2MP @ 60fps, 0.45 Lux, 120dB WDR, 138° horizontal field of view, 8 meters/ 26 feet cable	\$ 215.00	8801089137883 8801089125101
Lens	SLA-T2480V	2.4mm Lens/Imager right angle body for XNB-6001 (8.0m cable)		2.4mm fixed lens module, compatible with the XNB-6001, right angle body style, 2MP @ 60fps, 0.45 Lux, 120dB WDR, 138° horizontal field of view, 8 meters/ 26 feet cable	\$ 215.00	8801089125071
Lens	SLA-T4680	4.6mm Lens/Imager straight body for XNB-6001 (8.0m cable)		4.6mm pinhole lens module, compatible with the XNB-6001, straight body style, 2MP @ 60fps, 0.06 Lux, 120dB WDR, 73° horizontal field of view, 8 meters/ 26 feet cable	\$ 215.00	8801089125118
Lens	SLA-T4680V	4.6mm Lens/Imager right angle body for XNB-6001 (8.0m cable)		4.6mm pinhole lens module, compatible with the XNB-6001, right angle body style, 2MP @ 60fps, 0.06 Lux, 120dB WDR, 73° horizontal field of view, 8 meters/ 26 feet cable	\$ 215.00	8801089125088
Lens	SLA-T2480WA	Outdoor 2.4mm Lens/Imager straight body for XNB-6002, and PNM-9000QB (8.0m cable)	Compatible with XNB-6002 and PNM-9000QB	Outdoor rated 2.4mm fixed lens module, straight body style, compatible with PNM-9000QB and XNB-6002, 2MP @ 30fps, 0.45 Lux, 138° horizontal field of view, 8 meters/ 26 feet cable, IP66, NEMA 4X, IK10, Operating temperature -30°C→+55°C(-22°F →+131°F)	\$ 275.00	8801089226631
Lens	SLA-T2480WDA	Outdoor 2.4mm Lens/Imager Dome body for XNB-6002, and PNM-9000QB (8.0m cable)	Compatible with XNB-6002 and PNM-9000QB	Outdoor rated 2.4mm fixed lens module, Dome style, compatible with PNM-9000QB and XNB-6002, 2MP @ 30fps, 0.45 Lux, 138° horizontal field of view, 8 meters/ 26 feet cable, IP66, NEMA 4X, IK10, Operating temperature -30°C→+55°C(-22°F →+131°F)	\$ 275.00	8801089226648
Lens	SLA-T4680A	4.6mm Lens/Imager straight body for XNB-6002, and PNM-9000QB (8.0m cable)	Compatible with XNB-6002 and PNM-9000QB	4.6mm pinhole lens module, compatible with PNM-9000QB and XNB-6002, straight body style, 2MP @ 30fps, 0.06 Lux, 73° horizontal field of view, 8 meters/ 26 feet cable	\$ 215.00	8801089195913
Lens	SLA-T4680VA	4.6mm Lens/Imager right angle body for XNB-6002, and PNM-9000QB (8.0m cable)	Compatible with XNB-6002 and PNM-9000QB	4.6mm pinhole lens module, compatible with PNM-9000QB and XNB-6002, right angle body style, 2MP @ 30fps, 0.06 Lux, 73° horizontal field of view, 8 meters/ 26 feet cable	\$ 215.00	8801089195989
Lens	SLA-T2480A	2.4mm Lens/Imager straight body for XNB-6002, and PNM-9000QB (8.0m cable)	Compatible with XNB-6002 and PNM-9000QB	2.4mm fixed lens module, compatible with PNM-9000QB and XNB-6002, straight body style, 2MP @ 30fps, 0.45 Lux, 138° horizontal field of view, 8 meters/ 26 feet cable	\$ 215.00	8801089195876
Lens	SLA-T2480VA	2.4mm Lens/Imager right angle body for XNB-6002, and PNM-9000QB (8.0m cable)	Compatible with XNB-6002 and PNM-9000QB	2.4mm fixed lens module, compatible with PNM-9000QB and XNB-6002, right angle body style, 2MP @ 30fps, 0.45 Lux, 138° horizontal field of view, 8 meters/ 26 feet cable	\$ 215.00	8801089195883
Lens	SLA-T1080FA	1.6mm Lens/Imager straight body for XNB-6002, and PNM-9000QB (8.0m cable)	Compatible with XNB-6002 and PNM-9000QB	1.6mm fixed lens module, compatible with PNM-9000QB and XNB-6002, straight body style, 2MP @ 30fps, 0.03 Lux, 187° horizontal field of view, 8 meters cable/ 26 feet cable	\$ 310.00	8801089196552
Lens	SLA-H-4680VA	Height strip with 2MP pinhole lens	Camera not included	Height strip with 4.6mm pinhole lens module, compatible with PNM-9000QB, right angle body style, 2MP @ 30fps, 0.06 Lux, 73° horizontal field of view, 8 meters/ 26 feet cable	\$ 545.00	849688016695
Lens	SLA-T2880BA	Bandit Barrier	Compatible with XNB-6002 and PNM-9000QB	Bandit Barrier 2.8mm fixed lens (107.4°), compatible with PNM-9000QB, and XNB-6002 (not included), cable length 8m (26 feet), black color	\$ 790.00	8801089219121
Lens	SLA-T4680DA	Door Jamb Lens (black)	Compatible with XNB-6002 and PNM-9000QB	Door Jamb head with a 4.6mm lens, compatible with PNM-9000QB, and XNB-6002 (not included), cable length 8m (26 feet), black color	\$ 270.00	8801089219107
Lens	SLA-T4680DSA	Door Jamb Lens (silver)	Compatible with XNB-6002 and PNM-9000QB	Door Jamb head with a 4.6mm lens, compatible with PNM-9000QB, and XNB-6002 (not included), cable length 8m (26 feet), silver color	\$ 270.00	8801089219114
Lens	SLA-T4680D	Door Jamb Lens (black)		Door Jamb head with a 4.6mm lens, compatible with XNB-6001 (not included) 8m (26 feet) cable, black color	\$ 270.00	8801089135926
Lens	SLA-T4680DS	Door Jamb Lens (silver)		Door Jamb head with a 4.6mm lens, compatible with XNB-6001 (not included) 8m (26 feet) cable, silver color	\$ 270.00	8801089142184
Lens	SLA-T4680DW	Door Jamb Lens (white)	Special order ONLY	Door Jamb head with a 4.6mm lens, compatible with XNB-6001 (not included) 8m (26 feet) cable, white color	\$ 270.00	8801089135933
Lens	SLA-T-M410DN	Megapixel DC-Iris Lens		Megapixel Lens, image sensor from 1/2.3" up to 1/1.7", Up to 12MP resolution, Vari-focal (4-10mm), DC auto iris, CS-Mount, Compatible with: XNB-6005/8000, PNB-A9001	\$ 420.00	849688014779
Lens	SLA-T-M1250DN	Megapixel DC-Iris Lens		Megapixel Lens, image sensor from 1/2.3" up to 1/1.7", Up to 12MP resolution, Vari-focal (12-50mm), DC auto iris, CS-Mount, Compatible with: XNB-6005/8000, PNB-A9001	\$ 420.00	849688014786
Lens	SLA-T-M940DN	Megapixel DC-Iris Lens	Limited stock, Recommended replacement SLA-T-M1250DN	Lens, 1/2.3", Up to 4K Vari-focal(9-40mm), Auto DC IRIS, CS-Mount, compatible with: XNB-6000, HCB-6000/6001/7000/7000A	\$ 369.00	849688007075
Lens	SLA-2M2400P	PNM-9322VQP Lens module	For the PNM-9320VQP, PNM-9321VQP, PNM-9322VQP	1/2.8" 2MP CMOS with a 2.4mm fixed focal lens, FoV: H: 135.4°, V: 71.2° for the PNM-9320VQP and PNM-9322VQP	\$ 85.00	8801089172952 8801089146823
Lens	SLA-2M2800P	PNM-9322VQP Lens module	For the PNM-9320VQP, PNM-9321VQP, PNM-9322VQP	1/2.8" 2MP CMOS with a 2.8mm fixed focal lens, FoV: H: 107.4°, V: 62.2°, for the PNM-9320VQP and PNM-9322VQP	\$ 85.00	8801089173003 8801089146816
Lens	SLA-2M3600P	PNM-9322VQP Lens module	For the PNM-9320VQP, PNM-9321VQP, PNM-9322VQP	1/2.8" 2MP CMOS with a 3.6mm fixed focal lens, FoV: H: 94.8°, V: 49.3°, for the PNM-9320VQP and PNM-9322VQP	\$ 85.00	8801089176714
Lens	SLA-2M6000P	PNM-9322VQP Lens module	Limited Stock. For the PNM-9320VQP, PNM-9321VQP, PNM-9322VQP	1/2.8" 2MP CMOS with a 6.0mm fixed focal lens, FoV: H: 50.4°, V: 28.8°, for the PNM-9320VQP and PNM-9322VQP	\$ 85.00	8801089173508
Lens	SLA-2M1200P	PNM-9322VQP Lens module	Limited Stock. For the PNM-9320VQP, PNM-9321VQP, PNM-9322VQP	1/2.8" 2MP CMOS with a 12.0mm fixed focal lens, FoV: H: 26.3°, V: 14.9°, for the PNM-9320VQP and PNM-9322VQP	\$ 85.00	8801089176066 8801089147004
Lens	SLA-5M3700P	PNM-9322VQP Lens module	For the PNM-9320VQP, PNM-9321VQP, PNM-9322VQP	1/1.8" 5MP CMOS with a 3.7mm fixed focal lens, FoV: H: 97.5°, V: 71.9° for the PNM-9320VQP and PNM-9322VQP	\$ 250.00	8801089173430
Lens	SLA-5M4600P	PNM-9322VQP Lens module	For the PNM-9320VQP, PNM-9321VQP, PNM-9322VQP	1/1.8" 5MP CMOS with a 4.6mm fixed focal lens, FoV: H: 77.9°, V: 57.9° for the PNM-9320VQP and PNM-9322VQP	\$ 250.00	8801089173447
Lens	SLA-5M7000P	PNM-9322VQP Lens module	For the PNM-9320VQP, PNM-9321VQP, PNM-9322VQP	1/1.8" 5MP CMOS with a 7.0mm fixed focal lens, FoV: H: 50.7°, V: 37.8° for the PNM-9320VQP and PNM-9322VQP	\$ 250.00	8801089173485 8801089147554
Lens	SLA-2M2400Q	PNM-9000VQ Lens module	For the PNM-9000VQ, PNM-9002VQ	1/2.8" 2MP CMOS with a 2.4mm fixed focal lens, FoV: H: 135.4°, V: 71.2° for the PNM-9000VQ	\$ 85.00	8801089172969
Lens	SLA-2M2800Q	PNM-9000VQ Lens module	For the PNM-9000VQ, PNM-9002VQ	1/2.8" 2MP CMOS with a 2.8mm fixed focal lens, FoV: H: 107.4°, V: 62.2°, for the PNM-9000VQ	\$ 85.00	8801089176721
Lens	SLA-2M3600Q	PNM-9000VQ Lens module	For the PNM-9000VQ, PNM-9002VQ	1/2.8" 2MP CMOS with a 3.6mm fixed focal lens, FoV: H: 94.8°, V: 49.3°, for the PNM-9000VQ	\$ 85.00	8801089173027 8801089114570
Lens	SLA-2M6000Q	PNM-9000VQ Lens module	For the PNM-9000VQ, PNM-9002VQ	1/2.8" 2MP CMOS with a 6.0mm fixed focal lens, FoV: H: 50.4°, V: 28.8°, for the PNM-9000VQ	\$ 85.00	8801089173515
Lens	SLA-5M3700Q	PNM-9000VQ Lens module	For the PNM-9000VQ, PNM-9002VQ	1/1.8" 5MP CMOS with a 3.7mm fixed focal lens, FoV: H: 97.5°, V: 71.9° for the PNM-9000VQ	\$ 250.00	8801089176233
Lens	SLA-5M4600Q	PNM-9000VQ Lens module	For the PNM-9000VQ, PNM-9002VQ	1/1.8" 5MP CMOS with a 4.6mm fixed focal lens, FoV: H: 77.9°, V: 57.9° for the PNM-9000VQ	\$ 250.00	8801089173492

Accessory	SBP-156CMW	Ceiling mount		Ceiling mount, Weight 4.2 kg (9.3 lb), Material: Aluminum, Color: White, Compatible with: XNP-9300RW/8300RW/6400RW, QNP-6320R/6250R/6320H/6250H	\$ 255.00	8801089193988
Accessory	SBP-156LMW1	Telescopic Parapet Mount		Telescopic Parapet Mount, White color parapet mount , Weight : 7.1 kg (15.7 lb), Product dimensions: 855-1098x1000x65mm(32-43-2x39-4x3.8"), (doesn't include SBP-156HMMV)	\$ 410.00	8801089225375
Accessory	SBP-156LMW	Telescopic Parapet Mount		Telescopic Parapet Mount, White color parapet mount , Weight : 7.1 kg (15.7 lb), Product dimensions: 853-1116x1000x65mm(33.6-43.9x39-4x3.8"), Compatible with: XNP-9300RW/8300RW/6400RW, QNP-6320R/6250R/6320H/6250H, Package includes: SBP-156HMMV	\$ 435.00	8801089193971
Accessory	SBD-140KMB	Corner Mount		Light weight stainless steel corner mount compatible with: QNV-C8011R/C8012/C9011R, QNV-C8083R/C9083R, QND-6011/6021, QND-8011/8021, QNF-8010/9010, QND-6012R(1)/6022R(1)/6072R(1)/6082R(1), QND-7012R/7022R/7082R, QNE-8011R/8021R, LND-6012R/6022R/6072R, ANE-L6012R/L7012R	\$ 70.00	880108920639
Accessory	SBP-156KMW	Corner mount		Corner mount, Material: Aluminum, Color: White, Dimensions : 276.8(W)x183.0(H)x156.5(D)mm (10.90x7.20x6.24"), Compatible with: XNP-9300RW/8300RW/6400RW, QNP-6320R/6250R/6320H/6250H	\$ 119.00	8801089193964
Accessory	SBP-099TMM	Tilt mount		Tilt mount for Q fisheye cameras, Compatible with QNF-9010, QNF-9010	\$ 49.00	8801089194312
Accessory	SBP-125HMM	Small Hanging Cap		Hanging Mount for QNE-8011R/8021R	\$ 34.00	8801089195623
Accessory	SHD-2500FPW	Plenum Flush Mount		Plenum In-ceiling Mount compatible with: PNM-C16083RVQ/C32083RVQ	\$ 250.00	8801089226863
Accessory	SHD-2510FPW	Plenum flush mount		Plenum Flush Mount for PNM-90840Z/808ZVT	\$ 250.00	8801089194817
Accessory	SHD-1600FW	In-ceiling Mount		In-ceiling mount compatible with XND-C6083RV, XND-C7083RV, XND-C8083RV, XND-C9083RV	\$ 65.00	8801089217004
Accessory	SHD-2000FPW	Flush mount		Plenum rated in-ceiling mount compatible with PNM-C16013RVQ	\$ 170.00	8801089225399
Accessory	SHD-1600FPW	Plenum flush mount		Plenum Flush Mount for XNF-8010R/8010RV/9010RV/9010RVM, XND-6085V, XNV-6080/6080R/8080RA/6080A/6080R/6120/6120R/6085	\$ 189.00	8801089192332
Accessory	SBL-100D	Remote lens dome bracket		Dome bracket for SLA-T2480A, SLA-T4680A, SLA-T2480, SLA-T4680	\$ 39.00	8801089196194
Accessory	SBL-101C	Corner bracket for remote head lens		Corner bracket for SLA-T2480A, SLA-T4680A, SLA-T4680A, SLA-T2480, SLA-T4680	\$ 39.00	8801089212023
Accessory	SCL-30	Extension cable for remote head lens	Not compatible with XNB-6001	Extension cable for remote head lens, 3m (9.84ft), compatible with: PNM-9000QB, XNB-6002, SLA-T4680A, SLA-T4680VA, SLA-T2480A, SLA-T2480VA, SLA-T1080FA, SLA-T2880BA, SLA-T4680DA, SLA-T4680DA, SLA-T4680DA	\$ 95.00	8801089227041
Accessory	SCL-150	Extension cable for remote head lens	Not compatible with XNB-6001	Extension cable for remote head lens, 15m (49.2ft), compatible with: PNM-9000QB and XNB-6002, SLA-T4680A, SLA-T4680VA, SLA-T2480A, SLA-T2480VA, SLA-T1080FA, SLA-T2880BA, SLA-T4680DA, SLA-T4680DA, SLA-T4680DA	\$ 95.00	8801089198808
Accessory	STB-1520VW	swivel adapter		Box camera swivel adapter, converting 1.5" NPT to 7/8-20 UNC, Compatible with TMM-3620TDDY (body temperature detection camera), SPI-35B (Blackbody), All other box cameras, white color	\$ 130.00	849688016336
Accessory	STB-5075W	Floor Stand		Floor stand with adjustable height; compatible with all box cameras, temperature detecting camera [TMM-3620TDDY], blackbody [SPI-35B], and all other box cameras, extend between 50 inch to 75 inch, white color	\$ 450.00	849688016343
Accessory	STB-4150V	Box Camera Mount		Wall/Ceiling Mount Accessory for Box cameras	\$ 29.00	8801089130785
Accessory	SBP-300B	Mount Base		Wall Mount Base, Works with Mounts (SBP-300WM/300WM1), Ivory	\$ 89.00	8801089167736
Accessory	SBP-300BW	Mount Base	Limited Stock Replacement Model is SBP-300BW1	Wall Mount Base, Works with Mounts SBP-300WMW1, white	\$ 89.00	8801089167095
Accessory	SBV-120GW	Back Box		Back Box with knockouts, Compatible with QNV-6012R/6022R/6032R, QNV-8010R/8020R/8030R	\$ 49.00	8801089169655
Accessory	SBO-090GP	Wall Adaptor Plate		Gang plate (for bullet) Adaptor plate for Single, Double, 4" Octagon Compatible with QNO-C8083R / QNO-C9083R / ANO-L6012R / ANO-L6022R / ANO-L6082R / ANO-L7012R / ANO-L7022R / ANO-L7082R	\$ 20.00	8801089220714
Accessory	SBP-140VWW	Back Box for Bullet Cameras		Waterproof Back box for bullet cameras, Compatible with: QNV-C8083R/C9083R, ANO-L6012R/22R/82R, ANO-L7012R/22R/82R	\$ 76.00	8801089226242
Accessory	SBP-140BW	Back Box for Bullet Cameras		Back box for bullet cameras, Compatible with: QNO-C8083R/C9083R, ANO-L6012R/22R/82R, ANO-L7012R/22R/82R	\$ 49.00	8801089220707
Accessory	SBO-100B1	Bullet Back Box		IR Bullet camera Back box, (QNO-7030R/7020R/7010R, QNO-7080R, SCO-6083R, HCO-6080R/6070R/7010RA/7030RA/7030RA/7070RA, QNO-8010R/8020R/8030R, QNO-6012R/6022R/6032R/6082R)	\$ 49.00	8801089166214
Accessory	SBO-126B	Bullet Back Box		IR Bullet camera back box, (XNO-L6080R, QNO-8080R)	\$ 49.00	8801089168047
Accessory	SBP-060BA	Conduit Adapter		Conduit Adapter compatible with PNM-C16013RV, QNV-C8083R/C9083R, XNO-C6083R/C7083R/C8083R/C9083R	\$ 20.00	8801089225511
Accessory	SBO-147BA	Conduit Hole Adaptor		Conduit Hole Adaptor for X-Core bullet cameras	\$ 20.00	8801089207098
Accessory	SBP-147B	Bullet Back Box		Water-Proof Back Box for QNO-6082R	\$ 75.00	8801089195659
Accessory	SBV-140VWW	Back Box for Dome Cameras		Waterproof Back box for dome cameras, Compatible with: QNV-C8083R/C9083R, QNV-C8011R/C8012/C9011R, QND-6011/6021, QND-8011/8021, QND-6012R/6022R/6082R, QND-7012R/7022R/7082R, QNE-8011R/8021R	\$ 76.00	8801089226235
Accessory	SBV-140BW	Back Box for Dome Cameras		Back box for dome cameras, Compatible with: QNV-C8083R/C9083R, QNV-C8011R/C8012/C9011R, QND-6011/6021, QND-8011/8021, QND-6012R/6022R/6082R, QND-7012R/7022R/7082R, QNE-8011R/8021R	\$ 49.00	8801089220661
Accessory	SBV-160BW	Dome Back Box		White Back Box, Compatible with: XNF-9010RV/RVM, and all indoor X-Plus cameras (XND)	\$ 49.00	8801089196949
Accessory	SBV-158G	Dome Back Box		Vandal dome camera Back box, (PNV-9080R, XNV-6080R, XNV-8080R, XNV-6120R, XNV-6085, PNM-7000VD)	\$ 85.00	8801089168603
Accessory	SBV-136B	Dome Back Box		Back Box with knockouts and water proof design, Compatible with	\$ 49.00	8801089168559
Accessory	SBV-136BW	Dome Back Box		SCV-6083R/6023R, QNV-7080R, HCV-6070R/6080R, XNP-6040H	\$ 49.00	8801089167149
Accessory	SBP-100B1	Fisheye Back Box		Back box with knockouts (QNV-8080R, QNV-6082R), white color	\$ 49.00	8801089167603
Accessory	SBV-116B	Dome back box		Fisheye camera Back box, (XNF-8010RV/RVM, PNF-9010RV/RVM)	\$ 49.00	8801089167903
Accessory	SBP-300NB	Installation Box		Back box with knockouts, compatible with XNV-6011	\$ 49.00	8801089165645
Accessory	SBP-300NBW	Installation Box		Installation Back box compatible with (SBP-300WM1, SBP-300WM1, SBP-300KM, SBP-300PM)	\$ 300.00	8801089171088
Accessory	SBP-300NM	Mounting accessory for the TNB-6030		Installation Back box compatible with (SBP-300WMW, SBP-300WMW1, SBP-300KMW, SBP-300PMW)	\$ 300.00	8801089167033
Accessory	SBP-2CTW1	2x2" ceiling tile, 1.5" NPT female thread		PVM camera (TNB-6030) mounting hardware	\$ 65.00	8801089148063
Accessories	SBP-HCFW	1.5" coupler (White)		2x2" drop ceiling tile (or half of 2x4" ceiling tile) accessory with 1.5" NPT female thread, includes suspension wire, four turnbuckles, and anchors to suspend from wood or concrete structures, supports up to 50lb, scratch resistant fused epoxy white finish	\$ 150.00	849688018958
Accessory	SBP-HCF	1.5" coupler		1.5" coupler, female thread on both sides, White	\$ 15.00	849688018781
Accessory	SBP-35PVM	PVM Mount		1.5" coupler, female thread on both sides, Ivory	\$ 15.00	044701001072
Accessory	SBP-35PVMW	PVM Mount		Telescopic PVM uni-strut mount, 3'-5.5" drop length, VESA compatible 75x75mm, 100x100mm, Up to 25° of tilt and 360° continuous rotation, black	\$ 160.00	849688010501
Accessory	SBP-58PVM	PVM Mount		Telescopic PVM uni-strut mount, 3'-5.5" drop length, VESA compatible 75x75mm, 100x100mm, Up to 25° of tilt and 360° continuous rotation, white	\$ 160.00	849688010518
Accessory	SBP-58PVMW	PVM Mount		Telescopic PVM uni-strut mount, 5'-9" drop length, VESA compatible 75x75mm, 100x100mm, Up to 25° of tilt and 360° continuous rotation, black	\$ 200.00	849688010525
Accessory	SBP-58PVMW	PVM Mount		Telescopic PVM uni-strut mount, 5'-9" drop length, VESA compatible 75x75mm, 100x100mm, Up to 25° of tilt and 360° continuous rotation, white	\$ 200.00	849688010532
PVM Accessory	SBP-917PVMB1	Telescopic PVM uni-strut mount	Reduced packing size consisting of 3 piece pole adapter for standard carrier shipment	Telescopic PVM uni-strut mount, 9.5'-17" drop length, VESA compatible 75x75mm, 100x100mm, Up to 25° of tilt and 360° continuous rotation, black color. Three piece attachment for standard shipping	\$ 250.00	849688019955
Accessory	SBP-917PVMW1	PVM Mount	Regular shipment	Telescopic PVM uni-strut mount, 9.5'-17" drop length, VESA compatible 75x75mm, 100x100mm, Up to 25° of tilt and 360° continuous rotation, white	\$ 300.00	849688017173
Accessory	STB-10PVMSC-B	PVM Mount	2 Weeks lead time	Self-checkout monitor mount, accommodates one SMT-1030PV 10" PVM, easy height adjustment, angle optimized for best view, all installation hardware and brackets included, Powder coated black color, VESA 75 x 75 mm, product weight 3lbs	\$ 175.00	849688017807
Accessories	STB-10PVMCWA-W	PVM Mount		Horizontal pendula monitor mount, accommodates one SMT-1030PV 10" PVM, easy height adjustment, angle optimized for best view, all installation hardware and brackets included, Powder coated white color, VESA 75 x 75 mm, product weight 3lbs	\$ 290.00	849688018708
Accessories	STB-10PVMGX-W	PVM Mount		Gondola upright monitor mount, accommodates one SMT-1030PV 10" PVM, easy height adjustment, angle optimized for best view, all installation hardware and brackets included, Powder coated white color, VESA 75 x 75 mm, product weight 3lbs	\$ 310.00	849688018804
Accessory	SPI-35B	Black Body device		Body Temperature Reference (black body), 3", EC 80601-2-59 standard, 30°C to 45°C (86°F to 113°F), Accuracy of ±0.15°C (±0.3°F), 1/4-20" Tripod Mounting, 5% to 95% non-condensing RH), 18V, 1A, DC max, (Accessory for TMM-3620TDDY)	\$ 2,580.00	8801089196606
Accessory	SPI-50	IR Illuminators for the TNU-6320	Special Order Only	IR emitter up to 200m (656 feet), 25" IR angle, 850nm wave length, 24VAC, IP67, -40°C - +60°C (-40°F - 140°F), Compatible with the TNU-6321	\$ 2,250.00	8801089132802
Accessory	SHD-46VDB	Flush door Jamb Lens Housing (black)		Flush Door Jamb Lens Housing for SLA-T4680V lens (not included) and XNB-6001 (not included), black color	\$ 150.00	044701001126
Accessory	SHD-46VDE	Flush door Jamb Lens Housing (silver)		Flush Door Jamb Lens Housing for SLA-T4680V lens (not included) and XNB-6001 (not included), silver color	\$ 150.00	044701001133
Housing	SHP-3701H	PTZ Outdoor Housing	8 weeks lead time	PTZ Housing Accessory, IP66, IK10, Built-in Heater -58°F XNP-6320/6321, QNP-6230/6250/6320	\$ 549.00	8801089159182
Accessory	WWT-P-VESA	WAVE Recording Server Mount	2 Weeks Lead Time	VESA mount + adaptor box for WWT-P and WRT-P Micro form factor	\$ 130.00	849688019844
Accessory	WRR-P-HDDCRDL	WAVE recording server HDD Cradle		HDD cradle for WRR-P and WRR-O servers (1U and 2U chassis)	\$ 80.00	849688013987
Accessory	SBP-302F	Ceiling Tile Support Plate		Ceiling tile support plate for the XND-6081FZ/8081FZ, XND-6081RF/8081RF, XND-9082RF/8082RF and SHD-3000F5	\$ 260.00	849688011683
Accessory	SPP-C7400	Audio and Alarm cable		Audio and Alarm cable for TNV-C7013RC, QNV-C8083R/C9083R, XNV-C6083R/C7083R/C8083R/C9083R, XND-C6083RV/C7083RV/C8083RV/C9083RV, (Pack of 3)	\$ 45.00	8801089224866
Accessory	SHB-9000H	Box Camera (TNB-9000) Housing		TNB-9000 Box Camera Housing, Body/Sun shield: Aluminum, Front & Rear cap : ABS, Wall Mount Arm included. Operating Temperature: -60°C - +60°C (-58°F - +140°F) 10-100% RH (condensing), Weight: 6.2kg (13.67 lb), Color: White, IP66, Input Voltage 110vac, Thermostat controlled Fan and heater - UL 62368-1 Certified	\$ 2,925.00	8801089190956
Housing	SHB-4301HP	Fixed Housing		Indoor/Outdoor PoE Housing w/Mounting Bracket Accessory, Heater/Blower, IP66	\$ 450.00	8801089167354
Housing	SHB-4300H1	Fixed Housing		Indoor/Outdoor Housing w/Mounting Bracket Accessory, Heater/Blower -58°F-122°F, 24VAC, IP66	\$ 349.00	8801089167316
Housing	SHB-4200	Fixed Housing		Indoor/Outdoor Housing w/Mounting Bracket Accessory, 14°F-122°F, IP66	\$ 90.00	8801089167309
Housing	SHB-4200H	Fixed Housing		Indoor/Outdoor Housing w/Mounting Bracket Accessory, Heater/Blower, -31°F-122°F, 24VAC, IP66	\$ 140.00	8801089167286
Accessory	SHB-V-3200HPR	Outdoor enclosure	Outdoor Enclosure with IR See compatible box cameras in the mount selection	Outdoor enclosure with PoE+, IR and Wall mount for Box cameras. Compatible with most XNB and PNB Cameras. See complete camera compatibility list in the mount selection tool.	\$ 1,100.00	849688020562
Accessory	SHB-V-WCPA	Conduit adapter plate	Conduit adapter plate for the SHB-V-3200HPR Enclosure	Conduit adapter plate for outdoor enclosure: SHB-V-3200HPR Enclosure.	\$ 80.00	849688020555
Accessory	SHB-V-DBHWGC	Pole Mount Adaptor	Pole Mount Adaptor for pole mount installations to be used with SHB-V-3200HPR Enclosure	Pole mount adaptor, (Ø 8.2", max 8.9") for outdoor enclosure: SHB-V-3200HPR. Note: The SHB-V-WCPA is also needed for pole mount installation.	\$ 200.00	849688020548
Accessory	SBP-302CMW	Pendant mount (white)		Telescopic pendant mount Accessory, requires a mounting plate SBP-302CMAW or SBP-302CMBW (white color)	\$ 250.00	849688016206
Accessory	SBP-302CMAW	Mounting plate (white)	4 Weeks Lead Time	Mounting plate for the telescopic pendant mount SBP-302CMW (white color)	\$ 30.00	849688016213
Accessory	SBP-302CM-06W	Extension pendant pipe 6" (white)	4 Weeks Lead Time	Extension pendant pipe 6" long, fit the SBP-302CMBW (Mounting backbox), SBP-302CMAW (mounting plate), SBP-302CMW (telescopic pendant mount) and the extension pipes SBP-302CMW-06 SBP-302CMW-12 and SBP-302CMW-36, white color	\$ 45.00	849688016220
Accessory	SBP-302CM-12W	Extension pendant pipe 12" (white)	4 Weeks Lead Time	Extension pendant pipe 12" long, fit the SBP-302CMBW (Mounting backbox), SBP-302CMAW (mounting plate), SBP-302CMW (telescopic pendant mount) and the extension pipes SBP-302CMW-06 SBP-302CMW-12 and SBP-302CMW-36, white color	\$ 65.00	849688016237
Accessory	SBP-302CM-36W	Extension pendant pipe 36" (white)	4 Weeks Lead Time	Extension pendant pipe 36" long, fit the SBP-302CMBW (Mounting backbox), SBP-302CMAW (mounting plate), SBP-302CMW (telescopic pendant mount) and the extension pipes SBP-302CMW-06 SBP-302CMW-12 and SBP-302CMW-36, white color	\$ 105.00	849688016244
Accessory	SBP-302CMBW	Pendant back box (white)		Back box made to fit SBP-302CMW telescopic pendant mount and the extension pipes (SBP-302CMW-06 and SBP-302CMW-12 and SBP-302CMW-36), White color	\$ 190.00	8801089198778
Accessory	SBP-302CMSW	Swivel adapter for pendant mount (white)	4 Weeks Lead Time/ Need SBP-302CMASW or SBP-302CMBW	Swivel adapter for pendant mount for SBP-302CMW-06, SBP-302CMW-12, SBP-302CMW-36 and it also requires one mounting option either SBP-302CMAW or SBP-302CMBW; White color	\$ 120.00	849688016251
Accessory	SBP-302CMASW	Swivel Joint + Telescopic pendant mount (white)	4 Weeks Lead Time	Telescopic pendant mount accessory with 90 degrees swivel joint, 4.5' to 8' adjustable, includes SBP-302CMAW for ceiling mount, White color	\$ 400.00	849688016268
Monitor						
Monitor	SMT-3215	32" FHD Monitor		32" LED Monitor, Full HD 1920 x 1080, HDMI, DP, VGA, 16:9 aspect ratio, Built-in Speaker (2W X 2), VESA DPM Compatible (100x100mm) Actual screen size 15.5"	\$ 1,600.00	8801089226846
Monitors	SMT-3240	32" UHD Monitor		32" LED Monitor, UHD (3840*2160 60Hz), HDMI, DP, 16:9 aspect ratio, Built-in Speaker (2W X 2), VESA DPM Compatible (100x100mm)	\$ 1,880.00	8801089217738
Monitors	SMT-4343	43" UHD Monitor		43" UHD LED Monitor, 2160p (4K), HDMI, DP, 16:9 aspect ratio, Built-in Speaker (10W X 2), VESA DPM Compatible (100x100mm/400x200mm)	\$ 2,060.00	8801089203854
Monitor Set	SMT-4343S	43" UHD Monitor Set (Monitor+Desktop Stand)		43" LED Monitor, 2160p (4K), HDMI, DP, 16:9 aspect ratio, Built-in Speaker (2W X 2), VESA DPM Compatible (100x100mm/400x200mm) + Single Monitor desktop stand, compatible with SMT-4343 monitor, black color, 100x100 VESA mountable	\$ 2,160.00	849688018415
PVM	SMT-3231PV	32" AI Public View Monitor		SMT-3231PV -> 32" (31.55") AI Enabled IP public view monitor (AI PVM) PIP & PBP support,1080p (1920 x 1080 60Hz), HDMI, Ethernet, 16:9 aspect ratio, Built-in speaker (2x2W), VESA mountable (100 x 100mm / 200 x 100mm), black casing, AI face object detection, Display for visual deterrent, customizable text overlay with pre-configured "recording in progress" OSD 2MP IP camera built-in, 3.06mm fixed lens, (107.7" H and 59.0V), 120dB WDR, H.265/H.264/MPEG, slide show & live video, micro SD/SDHC/SDXC, bi-directional audio, hallway view mode, portrait and landscape display support, HPe02.30t, DC 24V, ***Power adapter not included***	\$ 2,950.00	8801089220233

Monitor	SMT-3211PVM-PIP	32" PVM with PIP	Special order	32" IP public view monitor,1080p (1920x1080), HDMI, VGA, Ethernet, 16:9 aspect ratio, Built-in speaker (2x2 W), VESA mountable (100 x 100mm / 200 x 100mm), black casing, face detection display for visual deterrent, PIP, customizable text overlay with pre-configured "recording in progress" OSD, 2MP IP camera built-in, 4.6mm fixed lens(73.8"H), 150dB WDR, H.265/H.264/MJPEG, WiseStream II compression technology, micro SD/SDHC/SDXC, bi-directional audio, hallway view mode Power supply NOT included	\$ 4,150.00	849688011089
Monitor	SMT-3211PVM	32" Without PIP	Special order	32" IP public view monitor,1080p (1920x1080), HDMI, VGA, Ethernet, 16:9 aspect ratio, Built-in speaker (2x2 W), VESA mountable (100 x 100mm / 200 x 100mm), black casing, face detection display for visual deterrent, customizable text overlay with pre-configured "recording in progress" OSD, 2MP IP camera built-in, 4.6mm fixed lens(73.8"H), 150dB WDR, H.265/H.264/MJPEG, WiseStream II compression technology, micro SD/SDHC/SDXC, bi-directional audio, hallway view mode Power supply NOT included	\$ 3,499.00	849688011072
PVM	SMT-2731PV	27" AI Public View Monitor		27" AI Enabled IP public view monitor (AI PVM) PIP & PBP support,1080p (1920 x 1080 60Hz), HDMI, Ethernet, 16:9 aspect ratio, Built-in speaker (2x2 W), VESA mountable (100 x 100mm / 200 x 100mm), black casing, AI face & Object detection display for visual deterrent, customizable text overlay with pre-configured "recording in progress" OSD 2MP IP camera built-in, 3.06mm fixed lens, (107.7" H and 59.0V), 120dB WDR, H.265/H.264/MJPEG, slide show & live video, micro SD/SDHC/SDXC, bi-directional audio, hallway view mode, portrait and landscape display support, HPoE 802.3bt, DC 24V. ***Power adapter not included***	\$ 2,500.00	8801089220219
Monitors	SMT-2431	24" LED Monitor		24" LED Monitor, Full HD, 1080p (1920x1080), HDMI, VGA, 16:9 aspect ratio, VESA DPM Compatible (100x100mm)	\$ 990.00	8801089206893
Monitors	SMT-2212	22" LED Monitor		22" LED Monitor, Full HD, 1080p (1920x1080), HDMI, VGA, 16:9 aspect ratio, VESA DPM Compatible (100x100mm)	\$ 450.00	8801089219039
Monitor	SMT-1030PV	10" PVM monitor (Black)	2 Weeks lead time. For orders greater than 80 apply 14 Weeks lead time	10" IP public view monitor,1080p (1920x1080), HDMI, VGA, Ethernet, 16:9 aspect ratio, Built-in speaker (2x2 W), VESA mountable (75 x 75mm), black casing, face detection display for visual deterrent, 2MP IP camera built-in, 4.6mm fixed lens(73.8"H), 150dB WDR, H.265/H.264/MJPEG, slide show & live video, power supply included (12VDC) or PoE+ powered	\$ 1,000.00	8801089191656
Monitor Stand	SBM-3232	32" desktop stand	Limited Stock	Single monitor desktop stand, compatible with SMT-3233 monitor, black color, 100x100 VESA mountable	\$ 100.00	8801089167361
Monitor Stand	SBM-4343	43" Desktop Stand		Single monitor desktop stand, compatible with SMT-4343 monitor, black color, 100x100 VESA mountable	\$ 100.00	8801089191269
Controllers						
Network - Controller	SPC-7000	Controller		Controller, IP system keyboard with touch screen TFT LCD, Interchangeable 3D joystick & jog shuttle for left or right handed users, RS-485, DVR/INVR, Matrix & PTZ control, 1CH video input/output, SSM using USB interface only.	\$ 1,300.00	8801089130099
Analog - Controller	SPC-2010	Controller		Controller, 3D joystick, 2 line text LCD display, built-in jog shuttle, up to 255 PTZ/zoom cameras, RS-485, DVR, supports Multi-protocol	\$ 898.00	8801089130013
USB - Controller	SPC-2001	Controller		Controller, USB 3D joystick	\$ 985.00	8801089219862
Analog - Controller	SPC-1010	Controller		Controller, PTZ joystick controller, 2 line text LCD display, up to 255 PTZ/zoom cameras, RS-485	\$ 499.00	8801089129901
Power Supplies						
Power Supply	SPO-8315	83W HPoE Injector		83W HPoE Injector, Fully compliant with IEEE802.3af/at/bt, PoE++, Built-in SFP slot, Compatible with XNP-9300RW / XNP-8300RW / XNP-6400RW, PNM-9085RQZ / PNM-9088RQZ1 / PNM-9084RQZ / PNM-9084RQZ1 / PNM-9322V/QP	\$ 425.00	8801089218476
Power Supply	SPO-6011	60W PoE++ Injector		60W HPoE Injector, Fully compliant with IEEE802.3af/at/bt, PoE++, Built-in SFP slot, Compatible with XNP-9250R / XNP-8250R / XNP-6400R / TNB-9000	\$ 365.00	8801089218490
Power Supply	SPU-60240	AI PVM power adapter	Power adapter for AI PVM	Power adapter for AI PVM, 60W, 24V DC (SMT-3231PV, SMT-2731PV, SMT-1031PV, SMT-1031PVW)	\$ 100.00	8801089230522
Power Supply	PWR-DR12033	DIN Rail Mounting 33W Hardened Power Supply		12VDC 33Watt (2.75A) DIN Rail High Temp Power Supply (-40°C to +71°C With -40°C Start-Up)	\$ 190.00	849688012277
EPIC WebRTC Media Server License						
EPIC WebRTC Media Server License	WRTC-EP5-1	EPIC WebRTC Media Server License		5 Years EPIC WebRTC Media Server License for one camera connection including Audio	\$ 2,500.00	N/A
EPIC WebRTC Media Server License	WRTC-EP3-1	EPIC WebRTC Media Server License		3 Years EPIC WebRTC Media Server License for one camera connection including Audio	\$ 1,600.00	N/A
Services						
Service	DIN-SSDA006/CO	On-site engineering service	Service per/Day	This is an on site engineering service that will be provided by one of Hanwha Vision B2B security division trained personal for our STEP dealers to help configuring or training on product including cameras, recorders and software. This SKU is for one day, if multiple days are needed please reflect that by increasing the QTY of this SKU.	\$ 3,000.00	N/A
Service	DIN-SSDA003/CO	Professional Firmware Customization	Service per/Day	This is a professional firmware customization service that will be provided by Hanwha Vision B2B security R&D Division to provide valuable functions on our network cameras and network recorders. This SKU is for one day engineering cost. For more details please contact us by emailing projectfswservice@hanwha.com	\$ 500.00	N/A
Service	DIN-SSDA008/CO	Remote engineering service	Service per/Day	This is a remote engineering service that will be provided by a Hanwha Vision B2B security division trained personnel for our STEP dealers to help configure or train on product including cameras, recorders and software. A reliable phone connection and internet connection (for a connection to the surveillance system via a remote desktop software) is required to be provided by the STEP partner. This SKU is for one day. If multiple days are needed please reflect that by increasing the QTY of the SKU	\$ 2,000.00	N/A

Disclaimer:

We put our best effort and knowledge to maintain the accuracy of specifications and price. Should there be any discrepancies we reserve the right to follow our specifications and price set. Thanks for your understanding.