

All Products

Category	Item #	Item Type	Notes	Description	MSRP	EAN code
8K Cameras						
Camera - Network	TNO-A26081	26MP AI Bullet Camera		26MP Network AI Bullet Camera, 28.3mm APS CMOS image sensor, Max. 30fps@26MP, 0.2µm@F4.0 (Color), 55~250mm (4.54µm) manual varifocal lens, H.265, H.264, MJPEG codec, WiseStream II, WiseStream III (Using AI engine), Installed Video Analytics based on AI (Object detection and classification (Person, Face, Vehicle, License plate), Attribute, BestShot) People counting, Vehicle counting, Queue management, Heatmap; Supported Video Analytics based on AI, Traffic Pack (no license key required), 2-way audio, Sound detection and classification, TPM2 with FIPS 140-3 level2, Secure boot, Verify firmware forgery, Modular structure for easy installation, 2x micro SD card (512GB x2), Operating temperature: -40°C~+50°C(-40°F~+122°F), Power: HPoE (802.3bt type3, class6)12VDC, Metal shielded RJ-45, SFP slot, IP66/IP67, IK10, NEMA4X	\$ 8,300.00	8801089227232
Camera - Network	TNB-9000	8K Network Box Camera	Special Order / Please Contact HVA Sales to confirm Lead Time	43.3mm full-frame CMOS Image Sensor, Max.15fps@8K, 20fps@24MP, 30fps@15MP, 60fps@4K, Compatible with Canon EF mount Lenses, Intelligent video analytics based on AI (Object detection/classification, Attribute, BestShot), HDMI (1080p 30fps) Video Output, H.265/H.264 : Main/High, MJPEG, Single Micro SD slot (Up to 256GB), WiseStream II support, RJ-45, SFP slot(100/1000Mbps), HPoE(IEEE802.3bt, Class5), 12VDC, AI based analytics	\$ 12,000.00	8801089175296
4K Cameras & up						
Camera - Network	PNM-C32084RQZ-8XE256G-LU	4K AI, IR, PTRZ Multi-directional, Jetson Orin, with Lumeo Advanced Analytics		Wisenet P series network vandal outdoor Multi-Directional camera [WiseAI ON] 4CH x 8MP @ 15FPS / [WiseAI OFF] 4CH x 8MP @ 20FPS, Motorized Varifocal Lens 4.38-9.33mm (FoV H: 112.1°~47.5°, V: 58°~26.6°) with PTRZ function, triple codec H.265/H.264/MJPEG, 120dB WDR; IR viewable length 25m (82ft), Lumo: Retail, Transportation, Smart Cities, Logistics, Enterprise Security and more; Wise AI: Analytics events based on AI engine: Classified object type: Person/Face/Vehicle/License plate, Attributes: Vehicle/Type and color: car/bus/truck/motorcycle/bicycle), Person (upper and bottom clothing color), IVA (Virtual line/Area, Enter/Exit, Loitering, direction, intrusion), Appear/Disappear, WisenR II (using AI engine), WiseStream III (Based on AI engine), I/O Box compatibility: TPM with FIPS 140-2 level2, micro SD card 512GB x2, IP66, IK10, NEMA4X, NEMA-TS2(2.2.7), 150MPH Wind load resistant, Operating Temperature: -40°C~+55°C(-40°F~+131°F), HPoE injector included, Hard-coated dome bubble, Includes Jetson ORIN NX 8GB with 256GB NVMe SSD Storage, and Lumeo AI Gateway with 4 x Camera Channels 1 Year Enterprise License.	\$ 9,175.00	849688023303
Camera - Network	PNM-C32084RQZ-8XE4T-W	4K AI, IR, PTRZ, Multi-Sensor SolidEDGE with 4TB SSD (L)		Wisenet P series network vandal outdoor Multi-Directional camera [AI ON] 4CH x 8MP @ 15FPS / [AI OFF] 4CH x 8MP @ 20FPS, Motorized Varifocal Lens 4.38-9.33mm (FoV H: 112.1°~47.5°, V: 58°~26.6°) with PTRZ function, triple codec H.265/H.264/MJPEG, 120dB WDR; IR viewable length 25m (82ft), Analytics events based on AI engine: Classified object type: Person/Face/Vehicle/License plate, Attributes: Vehicle/Type and color: car/bus/truck/motorcycle/bicycle), Person (upper and bottom clothing color), IVA (Virtual line/Area, Enter/Exit, Loitering, direction, intrusion), Appear/Disappear, WisenR II (using AI engine), WiseStream III (Based on AI engine), I/O Box compatibility: TPM with FIPS 140-2 level2, micro SD card 512GB x2, IP66, IK10, NEMA4X, NEMA-TS2(2.2.7), 150MPH Wind load resistant, Operating Temperature: -40°C~+55°C(-40°F~+131°F), HPoE injector included, Hard-coated dome bubble, Includes Jetson ORIN NX 8GB with 4TB NVMe SSD Storage, Pre-installed WAVE Server with 1 Pro License, Pre-installed WAVE AI Plugin	\$ 9,690.00	849688023143
Camera - Network	PNM-C19183RVP	3CH + PTZ, AI, IR Multi directional outdoor camera / 5MP x 3CH + 4MP 18x PTZ		Wisenet P series network vandal outdoor Multi-Directional camera, 3CH x 5MP @ 30FPS and 4MP PTZ 18x Zoom, 3CH Fix Lens 2.4mm (FoV H: 123° V: 91°), 120dB WDR; IR viewable length: 15m(49ft), Analytics events based on AI engine: Classified object type: Person/Face/Vehicle/License plate, Attributes: Vehicle/Type and color: car/bus/truck/motorcycle/bicycle), Person (upper and bottom clothing color), IVA (Virtual line/Area, Enter/Exit, Loitering, direction, intrusion), Appear/Disappear, WisenR II (using AI engine), WiseStream III (Based on AI engine), I/O Box compatibility: Secure element (FIPS 140-3 level3), micro SD card 512GB x2, IP66, IK10, NEMA4X, Operating Temperature: -40°C~+55°C(-40°F~+131°F), PoE++ (injector included), Hard-coated dome bubble	\$ 4,150.00	880108923446
Camera - Network	PNM-C3440RQPZ	5 CH, AI, IR, PTRZ Multi-directional outdoor camera with PTZ / 4K x 4 + 4PTZ + 2MP 40x PTZ		Wisenet P series network vandal outdoor Multi-Directional camera with PTZ, [AI ON] 4CH x 8MP @ 15FPS / [AI OFF] 4CH x 8MP @ 20FPS + PTZ 40x 2MP @ 60FPS, 4CH Remote PTZ Lens 3.3-5.7mm (FoV H: 109°~56°, V: 55°~31°), triple codec H.265/H.264/MJPEG, 120dB WDR; IR viewable length 20m (65ft) / [PTZ] 15m (49ft) / [HPoE] 20m (65ft), USB port for easy installation, Analytics events based on AI engine: Object detection (Person/Vehicle (Car/Bus/Truck/Motorcycle/Bicycle)), IVA (Virtual line/Area, Enter/Exit, Loitering, direction, intrusion), Appear/Disappear, WisenR II (using AI engine), WiseStream III (Based on AI engine), I/O Box compatibility: TPM with FIPS 140-2 level2, micro SD card 512GB x2, IP66, IK10, NEMA4X, Operating Temperature: -40°C~+50°C(-40°F~+122°F), HPoE (injector included), Hard-coated dome bubble	\$ 7,600.00	8801089224552
Camera - Network	PNM-9322VQP	5 Channel 2MP / 5MP X 4 + 2MP 32x PTZ	Limited Stock Replacement model PNM-C3440RQPZ	Network vandal outdoor camera that combines Multi-sensor Multi-Directional camera, (2MP/5MP X 4 sensors sold separately) 8MP ~20MP (2MP @ 60fps or 5MP @ 30fps) fixed focus lenses, motorized varifocal lens with zoom PTZ, triple codec H.265/H.264/MJPEG, 120dB WDR; IR viewable length: 15m(49ft), Analytics events based on AI engine: Object detection (Person/Vehicle (Car/Bus/Truck/Motorcycle/Bicycle)), IVA (Virtual line/Area, Enter/Exit, Loitering, direction, intrusion), Appear/Disappear, WisenR II (using AI engine), WiseStream III (Based on AI engine), I/O Box compatibility: TPM with FIPS 140-2 level2, micro SD card 512GB x2, IP66, IK10, NEMA4X, Operating Temperature: -40°C~+55°C(-40°F~+131°F), PoE++ (injector included), Hard-coated dome bubble	\$ 6,200.00	8801089176745
Camera - Network	PNM-9084QZ1	2MP X 4 outdoor Dome, PTRZ		Wisenet P series network vandal outdoor Multi-Directional dome camera, (2MP X 4 sensors) 8MP @ 60fps, motorized varifocal lens 2x (3.0-6.0mm) (107°~56.3°), PTRZ (Pan/Tilt/Rotate/Zoom) remote adjustment, triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, defocus detection, built in analytics, true D/N, 4x SD card, hallway view, HLC, defog detection, Bi-Directional Audio, Alarm I/O 1/1, IP66, IK10, NEMA4X, -40°C ~ +55°C (-40°F ~ +131°F), White, DIS, HPoE injector included	\$ 2,200.00	8801089216786
Camera - Network	PNM-C16083RQZ	4MP, AI, IR, and PTRZ Multi-directional		Wisenet P series network vandal outdoor Multi-Directional camera [AI ON] 4CH x 4MP @ 30FPS, Motorized Varifocal Lens with PTRZ function 3.2-10.2mm (FoV H: 95°~29°, V: 69°~21°), triple codec H.265/H.264/MJPEG, 120dB WDR; IR viewable length: PoE++ 20m(65.6ft), PoE+ 15m(49ft), Analytics events based on AI engine: Classified object type: Person/Face/Vehicle/License plate, Attributes: Vehicle/Type and color: car/bus/truck/motorcycle/bicycle), Person (upper and bottom clothing color), IVA (Virtual line/Area, Enter/Exit, Loitering, direction, intrusion), Appear/Disappear, WisenR II (using AI engine), WiseStream III (Based on AI engine), I/O Box compatibility: TPM with FIPS 140-2 level2, micro SD card 512GB x2, IP66, IK10, NEMA4X, Operating Temperature: -40°C~+55°C(-40°F~+131°F), PoE++/HPoE, Hard-coated dome bubble	\$ 3,100.00	8801089222152
Camera - Network	PNM-C16083RQV	4MP x 4, AI, IR Multi-directional outdoor camera		Wisenet P series network vandal outdoor Multi-Directional camera 4CH x 4MP @ 30FPS, Motorized Varifocal Lens 3.3-5.7mm (FoV H: 100°~53°, V: 54°~30°), triple codec H.265/H.264/MJPEG, 120dB WDR; IR viewable length [PoE+] 15m (49ft) / [HPoE] 20m (65ft), USB port for easy installation, Analytics events based on AI engine: Object detection (Person/Vehicle (Car/Bus/Truck/Motorcycle/Bicycle)), IVA (Virtual line/Area, Enter/Exit, Loitering, direction, intrusion), Appear/Disappear, WisenR II (using AI engine), WiseStream III (Based on AI engine), I/O Box compatibility: TPM with FIPS 140-2 level2, micro SD card 512GB x2, IP66, IK10, NEMA4X, Operating Temperature: -40°C~+55°C(-40°F~+131°F), PoE+ /HPoE, Hard-coated dome bubble	\$ 2,850.00	8801089223128
Camera - Network	PNM-C16013RQV	4MP x 4, AI, IR mini multi-directional camera		Wisenet P series network vandal outdoor mini Multi-Directional camera 4CH x 4MP @ 15FPS, Fix Lens 3.19mm (FoV H: 97°, V: 54°), triple codec H.265/H.264/MJPEG, 120dB WDR; IR viewable length 20m (65.6ft), USB port for easy installation, Analytics events based on AI engine: Object detection (Person/Vehicle (Car/Bus/Truck/Motorcycle/Bicycle)), IVA (Virtual line/Area, Enter/Exit, Loitering, direction, intrusion), Appear/Disappear, WisenR II (using AI engine), WiseStream III (Based on AI engine), I/O Box compatibility: TPM with FIPS 140-2 level2, micro SD card 512GB x2, IP66, IK09, NEMA4X, Operating Temperature: -40°C~+55°C(-40°F~+131°F), PoE+ /HPoE, Hard-coated dome bubble	\$ 1,900.00	8801089225283
Camera - Network	PNM-9084RQZ1	2MP X 4 outdoor Dome, PTRZ w/IR		Wisenet P series network vandal outdoor Multi-sensor Multi-Directional dome camera, 2MP x 4ch multi-directional camera, Motorized PTRZ support, Max. 60fps@5MP(H.265, H.264), 3.2-10.2mm(3.1) motorized varifocal, IR viewable length: 30m, H.265, H.264, MJPEG with WiseStream II technology, 120dB WDR, defocus detection, built in analytics, true D/N, 4x SD card, hallway view, HLC, defog detection, Bi-Directional Audio, Alarm I/O 1/1, IP66, IK10, NEMA4X, -40°C ~ +55°C (-40°F ~ +131°F), White, DIS, HPoE injector included	\$ 2,880.00	8801089216892 8801089216823
Camera - Network	PNM-C32083RQZ	4K AI, IR, and PTRZ Multi-directional		Wisenet P series network vandal outdoor Multi-Directional camera [AI ON] 4CH x 8MP @ 15FPS / [AI OFF] 4CH x 8MP @ 20FPS, Motorized Varifocal Lens with PTRZ function 4.38-9.33mm (FoV H: 112.1°~47.5°, V: 58°~26.6°), triple codec H.265/H.264/MJPEG, 120dB WDR; IR viewable length [PoE+] 25m(82ft), PoE+ 15m(49ft), Analytics events based on AI engine: Classified object type: Person/Face/Vehicle/License plate, Attributes: Vehicle/Type and color: car/bus/truck/motorcycle/bicycle), Person (upper and bottom clothing color), IVA (Virtual line/Area, Enter/Exit, Loitering, direction, intrusion), Appear/Disappear, WisenR II (using AI engine), WiseStream III (Based on AI engine), I/O Box compatibility: TPM with FIPS 140-2 level2, micro SD card 512GB x2, IP66, IK10, NEMA4X, Operating Temperature: -40°C~+55°C(-40°F~+131°F), PoE++/HPoE, Hard-coated dome bubble	\$ 3,900.00	8801089222053
Camera - Network	PNM-C32083RQV	4K x 4, AI, IR Multi-directional outdoor camera		Wisenet P series network vandal outdoor Multi-Directional camera [AI ON] 4CH x 8MP @ 15FPS / [AI OFF] 4CH x 8MP @ 20FPS, Motorized Varifocal Lens 3.3-5.7mm (FoV H: 109°~56°, V: 55°~31°), triple codec H.265/H.264/MJPEG, 120dB WDR; IR viewable length [PoE+] 15m (49ft) / [HPoE] 20m (65ft), USB port for easy installation, Analytics events based on AI engine: Object detection (Person/Vehicle (Car/Bus/Truck/Motorcycle/Bicycle)), IVA (Virtual line/Area, Enter/Exit, Loitering, direction, intrusion), Appear/Disappear, WisenR II (using AI engine), WiseStream III (Based on AI engine), I/O Box compatibility: TPM with FIPS 140-2 level2, micro SD card 512GB x2, IP66, IK10, NEMA4X, Operating Temperature: -40°C~+55°C(-40°F~+131°F), PoE+ /HPoE, Hard-coated dome bubble	\$ 3,200.00	8801089223203
Camera - Network	PNM-9085RQZ1	5MP X 4 outdoor Dome, PTRZ w/IR		Wisenet P series network vandal outdoor Multi-sensor Multi-Directional dome camera, 5MP x 4ch multi-directional camera, Motorized PTRZ support, Max. 30fps@5MP(H.265, H.264), 4.13-9.4mm(2.3x) motorized varifocal lens, IR viewable length: 30m, H.265, H.264, MJPEG with WiseStream II technology, 120dB WDR, defocus detection, built in analytics, true D/N, 4x SD card, hallway view, HLC, defog detection, Bi-Directional Audio, Alarm I/O 1/1, IP66, IK10, NEMA4X, -40°C ~ +55°C (-40°F ~ +131°F), White, DIS, HPoE injector included	\$ 3,800.00	8801089216946 8801089216830
Camera - Network	PNM-C2000QB	AI Remote head 2MP/5MP x 4CH camera	Compatible with "A" revision lenses only	Wisenet P series network remote head camera 4CH x 2MP @ 30FPS or 4CH x 5MP @ 15FPS, Triple codec H.265/H.264/MJPEG, 120dB WDR, Analytics events based on AI engine: Classified object type: Person/Face/Vehicle/License plate, Attributes: Vehicle/Type and color: car/bus/truck/motorcycle/bicycle), Person (upper and bottom clothing color), IVA (Virtual line/Area, Enter/Exit, Loitering, intrusion), Appear/Disappear, WisenR II (Based on AI engine), WiseStream III (Based on AI engine), USB-C for easy installation, 4 x Selectable I/O, 4 x Audio inputs, 1 Audio Out, TPM with FIPS 140-3 level3, Built-in microSD card slots (Up to 512GB x2), 12VDC/PoE+, Compatible with SLA-T4680A/T4680VA, SLA-T2480A/T2480VA, SLA-T1080FA (Future compatibility with 5MP lenses)	\$ 1,300.00	8801089240538
Camera - Network	PNM-9000QB	Remote head 2MP x 4CH camera		WN7 multi head camera, 4 x 2MP @ 30fps, triple codec H.265/H.264/MJPEG, extreme WDR 150dB, dual SD cards slots, Wisenstream II, hallway view, HLC, defog detection, audio in/out, HDMI out 12VDC/PoE+, DIS support, analytics- defocus, directional, motion, enter/exit, tampering, virtual line, I/O in/out, Compatible with SLA-T4680A/T4680VA, SLA-T2480A/T2480VA, SLA-T1080FA	\$ 660.00	8801089192301
Camera - Network	PNM-9002VQ	2MP / 5MP X 4	Wisenet 5 SoC	Network vandal outdoor Multi-sensor Multi-Directional dome camera, (2MP/5MP X 4 sensors sold separately) 8MP ~20MP (2MP @ 60fps or 5MP @ 30fps), fixed focal lenses, motorized varifocal lens, triple codec H.265/H.264/MJPEG with WiseStream II technology, 150dB WDR @ 2MP or 120dB @ 5MP; defocus detection, built in analytics, PTZ handover, 4x SD card, hallway view, HLC, defog detection, built in analytics, true D/N, 4x SD card, hallway view, HLC, defog detection, Bi-Directional Audio, Alarm I/O 1/1, IP66, IK10, NEMA4X, -40°C ~ +55°C (-40°F ~ +131°F), 2MP Lens modules: SLA-2M2400Q (2.4mm), SLA-2M2800Q (2.8mm), SLA-2M3600Q (3.6mm), SLA-2M6000Q (6mm) 5MP Lens modules: SLA-5M3700Q (3.7mm), SLA-5M4600Q (4.6mm), SLA-5M7000Q (7.0mm), WHITE COLOR	\$ 1,700.00	8801089176516
Camera - Network	PNM-C12083RVD	6MP X 2 AI, IR outdoor Dome		Network vandal outdoor 2CH AI IR dome camera, (6MP X 2 sensors) 12MP @ 15fps, 3.4-6.8mm(2x) (95.08°~47.64°) motorized varifocal lens, Triple codec (H.265/H.264/MJPEG), IR viewable length 25m (82ft), USB port for easy installation, Day & Night (ICR), extreme WDR (120dB), DIS, Handover, Analytics events based on AI engine: Object detection (Person/Face/Vehicle/License plate), IVA (Virtual line/Area, Enter/Exit, Loitering, direction, intrusion), Appear/Disappear, WisenR II (using AI engine), WiseStream III (Based on AI engine), Sound classification, Motion detection, Tampering, Audio detection, Sound classification, Appear/Disappear, FIPS 140-2, micro SD card 512GB, IP66, NEMA4X, IK10, Operating temperature: -40°C~+55°C(-40°F~+131°F), Power: PoE+, Metal shielded RJ-45, Hard-coated dome bubble	\$ 2,050.00	8801089217400
Camera - Network	PNM-12082RVD	6MP X 2, IR outdoor Dome		Network vandal outdoor 2CH IR dome camera, (6MP X 2 sensors) 12MP @ 15fps, 3.4-6.8mm(2x) (95.08°~47.64°) motorized varifocal lens, Triple codec (H.265/H.264/MJPEG), IR viewable length 25m (82ft), USB port for easy installation, Day & Night (ICR), extreme WDR (120dB), DIS, Handover, Analytics events: Defocus detection, Directional detection, Motion detection, Appear/Disappear, Enter/Exit, Loitering, Tampering, Virtual line, Audio detection, Sound classification, FIPS 140-2, micro SD card 512GB, IP66, NEMA4X, IK10, Operating temperature: -40°C~+55°C(-40°F~+131°F), Power: PoE+, Metal shielded RJ-45, Hard-coated dome bubble	\$ 1,700.00	8801089217424
Camera - Network	PNM-9000VD	5MP X 2 outdoor Dome	Limited Stock Comparable Model PNM-12082RVD	Network vandal outdoor Multi-sensor Multi-Directional dome camera, (5MP X 2 sensors sold separately) 10MP @ 30fps, modular lenses from 3.7, 4.6 and 7.0mm lenses, triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, built in analytics, 2x SD card, hallway view, HLC, defog detection, DIS, PoE, IP66/IK10, -40°C ~ +55°C (-40°F ~ +131°F)	\$ 1,100.00	8801089154200
Camera - Network	PNM-8082VT	3CH x 2MP		Powered by WN7, 2MP x 3CH @ 30FPS, multi directional camera, 3-6mm motorized varifocal lens, donut shape bubble, max 321° coverage, Triple codec H.264/265 MJPEG, WiseStream II, extreme WDR 150dB, defocus detection, video analytics, 2x microSD card, PoE+, IP66, IK10, NEMA4X, operating temp -40°C~+55°C	\$ 1,700.00	8801089191953 8801089215895

Camera - Network	PNM-9031RV	15MP Panoramic Camera		Network vandal outdoor Multi-sensor dome camera, panoramic view with stitched image, (SMP X 4 sensors) 15MP @ 20fps, triple codec H.265/H.264/MJPEG with WiseStream II technology, WDR 120dB, IR viewable length 20m (65.5'), built in video analytics and sound classification, Heatmap, Bi-directional audio support, Micro SD card, IP66/IK10/NEMA4X, TPM 2.0 (FIPS 140-2 level), PoE+/12VDC	\$ 2,700.00	8801089199027 8801089215901
Camera - Network	PNM-C9022RV	8MP Panoramic Camera with AI and IR		Panoramic Multi-sensor camera, FoV: H209° V60°, 8MP @ 20fps, Alpha Blending, triple codec H.265/H.264/MJPEG with WiseStream III technology, extreme WDR 120dB, Wise NR II, IR viewable length 65' (20m), Analytics events based on AI engine, Object detection (Person/Vehicle), IVA (Virtual line/Area, Enter/Exit, Loitering, direction, intrusion), defocus detection, Micro USB for easy installation, 2x Micro SD cards (512GB each), PoE+/12VDC, IP66/IK10/NEMA4X, TPM 2.0 (FIPS 140-2 level 2)	\$ 2,050.00	8801089217493
Camera - Network	PNM-9022V	8.3MP Panoramic Camera	Limited Stock Replacement PNM-C9022RV	WN7 Panoramic Multi-sensor camera, 180° view, (2MP X 4 sensors) 7.3MP @ 30fps, panoramic 209° view, 8.3MP, triple codec H.265/H.264/MJPEG with WiseStream II technology, extreme WDR 120dB, defocus detection, built in analytics, Heatmap, Micro USB for easy installation, 2x Micro SD cards PoE+, IP66/IK10/NEMA4X	\$ 1,800.00	8801089195869
Camera - Network	PND-A9081RF	4K IR Indoor Flush Mount Dome AI Camera		4K Network AI IR Dome Camera, Max. 4K resolution @ 30FPS, 0.05Lux@F1.6 (Color), 0Lux (B/W, IR LED on), Day & Night(ICR), 4.5-10mm(2.2x) motorized varifocal lens, WDR(120dB), H.265, H.264, MJPEG codec, WiseStream II, WiseStream III (Using AI engine), Video Analytics based on AI Object detection and classification (Person, Face, Vehicle, License Plate), Face mask detection, Social distancing detection, Attribute, BestShot] People counting, Heatmap, Queue management based on AI, Face Mask Detection, Social Distancing Detection, Compatible with Wisenet Retail Insight v2.0 for Business Intelligence, Age/gender based People counting, Heatmap, Queue management, Modular structure for easy installation, 2x micro SD card (512GB x2), Operating temperature: -25 °C ~ 50 °C(-13°F ~ +122°F), PoE+/12VDC, IP52, IK10, Plenum rated	\$ 1,950.00	8801089171955
Camera - Network	PND-A9081RVX	4K IR Indoor AI Camera Module Only	Camera Module Only (no housing included)	4K Network AI IR Indoor Camera Module, Max. 4K resolution @ 30FPS, 0.05Lux@F1.6 (Color), 0Lux (B/W, IR LED on), Day & Night(ICR), 4.5-10mm(2.2x) motorized varifocal lens, WDR(120dB), H.265, H.264, MJPEG codec, WiseStream II, WiseStream III (Using AI engine), Video Analytics based on AI Object detection and classification (Person, Face, Vehicle, License Plate), Face mask detection, Social distancing detection, Attribute, BestShot] People counting, Heatmap, Queue management based on AI, Face Mask Detection, Social Distancing Detection, Compatible with Wisenet Retail Insight v2.0 for Business Intelligence, Age/gender based People counting, Heatmap, Queue management, Modular structure for easy installation, 2x micro SD card (512GB x2), Operating temperature (When using the camera with housing): -25 °C ~ 50 °C(-13°F ~ +122°F), PoE+/12VDC	\$ 1,710.00	8801089223913
Camera - Network	PND-A9081RV	4K IR Indoor Vandal Dome AI Camera		4K Network AI IR Dome Camera, Max. 4K resolution @ 30FPS, 0.05Lux@F1.6 (Color), 0Lux (B/W, IR LED on), Day & Night(ICR), 4.5-10mm(2.2x) motorized varifocal lens, WDR(120dB), H.265, H.264, MJPEG codec, WiseStream II, WiseStream III (Using AI engine), Video Analytics based on AI Object detection and classification (Person, Face, Vehicle, License Plate), Face mask detection, Social distancing detection, Attribute, BestShot] People counting, Heatmap, Queue management based on AI, Face Mask Detection, Social Distancing Detection, Compatible with Wisenet Retail Insight v2.0 for Business Intelligence, Age/gender based People counting, Heatmap, Queue management, Modular structure for easy installation, 2x micro SD card (512GB x2), Operating temperature: -25 °C ~ 50 °C(-13°F ~ +122°F), PoE+/12VDC	\$ 1,950.00	8801089171849
Camera - Network	PNV-A9081RX	4K IR Outdoor AI Camera Module Only	Camera Module Only (no housing included)	4K Network AI IR Outdoor Camera Module, Max. 4K resolution @ 30FPS, 0.05Lux@F1.6 (Color), 0Lux (B/W, IR LED on), Day & Night(ICR), 4.5-10mm(2.2x) motorized varifocal lens, WDR(120dB), H.265, H.264, MJPEG codec, WiseStream II, WiseStream III (Using AI engine), Video Analytics based on AI Object detection and classification (Person, Face, Vehicle, License Plate), Face mask detection, Social distancing detection, Attribute, BestShot] People counting, Heatmap, Queue management based on AI, Face Mask Detection, Social Distancing Detection, Compatible with Wisenet Retail Insight v2.0 for Business Intelligence, Age/gender based People counting, Heatmap, Queue management, Modular structure for easy installation, 2x micro SD card (512GB x2), Operating temperature (When using the camera with housing): -40°C~+55°C(-40°F ~ +131°F), Power: PoE+/12VDC, Metal shielded RJ-45	\$ 1,710.00	8801089223906
Camera - Network	PNV-A9081R	4K IR Outdoor Vandal Dome AI Camera		4K Network AI IR Vandal Dome Camera, Max. 4K resolution @ 30FPS, 0.05Lux@F1.6 (Color), 0Lux (B/W, IR LED on), Day & Night(ICR), 4.5-10mm(2.2x) motorized varifocal lens, WDR(120dB), H.265, H.264, MJPEG codec, WiseStream II, WiseStream III (Using AI engine), Video Analytics based on AI Object detection and classification (Person, Face, Vehicle, License Plate), Face mask detection, Social distancing detection, Attribute, BestShot] People counting, Heatmap, Queue management based on AI, Face Mask Detection, Social Distancing Detection, Compatible with Wisenet Retail Insight v2.0 for Business Intelligence, Age/gender based People counting, Heatmap, Queue management, Modular structure for easy installation, 2x micro SD card (512GB x2), Operating temperature: -40°C~+55°C(-40°F ~ +131°F), Power: PoE+/12VDC, Metal shielded RJ-45, IP66/IP67/IP68/K9K, IK10+, NEMA4X	\$ 2,150.00	8801089171634
Camera - Network	PNO-A931R	4K Network AI IR Zoom (31x) Bullet Camera		4K Network AI IR Bullet Camera, Max. 4K resolution @ 30FPS, 0.075Lux@F1.36 (Color), 0Lux (B/W, IR LED on), Day & Night(ICR), 6.91~214.7mm (31x) zoom lens, WDR(120dB), H.265, H.264, MJPEG codec, WiseStream II, WiseStream III (Using AI engine), Video Analytics based on AI Object detection and classification (Person, Face, Vehicle, License Plate), Face mask detection, Social distancing detection, Slip&Fall detection, Attribute, BestShot] People counting, Heatmap, Queue management based on AI, Face Mask Detection, Social Distancing Detection, Compatible with Wisenet Retail Insight v2.0 for Business Intelligence, Age/gender based People counting, Heatmap, Queue management, Modular structure for easy installation, 2x micro SD card (512GB x2), Operating temperature: -40°C~+55°C(-40°F ~ +131°F), Power: PoE+/12VDC, Metal shielded RJ-45, IP66/IP67, IK10, NEMA4X	\$ 2,550.00	8801089225242
Camera - Network	PNO-A9081R	4K IR Bullet AI camera		4K Network AI IR Bullet Camera, Max. 4K resolution @ 30FPS, 0.05Lux@F1.6 (Color), 0Lux (B/W, IR LED on), Day & Night(ICR), 4.5-10mm(2.2x) motorized varifocal lens, WDR(120dB), H.265, H.264, MJPEG codec, WiseStream II, WiseStream III (Using AI engine), Video Analytics based on AI Object detection and classification (Person, Face, Vehicle, License Plate), Face mask detection, Social distancing detection, Attribute, BestShot] People counting, Heatmap, Queue management based on AI, Face Mask Detection, Social Distancing Detection, Compatible with Wisenet Retail Insight v2.0 for Business Intelligence, Age/gender based People counting, Heatmap, Queue management, Modular structure for easy installation, 2x micro SD card (512GB x2), Operating temperature: -40°C~+55°C(-40°F ~ +131°F), Power: PoE+/12VDC, Metal shielded RJ-45, IP66/IP67/IP68/K9K, IK10+, NEMA4X	\$ 2,050.00	8801089189981
Camera - Network	PNB-A9001	4K Box AI camera		4K AI Network Box Camera, Max. 4K resolution, 0.03Lux@F1.2(Color), Day & Night(ICR), WDR(120dB), H.265, H.264, MJPEG codec, WiseStream II, WiseStream III (Using AI engine), Video Analytics based on AI Object detection and classification (Person, Face, Vehicle, License Plate), Face mask detection, Social distancing detection, Attribute, BestShot] People counting, Heatmap, Queue management based on AI, Face Mask Detection, Social Distancing Detection, Compatible with Wisenet Retail Insight v2.0 for Business Intelligence, Age/gender based People counting, Heatmap, Queue management, 2x micro SD card (512GB x2), Power: PoE+/12VDC,	\$ 1,500.00	8801089171597
Camera - Network	XNP-C9303RW	4K AI IR, Wiper PTZ		Powered by WN7 PTZ Plus with AI, 4K @ 30FPS resolution, 5mm~150mm (30x) lens, built in wiper and adaptive Wise IR (200m), extreme WDR 120dB, Day & Night ICR, H.265, H.264, MJPEG codec support, Analytics events based on AI engine: Object detection (Person/Face/Vehicle/License plate), IVA (Virtual line/Area, Enter/Exit, Loitering, direction, intrusion), Analytics events: Defocus detection, Motion detection, Tampering, Fog detection, Audio detection, Sound classification (with NW I/O box), Object auto-tracking (Person/Vehicle), Target lock track, BLC, HLC, SSDR, lens heater for water/snow removal, built-in SD card slot (2x512GB), IP66, IK10, NEMA4X, NEMA-TS 2(2.2.7, 2.2.8, 2.2.9), FIPS 140-2, PoE++/HPoE injector included, Operating Temperature -40°C~+55°C(-40°F ~ +131°F), (Compatible with IO Box SPM-4210)	\$ 5,100.00	8801089225023
Camera - Network	XNP-9300RW	4K IR, Wiper PTZ	Limited Stock Comparable Model XNP-C9253RW	Powered by WN7, 4K @ 30FPS resolution, 5mm~150mm (30x) lens, built in wiper and adaptive Wise IR (200m), extreme WDR 120dB, Day & Night ICR, H.265, H.264, MJPEG codec support, Intelligent Analytics, Object auto tracking (Person/Vehicle), Target lock track, BLC, HLC, SSDR, lens heater for water/snow removal, built-in SD card slot (2x512GB), IP66, IK10(Camera body only), NEMA4X, NEMA-TS 2(2.2.7, 2.2.8, 2.2.9), PoE++/HPoE injector included, Operating Temperature -40°C~+55°C(-40°F ~ +131°F), (Compatible with IO Box SPM-4210)	\$ 4,900.00	8801089191847
Camera - Network	XNP-C9253R	4K AI IR, PTZ		Powered by WN7 PTZ Plus with AI, 4K @ 30FPS resolution, 5mm~125mm (25x) lens, adaptive Wise IR (200m), extreme WDR 120dB, Day & Night ICR, H.265, H.264, MJPEG codec support, Analytics events based on AI engine: Object detection (Person/Face/Vehicle/License plate), IVA (Virtual line/Area, Enter/Exit, Loitering, direction, intrusion), Analytics events: Defocus detection, Motion detection, Tampering, Fog detection, Audio detection, Sound classification (with NW I/O box), Object auto-tracking (Person/Vehicle), Target lock track, BLC, HLC, SSDR, lens heater for water/snow removal, built-in SD card slot (2x512GB), IP66, IK10, NEMA4X, NEMA-TS 2(2.2.7, 2.2.8, 2.2.9), FIPS 140-2, PoE++/HPoE injector included, Operating Temperature -40°C~+55°C(-40°F ~ +131°F), (Compatible with IO Box SPM-4210)	\$ 4,750.00	8801089224972
Camera - Network	XNP-9250R	4K, 25x, IR PTZ camera	Limited Stock Comparable Model XNP-C9253R	Powered by WN7, 4K @ 30FPS resolution, 5mm~125mm (25x) lens, adaptive Wise IR (200m), extreme WDR 120dB, Day & Night ICR, H.265, H.264, MJPEG codec support, Intelligent Analytics, Object auto tracking (Person/Vehicle), Target lock track, BLC, HLC, SSDR, lens heater for water/snow removal, built-in SD card slot (2x512GB), IP66, IK10(Camera body only), NEMA4X, NEMA-TS 2(2.2.7, 2.2.8, 2.2.9), PoE++/HPoE injector included, Operating Temperature -40°C~+55°C(-40°F ~ +131°F), (Compatible with IO Box SPM-4210)	\$ 4,550.00	8801089199966
Camera - Network	XNP-C9310R	4K AI Focus IR, PTZ		Powered by WN7 and AI 8MP (4K UHD) @ 30FPS resolution, 6.91mm~214.64mm (31x) lens with Wise AF intelligent autofocus, adaptive Wise IR (250m), extreme WDR 120dB, Day & Night ICR, H.265, H.264, MJPEG triple codec with WiseStream III (based on AI engine) support, Analytics events based on AI engine: Object detection (Person/Face/Vehicle/License plate), Virtual line (Crossing/Direction), Virtual area (Loitering/Intrusion/Enter/Exit), Analytics events: Defocus detection, Motion detection, Tampering, Fog detection, Audio detection, Sound classification (with NW I/O box), Object auto-tracking (Person/Vehicle), Target lock track, BLC, HLC, SSDR, lens heater for water/snow removal, built-in SD card slot (2x512GB), IP66, IP67, IK10, NEMA4X, NEMA-TS 2(2.2.7, 2.2.8, 2.2.9), FIPS 140-2, PoE++/HPoE injector included, Operating Temperature -50°C~+55°C(-58°F ~ +131°F), (Compatible with IO Box SPM-4210)	\$ 5,100.00	8801089223142
Camera - Network	XNP-C9253	4K AI PTZ		Powered by WN7 PTZ Plus with AI, 4K @ 30FPS resolution, 5mm~125mm (25x) lens, extreme WDR 120dB, Day & Night ICR, H.265, H.264, MJPEG codec support, Analytics events based on AI engine: Object detection (Person/Face/Vehicle/License plate), IVA (Virtual line/Area, Enter/Exit, Loitering, direction, intrusion), Analytics events: Defocus detection, Motion detection, Tampering, Fog detection, Audio detection, Sound classification (with NW I/O box), Object auto-tracking (Person/Vehicle), Target lock track, BLC, HLC, SSDR, lens heater for water/snow removal, built-in SD card slot (2x512GB), IP66, IK10, NEMA4X, NEMA-TS 2(2.2.7, 2.2.8, 2.2.9), FIPS 140-2, Power: PoE+, Operating Temperature -40°C~+55°C(-40°F ~ +131°F), (Compatible with IO Box SPM-4210)	\$ 4,500.00	8801089224927
Camera - Network	XNP-9250	4K, 25x PTZ camera	Limited Stock Comparable Model XNP-C9253	Powered by WN7 PTZ Plus with AI, 4K @ 30FPS resolution, 5mm~125mm (25x) lens, extreme WDR 120dB, Day & Night ICR, H.265, H.264, MJPEG codec support, Analytics events based on AI engine: Object detection (Person/Face/Vehicle/License plate), IVA (Virtual line/Area, Enter/Exit, Loitering, direction, intrusion), Analytics events: Defocus detection, Motion detection, Tampering, Fog detection, Audio detection, Sound classification (with NW I/O box), Object auto-tracking (Person/Vehicle), Target lock track, BLC, HLC, SSDR, lens heater for water/snow removal, built-in SD card slot (2x512GB), IP66, IK10, NEMA4X, NEMA-TS 2(2.2.7, 2.2.8, 2.2.9), FIPS 140-2, Power: PoE+, Operating Temperature -40°C~+55°C(-40°F ~ +131°F), (Compatible with IO Box SPM-4210)	\$ 4,300.00	8801089224927
Camera - Network	XNO-A9084R	8MP IR Bullet AI Camera		Powered by WN9, Outdoor Network AI IR Vandal Bullet Camera, 8MP resolution @ 30FPS, 4.4-9.3mm(2.1x), (113°~47°) motorized varifocal lens, H.265/H.264/MJPEG, IR viewable length 40m (131.2ft), USB-C port for easy installation, Day & Night (ICR), extremeWDR (120dB), Hard-coated dome bubble, DIS with built-in gyro sensor, Handover, AI-based WiseStream, WiseNR II (using AI engine), Dynamic privacy mask, IVA events based on AI engine (Motion & Object detection, Line crossing, IVA area, Slip & Fall, Sound classification), Classified object types (Person/Face/Vehicle/License plate), Object attributes (Person: Gender/TopBottom clothing color/Bag, Face: Age/Gender/Mask/Glasses, Vehicle: type/color), BestShot, Analytics events (Defocus, Motion, Tampering, Fog, Audio & Shock detection), AI-based business intelligence (People/Vehicle/Crowd counting, Queue management, Heatmap), Secure element with FIPS 140-3 level3, Built-in microSD card slot (Up to 1TB), IP66/IP67, IK10, NEMA 4X, NEMA-TS 2(2.2.7-2.8, 2.2.8, 2.2.9), Operating temp: -40°C~+60°C (-40°F~+140°F), Power: PoE, Metal shielded RJ-45.	\$ 1,600.00	8801089235282 8801089235343
Camera - Network	XNO-C9083R	4K IR Bullet AI camera		Powered by WN7, Outdoor Network AI IR Bullet Camera, 4K resolution @ 30FPS, 4.4-9.3mm(2.1x) (112°~47.5°) motorized varifocal lens, H.265/H.264/MJPEG, IR viewable length 40m (131.2ft), USB-C port for easy installation, Day & Night (ICR), extremeWDR (120dB), DIS with built-in Gyro sensor, Handover, AI-based WiseStream, WiseNR II (using AI engine), Dynamic privacy mask, IVA events based on AI engine (Motion & Object detection, Line crossing, IVA area, Slip & Fall, Sound classification), Classified object types (Person/Face/Vehicle/License plate), Object attributes (Person: Gender/TopBottom clothing color/Bag, Face: Age/Gender/Mask/Glasses, Vehicle: type/color), BestShot, Analytics events (Defocus, Motion, Tampering, Fog, Audio & Shock detection), AI-based business intelligence (People/Vehicle/Crowd counting, Queue management, Heatmap), Secure element with FIPS 140-3 level3, Built-in microSD card slot (Up to 1TB), IP66/IP67, IK10, NEMA 4X, NEMA-TS 2(2.2.7-2.8, 2.2.8, 2.2.9), Operating temp: -40°C~+60°C (-40°F~+140°F), Power: PoE, Metal shielded RJ-45.	\$ 1,800.00	8801089198594 8801089207920
Camera - Network	XNO-9083R	4K IR Bullet AI Camera		Powered by WN7, X-Plus series, Outdoor Network AI IR Bullet Camera, 4K resolution @ 30FPS, 4.4-9.3mm(2.1x) (112°~47.5°) motorized varifocal lens, Triple codec (H.265/H.264/MJPEG), IR viewable length 50m (164ft), USB port for easy installation, Day & Night (ICR), extremeWDR (120dB), DIS with built-in Gyro sensor, Handover, Hard-coated window, Analytics events based on AI engine: Object detection (Person/Face/Vehicle/License plate), IVA (Virtual line/Area, Enter/Exit, Loitering, direction, intrusion), Analytics events: Defocus detection, Motion detection, Tampering, Fog detection, Audio detection, Sound classification, Shock detection, Appear/Disappear, FIPS 140-2, 2x micro SD card (512GB x2), P66, IP67, NEMA4X, IK10, Operating temperature: -50°C~+60°C(-58°F ~ +140°F), Power: PoE+/12VDC, Metal shielded RJ-45	\$ 1,950.00	8801089207708
Camera - Network	XNO-9082R	4K IR Bullet Camera		Wisenet 7 X series Network AI IR bullet camera, 4K (8MP Max) @ 30fps, motorized vari-focal lens 3x (2.8-8.4mm), triple codec H.265/H.264/MJPEG with WiseStreamII technology, Extreme WDR, USB and CVBS port for easy installation, advanced video analytics, sound classification and business analytics, high powered IR LEDs range of 131.23', shock detection, audio playback, true D/N, dual SD cards slots, hallway view, HLC, defog detection, DIS (Gyro), 12VDC/24VAC/PoE, IP67/IP66, IK10, Nema 4X, -50°C ~ +60°C (-58°F ~ +140°F)	\$ 1,750.00	8801089189486
Camera - Network	XND-A9084RV	8MP IR Indoor Dome AI Camera		Powered by WN9, Indoor Network AI IR Dome Camera, 8MP resolution @ 30FPS, 4.4-9.3mm (2.1x), (113°~47°) motorized varifocal lens, H.265/H.264/MJPEG codec, IR viewable length 40m (131.2ft), USB-C port for easy installation, Day & Night (ICR), extremeWDR (120dB), Hard-coated dome bubble, DIS with built-in gyro sensor, Handover, AI-based WiseStream, WiseNR II (using AI engine), Dynamic privacy mask, IVA events based on AI engine (Motion & Object detection, Line crossing, IVA area, Slip & Fall, Sound classification), Classified object types (Person/Face/Vehicle/License plate), Object attributes (Person: Gender/TopBottom clothing color/Bag, Face: Age/Gender/Mask/Glasses, Vehicle: type/color), BestShot, Analytics events (Defocus, Motion, Tampering, Fog, Audio & Shock detection), AI-based business intelligence (People/Vehicle/Crowd counting, Queue management, Heatmap), Secure element with FIPS 140-3 level3, Built-in microSD card slot (Up to 1TB), IP52, IK10, Operating temperature: -10°C~+50°C (14°F~122°F), Power: PoE, Metal shielded RJ-45.	\$ 1,450.00	8801089235275 8801089235336

Camera - Network	XND-C9083RV	4K IR Indoor Vandal Dome AI Camera		Powered by WN7, Indoor Network AI IR Dome Camera, 4K resolution @ 30FPS, 4.4-9.3mm(2.1x) (112.1°~47.5°) motorized varifocal lens, Triple codec (H.265/H.264/MJPEG), IR viewable length 40m (131.2ft), USB port for easy installation, Day & Night (ICR), extremeWDR (120dB), DIS with built-in Gyro sensor, Handover, Hard-coated dome bubble, Analytics events based on AI engine: Object detection (Person/Face/Vehicle/License plate), IVA (Virtual line/Area, Enter/Exit, Looting, direction, intrusion), Analytics events : Defocus detection, Motion detection, Tampering, Fog detection, Audio detection, Sound classification, Shock detection, Appear/Disappear, IP52, IK08, Operating temperature: -10 °C ~ 50 °C (-14°F ~ +122°F), Power: PoE/12VDC, Metal shielded RJ-45	\$ 1,600.00	8801089208002
Camera - Network	XNV-A9084R	8MP IR Outdoor Vandal Dome AI Camera		Powered by WN9, Outdoor Network AI IR Vandal Dome Camera, 8MP resolution @ 30FPS, 4.4-9.3mm(2.1x) (113°~47°) motorized varifocal lens, H.265/H.264/MJPEG codec, IR viewable length 40m (131.2ft), USB-C port for easy installation, Day & Night (ICR), extremeWDR (120dB), Hard-coated dome bubble, DIS with built-in Gyro sensor, Handover, Wisestream II (Based on AI engine), WisenR II (Based on AI engine), Dynamic privacy mask, IVA events based on AI engine (Motion & Object detection, Line crossing, IVa, Area, Slip & Fall, Sound classification), Classified object types (Person/Face/Vehicle/License plate), Object attributes (Person: Gender/Top/Bottom clothing color/Bag, Face: Age/Gender/Mask/Glasses, Vehicle: Type/color), BestShot, Analytics events (Defocus, Motion, Tampering, Fog, Audio & Shock detection), AI-based business intelligence (People/Vehicle/Crowd counting, Queue management, Heatmap), Secure element with FIPS 140-3 level3, Built-in microSD card slot (Up to 1TB), IP66/IP67, IK10, NEMA 4X, NEMA-TS 2(2.2.7.2.8, 2.2.8, 2.2.9), Operating temp: -40°C~+50°C (-40°F~+122°F), Power: PoE, Metal shielded RJ-45.	\$ 1,600.00	8801089235268 8801089953529
Camera - Network	XNV-C9083R	4K IR Outdoor Vandal Dome AI Camera		Powered by WN7, Outdoor Network AI IR Vandal Dome Camera, 4K resolution @ 30FPS, 4.4-9.3mm(2.1x) (112.1°~47.5°) motorized varifocal lens, Triple codec (H.265/H.264/MJPEG), IR viewable length 40m (131.2ft), USB port for easy installation, Day & Night (ICR), extremeWDR (120dB), DIS with built-in Gyro sensor, Handover, Hard-coated dome bubble, Analytics events based on AI engine: Object detection (Person/Face/Vehicle/License plate), IVA (Virtual line/Area, Enter/Exit, Looting, direction, intrusion), Analytics events : Defocus detection, Motion detection, Tampering, Fog detection, Audio detection, Sound classification, Shock detection, Appear/Disappear, IP66, IP67, NEMA4X, IK10, Operating temperature: -40°C~+55°C(-40°F ~ +131°F), Power: PoE/12VDC, Metal shielded RJ-45	\$ 1,800.00	8801089208095
Camera - Network	XNV-9082R	4K IR Outdoor Vandal Dome AI Camera		Wisenet 7 X-plus series network IR vandal outdoor camera, 4K (8MP Max) @ 30fps, motorized vari-focal lens 3x (2.8-8.4mm), triple codec: H.265/H.264/MJPEG with WisestreamII technology, Extreme WDR, USB and CVBS port for easy installation, advanced video analytics, sound classification and business analytics, high powered IR LEDs range of 131.23', shock detection, audio playback, true D/N, dual SD cards slots, hallway view, H.LC, defog detection, DIS (Gyro), 12VDC/24VAC/PoE, IP67/IP66/IP6K9K, IK10, Nema 4X, -50°C ~ +60°C (-58°F ~ +140°F)	\$ 1,750.00	8801089189387
Camera - Network	XND-9083RV	4K IR Indoor Vandal Dome AI Camera		Powered by WN7, X-Plus series, Indoor Network AI IR Dome Camera, 4K resolution @ 30FPS, 4.4-9.3mm(2.1x) (112.1°~47.5°) motorized varifocal lens, Triple codec (H.265/H.264/MJPEG), IR viewable length 50m (164ft), USB port for easy installation, Day & Night (ICR), extremeWDR (120dB), DIS with built-in Gyro sensor, Handover, Hard-coated dome bubble, Analytics events based on AI engine: Object detection (Person/Face/Vehicle/License plate), IVA (Virtual line/Area, Enter/Exit, Looting, direction, intrusion), Analytics events : Defocus detection, Motion detection, Tampering, Fog detection, Audio detection, Sound classification, Shock detection, Appear/Disappear, FIPS 140-2, 2x micro SD card (512GB x2), IP52, IK10, Operating temperature: -25 °C ~ 50 °C (-13°F ~ +122°F), Power: PoE+12VDC, Metal shielded RJ-45	\$ 1,750.00	8801089207845
Camera - Network	XNV-9083RZ	4K IR Outdoor Vandal Dome AI, PTRZ Camera		Powered by WN7, X-Plus series, Outdoor Network AI IR Vandal Dome Camera, 4K resolution @ 30FPS, 4.4-9.3mm(2.1x) (113°~47°) motorized varifocal lens, Remote lens adjustment (PTRZ), Triple codec (H.265/H.264/MJPEG), IR Viewable Length: 15m(49.21ft) / 30m(98.43ft) based on scene, USB port for easy installation, Day & Night (ICR), extremeWDR (120dB), DIS with built-in Gyro sensor, Handover, Hard-coated dome bubble, Analytics events based on AI engine: Object detection (Person/Face/Vehicle/License plate), IVA (Virtual line/Area, Enter/Exit, Looting, direction, intrusion), Analytics events : Defocus detection, Motion detection, Tampering, Fog detection, Audio detection, Sound classification, Shock detection, Appear/Disappear, FIPS 140-2, 2x micro SD card (512GB x2), IP66, IP67, IP6K9K, NEMA4X, IK10+, Operating temperature: -50°C~+55°C(-58°F ~ +131°F), Power: PoE+12VDC, Metal shielded RJ-45	\$ 2,050.00	8801089211453
Camera - Network	XNV-9083R	4K IR Outdoor Vandal Dome AI Camera		Powered by WN7, X-Plus series, Outdoor Network AI IR Vandal Dome Camera, 4K resolution @ 30FPS, 4.4-9.3mm(2.1x) (112.1°~47.5°) motorized varifocal lens, Triple codec (H.265/H.264/MJPEG), IR viewable length 50m (164ft), USB port for easy installation, Day & Night (ICR), extremeWDR (120dB), DIS with built-in Gyro sensor, Handover, Hard-coated dome bubble, Analytics events based on AI engine: Object detection (Person/Face/Vehicle/License plate), IVA (Virtual line/Area, Enter/Exit, Looting, direction, intrusion), Analytics events : Defocus detection, Motion detection, Tampering, Fog detection, Audio detection, Sound classification, Shock detection, Appear/Disappear, FIPS 140-2, 2x micro SD card (512GB x2), P66, IP67, NEMA4X, IK10+, Operating temperature: -50°C~+55°C(-58°F ~ +131°F), Power: PoE+12VDC, Metal shielded RJ-45	\$ 1,950.00	8801089207661
Camera - Network	XND-9082RF	4K IR Flush Mount Dome		Wisenet 7 X-plus series network IR flush mount camera (plenum), 4K (8MP Max) @ 30fps, motorized vari-focal lens 3x (2.8-8.4mm), triple codec H.265/H.264/MJPEG with WisestreamII technology, Extreme WDR, USB and CVBS port for easy installation, advanced video analytics, sound classification and business analytics, high powered IR LEDs range of 131.23', shock detection, audio playback, true D/N, dual SD cards slots, hallway view, H.LC, defog detection, DIS (Gyro), 12VDC/PoE, IP52, IK10, -25°C ~ +60°C (-13°F ~ +140°F)	\$ 1,500.00	8801089189240
Camera - Network	XND-9082RV	4K IR Indoor Dome		Wisenet 7 X-plus series network IR vandal indoor camera, 4K (8MP Max) @ 30fps, motorized vari-focal lens 3x (2.8-8.4mm), triple codec H.265/H.264/MJPEG with WisestreamII technology, Extreme WDR, USB and CVBS port for easy installation, advanced video analytics, sound classification and business analytics, high powered IR LEDs range of 131.23', shock detection, audio playback, true D/N, dual SD cards slots, hallway view, H.LC, defog detection, DIS (Gyro), 12VDC/PoE, IP52, IK10, -25°C ~ +60°C (-13°F ~ +140°F)	\$ 1,500.00	8801089189073
Camera - Network	XNB-9003	4K Box AI Camera		Powered by WN7, X-Plus series, Box Camera, 8MP resolution @ 30FPS, Triple codec (H.265/H.264/MJPEG), USB port for easy installation, Day & Night (ICR), extremeWDR (120dB), DIS with built-in Gyro sensor, Handover, Analytics events based on AI engine: Object detection (Person/Face/Vehicle/License plate), IVA (Virtual line/Area, Enter/Exit, Looting, direction, intrusion), Analytics events : Defocus detection, Motion detection, Tampering, Fog detection, Audio detection, Sound classification, Shock detection, Appear/Disappear, FIPS 140-2, 2x micro SD card (512GB x2), Operating temperature: -10 °C ~ 55 °C (-14°F ~ +131°F), Power: PoE+12VDC, Metal shielded RJ-45	\$ 1,150.00	8801089207746 8801089200662
Camera - Network	XNB-9002	4K Box Camera	Limited Stock Replacement XNB-9003	Wisenet 7 X series network box camera, 4K (8MP Max) @ 30fps, triple codec H.265/H.264/MJPEG with WisestreamII technology, Extreme WDR, USB and CVBS port for easy installation, advanced video analytics, sound classification and business analytics, shock detection, audio playback, true D/N, dual SD cards slots, hallway view, H.LC, defog detection, DIS (Gyro), 12VDC/24VAC/PoE, IP67, IK10, -25°C ~ +60°C (-13°F ~ +140°F)	\$ 1,000.00	8801089189196
Camera - Network	XNF-9010RS	12MP Stainless Steel IR Fisheye Camera	Special Order / Please Contact HVA Sales to confirm Lead Time	Stainless steel Fisheye, powered by WN7, 1/2.3" 12MP CMOS, Max resolution 3008x3008 @ 30FPS, 1.08mm fixed focal lens, Stereo graphic type lens, enhanced resolution for the peripheral regions, H.265, H.264, MJPEG codec supported, Fisheye, Single panorama, Double panorama, Quad view, On board dewarping, Digital PTZ, extreme WDR (120dB), Wisestream II support, Wide IR, IR viewable length 26.2' (8m), Virtual channel support, selectable I/O port, Video Analytics, Heatmap, People counting, Queue management, Nylon dome, Handover, IP66/IP67/IP6K9K/IK10/NEMA4X, PoE, 12VDC	\$ 2,150.00	8801089199805
Camera - Network	XNF-9013RV	12MP, Fisheye camera with AI and IR		Powered by WN7, 1/2.3" 12MP CMOS, Max resolution 3008x3008 @ 30FPS, 1.08mm fixed focal lens, Stereo graphic type lens, enhanced resolution for the peripheral regions, H.265, H.264, MJPEG codec supported, Fisheye, Single panorama, Double panorama, Quad view, On board dewarping, Digital PTZ, extreme WDR (120dB), Wisestream II support, Wide IR, IR viewable length 42' (13m), Virtual channel support, selectable I/O port, Video Analytics, Heatmap, People counting, Queue management, Hard coated dome cover, Handover, IP66/IK10/NEMA4X, PoE+(Wise Power), 12VDC	\$ 1,380.00	8801089211095
Camera - Network	QNF-C9010	12MP Indoor AI Fisheye		Q Series Network Indoor Fisheye Dome Camera, 12MP sensor, Max resolution 3008x3008 @ 20fps, 1.76mm fixed lens, H185°/V185°, H.265/H.264/MJPEG codec, WisestreamIII (Based on AI engine), WisenR II (Based on AI engine), extremeWDR (120dB), Digital rotation, AI based motion detection, Classified object type: Person/Vehicle, Object attributes (Person: Top/Bottom Clothing Color, Vehicle: Color), IVA events based on AI engine: Virtual line (Crossing/Direction), Virtual area (Looting/Intrusion/Enter/Exit/Dis/Appear), BestShot, Analytics events (Defocus, Tampering), AI-based business intelligence (Heatmap, Queue management, People counting), Built-in microSD Card slot (Up to 256GB), IP42, Operating temp: -10°C~+40°C (-14°F~+104°F), Power: PoE, RJ45.	\$ 950.00	8801089233899 8801089235169
Camera - Network	QNF-C9010V	12MP Outdoor AI Fisheye		Q Series Network Outdoor Fisheye Dome Camera, 12MP sensor, Max resolution 3008x3008 @ 20fps, 1.76mm fixed lens, H185°/V185°, H.265/H.264/MJPEG codec, WisestreamIII (Based on AI engine), WisenR II (Based on AI engine), extremeWDR (120dB), Digital rotation, AI based motion detection, Classified object type: Person/Vehicle, Object attributes (Person: Top/Bottom Clothing Color, Vehicle: Color), IVA events based on AI engine: Virtual line (Crossing/Direction), Virtual area (Looting/Intrusion/Enter/Exit/Dis/Appear), BestShot, Analytics events (Defocus, Tampering), AI-based business intelligence (Heatmap, Queue management, People counting), Built-in microSD Card slot (Up to 256GB), IP66, IK10, NEMA 4X, Operating temp: -40°C~+55°C (-40°F~+131°F), Power: PoE, RJ45.	\$ 1,100.00	8801089239846 8801089239853
Camera - Network	XNF-9010RV	12MP, WN7 Fisheye		Powered by WN7, 1/2.3" 12MP CMOS, Max resolution 3008x3008 @ 30FPS, 1.08mm fixed focal lens, Stereo graphic type lens, enhanced resolution for the peripheral regions, H.265, H.264, MJPEG codec supported, Fisheye, Single panorama, Double panorama, Quad view, On board dewarping, Digital PTZ, extreme WDR (120dB), Wisestream II support, Wide IR, IR viewable length 32.8' (10m), Virtual channel support, Plug-in support, selectable I/O port, Video Analytics, Heatmap, People counting, Queue management, Hard coated dome cover, Handover, IP66/IK10/NEMA4X, PoE, 12VDC	\$ 1,200.00	8801089193384
Camera - Network	XNF-9010RVM	12MP, WN7 Fisheye	Special Order	Powered by WN7, 1/2.3" 12MP CMOS, Max resolution 3008x3008 @ 30FPS, 1.08mm fixed focal lens, Stereo graphic type lens, enhanced resolution for the peripheral regions, H.265, H.264, MJPEG codec supported, Fisheye, Single panorama, Double panorama, Quad view, On board dewarping, Digital PTZ, extreme WDR (120dB), Wisestream II support, Wide IR, IR viewable length 32.8' (10m), Virtual channel support, Plug-in support, selectable I/O port, Video Analytics, Heatmap, People counting, Queue management, Hard coated dome cover, Handover, IP66/IK10/NEMA4X, EN50155 class T3, PoE, 12VDC, supports M12, Special order	\$ 1,260.00	8801089193452
Camera - Network	TNS-9050IBC	Barcode Reader Camera		Wisenet T network BCR (Barcode Reader Camera) for Barcode Reading and Video Monitoring. Mono: 4K, Color: 4K, Max 20fps @ 4K MONOMODEL OR each 5mm mach vision lens, Remove or not as needed, LED module (32 LEDs max in default) Track barcodes on high speed conveyor belt moving at 2m/s (6.5ft/s). Preinstalled WisenCR App support Barcode recognition. Currently 1D/2D Bar code can be recognized(Codabar / Codabar / Interleaved 2 of 5), M12 8pin Ethernet connect, Humidity control with AIR vent, EN 60068-2-6 (vibration resistance), EN 60068-2-27 (shock resistance), Operating temperature -40°C~+55°C, IP67, IK10, 24VDC.	\$ 9,500.00	8801089234834
Camera - Network	QNV-C9083R	4K IR Outdoor Vandal Dome AI Camera		Wisenet Q network outdoor vandal dome camera, 4K @ 30fps, motorized vari-focal lens 3.2-10.2mm (H: 104°~31° / V: 55°~17°), triple codec H.265/H.264/MJPEG with Wisestream III (Based on AI engine), WisenR II (Based on AI engine), WDR 120dB, IR viewable length 30m (98ft), WisenMD based on AI engine, Classified object type: Person/Vehicle (vehicle type: car/bus/truck/motorcycle/bicycle); IVA events based on AI engine: Virtual line (Crossing/Direction), Virtual area (Looting/Intrusion/Enter/Exit/Dis/Appear), "Audio: Selectable(mic in/line in), defocus detection, hallway view, built-in SD card slot (1x256GB), video analytics, USB for easy installation, open platform, IP66, IK10, PoE, Operating temperature -30°C~+55°C(-22°F ~ +131°F) white color. * Alarm I/O and audio is supported through an optional cable (SPP-C7400)	\$ 930.00	8801089214690
Camera - Network	QNO-C9083R	4K IR Bullet AI camera		Wisenet Q network outdoor vandal bullet camera, 4K @ 30fps, motorized vari-focal lens 3.2-10.2mm (H: 104°~31° / V: 55°~17°), triple codec H.265/H.264/MJPEG with Wisestream III (Based on AI engine), WisenR II (Based on AI engine), WDR 120dB, IR viewable length 30m (98ft), WisenMD based on AI engine, Classified object type: Person/Vehicle (vehicle type: car/bus/truck/motorcycle/bicycle); IVA events based on AI engine: Virtual line (Crossing/Direction), Virtual area (Looting/Intrusion/Enter/Exit/Dis/Appear), "Audio: Selectable(mic in/line in), defocus detection, hallway view, built-in SD card slot (1x256GB), video analytics, USB for easy installation, open platform, IP66, IK10, PoE, Operating temperature -30°C~+55°C(-22°F ~ +131°F) white color	\$ 930.00	8801089212375
Camera - Network	QNV-C9011R	4K IR Outdoor Vandal Dome AI Camera		Wisenet Q mini network outdoor vandal dome camera, 4K @ 30fps, fix lens 3mm (H:108°/V: 59°), triple codec H.265/H.264/MJPEG with Wisestream III (Based on AI engine), WisenR II (Based on AI engine), WDR 120dB, IR viewable length 20m(65.62ft), WisenMD based on AI engine, Classified object type: Person/Vehicle (vehicle type: car/bus/truck/motorcycle/bicycle); IVA events based on AI engine: Virtual line (Crossing/Direction), Virtual area (Looting/Intrusion/Enter/Exit/Dis/Appear), defocus detection, hallway view, built-in SD card slot (1x256GB), video analytics, USB for easy installation, open platform, IP66, IK10, NEMA4X, PoE, Operating temperature -40°C~+55°C(-40°F ~ +131°F) white color.	\$ 649.00	8801089220301
Camera - Network	QNF-9010	12MP Indoor fisheye		Wisenet Q series network indoor fisheye dome camera, 12MP CMOS sensor, max resolution 3008x3008 @ 30fps, triple codec H.265/H.264/MJPEG with Wisestream II technology, WDR 120dB, business analytics (heatmap and people counting), built-in SD card slot (1x256GB), PoE	\$ 950.00	8801089153838

6MP Cameras

Camera - Network	XNP-C8303RW	6MP AI IR, Wiper PTZ		Powered by WN7 PTZ Plus with AI, 6MP @ 30FPS resolution, 5mm~150mm (30x) lens, build in wiper and adaptive Wise IR (200m), extreme WDR 120dB, Day & Night ICR, H.265, H.264, MJPEG codec support, Analytics events based on AI engine: Object detection (Person/Face/Vehicle/License plate), IVA (Virtual line/Area, Enter/Exit, Looting, direction, intrusion), Analytics events : Defocus detection, Motion detection, Tampering, Fog detection, Audio detection, Sound classification, Shock detection, Appear/Disappear, FIPS 140-2, 2x micro SD card (512GB x2), IP66, IK10, NEMA4X, NEMA-TS 2(2.2.7, 2.2.8, 2.2.9), FIPS 140-2, PoE+VHPoE injector included, Operating Temperature -40°C~+55°C(-40°F ~ +131°F), (Compatible with I/O Box SPM-4210)	\$ 4,750.00	8801089224873
Camera - Network	XNP-C8253R	6MP AI IR, PTZ		Powered by WN7 PTZ Plus with AI, 6MP @ 30FPS resolution, 5mm~125mm (25x) lens, adaptive Wise IR (200m), extreme WDR 120dB, Day & Night ICR, H.265, H.264, MJPEG codec support, Analytics events based on AI engine: Object detection (Person/Face/Vehicle/License plate), IVA (Virtual line/Area, Enter/Exit, Looting, direction, intrusion), Analytics events : Defocus detection, Motion detection, Tampering, Fog detection, Audio detection, Sound classification, Shock detection, Appear/Disappear, FIPS 140-2, 2x micro SD card (512GB x2), IP66, IK10, NEMA4X, NEMA-TS 2(2.2.7, 2.2.8, 2.2.9), FIPS 140-2, PoE+VHPoE injector included, Operating Temperature -40°C~+55°C(-40°F ~ +131°F), (Compatible with I/O Box SPM-4210)	\$ 4,450.00	8801089224804

Camera - Network	XNP-C8253	6MP AI PTZ		Powered by WNT PTZ Plus with AI, 6MP @ 30FPS resolution, 5mm-125mm (25x) lens, extreme WDR 120dB, Day & Night ICR, H.265, H.264, MJPEG codec support, Analytics events based on AI engine: Object detection (Person/Face/Vehicle/License plate), IVA (Virtual line/Area, Enter/Exit, Loitering, direction, intrusion), Analytics events: Defocus detection, Motion detection, Tampering, Fog detection, Audio detection, Sound classification (with NW IO box), Object auto-tracking (Person/Vehicle), Target lock track, BLC, HLC, SSDR, lens heater for water/snow removal, built-in SD card slot (2x512GB), IP66, IK10, NEMA4X, NEMA-TS 2 (2.2.7, 2.2.8, 2.2.9), FIPS 140-2, Power: PoE+, Operating Temperature: -40°C~+55°C(-40°F ~ +131°F), (Compatible with I/O Box SPM-4210)	\$ 4,200.00	8801089224859
Camera - Network	XNP-8250	6MP, 25x PTZ camera	Limited Stock Comparable Model XNP-C8253	Powered by WNT, 6MP @ 30FPS resolution, 5mm-125mm (25x) lens, extreme WDR 120dB, Day & Night ICR, H.265, H.264, MJPEG codec support, Intelligent Analytics, Object auto tracking (Person/Vehicle), Target lock track, BLC, HLC, SSDR, built-in SD card slot (2x512GB), IP66, IK10, NEMA4X, NEMA-TS 2 (2.2.7, 2.2.8, 2.2.9), Power: PoE+, Operating Temperature: -40°C~+55°C(-40°F ~ +131°F), (Compatible with I/O Box SPM-4210)	\$ 4,000.00	8801089199880
Camera - Network	XNO-C8063R	6MP IR Bullet AI camera		Powered by WNT, Outdoor Network AI IR Bullet Camera, 6MP resolution @ 30FPS, 4.4-9.3mm(2.1x) (112.1~47.5") motorized varifocal lens, Triple codec (H.265/H.264/MJPEG), IR viewable length 40m (131.2ft), USB port for easy installation, Day & Night (ICR), extremeWDR (120dB), DIS with built-in Gyro sensor, Handover, Hard-coated window, Analytics events based on AI engine: Object detection(Person/Face/Vehicle/License plate), IVA (Virtual line/Area, Enter/Exit, Loitering, direction, intrusion), Analytics events: Defocus detection, Motion detection, Tampering, Fog detection, Audio detection, Sound classification, Shock detection, Appear/Disappear, UL CAP certified, P66, IP67, NEMA4X, IK10, Operating temperature: -40°C~+55°C(-40°F ~ +131°F), Power: PoE/12VDC, Metal shielded RJ-45	\$ 1,550.00	8801089208132
Camera - Network	XNO-8083R	6MP IR Bullet AI Camera		Powered by WNT, X-Plus series, Outdoor Network AI IR Bullet Camera, 6MP resolution @ 30FPS, 4.4-9.3mm(2.1x) (112.1~47.5") motorized varifocal lens, Triple codec (H.265/H.264/MJPEG), IR viewable length 50m (164ft), USB port for easy installation, Day & Night (ICR), extremeWDR (120dB), DIS with built-in Gyro sensor, Handover, Hard-coated window, Analytics events based on AI engine: Object detection(Person/Face/Vehicle/License plate), IVA (Virtual line/Area, Enter/Exit, Loitering, direction, intrusion), Analytics events: Defocus detection, Motion detection, Tampering, Fog detection, Audio detection, Sound classification, Shock detection, Appear/Disappear, FIPS 140-2, 2x micro SD card (512GB x2), P66, IP67, NEMA4X, IK10, Operating temperature: -50°C~+60°C(-58°F ~ +140°F), Power: PoE+/12VDC, Metal shielded RJ-45	\$ 1,750.00	8801089207654
Camera - Network	XNO-8082R	6MP IR Bullet Camera		Wisenet 7 X series network IR bullet camera, 6MP @ 30fps, motorized varifocal lens 3x (2.8-8.4mm), triple codec H.265/H.264/MJPEG with Wisestream technology, Extreme WDR, USB and CVBS port for easy installation, advanced video analytics, sound classification and business analytics, high powered IR LEDs range of 131.23', shock detection, audio playback, true D/N, dual SD cards slots, hallway view, HLC, defog detection, DIS (Gyro), 12VDC/24VAC/PoE, IP67/IP66, IK10, Nema 4X, -50°C +60°C (-58°F +140°F)	\$ 1,550.00	8801089189806
Camera - Network	XNV-C8083R	6MP IR Outdoor Vandal Dome AI Camera		Powered by WNT, Outdoor Network AI IR Vandal Dome Camera, 6MP resolution @ 30FPS, 4.4-9.3mm(2.1x) (112.1~47.5") motorized varifocal lens, Triple codec (H.265/H.264/MJPEG), IR viewable length 40m (131.2ft), USB port for easy installation, Day & Night (ICR), extremeWDR (120dB), DIS with built-in Gyro sensor, Handover, Hard-coated dome bubble, Analytics events based on AI engine: Object detection(Person/Face/Vehicle/License plate), IVA (Virtual line/Area, Enter/Exit, Loitering, direction, intrusion), Analytics events: Defocus detection, Motion detection, Tampering, Fog detection, Audio detection, Sound classification, Shock detection, Appear/Disappear, P66, IP67, NEMA4X, IK10, Operating temperature: -40°C~+55°C(-40°F ~ +131°F), Power: PoE/12VDC, Metal shielded RJ-45	\$ 1,550.00	8801089198327
Camera - Network	XNV-8093R	6MP IR Outdoor Vandal Dome AI Camera	10.9-29mm lens	Powered by WNT, X-Plus series, Outdoor Network AI IR Vandal Dome Camera, 6MP resolution @ 30FPS, 10.9-29mm(2.7x) (42"-115") motorized varifocal lens, Triple codec (H.265/H.264/MJPEG), IR viewable length 70m (229.66ft), USB port for easy installation, Day & Night (ICR), extremeWDR (120dB), DIS with built-in Gyro sensor, Handover, Hard-coated dome bubble, Analytics events based on AI engine: Object detection(Person/Face/Vehicle/License plate), IVA (Virtual line/Area, Enter/Exit, Loitering, direction, intrusion), Analytics events: Defocus detection, Motion detection, Tampering, Fog detection, Audio detection, Sound classification, Shock detection, Appear/Disappear, FIPS 140-2, 2x micro SD card (512GB x2), P66, IP67, NEMA4X, IK10+, Operating temperature: -50°C~+55°C(-58°F ~ +131°F), Power: PoE+/12VDC, Metal shielded RJ-45	\$ 2,000.00	8801089207616
Camera - Network	XNV-8083RZ	6MP IR Outdoor Vandal Dome AI, PTRZ Camera		Powered by WNT, X-Plus series, Outdoor Network AI IR Vandal Dome Camera, 6MP resolution @ 30FPS, 4.4-9.3mm (4.3x) (113~47.5") motorized varifocal lens, Remote lens adjustment (PTRZ), Triple codec (H.265/H.264/MJPEG), IR Viewable Length: 15m(49.21ft) 30m(98.43ft) based on scene, USB port for easy installation, Day & Night (ICR), extremeWDR (120dB), DIS with built-in Gyro sensor, Handover, Hard-coated dome bubble, Analytics events based on AI engine: Object detection(Person/Face/Vehicle/License plate), IVA (Virtual line/Area, Enter/Exit, Loitering, direction, intrusion), Analytics events: Defocus detection, Motion detection, Tampering, Fog detection, Audio detection, Sound classification, Shock detection, Appear/Disappear, P66, IP67, NEMA4X, IK10, Operating temperature: -40°C~+55°C(-40°F ~ +131°F), Power: PoE/12VDC, Metal shielded RJ-45	\$ 1,850.00	8801089211446
Camera - Network	XNV-8083RX	6MP IR Outdoor AI Camera Module Only	Camera Module Only (no housing included)	Powered by WNT, X-Plus series, Network AI IR Outdoor Camera Module, 6MP resolution @ 30FPS, 4.4-9.3mm(2.1x) (112.1~47.5") motorized varifocal lens, Triple codec (H.265/H.264/MJPEG), IR viewable length 50m (164ft), USB port for easy installation, Day & Night (ICR), extremeWDR (120dB), DIS with built-in Gyro sensor, Handover, Hard-coated dome bubble, Analytics events based on AI engine: Object detection(Person/Face/Vehicle/License plate), IVA (Virtual line/Area, Enter/Exit, Loitering, direction, intrusion), Analytics events: Defocus detection, Motion detection, Tampering, Fog detection, Audio detection, Sound classification, Shock detection, Appear/Disappear, FIPS 140-2, 2x micro SD card (512GB x2), Operating temperature: -50°C~+55°C(-58°F ~ +131°F), Power: PoE+/12VDC, Metal shielded RJ-45	\$ 1,510.00	8801089223920
Camera - Network	XNV-8083R	6MP IR Outdoor Vandal Dome AI Camera		Powered by WNT, X-Plus series, Outdoor Network AI IR Vandal Dome Camera, 6MP resolution @ 30FPS, 4.4-9.3mm(2.1x) (112.1~47.5") motorized varifocal lens, Triple codec (H.265/H.264/MJPEG), IR viewable length 50m (164ft), USB port for easy installation, Day & Night (ICR), extremeWDR (120dB), DIS with built-in Gyro sensor, Handover, Hard-coated dome bubble, Analytics events based on AI engine: Object detection(Person/Face/Vehicle/License plate), IVA (Virtual line/Area, Enter/Exit, Loitering, direction, intrusion), Analytics events: Defocus detection, Motion detection, Tampering, Fog detection, Audio detection, Sound classification, Shock detection, Appear/Disappear, FIPS 140-2, 2x micro SD card (512GB x2), P66, IP67, NEMA4X, IK10+, Operating temperature: -50°C~+55°C(-58°F ~ +131°F), Power: PoE+/12VDC, Metal shielded RJ-45	\$ 1,750.00	8801089207630
Camera - Network	XNV-8082R	6MP IR Outdoor Vandal Dome		Wisenet 7 X-plus series network IR vandal outdoor camera, 6MP @ 30fps, motorized varifocal lens 3x (2.8-8.4mm), triple codec H.265/H.264/MJPEG with Wisestream technology, Extreme WDR, USB and CVBS port for easy installation, advanced video analytics, sound classification and business analytics, high powered IR LEDs range of 131.23', shock detection, audio playback, true D/N, dual SD cards slots, hallway view, HLC, defog detection, DIS (Gyro), 12VDC/24VAC/PoE, IP67/IP66/IP69K9K, IK10, Nema 4X, -50°C +60°C (-58°F +140°F)	\$ 1,550.00	8801089189714
Camera - Network	XND-C8083RV	6MP IR Indoor Vandal Dome AI Camera		Powered by WNT, Indoor Network AI IR Dome Camera, 6MP resolution @ 30FPS, 4.4-9.3mm(2.1x) (112.1~47.5") motorized varifocal lens, Triple codec (H.265/H.264/MJPEG), IR viewable length 40m (131.2ft), USB port for easy installation, Day & Night (ICR), extremeWDR (120dB), DIS with built-in Gyro sensor, Handover, Hard-coated dome bubble, Analytics events based on AI engine: Object detection(Person/Face/Vehicle/License plate), IVA (Virtual line/Area, Enter/Exit, Loitering, direction, intrusion), Analytics events: Defocus detection, Motion detection, Tampering, Fog detection, Audio detection, Sound classification, Shock detection, Appear/Disappear, IP52, IK08, Operating temperature: -10 °C ~ 50 °C(14°F ~ +122°F), Power: PoE/12VDC	\$ 1,350.00	8801089207982
Camera - Network	XND-8093RV	6MP IR Indoor Dome AI Camera	10.9-29mm lens	Powered by WNT, X-Plus series, Indoor Network AI IR Dome Camera, 6MP resolution @ 30FPS, 10.9-29mm(2.7x) (42"-115") motorized varifocal lens, Triple codec (H.265/H.264/MJPEG), IR viewable length 70m (229.66ft), USB port for easy installation, Day & Night (ICR), extremeWDR (120dB), DIS with built-in Gyro sensor, Handover, Hard-coated dome bubble, Analytics events based on AI engine: Object detection(Person/Face/Vehicle/License plate), IVA (Virtual line/Area, Enter/Exit, Loitering, direction, intrusion), Analytics events: Defocus detection, Motion detection, Tampering, Fog detection, Audio detection, Sound classification, Shock detection, Appear/Disappear, FIPS 140-2, 2x micro SD card (512GB x2), IP52, IK10, Operating temperature: -25 °C ~ 50 °C(-13°F ~ +122°F), Power: PoE+/12VDC, Metal shielded RJ-45	\$ 1,800.00	8801089207821
Camera - Network	XND-8083RVX	6MP IR Indoor AI Camera Module Only	Camera Module Only (no housing included)	Powered by WNT, X-Plus series, Network AI IR Indoor Camera Module, 6MP resolution @ 30FPS, 4.4-9.3mm(2.1x) (112.1~47.5") motorized varifocal lens, Triple codec (H.265/H.264/MJPEG), IR viewable length 50m (164ft), USB port for easy installation, Day & Night (ICR), extremeWDR (120dB), DIS with built-in Gyro sensor, Handover, Hard-coated dome bubble, Analytics events based on AI engine: Object detection(Person/Face/Vehicle/License plate), IVA (Virtual line/Area, Enter/Exit, Loitering, direction, intrusion), Analytics events: Defocus detection, Motion detection, Tampering, Fog detection, Audio detection, Sound classification, Shock detection, Appear/Disappear, FIPS 140-2, 2x micro SD card (512GB x2), Operating temperature: -25 °C ~ 50 °C(-13°F ~ +122°F), Power: PoE+/12VDC	\$ 1,510.00	8801089223937
Camera - Network	XND-8083RV	6MP IR Indoor Vandal Dome AI Camera		Powered by WNT, X-Plus series, Indoor Network AI IR Dome Camera, 6MP resolution @ 30FPS, 4.4-9.3mm(2.1x) (112.1~47.5") motorized varifocal lens, Triple codec (H.265/H.264/MJPEG), IR viewable length 50m (164ft), USB port for easy installation, Day & Night (ICR), extremeWDR (120dB), DIS with built-in Gyro sensor, Handover, Hard-coated dome bubble, Analytics events based on AI engine: Object detection(Person/Face/Vehicle/License plate), IVA (Virtual line/Area, Enter/Exit, Loitering, direction, intrusion), Analytics events: Defocus detection, Motion detection, Tampering, Fog detection, Audio detection, Sound classification, Shock detection, Appear/Disappear, FIPS 140-2, 2x micro SD card (512GB x2), IP52, IK10, Operating temperature: -25 °C ~ 50 °C(-13°F ~ +122°F), Power: PoE+/12VDC	\$ 1,550.00	8801089201041
Camera - Network	XND-8082RF	6MP IR Flush Mount Dome		Wisenet 7 X-plus series network IR flush mount camera (plenum), 6MP @ 30fps, motorized varifocal lens 3x (2.8-8.4mm), triple codec H.265/H.264/MJPEG with Wisestream technology, Extreme WDR, USB and CVBS port for easy installation, advanced video analytics, sound classification and business analytics, high powered IR LEDs range of 131.23', shock detection, audio playback, true D/N, dual SD cards slots, hallway view, HLC, defog detection, DIS (Gyro), 12VDC/PoE, IP52, IK10, -25°C ~ +60°C (-13°F ~ +140°F)	\$ 1,350.00	8801089189622
Camera - Network	XND-8082RV	6MP IR Indoor Dome		Wisenet 7 X-plus series network IR vandal indoor camera, 6MP @ 30fps, motorized varifocal lens 3x (2.8-8.4mm), triple codec H.265/H.264/MJPEG with Wisestream technology, Extreme WDR, USB and CVBS port for easy installation, advanced video analytics, sound classification and business analytics, high powered IR LEDs range of 131.23', shock detection, audio playback, true D/N, dual SD cards slots, hallway view, HLC, defog detection, DIS (Gyro), 12VDC/PoE, IP52, IK10, -25°C ~ +60°C (-13°F ~ +140°F)	\$ 1,350.00	8801089189929
Camera - Network	XNB-8003	6MP Box AI Camera		Powered by WNT, X-Plus series, Box Camera, 6MP resolution @ 30FPS, Triple codec (H.265/H.264/MJPEG), USB port for easy installation, Day & Night (ICR), extremeWDR (120dB), DIS with built-in Gyro sensor, Handover, Analytics events based on AI engine: Object detection(Person/Face/Vehicle/License plate), IVA (Virtual line/Area, Enter/Exit, Loitering, direction, intrusion), Analytics events: Defocus detection, Motion detection, Tampering, Fog detection, Audio detection, Sound classification, Shock detection, Appear/Disappear, FIPS 140-2, 2x micro SD card (512GB x2), Operating temperature: -10 °C ~ 55 °C(14°F ~ +131°F), Power: PoE+/12VDC, Metal shielded RJ-45	\$ 1,050.00	8801089200686
5MP Cameras						
Camera - Network	XND-8081REV	5MP Indoor Dome, PoE extender camera	PoE+ Required	Wisenet X powered by Wisenet 5 network IR indoor dome camera with PoE Extender, PoE+ in PoE out, 5MP @30fps, Motorized Varifocal Lens (3.9mm~9.4mm), triple codec H.265/H.264/MJPEG with Wisestream II technology, WDR 120dB, USB port for easy installation, advanced video analytics and sound classification, true D/N, dual SD card, hallway view, HLC, defog detection, DIS(Gyro), PoE/PoE+, IP52, IK10, -25°C ~ +60°C (-13°F ~ +140°F)	\$ 1,600.00	8801089187741
Camera - Network	XNV-8081RE	5MP Outdoor Dome, PoE extender camera	PoE+ Required	Wisenet X powered by Wisenet 5 network IR outdoor vandal dome camera with PoE Extender, PoE+ in PoE out, 5MP @30fps, Motorized Varifocal Lens (3.9mm~9.4mm), triple codec H.265/H.264/MJPEG with Wisestream II technology, WDR 120dB, USB port for easy installation, advanced video analytics and sound classification, true D/N, dual SD card, hallway view, HLC, defog detection, DIS(Gyro), PoE/PoE+, IP66/IP67/IP69K9K, IK10+, NEMA4X, -50°C ~ +60°C (-58°F ~ +140°F)	\$ 1,850.00	8801089187666
Camera - Network	XNV-8081R	5MP IR Outdoor Dome		Wisenet X series Plus powered by Wisenet 5 IR network outdoor vandal dome camera, modular structure, 5MP @ 30fps, motorized varifocal lens 2.6x (3.6-9.4mm) (102.5~38.7"), triple codec H.265/H.264/MJPEG with Wisestream II technology, 120dB WDR, USB port for easy installation, advanced video analytics, sound classification and business analytics, high powered IR LEDs range of 164', shock detection, audio playback, true D/N, dual SD card, hallway view, HLC, defog detection, DIS (Gyro), 12VDC/PoE, optional 24VAC, IP67/IP66/IP69K9K, IK10+, Nema 4X, -50°C ~ +60°C (-58°F ~ +140°F), white color, ivory skin included, optional black skin cover	\$ 1,800.00	8801089153647
Camera - Network	XND-8081RF	5MP IR Flush Mount Dome		Wisenet X series Plus powered by Wisenet 5 IR network indoor flush mount vandal dome camera, modular structure, 5MP @ 30fps, motorized varifocal lens 2.6x (3.6-9.4mm) (102.5~38.7"), triple codec H.265/H.264/MJPEG with Wisestream II technology, 120dB WDR, USB port for easy installation, advanced video analytics, sound classification and business analytics, high powered IR LEDs range of 164', shock detection, audio playback, true D/N, dual SD card, hallway view, HLC, defog detection, DIS (Gyro), 12VDC/PoE, IP52, plenum housing	\$ 1,550.00	8801089153418
Camera - Network	XND-8081RV	5MP IR Indoor Dome		Wisenet X series Plus powered by Wisenet 5 IR network indoor vandal dome camera, modular structure, 5MP @ 30fps, motorized varifocal lens 2.6x (3.6-9.4mm) (102.5~38.7"), triple codec H.265/H.264/MJPEG with Wisestream II technology, 120dB WDR, USB port for easy installation, advanced video analytics, sound classification and business analytics, high powered IR LEDs range of 164', shock detection, audio playback, built-in mic, true D/N, dual SD card, hallway view, HLC, defog detection, DIS (Gyro), 12VDC/PoE, IP52, IK10, white color, ivory skin included, optional black skin cover	\$ 1,550.00	8801089153463
Camera - Network	XNV-8081Z	5MP Outdoor PTRZ Dome		Wisenet X series Plus powered by Wisenet 5 network outdoor vandal dome camera, modular structure, 5MP @ 30fps, motorized varifocal lens 2.6x (3.6-9.4mm) (102.5~38.7"), PTRZ, triple codec H.265/H.264/MJPEG with Wisestream II technology, 120dB WDR, USB port for easy installation, advanced video analytics, sound classification and business analytics, shock detection, audio playback, true D/N, dual SD card, hallway view, HLC, defog detection, DIS (Gyro), 12VDC/PoE, optional 24VAC, IP67/IP66/IP69K9K, IK10+, Nema 4X, -50°C ~ +60°C (-58°F ~ +140°F), white color, ivory skin included, optional black skin cover	\$ 1,850.00	8801089152732
Camera - Network	XND-8081VZ	5MP Indoor PTRZ Dome	Limited Stock Recommended Replacement XNV-8083RZ	Wisenet X series Plus powered by Wisenet 5 network indoor vandal dome camera, modular structure, 5MP @ 30fps, motorized varifocal lens 2.6x (3.6-9.4mm) (102.5~38.7"), PTRZ, triple codec H.265/H.264/MJPEG with Wisestream II technology, 120dB WDR, USB port for easy installation, advanced video analytics, sound classification and business analytics, shock detection, audio playback, built-in mic, true D/N, dual SD card, hallway view, HLC, defog detection, DIS (Gyro), 12VDC/PoE, IP52, IK10, white color, ivory skin included, optional black skin cover	\$ 1,600.00	8801089152787
Camera - Network	XNF-8010R	X-Series Indoor IR Fisheye		Wisenet X powered by Wisenet 5 network indoor fisheye, 6MP CMOS sensor, 2048x2048 @ 30fps, 1.6mm fixed lens (192"), triple codec H.265/H.264/MJPEG with Wisestream II technology, 120dB WDR, USB port for easy installation, advanced video, sound classification and business analytics, high powered IR LEDs range of 49', simple focus, dual SD card, HLC, defog detection, DIS, 12VDC/PoE	\$ 950.00	8801089125293

Camera - Network	XNF-8010RW	X-Series Indoor IR Fisheye (White Color)		Wisenet X powered by Wisenet 5 network indoor fisheye (white color), 6MP CMOS sensor, 2048x2048 @ 30fps, 1.6mm fixed lens (192"), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video, sound classification and business analytics, high powered IR LEDs range of 49', simple focus, dual SD card, HLC, defog detection, DIS, 12VDC/PoE, white color	\$ 950.00	8801089133441
Camera - Network	XNF-8010RV	X-Series Outdoor IR Fisheye		Wisenet X powered by Wisenet 5 network outdoor vandal fisheye, 6MP CMOS sensor, 2048x2048 @ 30fps, 1.6mm fixed lens (192"), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video, sound classification and business analytics, high powered IR LEDs range of 49', simple focus, dual SD card, HLC, defog detection, DIS, 12VDC/PoE, IP66, IK10, -40°C ~ +55°C (-40°F ~ +131°F)	\$ 1,050.00	8801089125316
Camera - Network	XNF-8010VM	X-Series Mobile IR Fisheye		Wisenet X powered by Wisenet 5 network mobile vandal fisheye, 6MP CMOS sensor, 2048x2048 @ 30fps, 1.6mm fixed lens (192"), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video, sound classification and business analytics, high powered IR LEDs range of 49', simple focus, dual SD card, HLC, defog detection, DIS, For Mobile Application (M12 Connector) RJ45 to M12 adapter is NOT included, 12VDC/PoE, IP66, IK10, -40°C ~ +55°C (-40°F ~ +131°F)	\$ 1,150.00	8801089125347
Camera - Network	XNV-8080RSA	5MP Stainless Steel IR Dome	IP6K9K	Wisenet X powered by Wisenet 5 network IR stainless steel dome camera, 5MP @30fps, motorized vari-focal lens 2.4x (3.9-9.4mm) (92.1"-38.7"), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video analytics and sound classification, high powered IR LEDs range of 164', true D/N, dual SD card, hallway view, HLC, defog detection, DIS, 12VDC/24VAC/PoE, IP67/IP6K9K/IK10, Nema 4X, IP6K9K, -40°C ~ +55°C (-40°F ~ +131°F)	\$ 2,200.00	8801089172747
Camera - Network	XNV-A8084R	5MP IR Outdoor Vandal Dome AI Camera		Powered by WN9, Outdoor Network AI IR Vandal Dome Camera, 5MP resolution @ 30FPS, 3.3-9.3mm (2.8x), (113"-47") motorized varifocal lens, H.265/H.264/MJPEG codec, IR viewable length 40m (131.2ft), USB-C port for easy installation, Day & Night (ICR), extremeWDR (120dB), Hard-coated dome bubble, DIS with built-in gyro sensor, Handover, AI-based WiseStream, WiseNR II (using AI engine), Dynamic privacy mask, IVA events based on AI engine (Motion & Object detection, Line crossing, IVA area, Slip & Fall, Sound classification), Classified object types (Person/Face/Vehicle/License plate), Object attributes (Person: Gender/Top/Bottom clothing color/Bag, Face: Age/Gender/Mask/Glasses, Vehicle: type/color), BestShot, Analytics events (Defocus, Motion, Tampering, Fog, Audio & Shock detection), AI-based business intelligence (People/Vehicle/Crowd counting, Queue management, Heatmap), Secure element with FIPS 140-3 level3, Built-in microSD card slot (Up to 1TB), IP66/IP67, IK10, NEMA 4X, NEMA-TS 2(2.2.7.2-8, 2.2.8, 2.2.9), Operating temp: -40°C~+50°C (-40°F~+122°F), Power: PoE, Metal shielded RJ-45.	\$ 1,450.00	8801089235299 8801089235350
Camera - Network	XNV-8080R	5MP IR Outdoor Dome		Wisenet X powered by Wisenet 5 network IR outdoor vandal dome camera, 5MP @30fps, motorized vari-focal lens 2.4x (3.9-9.4mm) (92.1"-38.7"), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video analytics and sound classification, high powered IR LEDs range of 164', true D/N, dual SD card, hallway view, HLC, defog detection, DIS, 12VDC/24VAC/PoE, IP67, IK10, Nema 4X, -40°C ~ +55°C (-40°F ~ +131°F)	\$ 1,550.00	8801089125712
Camera - Network	XNV-8020R	5MP IR Outdoor Dome		Wisenet X powered by Wisenet 5 network IR outdoor vandal dome camera, 5MP @30fps, 3.7mm fixed focal lens (97.5"), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video analytics and sound classification and business analytics, high powered IR LEDs range of 98', true D/N, dual SD card, hallway view, HLC, defog detection, DIS, 12VDC/PoE, IP67, IK10	\$ 900.00	8801089125729
Camera - Network	XNV-8030R	5MP IR Outdoor Dome		Wisenet X powered by Wisenet 5 network IR outdoor vandal dome camera, 5MP @30fps, 4.6mm fixed focal lens (77.9"), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video analytics and sound classification and business analytics, high powered IR LEDs range of 98', true D/N, dual SD card, hallway view, HLC, defog detection, DIS, 12VDC/PoE, IP67, IK10	\$ 900.00	8801089125699
Camera - Network	XNV-8040R	5MP IR Outdoor Dome		Wisenet X powered by Wisenet 5 network IR outdoor vandal dome camera, 5MP @30fps, 7mm fixed focal lens (50.7"), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video analytics and sound classification and business analytics, high powered IR LEDs range of 98', true D/N, dual SD card, hallway view, HLC, defog detection, DIS, 12VDC/PoE, IP67, IK10	\$ 900.00	8801089125705
Camera - Network	XNO-A8084R	5MP IR Bullet AI Camera		Powered by WN9, Outdoor Network AI IR Vandal Bullet Camera, 5MP resolution @ 30FPS, 3.3-9.3mm (2.8x) (113"-47") motorized varifocal lens, H.265/H.264/MJPEG codec, IR viewable length 40m (131.2ft), USB-C port for easy installation, Day & Night (ICR), extremeWDR (120dB), Hard-coated dome bubble, DIS with built-in gyro sensor, Handover, AI-based WiseStream, WiseNR II (using AI engine), Dynamic privacy mask, IVA events based on AI engine (Motion & Object detection, Line crossing, IVA area, Slip & Fall, Sound classification), Classified object types (Person/Face/Vehicle/License plate), Object attributes (Person: Gender/Top/Bottom clothing color/Bag, Face: Age/Gender/Mask/Glasses, Vehicle: type/color), BestShot, Analytics events (Defocus, Motion, Tampering, Fog, Audio & Shock detection), AI-based business intelligence (People/Vehicle/Crowd counting, Queue management, Heatmap), Secure element with FIPS 140-3 level3, Built-in microSD card slot (Up to 1TB), IP66/IP67, IK10, NEMA 4X, NEMA-TS 2(2.2.7.2-8, 2.2.8, 2.2.9), Operating temp: -40°C~+60°C (-40°F~+140°F), Power: PoE, Metal shielded RJ-45.	\$ 1,450.00	8801089235312 8801089235374
Camera - Network	XNO-8080R	5MP IR Bullet		Wisenet X powered by Wisenet 5 network IR outdoor bullet camera, 5MP @30fps, motorized vari-focal lens 2.4x (3.9-9.4mm) (100.2"-38.7"), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video analytics and sound classification, high powered IR LEDs range of 98', true D/N, dual SD card, hallway view, HLC, defog detection, DIS, backbox included, 12VDC/24VAC/PoE, IP67, IK10, Nema 4X, -40°C ~ +55°C (-40°F ~ +131°F)	\$ 1,550.00	8801089125446
Camera - Network	XNO-8020R	5MP IR Bullet		Wisenet X powered by Wisenet 5 network outdoor vandal bullet camera, 5MP @30fps, 3.7mm fixed focal lens (97.5"), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video analytics and sound classification and business analytics, high powered IR LEDs range of 98', true D/N, dual SD card, hallway view, HLC, defog detection, DIS, backbox included, 12VDC/PoE, IP67, IK10, Nema 4X	\$ 900.00	8801089125408
Camera - Network	XNO-8030R	5MP IR Bullet		Wisenet X powered by Wisenet 5 network outdoor vandal bullet camera, 5MP @30fps, 4.6mm fixed focal lens (77.9"), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video analytics and sound classification and business analytics, high powered IR LEDs range of 98', true D/N, dual SD card, hallway view, HLC, defog detection, DIS, backbox included, 12VDC/PoE, IP67, IK10, Nema 4X	\$ 900.00	8801089125422
Camera - Network	XNO-8040R	5MP IR Bullet		Wisenet X powered by Wisenet 5 network outdoor vandal bullet camera, 5MP @30fps, 7mm fixed focal lens (50.7"), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video analytics and sound classification and business analytics, high powered IR LEDs range of 98', true D/N, dual SD card, hallway view, HLC, defog detection, DIS, backbox included, 12VDC/PoE, IP67, IK10, Nema 4X	\$ 900.00	8801089125439
Camera - Network	XND-A8084RV	5MP IR Indoor Dome AI Camera		Powered by WN9, Indoor Network AI IR Dome Camera, 5MP resolution @ 30FPS, 3.3-9.3mm (2.8x), (99"-31") motorized varifocal lens, H.265/H.264/MJPEG codec, IR viewable length 40m (131.2ft), USB-C port for easy installation, Day & Night (ICR), extremeWDR (120dB), Hard-coated dome bubble, DIS with built-in gyro sensor, Handover, AI-based WiseStream, WiseNR II (using AI engine), Dynamic privacy mask, IVA events based on AI engine (Motion & Object detection, Line crossing, IVA area, Slip & Fall, Sound classification), Classified object types (Person/Face/Vehicle/License plate), Object attributes (Person: Gender/Top/Bottom clothing color/Bag, Face: Age/Gender/Mask/Glasses, Vehicle: type/color), BestShot, Analytics events (Defocus, Motion, Tampering, Fog, Audio & Shock detection), AI-based business intelligence (People/Vehicle/Crowd counting, Queue management, Heatmap), Secure element with FIPS 140-3 level3, Built-in microSD card slot (Up to 1TB), IP52, IK10, Operating temperature: -10°C~+50°C (14°F~+122°F), Power: PoE, Metal shielded RJ-45.	\$ 1,250.00	8801089235305 8801089235367
Camera - Network	XND-8080RV	5MP Indoor IR Vandal Dome		Wisenet X powered by Wisenet 5 network IR indoor vandal dome camera, 5MP @30fps, motorized vari-focal lens 2.4x (3.9-9.4mm) (92.1"-38.7"), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video analytics and sound classification, high powered IR LEDs range of 98', true D/N, dual SD card, hallway view, HLC, defog detection, DIS, 12VDC/PoE, IK08	\$ 1,350.00	8801089125309
Camera - Network	XND-8020R	5MP Indoor IR Vandal Dome		Wisenet X powered by Wisenet 5 network IR indoor vandal dome camera, 5MP @30fps, 3.7mm fixed focal lens (97.5"), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video analytics and sound classification and business analytics, high powered IR LEDs range of 98', true D/N, dual SD card, hallway view, HLC, defog detection, DIS, 12VDC/PoE, IK08	\$ 775.00	8801089125248
Camera - Network	XND-8030R	5MP Indoor IR Vandal Dome		Wisenet X powered by Wisenet 5 network IR indoor vandal dome camera, 5MP @30fps, 4.6mm fixed focal lens (77.9"), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video analytics and sound classification and business analytics, high powered IR LEDs range of 98', true D/N, dual SD card, hallway view, HLC, defog detection, DIS, 12VDC/PoE, IK08	\$ 775.00	8801089125279
Camera - Network	XND-8040R	5MP Indoor IR Vandal Dome		Wisenet X powered by Wisenet 5 network IR indoor vandal dome camera, 5MP @30fps, 7mm fixed focal lens (50.7"), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video analytics and sound classification and business analytics, high powered IR LEDs range of 98', true D/N, dual SD card, hallway view, HLC, defog detection, DIS, 12VDC/PoE, IK08	\$ 775.00	8801089125262
Camera - Network	XND-8020F	5MP Flush Mount		Wisenet X powered by Wisenet 5 network flush mount dome camera, 5MP @ 30fps, 3.7mm fixed lens (97.5"), triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video analytics and sound classification and business analytics, built-in Mic, magnetic cover, electronic D/N, SD card, hallway view, HLC, defog detection, DIS, PoE only	\$ 600.00	8801089125255
Camera - Network	XNB-8000	5MP Box		Wisenet X powered by Wisenet 5 network box camera, 5MP @30fps, simple focus, triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video analytics and sound classification and business analytics, true D/N, dual SD card, hallway view, HLC, defog detection, DIS using a Gyro sensor, 12VDC/24VAC/PoE	\$ 950.00	8801089125149
Camera - Network	QNO-8010R	5MP IR Bullet		Wisenet Q network outdoor vandal bullet camera, 5MP @ 30fps, 2.8mm fixed focal lens (104"), triple codec H.265/H.264/MJPEG with WiseStream II, 120dB WDR, IR LEDs range 65', defocus detection, hallway view, built-in SD card slot (1x128GB), video analytics, CVBS, open platform, IP66, IK10, PoE	\$ 470.00	8801089163332
Camera - Network	QNO-8020R	5MP IR Bullet		Wisenet Q network outdoor vandal bullet camera, 5MP @ 30fps, 4.0mm fixed focal lens (79"), triple codec H.265/H.264/MJPEG with WiseStream II, 120dB WDR, IR LEDs range 82', defocus detection, hallway view, built-in SD card slot (1x128GB), video analytics, CVBS, open platform, IP66, IK10, PoE	\$ 470.00	8801089164216
Camera - Network	QNO-C8013R	5MP IR Bullet AI camera		Wisenet Q network outdoor vandal bullet camera, 5MP @ 30fps, fix lens 3mm (H:100°V: 73"), triple codec H.265/H.264/MJPEG with WiseStream III technology, WiseNR II (Based on AI engine), WDR 120dB, IR viewable length 25m(82.02ft), Motion detection based on AI engine, Analytics events based on AI engine: Classified object type: [Person/Vehicle]; Attributes: Vehicle [Type and color: (car/bus/truck/motorcycle/bicycle)], Person [upper and bottom clothing color]; BestShot, Virtual line, Virtual area], defocus detection, hallway view, Dynamic privacy masking, built-in SD card slot (1x256GB), video analytics, USB for easy installation, open platform, IP66, IK10, PoE, Operating temperature -30°C~+55°C(-22°F ~ +131°F) white color.	\$ 600.00	8801089229359
Camera - Network	QNO-C8023R	5MP IR Bullet AI camera		Wisenet Q network outdoor vandal bullet camera, 5MP @ 30fps, fix lens 4mm (H:80°V: 59"), triple codec H.265/H.264/MJPEG with WiseStream III technology, WiseNR II (Based on AI engine), WDR 120dB, IR viewable length 30m(98.42ft), Motion detection based on AI engine, Analytics events based on AI engine: Classified object type: [Person/Vehicle]; Attributes: Vehicle [Type and color: (car/bus/truck/motorcycle/bicycle)], Person [upper and bottom clothing color]; BestShot, Virtual line, Virtual area], defocus detection, hallway view, Dynamic privacy masking, built-in SD card slot (1x256GB), video analytics, USB for easy installation, open platform, IP66, IK10, PoE, Operating temperature -30°C~+55°C(-22°F ~ +131°F) white color.	\$ 600.00	8801089229373
Camera - Network	QNO-C8083R	5MP IR Bullet AI camera		Wisenet Q network outdoor vandal bullet camera, 5MP @ 30fps, motorized vari-focal lens 3.2-10.2mm (H: 95°~29° / V: 69°~21"), triple codec H.265/H.264/MJPEG with WiseStream III (Based on AI engine), WiseNR II (Based on AI engine), WDR 120dB, IR viewable length 30m (98ft), WiseMD based on AI engine, Classified object type: [Person/Vehicle (vehicle type: car/bus/truck/motorcycle/bicycle)]; IVA events based on AI engine: Virtual line (Crossing/Direction), Virtual area (Loitering/Intrusion/Enter/Exit/Dis)Appear), *Audio: Selectable(mic/in/line in), defocus detection, hallway view, built-in SD card slot (1x256GB), video analytics, USB for easy installation, open platform, IP66, IK10, PoE, Operating temperature -30°C~+55°C(-22°F ~ +131°F) white color.	\$ 790.00	8801089219886
Camera - Network	QNO-8080R	5MP IR Bullet		Wisenet Q network outdoor vandal bullet camera, 5MP @ 30fps, motorized vari-focal lens 3.1x (3.2 ~ 10.0mm) (100"-31"), triple codec H.265/H.264/MJPEG with WiseStream II, 120dB WDR, IR LEDs range 98', defocus detection, hallway view, built-in SD card slot (1x128GB), video analytics, CVBS, open platform, IP66, IK10, PoE	\$ 680.00	8801089164278
Camera - Network	QNV-C8011R	5MP IR Outdoor Vandal Dome AI Camera		Wisenet Q mini network outdoor vandal dome camera, 5MP @ 30fps, fix lens 3mm (H:100°V: 73"), triple codec H.265/H.264/MJPEG with WiseStream III (Based on AI engine), WiseNR II (Based on AI engine), WDR 120dB, IR viewable length 20m(65.62ft), WiseMD based on AI engine, Classified object type: Person/Vehicle (vehicle type: car/bus/truck/motorcycle/bicycle); IVA events based on AI engine: Virtual line (Crossing/Direction), Virtual area (Loitering/Intrusion/Enter/Exit/Dis)Appear), defocus detection, hallway view, built-in SD card slot (1x256GB), video analytics, USB for easy installation, open platform, IP66, IK10, NEMA4X, PoE, Operating temperature -40°C~+55°C(-40°F ~ +131°F) white color.	\$ 549.00	8801089220332
Camera - Network	QNV-C8012	5MP Outdoor Vandal Dome AI Camera		Wisenet Q mini network outdoor vandal dome camera, 5MP @ 30fps, fix lens 2.4mm (H:123°V: 91"), triple codec H.265/H.264/MJPEG with WiseStream III (Based on AI engine), WiseNR II (Based on AI engine), WDR 120dB, WiseMD based on AI engine, Classified object type: Person/Vehicle (vehicle type: car/bus/truck/motorcycle/bicycle); IVA events based on AI engine: Virtual line (Crossing/Direction), Virtual area (Loitering/Intrusion/Enter/Exit/Dis)Appear), defocus detection, hallway view, built-in SD card slot (1x256GB), video analytics, USB for easy installation, open platform, IP66, IK10, NEMA4X, PoE, Operating temperature -40°C~+55°C(-40°F ~ +131°F) white color.	\$ 549.00	8801089224484
Camera - Network	QNV-C8013R	5MP IR Outdoor Vandal Dome AI Camera		Wisenet Q mini network outdoor vandal dome camera, 5MP @ 30fps, fix lens 3mm (H:100°V: 73"), triple codec H.265/H.264/MJPEG with WiseStream III technology, WiseNR II (Based on AI engine), WDR 120dB, IR viewable length 25m(82.02ft), Motion detection based on AI engine, Analytics events based on AI engine: Classified object type: [Person/Vehicle]; Attributes: Vehicle [Type and color: (car/bus/truck/motorcycle/bicycle)], Person [upper and bottom clothing color]; BestShot, Virtual line, Virtual area], defocus detection, hallway view, Dynamic privacy masking, built-in SD card slot (1x256GB), video analytics, USB for easy installation, open platform, IP66, IK10, PoE, Operating temperature -30°C~+55°C(-22°F ~ +131°F) white color. * Alarm I/O and audio is supported through an optional cable (SPP-C7400)	\$ 600.00	8801089229311

Camera - Network	QNV-C8023R	5MP IR Outdoor Vandal Dome AI Camera	Wisenet Q mini network outdoor vandal dome camera, SMP @ 30fps, fix lens 4mm (H:80°V: 59°), triple code H.265/H.264/MJPEG with Wisestream III technology, WiseNR II (Based on AI engine), WDR 120dB, IR viewable length 30m(98.42ft), Motion detection based on AI engine, Analytics events based on AI engine. Classified object type: [Person/Vehicle]; Attributes: Vehicle [Type and color]; (car/bus/truck/motorcycle/bicycle); Person [upper and bottom clothing color]; BestShot, Virtual line, Virtual area, defocus detection, hallway view, Dynamic privacy masking, built-in SD card slot (1x256GB), video analytics, USB for easy installation, open platform, IP66, IK10, PoE, Operating temperature -30°C~+55°C(-22°F ~ +131°F) white color. * Alarm I/O and audio is supported through an optional cable (SPP-C7400)	\$	600.00	8801089229335
Camera - Network	QNV-8010R	5MP IR Outdoor Dome	Wisenet Q network outdoor vandal dome camera, SMP @ 30fps, 2.8mm fixed focal lens (104°), triple code H.265/H.264/MJPEG with Wisestream II, 120dB WDR, IR LEDs range 65', defocus detection, hallway View, built-in SD card slot (1x128GB), video analytics, CVBS, open platform, IP66, IK10, PoE, white color	\$	470.00	8801089164360
Camera - Network	QNV-8020R	5MP IR Outdoor Dome	Wisenet Q network outdoor vandal dome camera, SMP @ 30fps, 4.0mm fixed focal lens (79°), triple code H.265/H.264/MJPEG with Wisestream II, 120dB WDR, IR LEDs range 82', defocus detection, hallway View, built-in SD card slot (1x128GB), video analytics, CVBS, open platform, IP66, IK10, PoE, white color	\$	470.00	8801089164513
Camera - Network	QNV-C8083R	5MP IR Outdoor Vandal Dome AI Camera	Wisenet Q network outdoor vandal dome camera, SMP @ 30fps, motorized varifocal lens 3.2-10.2mm (H: 95°-29° / V: 69°-21°), triple code H.265/H.264/MJPEG with Wisestream III (Based on AI engine), WiseNR II (Based on AI engine), WDR 120dB, IR viewable length 30m (98ft), WisEMD based on AI engine. Classified object type: Person/Vehicle (vehicle type: car/bus/truck/motorcycle/bicycle); IVA events based on AI engine. Virtual line (Crossing/Direction), Virtual area (Loitering/Intrusion/Enter/Exit/Dis/Appear), Audio/Selectable/mic in/line in, defocus detection, hallway view, built-in SD card slot (1x256GB), video analytics, USB for easy installation, open platform, IP66, IK10, PoE, Operating temperature -30°C~+55°C(-22°F ~ +131°F) white color. * Alarm I/O and audio is supported through an optional cable (SPP-C7400)	\$	790.00	8801089219909
Camera - Network	QNV-8080R	5MP IR Outdoor Dome	Wisenet Q network outdoor vandal dome camera, SMP @ 30fps, motorized varifocal lens 3.1x (3.2 ~ 10.0mm) (100°-31°), triple code H.265/H.264/MJPEG with Wisestream II, 120dB WDR, IR LEDs range 98', defocus detection, hallway View, built-in SD card slot (1x128GB), video analytics, CVBS, open platform, IP66, IK10, PoE, white color	\$	680.00	8801089165046
Camera - Network	QND-8010R	5MP Indoor IR Dome	Wisenet Q network indoor dome camera, SMP @ 30fps, 2.8mm fixed focal lens (104°), triple code H.265/H.264/MJPEG with Wisestream II, 120dB WDR, IR LEDs range 65', defocus detection, hallway View, built-in SD card slot (1x128GB), video analytics, CVBS, open platform, PoE, white color	\$	370.00	8801089162991
Camera - Network	QND-8020R	5MP Indoor IR Dome	Wisenet Q network indoor dome camera, SMP @ 30fps, 4.0mm fixed focal lens (79°), triple code H.265/H.264/MJPEG with Wisestream II, 120dB WDR, IR LEDs range 65', defocus detection, hallway View, built-in SD card slot (1x128GB), video analytics, CVBS, open platform, PoE, white color	\$	370.00	8801089163004
Camera - Network	QND-8080R	5MP Indoor IR Dome	Wisenet Q network indoor dome camera, SMP @ 30fps, motorized varifocal lens 3.1x (3.2 ~ 10.0mm) (100°-31°), triple code H.265/H.264/MJPEG with Wisestream II, 120dB WDR, IR LEDs range 98', defocus detection, hallway View, built-in SD card slot (1x128GB), video analytics, CVBS, open platform, PoE, white color	\$	615.00	8801089163127
Camera - Network	QND-8011	5MP Indoor Dome	Wisenet Q mini network indoor dome camera, SMP @ 30fps, 2.8mm fixed focal lens (104°), triple code H.265/H.264/MJPEG with Wisestream II, 120dB WDR, defocus detection, hallway View, built-in SD card slot (1x128GB), people counting, open platform, IP42, IK08, PoE, white color	\$	370.00	8801089162540
Camera - Network	QND-8021	5MP Indoor Dome	Wisenet Q mini network indoor dome camera, SMP @ 30fps, 4.0mm fixed focal lens (80°), triple code H.265/H.264/MJPEG with Wisestream II, 120dB WDR, defocus detection, hallway View, built-in SD card slot (1x128GB), people counting, open platform, IP42, IK08, PoE, white color	\$	370.00	8801089162656
Camera - Network	QND-C8013R	5MP IR Indoor Dome AI camera	Wisenet Q network indoor dome camera, SMP @ 30fps, fix lens 3mm (H:100°V: 73°), triple code H.265/H.264/MJPEG with Wisestream III technology, WiseNR II (Based on AI engine), WDR 120dB, IR viewable length 25m(82.02ft), built-in mic, Motion detection based on AI engine, Analytics events based on AI engine. Classified object type: [Person/Vehicle]; Attributes: Vehicle [Type and color]; (car/bus/truck/motorcycle/bicycle); Person [upper and bottom clothing color]; BestShot, Virtual line, Virtual area, defocus detection, hallway view, Dynamic privacy masking, built-in SD card slot (1x256GB), video analytics, USB for easy installation, open platform, PoE, Operating temperature -10°C~+45°C(+14°F ~ +113°F) white color. * Alarm I/O is supported through an optional cable (SPP-C7200)	\$	480.00	8801089229274
Camera - Network	QND-C8023R	5MP IR Indoor Dome AI camera	Wisenet Q network indoor dome camera, SMP @ 30fps, fix lens 4mm (H:80°V: 59°), triple code H.265/H.264/MJPEG with Wisestream III technology, WiseNR II (Based on AI engine), WDR 120dB, IR viewable length 30m(98.42ft), built-in mic, Motion detection based on AI engine, Analytics events based on AI engine. Classified object type: [Person/Vehicle]; Attributes: Vehicle [Type and color]; (car/bus/truck/motorcycle/bicycle); Person [upper and bottom clothing color]; BestShot, Virtual line, Virtual area, defocus detection, hallway view, Dynamic privacy masking, built-in SD card slot (1x256GB), video analytics, USB for easy installation, open platform, PoE, Operating temperature -10°C~+45°C(+14°F ~ +113°F) white color. * Alarm I/O is supported through an optional cable (SPP-C7200)	\$	480.00	8801089229281
Camera - Network	QNE-C9013RL	4K Dual Light Outdoor Flat-Eye	Wisenet Q network outdoor flat-eye camera, 4K @ 30fps, 3mm fixed focal lens (H: 108°V: 59°), triple code H.265/H.264/MJPEG with Wisestream III, 120dB WDR, Dual Light - White LED range 30m (98ft), IR viewable length 30m (98ft), Motion Detection based on AI engine. Classified object type: Person/Vehicle (vehicle type: car/bus/truck/motorcycle/bicycle); IVA events based on AI engine. Virtual line (Crossing/Direction), Virtual area (Loitering/Intrusion/Enter/Exit/Dis/Appear), defocus detection, hallway View, built-in SD card slot (1x256GB), video analytics, IP66/IP67, IK10, PoE, Operating temperature -40°C~+60°C(-40°F ~ +140°F) white color	\$	750.00	8801089212221
Camera - Network	QNE-C8013RL	5MP Dual Light Outdoor Flat-Eye	Wisenet Q network outdoor flat-eye camera, SMP @ 30fps, 3mm fixed focal lens (H: 97°V: 53°), triple code H.265/H.264/MJPEG with Wisestream III, 120dB WDR, Dual Light - White LED range 30m (98ft), IR viewable length 30m (98ft), Motion Detection based on AI engine. Classified object type: Person/Vehicle (vehicle type: car/bus/truck/motorcycle/bicycle); IVA events based on AI engine. Virtual line (Crossing/Direction), Virtual area (Loitering/Intrusion/Enter/Exit/Dis/Appear), defocus detection, hallway View, built-in SD card slot (1x256GB), video analytics, IP66/IP67, IK10, PoE, Operating temperature -40°C~+60°C(-40°F ~ +140°F) white color	\$	660.00	8801089212177
Camera - Network	QNE-8011R	5MP IR Outdoor Flat-Eye	Wisenet Q mini network outdoor flat-eye camera, SMP @ 30fps, 2.8mm fixed focal lens (104°), triple code H.265/H.264/MJPEG with Wisestream II, 120dB WDR, IR LEDs range 65', defocus detection, hallway View, built-in SD card slot (1x128GB), video analytics, open platform, IP67, IK10, PoE, white color	\$	470.00	8801089163868
Camera - Network	QNF-8010	6MP Indoor fisheye	Wisenet Q series network Indoor fisheye dome camera, 6MP CMOS sensor, max resolution 2048x2048 @ 30fps, triple code H.265/H.264/MJPEG with Wisestream II technology, WDR 120dB, business analytics (heatmap and people counting), built-in SD card slot (1x256GB), PoE	\$	675.00	8801089153753
Camera - Network	TNV-C8014RM	5MP Mobile IR Flat Camera	T Series, Mobile IR vandal dome camera, SMP, (2592x1944) 30fps, fixed focal Lens 3mm (H:100°V: 73°), triple code H.265/H.264/MJPEG with Wisestream III technology, WiseNR II (Based on AI engine), built-in mic, 120dB WDR, IR viewable length 30m (98.43ft), Motion detection based on AI engine, Analytics events based on AI engine. Classified object type: [Person/Vehicle]; Attributes: Vehicle [Type and color]; (car/bus/truck/motorcycle/bicycle); Person [upper and bottom clothing color]; BestShot, Virtual line, Virtual area, defocus detection, shock detection, hallway view, Heater, DIS with built-in Gyro sensor, Dynamic privacy masking, built-in SD card slot (1x256GB), IP66, IK10, Operating temperature: -40°C~+55°C(-40°F ~ +131°F), M12 Network connector (M12 to RJ45 adaptor is not included)	\$	780.00	8801089233998
Camera - Network	TNV-C8043RM	5MP Mobile IR Flat Camera	T Series, Mobile IR vandal dome camera, SMP, (2592x1944) 30fps, fixed focal Lens 6mm (H:50°V: 37°), triple code H.265/H.264/MJPEG with Wisestream III technology, WiseNR II (Based on AI engine), built-in mic, 120dB WDR, IR viewable length 30m(98.43ft), Motion detection based on AI engine, Analytics events based on AI engine. Classified object type: [Person/Vehicle]; Attributes: Vehicle [Type and color]; (car/bus/truck/motorcycle/bicycle); Person [upper and bottom clothing color]; BestShot, Virtual line, Virtual area, defocus detection, shock detection, hallway view, Heater, DIS with built-in Gyro sensor, Dynamic privacy masking, built-in SD card slot (1x256GB), IP66, IK10, Operating temperature: -40°C~+55°C(-40°F ~ +131°F), M12 Network connector (M12 to RJ45 adaptor is not included)	\$	780.00	8801089234001
Camera - Network	TNV-C8011RW	5MP AI, IR Wall Mount Panoramic Camera	T Series, wall mount AI panoramic camera, SMP @ 30 FPS, 1.6mm fixed focal lens (FFoV: 175°, VFoV: 125°), triple CODEC (H.265/H.264/MJPEG) with Wisestream III (based on AI engine) support, 120dB WDR, IR viewable length 15m (49ft), WisEMD based on AI engine. Classified object type: Person/Vehicle (vehicle type: car/bus/truck/motorcycle/bicycle); IVA events based on AI engine. Virtual line (Crossing/Direction), Virtual area (Loitering/Intrusion/Enter/Exit/Dis/Appear), virtual area (intrusion/enter/exit), virtual line (crossing/ direction), Business analytics: People Counting, Queue Management, Heatmap, Occupancy, Tamper detection, built-in mic, built-in SD card slot (1x256GB) IP66, PoE, white color	\$	860.00	8801089228246
Camera - Network	TNV-8011C	5MP Compact corner mount camera	Compact corner mount camera, SMP @ 30fps, triple code, WDR 120dB, 2.3mm fixed, USB and CVBS, true D/N, built-in SD card slot (1x128GB), hallway view, HLC, defocus detection, PoE, Audio-in/Audio-out, Wisenet open platform IP66, IP6x9K, IK10, video analytics-Defocus, Directional, Motion, Enter/Exit, Tampering, Virtual line, Audio	\$	850.00	8801089210524
4MP Cameras						
Camera - Network	PNM-C7083RVD	2MP X 2 AI, IR outdoor Dome	Network vandal outdoor 2CH AI IR dome camera, (2MP X 2 sensors) 4MP @ 30fps, 3-6mm(2x) (107°-56.3°) motorized varifocal lens, Triple code (H.265/H.264/MJPEG), IR viewable length 25m (82ft), USB port for easy installation, Day & Night (ICR), extremeWDR (150dB), DIS, Handover, Analytics events based on AI engine. Object detection (Person/Face/Vehicle/License plate), IVA (Virtual Line, Area, Enter/Exit, Loitering, direction, intrusion), Analytics events : Defocus detection, Motion detection, Tampering, Audio detection, Sound classification, Appear/Disappear, FIPS 140-2, micro SD card 512GB, IP66, NEMA4X, IK10, Operating temperature: -40°C~+55°C(-40°F ~ +131°F), Power: PoE+, Metal shielded RJ-45, Hard-coated dome bubble	\$	1750.00	8801089217448
Camera - Network	XNP-C7310R	4MP AI Focus IR, PTZ	Powered by W7 and AI 4MP @ 30FPS resolution, 6.91mm~214.64mm (31x) lens with Wise AF intelligent autofocus, adaptive Wise IR (300m), extreme WDR 120dB, Day & Night (ICR), H.265, H.264, MJPEG triple code with Wisestream III (based on AI engine) support, Analytics events based on AI engine. Object detection (Person/Face/Vehicle/License plate), Virtual line (Crossing/Direction), Virtual area (Loitering/Intrusion/Enter/Exit), Analytics events: Defocus detection, Motion detection, Tampering, Fog detection, Audio detection, Sound classification (with NW I/O box), AI object auto-tracking (Person/Vehicle) with target lock tracking, BLC, HLC, SSDR, lens heater for water/snow removal, built-in SD card slot (2x512GB), IP66, IP67, IK10, NEMA4X, NEMA-TS 2(2.2.7, 2.2.8, 2.2.9), FIPS 140-2, PoE++/HPoE injector included, Operating Temperature -50°C~+55°C(-58°F ~ +131°F), (Compatible with I/O Box SPM-4210)	\$	4250.00	880108922241
Camera - Network	PNM-7082RVD	2MP X 2, IR outdoor Dome	Network vandal outdoor 2CH IR dome camera, (2MP X 2 sensors) 4MP @ 30fps, 3-6mm(2x) (107°-56.3°) motorized varifocal lens, Triple code (H.265/H.264/MJPEG), IR viewable length 25m (82ft), USB port for easy installation, Day & Night (ICR), extremeWDR (150dB), DIS, Handover, IVA (Virtual Line/Area, Enter/Exit, Loitering, direction, intrusion), Analytics events : Defocus detection, Directional detection, Motion detection, Appear/Disappear, Enter/Exit, Loitering, Tampering, Virtual line, Audio detection, Sound classification, FIPS 140-2, micro SD card 512GB, IP66, NEMA4X, IK10, Operating temperature: -40°C~+55°C(-40°F ~ +131°F), Power: PoE+, Metal shielded RJ-45, Hard-coated dome bubble	\$	1400.00	8801089217462
Camera - Network	ANO-L7012R	4MP IR Bullet	Wisenet A Series bullet camera, 4MP @ 30 FPS, 3mm fixed focal lens, Wisestream II, triple code (H.265/H.264/MJPEG), 120dB WDR, IR LEDs 20m(65.62ft), day & night (ICR), FOV H: 98.3° / V: 54.2°, virtual area (intrusion/enter/exit), virtual Line (crossing/ direction), motion detection, tampering, hallway view, built-in SD card slot (1x128GB), IP66, PoE, white	\$	220.00	8801089212412
Camera - Network	ANO-L7022R	4MP IR Bullet	Wisenet A Series bullet camera, 4MP @ 30 FPS, 4mm fixed focal lens, Wisestream II, triple code (H.265/H.264/MJPEG), 120dB WDR, IR LEDs 25m(82.02ft), day & night (ICR), FOV H: 78.3° / V: 42.9°, virtual area (intrusion/enter/exit), virtual Line (crossing/ direction), motion detection, tampering, hallway view, built-in SD card slot (1x128GB), IP66, PoE, white	\$	220.00	8801089212405
Camera - Network	ANO-L7082R	4MP IR Bullet	Wisenet A Series bullet camera, 4MP @ 30 FPS, motorized varifocal lens 3.1x (3.3-10.3mm) (94.8° ~ 28.1°), Wisestream II, triple code (H.265/H.264/MJPEG), 120dB WDR, IR LEDs 30m (98.43ft), day & night (ICR), virtual area (intrusion/enter/exit), virtual Line (crossing/ direction), motion detection, tampering, hallway view, built-in SD card slot (1x128GB), IP66, PoE, white	\$	300.00	8801089212443
Camera - Network	ANV-L7012R	4MP IR Vandal Dome	Wisenet A Series outdoor vandal dome camera, 4MP @ 30 FPS, 3mm fixed focal lens, Wisestream II, triple code (H.265/H.264/MJPEG), 120dB WDR, IR LEDs 20m(65.62ft), day & night (ICR), FOV H: 98.3° / V: 54.2°, virtual area (intrusion/enter/exit), virtual Line (crossing/ direction), motion detection, tampering, hallway view, built-in SD card slot (1x128GB), IP66, IK10, PoE, white	\$	220.00	8801089212689
Camera - Network	ANV-L7082R	4MP IR Vandal Dome	Wisenet A Series outdoor vandal dome camera, 4MP @ 30 FPS, motorized varifocal lens 3.1x (3.3-10.3mm) (94.8° ~ 28.1°), Wisestream II, triple code (H.265/H.264/MJPEG), 120dB WDR, IR LEDs 30m (98.43ft), day & night (ICR), virtual area (intrusion/enter/exit), virtual Line (crossing/ direction), motion detection, tampering, hallway view, built-in SD card slot (1x128GB), IP66, IK10, PoE, white	\$	300.00	8801089212450
Camera - Network	ANE-L7012L	4MP White Light Turret Camera	Wisenet A Series White Light turret camera, 4MP @ 30 FPS, 3mm fixed focal lens, Wisestream II, triple code (H.265/H.264/MJPEG), 120dB WDR, 24h Color mode, FoV H: 98.3° / V: 54.2°, virtual area (intrusion/enter/exit), virtual Line (crossing/ direction), motion detection, tampering, hallway view, built-in SD card slot (1x128GB), IP66, PoE, white	\$	270.00	8801089226013
Camera - Network	ANE-L7012R	4MP Turret Camera	Wisenet A Series turret camera, 4MP @ 30 FPS, 4mm fixed focal lens, Wisestream II, triple code (H.265/H.264/MJPEG), 120dB WDR, IR LEDs 20m(65.62ft), day & night (ICR), FOV H: 98.3° / V: 54.2°, virtual area (intrusion/enter/exit), virtual Line (crossing/ direction), motion detection, tampering, hallway view, built-in SD card slot (1x128GB), IP66, PoE, white	\$	270.00	8801089216038
Camera - Network	QND-7012R	4MP IR Dome	Wisenet Q network indoor dome camera, 4MP @30fps, 2.8mm fixed focal lens (107°), triple code H.265/H.264/MJPEG with Wisestream II, 120dB WDR, IR LEDs range 65', motion detection, tampering, defocus detection, hallway View, one way audio, built-in SD card slot (1x128GB), PoE/12VDC, white color	\$	289.00	8801089202154
Camera - Network	QND-7022R	4MP IR Dome	Wisenet Q network indoor dome camera, 4MP @30fps, 4mm fixed focal lens (78°), triple code H.265/H.264/MJPEG with Wisestream II, 120dB WDR, IR LEDs range 65', motion detection, tampering, defocus detection, hallway View, one way audio, built-in SD card slot (1x128GB), PoE/12VDC, white color	\$	339.00	8801089202215
Camera - Network	QND-7032R	4MP IR Dome	Wisenet Q network indoor dome camera, 4MP @30fps, 6mm fixed focal lens (49°), triple code H.265/H.264/MJPEG with Wisestream II, 120dB WDR, IR LEDs range 65', motion detection, tampering, defocus detection, hallway View, one way audio, built-in SD card slot (1x128GB), PoE/12VDC, white color	\$	339.00	8801089202185
Camera - Network	QND-7082R	4MP IR Dome	Wisenet Q network indoor dome camera, 4MP @30fps, motorized varifocal lens 3.1x (3.2 ~ 10.0mm) (109°-33.2°), triple code H.265/H.264/MJPEG with Wisestream II, 120dB WDR, IR LEDs range 20m (65.62'), Motion detection, Tampering, Defocus detection, Hallway view, LDC support, Audio in mic (One way audio), built-in SD card slot (1x128GB), PoE/12VDC (white color)	\$	559.00	8801089202314
Camera - Network	QNV-7012R	4MP IR Vandal Dome	Wisenet Q network outdoor vandal dome camera, 4MP @30fps, 2.8mm fixed focal lens (107°), triple code H.265/H.264/MJPEG with Wisestream II, 120dB WDR, IR LEDs range 65', motion detection, tampering, defocus detection, hallway View, one way audio, built-in SD card slot (1x128GB), IP66, IK10, PoE/12VDC, white color	\$	429.00	8801089202574

Camera - Network	QNV-7022R	4MP IR Vandal Dome		Wisenet Q network outdoor vandal dome camera, 4MP @30fps, 4mm fixed focal lens (78"), triple codec H.265/H.264/MJPEG with Wisestream II, 120dB WDR, IR LEDs range 82", motion detection, tampering, defocus detection, hallway View, one way audio, built-in SD card slot (1x128GB), IP66, IK10, PoE/12VDC, white color	\$ 429.00	8801089202581
Camera - Network	QNV-7032R	4MP IR Vandal Dome		Wisenet Q network outdoor vandal dome camera, 4MP @30fps, 6mm fixed focal lens (49"), triple codec H.265/H.264/MJPEG with Wisestream II, 120dB WDR, IR LEDs range 98", motion detection, tampering, defocus detection, hallway View, one way audio, built-in SD card slot (1x128GB), IP66, IK10, PoE/12VDC, white color	\$ 429.00	8801089202673
Camera - Network	QNV-7082R	4MP IR Vandal Dome		Wisenet Q network outdoor vandal dome camera, 4MP @30fps, motorized vari-focal lens 3.1x (3.2 - 10.0mm) (109"-33.2"), triple codec H.265/H.264/MJPEG with Wisestream II, 120dB WDR, IR LEDs range 98", motion detection, tampering, defocus detection, hallway View, LDC support, One way audio - Line in, built-in SD card slot (1x128GB), IP66, IK10, PoE/12VDC (White color)	\$ 619.00	8801089202703
Camera - Network	QNO-7012R	4MP IR Bullet		Wisenet Q network outdoor vandal bullet camera, 4MP @30fps, 2.8mm fixed focal lens (107"), triple codec H.265/H.264/MJPEG with Wisestream II, 120dB WDR, IR LEDs range 65", motion detection, tampering, defocus detection, hallway View, one way audio, built-in SD card slot (1x128GB), IP66, IK10, PoE/12VDC	\$ 429.00	8801089202352
Camera - Network	QNO-7022R	4MP IR Bullet		Wisenet Q network outdoor vandal bullet camera, 4MP @30fps, 4mm fixed focal lens (78"), triple codec H.265/H.264/MJPEG with Wisestream II, 120dB WDR, IR LEDs range 82", motion detection, tampering, defocus detection, hallway View, one way audio, built-in SD card slot (1x128GB), IP66, IK10, PoE/12VDC	\$ 429.00	8801089202413
Camera - Network	QNO-7032R	4MP IR Bullet		Wisenet Q network outdoor vandal bullet camera, 4MP @30fps, 6mm fixed focal lens (49"), triple codec H.265/H.264/MJPEG with Wisestream II, 120dB WDR, IR LEDs range 98", motion detection, tampering, defocus detection, hallway View, one way audio, built-in SD card slot (1x128GB), IP66, IK10, PoE/12VDC	\$ 429.00	8801089202383
Camera - Network	QNO-7082R	4MP IR Bullet		Wisenet Q network outdoor vandal bullet camera, 4MP @30fps, motorized vari-focal lens 3.1x (3.2 - 10.0mm) (109"-33.2"), triple codec H.265/H.264/MJPEG with Wisestream II, 120dB WDR, IR LEDs range 82", motion detection, tampering, defocus detection, hallway View, LDC support, One way audio - Line in, built-in SD card slot (1x128GB), IP66, IK10, PoE/12VDC	\$ 619.00	8801089202390
Camera - Network	XND-C7083RV	4MP IR Indoor Vandal Dome AI Camera		Powered by WNT, Indoor Network AI IR Dome Camera, 4MP resolution @ 60FPS (WDR off)/30FPS (WDR on), 2.8-10mm(3.6x) (109.7"-30.4") motorized varifocal lens, Triple codec (H.265/H.264/MJPEG), IR viewable length 40m (131.2ft), USB port for easy installation, Day & Night (ICR), extremeWDR (120dB), DIS with built-in Gyro sensor, Handover, Hard-coated dome bubble, Analytics events based on AI engine: Object detection(Person/Face/Vehicle/License plate), IVA (Virtual line/Area, Enter/Exit, Loitering, direction, intrusion), Analytics events : Defocus detection, Motion detection, Tampering, Fog detection, Audio detection, Sound classification, Shock detection, Appear/Disappear, IP66, IK10, Operating temperature: -10 °C ~ 50 °C(14°F ~ +122°F), Power: PoE/12VDC, Metal shielded RJ-45	\$ 1,300.00	8801089207968
Camera - Network	XNO-C7083R	4MP IR Bullet AI camera		Powered by WNT, Outdoor Network AI IR Bullet Camera, 4MP resolution @ 60FPS (WDR off)/30FPS (WDR on), 2.8-10mm(3.6x) (109.7"-30.4") motorized varifocal lens, Triple codec (H.265/H.264/MJPEG), IR viewable length 40m (131.2ft), USB port for easy installation, Day & Night (ICR), extremeWDR (120dB), DIS with built-in Gyro sensor, Handover, Hard-coated dome bubble, Analytics events based on AI engine: Object detection(Person/Face/Vehicle/License plate), IVA (Virtual line/Area, Enter/Exit, Loitering, direction, intrusion), Analytics events : Defocus detection, Motion detection, Tampering, Fog detection, Audio detection, Sound classification, Shock detection, Appear/Disappear, UL CAP certified, IP66, IP67, NEMA4X, IK10, Operating temperature 40°C→+55°C(40°F ~ +131°F), Power: PoE/12VDC, Metal shielded RJ-45	\$ 1,400.00	8801089207913
Camera - Network	XNV-C7083R	4MP IR Outdoor Vandal Dome AI Camera		Powered by WNT, Outdoor Network AI IR Vandal Dome Camera, 4MP resolution @ 60FPS (WDR off)/30FPS (WDR on), 2.8-10mm(3.6x) (109.7"-30.4") motorized varifocal lens, Triple codec (H.265/H.264/MJPEG), IR viewable length 40m (131.2ft), USB port for easy installation, Day & Night (ICR), extremeWDR (120dB), DIS with built-in Gyro sensor, Handover, Hard-coated dome bubble, Analytics events based on AI engine : Object detection(Person/Face/Vehicle/License plate), IVA (Virtual line/Area, Enter/Exit, Loitering, direction, intrusion), Analytics events : Defocus detection, Motion detection, Tampering, Fog detection, Audio detection, Sound classification, Shock detection, Appear/Disappear, UL CAP certified, IP66, IP67, NEMA4X, IK10, Operating temperature: -40°C→+55°C(40°F ~ +131°F), Power: PoE/12VDC, Metal shielded RJ-45	\$ 1,400.00	8801089208019
3MP Cameras						
Camera - Network	TNV-C7013RC	3MP AI IR Vandal Corner Camera		Wisenet T network outdoor AI, IR corner mount camera, 3MP @ 30fps, fixed lens 2.39mm (H:128", V:100"), 940nm Wise IR 15m(49.2ft), built-in mic, triple codec H.265/H.264/MJPEG with, extremeWDR 120dB, Improve image quality based on AI (WiseStreamIII, WiseNRII, WiseNRII, pre-fur shutter control) Classified object type: Person/Face/License Plate/Vehicle (car, truck, bus, bicycle, motorcycle), Analytics events based on AI engine: IVA (Virtual line/Area, Enter/Exit, Loitering, Direction, Intrusion), Clothes color detection, built-in SD card slot (1x1TB), H.LC, defog detection, DIS, PoE, IP66, IP69K, IK10+, Anti-ligature design, Operating Temperature -10°C ~ +55°C (14°F ~ +131°F)	\$ 1,500.00	8801089225320
Camera - Network	TNV-7011RC	3MP IR Vandal Corner Camera	Limited Stock Recommended replacement TNV-C7013RC	Wisenet T powered by Wisenet 5 network outdoor IR corner mount camera, 3MP, 2048*1536 @ 30fps, 2.8mm fixed lens (102"75"), 940nm IR 32", built-in mic, triple codec H.265/H.264/MJPEG with Wisestream II technology, 120dB WDR, advanced video analytics and business analytics, single SD card, H.LC, defog detection, DIS, PoE, IP66, Nema 4X, IK10	\$ 1,500.00	8801089210517
2MP Cameras						
Camera - Network	PND-A6081RF	2MP IR Indoor Flush Mount Dome AI Camera		2MP Network AI IR Dome Camera, Max. 2MP resolution, Up to 120fps, 0.007Lux@F1.3 (Color), 0Lux (B/W, IR LED on), IR Viewable Length 40m(131.23ft), Wise IR, Day & Night (ICR), WDR (120dB), WiseNRII (Using AI engine), H.265, H.264, MJPEG, WiseStream II, WiseStreamIII (Using AI engine), Video Analytics based on AI Object detection and classification (Person, Face, Vehicle, License Plate), Face mask detection, Social distancing detection, Attribute, BestShot People counting, Heatmap, Queue management based on AI, TPM with FIPS 140-2 level2, Secure boot, Verify firmware forgery, Hard-coated dome bubble, IP52, IK10, Plenum rate, Modular structure for easy install, PoE+	\$ 1,470.00	8801089199423
Camera - Network	PND-A6081RV	2MP IR Indoor Vandal Dome AI Camera		2MP Network AI IR Dome Camera, Max. 2MP resolution, Up to 120fps, 0.007Lux@F1.3 (Color), 0Lux (B/W, IR LED on), IR Viewable Length 40m(131.23ft), Wise IR, Day & Night (ICR), WDR (120dB), WiseNRII (Using AI engine), H.265, H.264, MJPEG, WiseStream II, WiseStreamIII (Using AI engine), Video Analytics based on AI Object detection and classification (Person, Face, Vehicle, License Plate), Face mask detection, Social distancing detection, Attribute, BestShot People counting, Heatmap, Queue management based on AI, TPM with FIPS 140-2 level2, Secure boot, Verify firmware forgery, Hard-coated dome bubble/IP66, IP67, IP69K, IK10+, NEMA4X, Modular structure for easy install, PoE+, 2TB SSD included, Pre-Installed WAVE server with 1CH Pro license	\$ 1,470.00	8801089199492
Camera - Network	PNV-A6081E-2T	2MP IR Outdoor Vandal Dome, SolidEdge Camera with 2TB SSD		2MP Network AI IR Vandal Dome Camera with built-in 2TB SSD and pre-installed WAVE server and ability to record up to 5 additional cameras. Max. 2MP resolution, Up to 120fps, 0.007Lux@F1.3 (Color), 4.38-9.33mm(2.13x) motorized varifocal lens, 0Lux (B/W, IR LED on), IR Viewable Length 40m(131.23ft), Wise IR, Day & Night (ICR), WDR (120dB), WiseNRII (Using AI engine), H.265, H.264, MJPEG, WiseStream II, People counting, Heatmap, Queue management, TPM with FIPS 140-2 level2, Secure boot, Verify firmware forgery, Hard-coated dome bubble/IP66, IP67, IP69K, IK10+, NEMA4X, Modular structure for easy install, PoE+, 2TB SSD included, Pre-Installed WAVE server with 1CH Pro license	\$ 3,100.00	8801089223777
Camera - Network	PNV-A6081E-1T	2MP IR Outdoor Vandal Dome, SolidEdge Camera with 1TB SSD		2MP Network AI IR Vandal Dome Camera with built-in 1TB SSD and pre-installed WAVE server and ability to record up to 5 additional cameras. Max. 2MP resolution, Up to 120fps, 0.007Lux@F1.3 (Color), 4.38-9.33mm(2.13x) motorized varifocal lens, 0Lux (B/W, IR LED on), IR Viewable Length 40m(131.23ft), Wise IR, Day & Night (ICR), WDR (120dB), WiseNRII (Using AI engine), H.265, H.264, MJPEG, WiseStream II, People counting, Heatmap, Queue management, TPM with FIPS 140-2 level2, Secure boot, Verify firmware forgery, Hard-coated dome bubble/IP66, IP67, IP69K, IK10+, NEMA4X, Modular structure for easy install, PoE+, 1TB SSD included, Pre-Installed WAVE server with 1CH Pro license	\$ 2,750.00	8801089223760
Camera - Network	PNV-A6081R	2MP IR Outdoor Vandal Dome AI Camera		2MP Network AI IR Vandal Dome Camera, Max. 2MP resolution, Up to 120fps, 0.007Lux@F1.3 (Color), 0Lux (B/W, IR LED on), IR Viewable Length 40m(131.23ft), Wise IR, Day & Night (ICR), WDR (120dB), WiseNRII (Using AI engine), H.265, H.264, MJPEG, WiseStream II, Face mask detection, Social distancing detection, Attribute, BestShot People counting, Heatmap, Queue management based on AI, TPM with FIPS 140-2 level2, Secure boot, Verify firmware forgery, Hard-coated dome bubble/IP66, IP67, IP69K, IK10+, NEMA4X, Modular structure for easy install, PoE+	\$ 1,670.00	8801089199355
Camera - Network	PNO-A6081R	2MP IR Bullet AI camera		2MP Network AI IR Bullet Camera, Max. 2MP resolution, Up to 120fps, 0.007Lux@F1.3 (Color), 0Lux (B/W, IR LED on), IR Viewable Length 40m(131.23ft), Wise IR, Day & Night (ICR), WDR (120dB), WiseNRII (Using AI engine), H.265, H.264, MJPEG, WiseStream II, WiseStreamIII (Using AI engine), Video Analytics based on AI Object detection and classification (Person, Face, Vehicle, License Plate), Face mask detection, Social distancing detection, Attribute, BestShot People counting, Heatmap, Queue management based on AI, TPM with FIPS 140-2 level2, Secure boot, Verify firmware forgery, IP66, IP67, IK10, NEMA4X, PoE+	\$ 1,570.00	8801089199287
Camera - Network	PNB-A6001	2MP Box AI camera		2MP Network AI Box Camera, Max. 2MP resolution, Up to 120fps, 0.006Lux@F1.2, (Color), 0.006Lux@F1.2, 1/30sec. (B/W), Day & Night (ICR), WDR (120dB), WiseNRII (Using AI engine), H.265, H.264, MJPEG, WiseStream II, WiseStreamIII (Using AI engine), Video Analytics based on AI Object detection and classification (Person, Face, Vehicle, License Plate), Face mask detection, Social distancing detection, Attribute, BestShot People counting, Heatmap, Queue management based on AI, TPM with FIPS 140-2 level2, Secure boot, Verify firmware forgery, PoE+	\$ 1,120.00	8801089199119
Camera - Network	XND-C6083RV	2MP IR Indoor Vandal Dome AI Camera		Powered by WNT, Indoor Network AI IR Dome Camera, 2MP resolution @ 60FPS, 2.8-12mm(4.3x) (119.5"-27.9") motorized varifocal lens, Triple codec (H.265/H.264/MJPEG), IR viewable length 40m (131.2ft), USB port for easy installation, Day & Night (ICR), extremeWDR (150dB), DIS with built-in Gyro sensor, Handover, Hard-coated dome bubble, Analytics events based on AI engine: Object detection(Person/Face/Vehicle/License plate), IVA (Virtual line/Area, Enter/Exit, Loitering, direction, intrusion), Analytics events : Defocus detection, Motion detection, Tampering, Fog detection, Audio detection, Sound classification, Shock detection, Appear/Disappear, IP52, IK10, Operating temperature: -10 °C ~ 50 °C(14°F ~ +122°F), Power: PoE/12VDC, Metal shielded RJ-45	\$ 1,050.00	8801089207890 8801089207906
Camera - Network	XNV-C6083R	2MP IR Outdoor Vandal Dome AI Camera		Powered by WNT, Outdoor Network AI IR Vandal Dome Camera, 2MP resolution @ 60FPS, 2.8-12mm(4.3x) (119.5"-27.9") motorized varifocal lens, Triple codec (H.265/H.264/MJPEG), IR viewable length 50m (164ft), USB port for easy installation, Day & Night (ICR), extremeWDR (150dB), DIS with built-in Gyro sensor, Handover, Hard-coated dome bubble, Analytics events based on AI engine: Object detection(Person/Face/Vehicle/License plate), IVA (Virtual line/Area, Enter/Exit, Loitering, direction, intrusion), Analytics events : Defocus detection, Motion detection, Tampering, Fog detection, Audio detection, Sound classification, Shock detection, Appear/Disappear, IP66, IP67, NEMA4X, IK10, Operating temperature: -40°C→+55°C(40°F ~ +131°F), Power: PoE/12VDC, Metal shielded RJ-45	\$ 1,200.00	8801089198242 8801089208057
Camera - Network	XND-6083RV	2MP IR Indoor Vandal Dome AI Camera		Powered by WNT, X-Plus series, Indoor Network AI IR Dome Camera, 2MP resolution @ 120FPS, 2.8-12mm(4.3x) (119.5"-27.9") motorized varifocal lens, Triple codec (H.265/H.264/MJPEG), IR viewable length 50m (164ft), USB port for easy installation, Day & Night (ICR), extremeWDR (150dB), DIS with built-in Gyro sensor, Handover, Hard-coated dome bubble, Analytics events based on AI engine: Object detection(Person/Face/Vehicle/License plate), IVA (Virtual line/Area, Enter/Exit, Loitering, direction, intrusion), Analytics events : Defocus detection, Motion detection, Tampering, Fog detection, Audio detection, Sound classification, Shock detection, Appear/Disappear, FIPS 140-2, 2x micro SD card (512GB x2), IP52, IK10, Operating temperature: -25 °C ~ 60 °C(13°F ~ +140°F), Power: PoE+/12VDC, Metal shielded RJ-45	\$ 1,200.00	8801089207791
Camera - Network	XNV-6083RZ	2MP IR Outdoor Vandal Dome AI, PTRZ Camera		Powered by WNT, X-Plus series, Outdoor Network AI IR Vandal Dome Camera, 2MP resolution @ 120FPS, 2.8-12mm (4.3x) (120"-27") motorized varifocal lens, Remote lens adjustment (PTRZ), Triple codec (H.265/H.264/MJPEG), IR Viewable Length: 15m(49.2ft) 30m(98.43ft) based on scene, USB port for easy installation, Day & Night (ICR), extremeWDR (150dB), DIS with built-in Gyro sensor, Handover, Hard-coated dome bubble, Analytics events based on AI engine: Object detection(Person/Face/Vehicle/License plate), IVA (Virtual line/Area, Enter/Exit, Loitering, direction, intrusion), Analytics events : Defocus detection, Motion detection, Tampering, Fog detection, Audio detection, Sound classification (with NW IO box), Object auto-tracking (Person/Vehicle), Target lock track, B.LC, H.LC, SSDR, lens heater for water/snow removal, built-in SD card slot (2x512GB), IP66, IK10, NEMA4X, NEMA-2 (2 2.2.7, 2.2.8, 2.2.9), FIPS 140-2, PoE++HPoE injector included, Operating Temperature -40°C→+55°C(40°F ~ +131°F), (Compatible with IO Box SPM-4210)	\$ 1,450.00	8801089211330
Camera - Network	XNV-6083R	2MP IR Outdoor Vandal Dome AI Camera		Powered by WNT, X-Plus series, Outdoor Network AI IR Vandal Dome Camera, 2MP resolution @ 120FPS, 2.8-12mm(4.3x) (119.5"-27.9") motorized varifocal lens, Triple codec (H.265/H.264/MJPEG), IR viewable length 50m (164ft), USB port for easy installation, Day & Night (ICR), extremeWDR (150dB), DIS with built-in Gyro sensor, Handover, Hard-coated dome bubble, Analytics events based on AI engine: Object detection(Person/Face/Vehicle/License plate), IVA (Virtual line/Area, Enter/Exit, Loitering, direction, intrusion), Analytics events : Defocus detection, Motion detection, Tampering, Fog detection, Audio detection, Sound classification, Shock detection, Appear/Disappear, FIPS 140-2, 2x micro SD card (512GB x2), IP66, IP67, NEMA4X, IK10+, Operating temperature: -50°C→+55°C(58°F ~ +131°F), Power: PoE+/12VDC, Metal shielded RJ-45	\$ 1,400.00	8801089207876
Camera - Network	XNB-6003	2MP Box AI Camera		Powered by WNT, X-Plus series, Box Camera, 2MP resolution @ 120FPS, Triple codec (H.265/H.264/MJPEG), USB port for easy installation, Day & Night (ICR), extremeWDR (150dB), DIS with built-in Gyro sensor, Handover, Analytics events based on AI engine: Object detection(Person/Face/Vehicle/License plate), IVA (Virtual line/Area, Enter/Exit, Loitering, direction, intrusion), Analytics events : Defocus detection, Motion detection, Tampering, Fog detection, Audio detection, Sound classification, Shock detection, Appear/Disappear, FIPS 140-2, 2x micro SD card (512GB x2), Operating temperature: -10 °C ~ 55 °C(14°F ~ +131°F), Power: PoE+/12VDC, Metal shielded RJ-45	\$ 900.00	8801089207739
Camera - Network	XNP-C6403RW	2MP AI IR, Wiper PTZ		Powered by WNT PTZ Plus with AI, 2MP @ 60FPS resolution, 4.25mm-170mm (40x) lens, build in wiper and adaptive Wise IR (200m), extreme WDR 150dB, Day & Night ICR, H.265, H.264, MJPEG codec support, Analytics events based on AI engine: Object detection (Person/Face/Vehicle/License plate), IVA (Virtual line/Area, Enter/Exit, Loitering, direction, intrusion), Analytics events: Defocus detection, Motion detection, Tampering, Fog detection, Audio detection, Sound classification (with NW IO box), Object auto-tracking (Person/Vehicle), Target lock track, B.LC, H.LC, SSDR, lens heater for water/snow removal, built-in SD card slot (2x512GB), IP66, IK10, NEMA4X, NEMA-2 (2 2.2.7, 2.2.8, 2.2.9), FIPS 140-2, PoE++HPoE injector included, Operating Temperature -40°C→+55°C(40°F ~ +131°F), (Compatible with IO Box SPM-4210)	\$ 4,100.00	8801089224712
Camera - Network	XNP-6400RW	2MP IR, Wiper PTZ		Powered by WNT, 2MP @ 60FPS resolution, 4.25mm-170mm (40x) lens, build in wiper and Wise IR (200m), extreme WDR 150dB, Day & Night ICR, H.265, H.264, MJPEG codec support, Intelligent Analytics, Object auto tracking(Person/Vehicle), Target lock track, B.LC, H.LC, SSDR, lens heater for water/snow removal, built-in SD card slot (2x512GB), IP66, IK10(Camera body only), NEMA4X, NEMA-2 (2 2.2.7, 2.2.8, 2.2.9), PoE++HPoE injector included, Operating Temperature -40°C→+55°C(40°F ~ +131°F), (Compatible with IO Box SPM-4210)	\$ 3,900.00	8801089192059

Camera - Network	XNP-C6403R	2MP AI IR PTZ		Powered by WNT PTZ Plus with AI, 2MP @ 60FPS resolution, 4.25mm-170mm (40x) lens, adaptive Wise IR (200m), extreme WDR 150dB, Day & Night ICR, H.265, H.264, MJPEG code support, Analytics events based on AI engine: Object detection (Person/Face/Vehicle/License plate), IVA (Virtual line/Area, Enter/Exit, Looting, direction, intrusion), Analytics events: Defocus detection, Motion detection, Tampering, Fog detection, Audio detection, Sound classification (with NW I/O box), Object auto-tracking (Person/Vehicle), Target lock track, BLC, HLC, SSDR, lens heater for water/snow removal, built-in SD card slot (2x512GB), IP66, IK10, NEMA4X, NEMA-TS 2(2.2.7, 2.2.8, 2.2.9), FIPS 140-2, PoE+@HPoE injector included, Operating Temperature -40°C/+55°C(-40°F +131°F), (Compatible with I/O Box SPM-4210)	\$ 3,800.00	8801089224668
Camera - Network	XNP-6400R	2MP, 40x, IR PTZ camera		Powered by WNT, 2MP @ 60FPS resolution, 4.25mm-170mm (40x) lens, Wise IR (200m), extreme WDR 150dB, Day & Night ICR, H.265, H.264, MJPEG code support, Intelligent Analytics, Object auto tracking(Person/Vehicle), Target lock track, BLC, HLC, SSDR, lens heater for water/snow removal, built-in SD card slot (2x512GB), IP66, IK10(Camera body only), NEMA4X, NEMA-TS 2(2.2.7, 2.2.8, 2.2.9), PoE+@HPoE injector included, Operating Temperature -40°C/+55°C(-40°F +131°F), (Compatible with I/O Box SPM-4210)	\$ 3,600.00	8801089182166
Camera - Network	XNP-C6403	2MP AI PTZ		Powered by WNT PTZ Plus with AI, 2MP @ 60FPS resolution, 4.25mm-170mm (40x) lens, extreme WDR 150dB, Day & Night ICR, H.265, H.264, MJPEG code support, Analytics events based on AI engine: Object detection (Person/Face/Vehicle/License plate), IVA (Virtual line/Area, Enter/Exit, Looting, direction, intrusion), Analytics events: Defocus detection, Motion detection, Tampering, Fog detection, Audio detection, Sound classification (with NW I/O box), Object auto-tracking (Person/Vehicle), Target lock track, BLC, HLC, SSDR, lens heater for water/snow removal, built-in SD card slot (2x512GB), IP66, IK10, NEMA4X, NEMA-TS 2(2.2.7, 2.2.8, 2.2.9), FIPS 140-2, PoE+@HPoE injector included, Operating Temperature -40°C/+55°C(-40°F +131°F), (Compatible with I/O Box SPM-4210)	\$ 3,550.00	8801089224613
Camera - Network	XNP-6400	2MP, 40x PTZ camera		Powered by WNT, 2MP @ 60FPS resolution, 4.25mm-170mm (40x) lens, extreme WDR 150dB, Day & Night ICR, H.265, H.264, MJPEG code support, Intelligent Analytics, Object auto tracking(Person/Vehicle), Target lock track, BLC, HLC, SSDR, lens heater for water/snow removal, built-in SD card slot (2x512GB), IP66, IK10, NEMA4X, NEMA-TS 2(2.2.7, 2.2.8, 2.2.9), Power: PoE+, Operating Temperature -40°C/+55°C(-40°F +131°F), (Compatible with I/O Box SPM-4210)	\$ 3,350.00	8801089181992
Camera - Network	XND-6081REV	2MP Indoor Dome, PoE extender camera	PoE+ Required	Wisenet X powered by Wisenet 5 network IR indoor dome camera with PoE Extender, PoE+ in PoE out, 2MP @60fps, Motorized Varifocal Lens (2.8mm-12mm), triple codec H.265/H.264/MJPEG with WiseStream II technology, WDR 150dB, USB port for easy installation, advanced video analytics and sound classification, true D/N, dual SD card, hallway view, HLC, defog detection, DIS(Gyro), PoE/PoE+, IP52, IK10, -25°C ~ +60°C (-13°F ~ +140°F)	\$ 1,250.00	8801089187758
Camera - Network	XNV-6081RE	2MP Outdoor Dome, PoE extender camera	PoE+ Required	Wisenet X powered by Wisenet 5 network IR outdoor vandal dome camera with PoE Extender, PoE+ in PoE out, 2MP @60fps, Motorized Varifocal Lens (2.8mm-12mm), triple codec H.265/H.264/MJPEG with WiseStream II technology, WDR 150dB, USB port for easy installation, advanced video analytics and sound classification, true D/N, dual SD card, hallway view, HLC, defog detection, DIS(Gyro), PoE/PoE+, IP66/IP67/IP68/IP69K, IK10+, NEMA4X, -50°C ~ +60°C (-58°F ~ +140°F)	\$ 1,350.00	8801089153685
Camera - Network	XNV-6081R	2MP IR Outdoor Dome		Wisenet X series Plus powered by Wisenet 5 IR network outdoor vandal dome camera, modular structure, 2MP, Full HD(1080p) @ 60fps, motorized varifocal lens 4.3x (2.8-12mm) (119.5°-27.9°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 150dB WDR, USB port for easy installation, advanced video analytics, sound classification and business analytics, high powered IR LEDs range of 164', shock detection, audio playback, true D/N, dual SD card, hallway view, HLC, defog detection, DIS (Gyro), 12VDC/PoE, optional 24VAC, IP67/IP68/IP69K, IK10+, Nema 4X, -50°C ~ +60°C (-58°F ~ +140°F), white color, ivory skin included, optional black skin cover	\$ 1,300.00	8801089155986
Camera - Network	XND-6081RF	2MP IR Flush Mount Dome		Wisenet X series Plus powered by Wisenet 5 IR network indoor flush mount vandal dome camera, modular structure, 2MP, Full HD(1080p) @ 60fps, motorized varifocal lens 4.3x (2.8-12mm) (119.5°-27.9°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 150dB WDR, USB port for easy installation, advanced video analytics, sound classification and business analytics, high powered IR LEDs range of 164', shock detection, audio playback, true D/N, dual SD card, hallway view, HLC, defog detection, DIS (Gyro), 12VDC/PoE, IP52, plenum housing	\$ 1,200.00	8801089154750
Camera - Network	XND-6081RV	2MP IR Indoor Dome		Wisenet X series Plus powered by Wisenet 5 IR network indoor vandal dome camera, modular structure, 2MP, Full HD(1080p) @ 60fps, motorized varifocal lens 4.3x (2.8-12mm) (119.5°-27.9°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 150dB WDR, USB port for easy installation, advanced video analytics, sound classification and business analytics, high powered IR LEDs range of 164', shock detection, audio playback, built-in mic, true D/N, dual SD card, hallway view, HLC, defog detection, DIS (Gyro), 12VDC/PoE, IP52, IK10, white color, ivory skin included, optional black skin cover	\$ 1,200.00	8801089154828
Camera - Network	XNV-6081	2MP Outdoor Dome		Wisenet X series Plus powered by Wisenet 5 network outdoor vandal dome camera, modular structure, 2MP, Full HD(1080p) @ 60fps, motorized varifocal lens 4.3x (2.8-12mm) (119.5°-27.9°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 150dB WDR, USB port for easy installation, advanced video analytics, sound classification and business analytics, shock detection, audio playback, true D/N, dual SD card, hallway view, HLC, defog detection, DIS (Gyro), 12VDC/PoE, optional 24VAC, IP67/IP68/IP69K, IK10+, Nema 4X, -50°C ~ +60°C (-58°F ~ +140°F), white color, ivory skin included, optional black skin cover	\$ 1,200.00	8801089155047
Camera - Network	XND-6081V	2MP Indoor Vandal Dome		Wisenet X series Plus powered by Wisenet 5 network indoor vandal dome camera, modular structure, 2MP, Full HD(1080p) @ 60fps, motorized varifocal lens 4.3x (2.8-12mm) (119.5°-27.9°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 150dB WDR, USB port for easy installation, advanced video analytics, sound classification and business analytics, shock detection, audio playback, built-in mic, true D/N, dual SD card, hallway view, HLC, defog detection, DIS (Gyro), 12VDC/PoE, IP52, IK10, white color, ivory skin included, optional black skin cover	\$ 1,100.00	8801089154910
Camera - Network	XNV-6081Z	2MP Outdoor PTRZ Dome	Limited Stock Recommended Replacement XNV-6083RZ	Wisenet X series Plus powered by Wisenet 5 network outdoor vandal dome camera, modular structure, 2MP, Full HD(1080p) @ 60fps, motorized varifocal lens 4.3x (2.8-12mm) (119.5°-27.9°), PTRZ, triple codec H.265/H.264/MJPEG with WiseStream II technology, 150dB WDR, USB port for easy installation, advanced video analytics, sound classification and business analytics, shock detection, audio playback, true D/N, dual SD card, hallway view, HLC, defog detection, DIS (Gyro), 12VDC/PoE, optional 24VAC, IP67/IP68/IP69K, IK10+, Nema 4X, -50°C ~ +60°C (-58°F ~ +140°F), white color, ivory skin included, optional black skin cover	\$ 1,350.00	8801089152510
Camera - Network	XND-6081FZ	2MP Flush Mount PTRZ Dome		Wisenet X series Plus powered by Wisenet 5 network indoor flush mount vandal dome camera, modular structure, 2MP, Full HD(1080p) @ 60fps, motorized varifocal lens 4.3x (2.8-12mm) (119.5°-27.9°), PTRZ, triple codec H.265/H.264/MJPEG with WiseStream II technology, 150dB WDR, USB port for easy installation, advanced video analytics, sound classification and business analytics, shock detection, audio playback, true D/N, dual SD card, hallway view, HLC, defog detection, DIS (Gyro), 12VDC/PoE, IP52, plenum housing	\$ 1,250.00	8801089152688
Camera - Network	XNP-6550RH	2MP IR 55x PTZ		Wisenet X powered by Wisenet 5 network outdoor PTZ camera, 2MP, Full HD(1080p) @ 60fps, 55x optical zoom lens (4.75mm ~ 261.4mm) (58.8° ~ 1.23°), Pan: 360° endless, Tilt: -5° ~ 185°, triple codec H.265/H.264/MJPEG with WiseStream II technology, 120dB WDR, built-in IR 1640ft (500m), USB port for easy installation, advanced video analytics and sound classification, true D/N, built-in SD card slot (2x512GB), HLC, defog (optional) DIS(Gyro), 24VAC/HPoE, IP66/IK10, -58°F ~ +131°F W/ 24VAC power supply	\$ 5,000.00	8801089144898
Camera - Network	XNP-6120HW	2MP 12X PTZ		Wisenet X powered by Wisenet 5 network outdoor PTZ camera, 2MP, Full HD(1080p) @ 60fps, 12X optical zoom lens (5.2mm ~ 62.4mm) (54.58° ~ 5.30°), Pan: 360° endless, Tilt: -5° ~ 185°, triple codec H.265/H.264/MJPEG with WiseStream II technology, 150dB WDR, USB port for easy installation, advanced video analytics and sound classification, true D/N, built-in SD card slot (1x256GB), HLC, defog detection, DIS(Gyro), 12VDC/PoE, IP66, IK10, -22°F ~ 131°F, White	\$ 1,700.00	8801089231895
Camera - Network	XNP-6040H	2MP 4.3X PTZ	Limited Stock Recommended Replacement XNP-6040HW	Wisenet X powered by Wisenet 5 network outdoor PTZ camera, 2MP, Full HD(1080p) @ 60fps, 4.3x optical zoom lens (2.8mm ~ 12mm) (119.5° ~ 27.9°), Pan: 0° ~ 350°, Tilt: 0° ~ 90°, triple codec H.265/H.264/MJPEG with WiseStream II technology, 150dB WDR, USB port for easy installation, advanced video analytics and sound classification, true D/N, dual SD card, HLC, defog detection, DIS(Gyro), 12VDC/PoE, IP66, IK10, -22°F ~ 131°F, Ivory	\$ 1,200.00	8801089125460
Camera - Network	XNP-6040HW	2MP 4.3X PTZ		Wisenet X powered by Wisenet 5 network outdoor PTZ camera, 2MP, Full HD(1080p) @ 60fps, 4.3x optical zoom lens (2.8mm ~ 12mm) (119.5° ~ 27.9°), Pan: 0° ~ 350°, Tilt: 0° ~ 90°, triple codec H.265/H.264/MJPEG with WiseStream II technology, 150dB WDR, USB port for easy installation, advanced video analytics and sound classification, true D/N, built-in SD card slot (1x256GB), HLC, defog detection, DIS (Gyro), 12VDC/PoE, IP66, IK10, -22°F ~ 131°F, White	\$ 1,200.00	8801089231925
Camera - Network	XNO-6085R	eXtraLUX IR Bullet		Wisenet X powered by Wisenet 5 network IR outdoor vandal bullet camera, eXtraLUX features 1/2" sensor with F0.94 lens, back box, 2MP, Full HD(1080p) @60fps, motorized varifocal lens 4.0x (4.1-16.4mm) (100°-26.2.9°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 150dB WDR, USB port for easy installation, advanced video analytics and sound classification, high powered IR LEDs range of 229', true D/N, dual SD card, hallway view, HLC, defog detection, DIS (Gyro), 12VDC/24VAC/PoE, IP67, IK10, Nema 4X, -40°C ~ +55°C (-40°F ~ +131°F)	\$ 1,350.00	8801089125354
Camera - Network	XNV-6085	eXtraLUX Outdoor PTRZ Dome		Wisenet X powered by Wisenet 5 network outdoor vandal dome camera, eXtraLUX features 1/2" sensor with F0.94 lens, PTRZ, 2MP, Full HD(1080p) @60fps, motorized varifocal lens 4.0x (4.1-16.4mm) (100°-26.2.9°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 150dB WDR, USB port for easy installation, advanced video analytics and sound classification, true D/N, dual SD card, hallway view, HLC, defog detection, DIS (Gyro), 12VDC/24VAC/PoE, IP67, IK10, Nema 4X, -40°C ~ +55°C (-40°F ~ +131°F)	\$ 1,400.00	8801089125644
Camera - Network	XNB-6005	eXtraLUX Box Camera		Wisenet X powered by Wisenet 5 network box camera, eXtraLUX features 1/2" sensor, 2MP, Full HD(1080p) @60fps, triple codec H.265/H.264/MJPEG with WiseStream II technology, 150dB WDR, USB port for easy installation, advanced video analytics and sound classification and business analytics, true D/N, dual SD card, hallway view, HLC, defog detection, DIS (Gyro), 12VDC/24VAC/PoE	\$ 950.00	8801089125156
Camera - Network	XNV-6123R	2MP 12X IR outdoor Dome		Powered by WNT, Outdoor Network AI IR 12x Zoom Vandal Dome Camera, 2MP @ 120 FPS, 5.2-62.4mm(12x) (54.58°-5.30°) zoom lens, Triple codec (H.265/H.264/MJPEG), IR viewable length 90m (295.28ft), USB port for easy installation, Day & Night (ICR), extremeWDR (150dB), DIS with built-in Gyro sensor, Handover, Hard-coated window, Analytics events based on AI engine: Object detection(Person/Face/Vehicle/License plate), IVA (Virtual line/Area, Enter/Exit, Looting, direction, intrusion), Analytics events: Defocus detection, Motion detection, Tampering, Fog detection, Audio detection, Sound classification, Shock detection, Appear/Disappear, FIPS 140-2 certified, P66, IP67, NEMA4X, IK10, Power: PoE(12VDC, Metal shielded RJ-45)	\$ 1,600.00	8801089210814
Camera - Network	XNV-6120R	2M 12X IR outdoor Dome		Wisenet X powered by Wisenet 5 network IR outdoor vandal dome camera, 2MP, Full HD(1080p) @60fps, 12x optical zoom lens (5.2mm ~ 62.4mm) (54.58° ~ 5.30°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 150dB WDR, USB port for easy installation, advanced video analytics and sound classification, high powered IR LEDs range of 229', true D/N, dual SD card, hallway view, HLC, defog detection, DIS(Gyro), 12VDC/24VAC/PoE, IP67, IK10, Nema 4X, -40°C ~ +55°C (-40°F ~ +131°F)	\$ 1,500.00	8801089125675
Camera - Network	XNV-6120R/LPR	Low Speed LPR Outdoor IR Dome (L)	1 week Lead time	Wisenet X powered by Wisenet 5 network IR outdoor Low Speed LPR dome camera for Parking Lots, Drive-thrus; and Entry Gates up to 35MPH, 2MP, Full HD(1080p) @60fps, 12x optical zoom lens (5.2mm ~ 62.4mm) (54.58° ~ 5.30°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 150dB WDR, USB port for easy installation, backbox included, 12VDC/24VAC/PoE, IP67, IK10, NEMA4X, -40°C ~ +55°C (-40°F ~ +131°F) CARE IS RECOMMENDED IN SELECTING MOUNTING LOCATION - See Quick Start Guide Step 1. DEALER TRAINING OR HANWHWA ENGINEER CONSULT RECOMMENDED BEFORE INSTALLING.	\$ 2,000.00	849688013243
Camera - Network	XNV-6120	2M 12X Outdoor Dome		Wisenet X powered by Wisenet 5 network outdoor vandal dome camera, 2MP, Full HD(1080p) @60fps, 12x optical zoom lens (5.2mm ~ 62.4mm) (54.58° ~ 5.30°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 150dB WDR, USB port for easy installation, advanced video analytics and sound classification, true D/N, dual SD card, hallway view, HLC, defog detection, DIS(Gyro), 12VDC/24VAC/PoE, IP67, IK10, Nema 4X, -40°C ~ +55°C (-40°F ~ +131°F)	\$ 1,350.00	8801089125651
Camera - Network	XNO-6123R	2MP 12X IR Bullet		Powered by WNT, Outdoor Network AI IR 12x Zoom Bullet Camera, 2MP @ 120 FPS, 5.2-62.4mm(12x) (54.58°-5.30°) zoom lens, Triple codec (H.265/H.264/MJPEG), IR viewable length 90m (295.28ft), USB port for easy installation, Day & Night (ICR), extremeWDR (150dB), DIS with built-in Gyro sensor, Handover, Hard-coated window, Analytics events based on AI engine: Object detection(Person/Face/Vehicle/License plate), IVA (Virtual line/Area, Enter/Exit, Looting, direction, intrusion), Analytics events: Defocus detection, Motion detection, Tampering, Fog detection, Audio detection, Sound classification, Shock detection, Appear/Disappear, FIPS 140-2 certified, P66, IP67, NEMA4X, IK10, Power: PoE(12VDC, Metal shielded RJ-45)	\$ 1,600.00	8801089210821
Camera - Network	XNO-6120R	2M 12X IR Bullet		Wisenet X powered by Wisenet 5 network IR outdoor bullet camera, 2MP, Full HD(1080p) @60fps, 12x optical zoom lens (5.2mm ~ 62.4mm) (54.58° ~ 5.30°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 150dB WDR, USB port for easy installation, advanced video analytics and sound classification, high powered IR LEDs range of 229', true D/N, dual SD card, hallway view, HLC, defog detection, DIS(Gyro), backbox included, 12VDC/24VAC/PoE, IP67, IK10, Nema 4X, -40°C ~ +55°C (-40°F ~ +131°F)	\$ 1,500.00	8801089125385
Camera - Network	XNO-6120R/LPR	Low Speed LPR IR Bullet (L)	1 week Lead time	Wisenet X powered by Wisenet 5 network IR outdoor Low Speed LPR bullet camera for Parking Lots, Drive-thrus; and Entry Gates up to 35MPH, 2MP, Full HD(1080p) @60fps, 12x optical zoom lens (5.2mm ~ 62.4mm) (54.58° ~ 5.30°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 150dB WDR, USB port for easy installation, backbox included, 12VDC/24VAC/PoE, IP67, IK10, NEMA4X, -40°C ~ +55°C (-40°F ~ +131°F) CARE IS RECOMMENDED IN SELECTING MOUNTING LOCATION - See Quick Start Guide Step 1. DEALER TRAINING OR HANWHWA ENGINEER CONSULT RECOMMENDED BEFORE INSTALLING.	\$ 2,000.00	849688013236
Camera - Network	XNV-6080RSA	2MP Stainless Steel IR Dome	IP68/9K	Wisenet X powered by Wisenet 5 network IR stainless steel dome camera, 2MP, Full HD(1080p) @60fps, motorized varifocal lens 4.3x (2.8-12mm) (119.5°-27.9°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 150dB WDR, USB port for easy installation, advanced video analytics and sound classification, high powered IR LEDs range of 164', true D/N, dual SD card, hallway view, HLC, defog detection, DIS, 12VDC/24VAC/PoE, IP67, IK10, Nema 4X, IP68/9K, -40°C ~ +55°C (-40°F ~ +131°F)	\$ 1,620.00	8801089172662
Camera - Network	XNV-6080R	2MP IR Outdoor Dome		Wisenet X powered by Wisenet 5 network IR outdoor vandal dome camera, 2MP, Full HD(1080p) @60fps, motorized varifocal lens 4.3x (2.8-12mm) (119.5°-27.9°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 150dB WDR, USB port for easy installation, advanced video analytics and sound classification, high powered IR LEDs range of 164', true D/N, dual SD card, hallway view, HLC, defog detection, DIS, 12VDC/24VAC/PoE, IP67, IK10, Nema 4X, -40°C ~ +55°C (-40°F ~ +131°F)	\$ 1,150.00	8801089125613
Camera - Network	XNV-6080	2MP Outdoor Dome		Wisenet X powered by Wisenet 5 network outdoor vandal dome camera, 2MP, Full HD(1080p) @60fps, motorized varifocal lens 4.3x (2.8-12mm) (119.5°-27.9°), triple codec H.265/H.264/MJPEG with WiseStream II technology, 150dB WDR, USB port for easy installation, advanced video analytics and sound classification, true D/N, dual SD card, hallway view, HLC, defog detection, DIS, 12VDC/24VAC/PoE, IP67, IK10, Nema 4X, -40°C ~ +55°C (-40°F ~ +131°F)	\$ 1,050.00	8801089125606
Camera - Network	XNV-6010	2MP Outdoor Dome		Wisenet X powered by Wisenet 5 network outdoor vandal dome camera, 2MP, Full HD(1080p) @60fps, 2.4mm fixed lens (139'), triple codec H.265/H.264/MJPEG with WiseStream II technology, 150dB WDR, USB port for easy installation, advanced video analytics and sound classification and business analytics, true D/N, dual SD card, hallway view, HLC, defog detection, DIS, 12VDC/PoE, IP67, IK10	\$ 650.00	8801089125576

Camera - Network	XNV-6020R	2MP IR Outdoor Dome		Wisenet X powered by Wisenet 5 network outdoor vandal dome camera, 2MP, Full HD(1080p) @60fps, 4mm fixed lens (88.6"), triple codec H.265H.264/MJPEG with WiseStream II technology, 150dB WDR, USB port for easy installation, advanced video analytics and sound classification and business analytics, high powered IR LEDs range of 98', true D/N, dual SD card, hallway view, HLC, defog detection, DIS, 12VDC/PoE, IP67, IK10	\$ 650.00	8801089125590
Camera - Network	XNV-6011	2MP Compact Vandal Dome		Wisenet X powered by Wisenet 5 network outdoor compact vandal dome camera, 2MP, Full HD(1080p) @60fps, 2.8mm fixed lens (112"), triple codec H.265H.264/MJPEG with WiseStream II technology, 150dB WDR, USB port for easy installation, advanced video analytics and business analytics, single SD card, hallway view, HLC, defog detection, DIS, PoE, IP66,Nema 4X, IK10	\$ 399.00	8801089125583
Camera - Network	XNV-6011W	2MP Compact Vandal Dome (White Color)		Wisenet X powered by Wisenet 5 network outdoor compact vandal dome camera (white color), 2MP, Full HD(1080p) @60fps, 2.8mm fixed lens (112"), triple codec H.265H.264/MJPEG with WiseStream II technology, 150dB WDR, USB port for easy installation, advanced video analytics and business analytics, single SD card, hallway view, HLC, defog detection, DIS, PoE, IP66,Nema 4X, IK10, white color	\$ 399.00	8801089133465
Camera - Network	XNO-C6083R	2MP IR Bullet AI camera		Powered by WN7, Outdoor Network AI IR Bullet Camera, 2MP @ 60FPS, 2.8-12mm(4.3x) (119.5"-27.9") motorized varifocal lens, Triple codec (H.265/H.264/MJPEG), IR viewable length 40m (131.2ft), USB port for easy installation, Day & Night (ICR), extremeWDR (150dB), DIS with built-in Gyro sensor, Handover, Hard-coated window, Analytics events based on AI engine: Object detection(Person/Face/Vehicle/License plate), IVA (Virtual line/Area, Enter/Exit, Loitering, direction, intrusion), Analytics events : Defocus detection, Motion detection, Tampering, Fog detection, Audio detection, Sound classification, Shock detection, Appear/Disappear, UL CAP certified, P66, IP67, NEMA4X, IK10, Power: PoE/12VDC, Metal shielded RJ-45	\$ 1,200.00	8801089208033
Camera - Network	XNO-6083R	2MP IR Bullet AI Camera		Powered by WN7, X-Plus series, Outdoor Network AI IR Bullet Camera, 2MP @ 120FPS, 2.8-12mm(4.3x) (119.5"-27.9") motorized varifocal lens, Triple codec (H.265/H.264/MJPEG), IR viewable length 50m (164ft), USB port for easy installation, Day & Night (ICR), extremeWDR (150dB), DIS with built-in Gyro sensor, Handover, Hard-coated window, Analytics events based on AI engine: Object detection(Person/Face/Vehicle/License plate), IVA (Virtual line/Area, Enter/Exit, Loitering, direction, intrusion), Analytics events : Defocus detection, Motion detection, Tampering, Fog detection, Audio detection, Sound classification, Shock detection, Appear/Disappear, FIPS 140-2, 2x micro SD card (512GB x2), P66, IP67, NEMA4X, IK10, Operating temperature: -50°C~+60°C(-58°F ~ +140°F), Power: PoE+/12VDC, Metal shielded RJ-45	\$ 1,400.00	8801089207647
Camera - Network	XNO-6080R	2MP IR Bullet		Wisenet X powered by Wisenet 5 network IR outdoor vandal bullet camera, 2MP, Full HD(1080p) @60fps, motorized vari-focal lens 4.3x (2.8-12mm) (119.5"-27.9"), triple codec H.265H.264/MJPEG with WiseStream II technology, 150dB WDR, USB port for easy installation, advanced video analytics and sound classification, high powered IR LEDs range of 164', true D/N, dual SD card, hallway view, HLC, defog detection, DIS, PoE, IP66, IK10, Nema 4X, -40°C ~ +55°C (-40°F ~ +131°F)	\$ 1,150.00	8801089125361
Camera - Network	XNO-6010R	2MP IR Bullet		Wisenet X powered by Wisenet 5 network IR outdoor vandal bullet camera, 2MP, Full HD(1080p) @60fps, 2.4mm fixed focal lens (139"), triple codec H.265H.264/MJPEG with WiseStream II technology, 150dB WDR, USB port for easy installation, advanced video analytics and sound classification and business analytics, high powered IR LEDs range of 65', true D/N, dual SD card, hallway view, HLC, defog detection, DIS, PoE, IP66, IK10, Nema 4X, -40°C ~ +55°C (-40°F ~ +131°F)	\$ 650.00	8801089125330
Camera - Network	XNO-6020R	2MP IR Bullet		Wisenet X powered by Wisenet 5 network IR outdoor vandal bullet camera, 2MP, Full HD(1080p) @60fps, 4mm fixed focal lens (88.6"), triple codec H.265H.264/MJPEG with WiseStream II technology, 150dB WDR, USB port for easy installation, advanced video analytics and sound classification and business analytics, high powered IR LEDs range of 98', true D/N, dual SD card, hallway view, HLC, defog detection, DIS, PoE, IP66, IK10, Nema 4X, -40°C ~ +55°C (-40°F ~ +131°F)	\$ 650.00	8801089125323
Camera - Network	XND-6080RV	2MP Indoor IR Vandal Dome		Wisenet X powered by Wisenet 5 network IR indoor vandal dome camera, 2MP, Full HD(1080p) @60fps, motorized vari-focal lens 4.3x (2.8-12mm) (119.5"-27.9"), triple codec H.265H.264/MJPEG with WiseStream II technology, 150dB WDR, USB port for easy installation, advanced video analytics and sound classification, high powered IR LEDs range of 98', true D/N, dual SD card, hallway view, HLC, defog detection, DIS, 12VDC/PoE, IK08	\$ 1,050.00	8801089125194
Camera - Network	XND-6080V	2MP Indoor Vandal Dome		Wisenet X powered by Wisenet 5 network indoor vandal dome camera, 2MP, Full HD(1080p) @60fps, motorized vari-focal lens 4.3x (2.8-12mm) (119.5"-27.9"), triple codec H.265H.264/MJPEG with WiseStream II technology, 150dB WDR, USB port for easy installation, advanced video analytics and sound classification, true D/N, dual SD card, hallway view, HLC, defog detection, DIS, 12VDC/PoE, IK08	\$ 950.00	8801089125200
Camera - Network	XND-6010	2MP Indoor Vandal Dome		Wisenet X powered by Wisenet 5 network indoor vandal dome camera, 2MP, Full HD(1080p) @60fps, 2.4mm fixed lens (139"), triple codec H.265H.264/MJPEG with WiseStream II technology, 150dB WDR, USB port for easy installation, advanced video analytics and sound classification and business analytics, true D/N, dual SD card, hallway view, HLC, defog detection, DIS, 12VDC/PoE, IK08	\$ 600.00	8801089125163
Camera - Network	XND-6020R	2MP Indoor IR Vandal Dome		Wisenet X powered by Wisenet 5 network indoor vandal dome camera, 2MP, Full HD(1080p) @60fps, 4mm fixed lens (88.6"), triple codec H.265H.264/MJPEG with WiseStream II technology, 150dB WDR, USB port for easy installation, advanced video analytics and sound classification and business analytics and business analytics, high powered IR LEDs range of 98', true D/N, dual SD card, hallway view, HLC, defog detection, DIS, 12VDC/PoE, IK08	\$ 600.00	8801089125187
Camera - Network	XND-6011F	2MP Flush Mount		Wisenet X powered by Wisenet 5 network flush mount dome camera, 2MP, Full HD(1080p) @ 60fps, 2.8mm fixed lens (112"), triple codec H.265H.264/MJPEG with WiseStream II technology, 150dB WDR, USB port for easy installation, advanced video analytics and sound classification and business analytics, built-in Mic, magnetic cover, electronic D/N, SD card, hallway view, HLC, defog detection, DIS, PoE only	\$ 500.00	8801089125170
Camera - Network	XNV-6013M	2MP Mobile Vandal Dome		Wisenet X powered by Wisenet 5 network outdoor vandal dome camera, 2MP, Full HD(1080p) @60fps, 2.8mm fixed lens (107.4"), triple codec H.265H.264/MJPEG with WiseStream II technology, 150dB WDR, USB port for easy installation, advanced video analytics and sound classification, electrical D/N, single SD card, hallway view, HLC, defog detection, DIS, PoE, IP6K9K, IK10 NEMA 4X, -40°C ~ +60°C (-40°F ~ +140°F) This camera was designed to be mounted outside of the vehicle, M12 connector (M12 to RJ45 is not included)	\$ 810.00	8801089132123
Camera - Network	XNV-6012	2MP Mobile Vandal Dome		Wisenet X powered by Wisenet 5 network outdoor vandal dome camera, 2MP, Full HD(1080p) @60fps, 2.4mm fixed lens (135.4"), triple codec H.265H.264/MJPEG with WiseStream II technology, 150dB WDR, USB port for easy installation, advanced video analytics and sound classification and business analytics, true D/N, dual SD card, hallway view, HLC, defog detection, DIS, PoE, IP66, IK10 NEMA 4X	\$ 670.00	8801089132093
Camera - Network	XNV-6012M	2MP Mobile Vandal Dome		Wisenet X powered by Wisenet 5 network outdoor vandal dome camera, 2MP, Full HD(1080p) @60fps, 2.4mm fixed lens (135.4"), triple codec H.265H.264/MJPEG with WiseStream II technology, 150dB WDR, USB port for easy installation, advanced video analytics and sound classification, electrical D/N, single SD card, hallway view, HLC, defog detection, DIS, PoE, IP66, IK10 NEMA 4X, M12 connector (M12 to RJ45 is not included)	\$ 670.00	8801089132109
Camera - Network	XNV-6022R	2MP Mobile Vandal Dome		Wisenet X powered by Wisenet 5 network outdoor vandal dome camera, 2MP, Full HD(1080p) @60fps, 3.6mm fixed lens (94.8"), triple codec H.265H.264/MJPEG with WiseStream II technology, 150dB WDR, USB port for easy installation, advanced video analytics and sound classification, IR LEDs range of 49', true D/N, single SD card, hallway view, HLC, defog detection, DIS, PoE, IP66, IK10 NEMA 4X	\$ 740.00	8801089132130
Camera - Network	XNV-6022RM	2MP Mobile Vandal Dome		Wisenet X powered by Wisenet 5 network outdoor vandal dome camera, 2MP, Full HD(1080p) @60fps, 3.6mm fixed lens (94.8"), triple codec H.265H.264/MJPEG with WiseStream II technology, 150dB WDR, USB port for easy installation, advanced video analytics and sound classification, IR LEDs range of 49', true D/N, single SD card, hallway view, HLC, defog detection, DIS, PoE, IP66, IK10 NEMA 4X, M12 connector (M12 to RJ45 is not included)	\$ 740.00	8801089132147
Camera - Network	XNZ-6320A	2MP 32x Zoom Box		Wisenet X powered by Wisenet 5 network zoom box camera, 2MP, Full HD(1080p) @60fps, 32X optical zoom lens (4.44mm ~ 142.6mm) (61.8" ~ 2.19"), triple codec H.265H.264/MJPEG with WiseStream II technology, 150dB WDR, USB port for easy installation, SFP slot, advanced video analytics and sound classification, true D/N, dual SD card, HLC, defog detection, DIS(Gyro), 12VDC/PoE	\$ 1,500.00	8801089209931
Camera - Network	XNZ-L6320A	2MP 32x Zoom Box		Wisenet X powered by Wisenet 5 network zoom box camera, 2MP, Full HD(1080p) @60fps, 32X optical zoom lens (4.44mm ~ 142.6mm) (61.8" ~ 2.19"), triple codec H.265H.264/MJPEG with WiseStream II technology, 120dB WDR, advanced video analytics and sound classification, true D/N, built-in SD card slot, HLC, defog detection, 12VDC/PoE	\$ 1,400.00	8801089210005
Camera - Network	XNB-6000	2MP Box		Wisenet X powered by Wisenet 5 network box camera, 2MP, Full HD(1080p) @60fps, simple focus, triple codec H.265H.264/MJPEG with WiseStream II technology, 150dB WDR, USB port for easy installation, advanced video analytics and sound classification and business analytics, true D/N, dual SD card, hallway view, HLC, defog detection, DIS(Gyro), 12VDC/24VAC/PoE	\$ 850.00	8801089125125
Camera - Network	XNB-6002	2MP Covert Camera Main Module		Powered by Wisenet 7 covert camera body, 2MP, Full HD (1080p) 60fps, triple codec H.265H.264/MJPEG with WiseStream II technology, 120dB WDR, micro SD/SDHC/SDXC, USB port for easy installation, advanced video analytics and sound classification and business analytics, hallway view, HLC, defog detection, DIS, 12VDC/PoE, +14°F ~ 131°F, lens module is not included, TPM 2.0 (FIPS 140-2 level 2) Compatible lens modules (SLA-T2480A, SLA-T2480AV, SLA-T4680A, SLA-T4680AV, SLA-T1080FA)	\$ 510.00	8801089218353
Camera - Network	XNB-6001	2MP Covert Camera Main Module		Wisenet X powered by Wisenet 5 covert camera body, 2MP, Full HD(1080p) 60fps, triple codec H.265H.264/MJPEG with WiseStream II technology, 120dB WDR, micro SD/SDHC/SDXC, USB port for easy installation, advanced video analytics and sound classification and business analytics, hallway view, HLC, defog detection, DIS, 12VDC/PoE, +14°F ~ 131°F, lens module is not included compatible lens modules (SLA-T2480, SLA-T2480V, SLA-T4680, SLA-T4680V, SLA-T1080F, SLA-T4680D, SLA-T4680DW)	\$ 510.00	8801089125132
Camera - Network	XNV-L6080R	2MP IR Outdoor Dome	Limited Stock Recommended Replacement XNV-C6083R	Wisenet X powered by Wisenet 5 network outdoor vandal dome camera, 2MP, Full HD(1080p) @60fps, motorized vari-focal lens 3.1x (3.2-10mm) (109"-33.2"), triple codec H.265H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, high powered IR LEDs range of 98.43', true D/N, single SD card, hallway view, HLC, defog detection, DIS, PoE, IP66, IK10, -40°C ~ +55°C (-40°F ~ +131°F)	\$ 925.00	8801089133014
Camera - Network	XNV-L6080	2MP Outdoor Dome	Limited Stock Recommended Replacement XNV-C6083R	Wisenet X powered by Wisenet 5 network outdoor vandal dome camera, 2MP, Full HD(1080p) @60fps, motorized vari-focal lens 3.1x (3.2-10mm) (109"-33.2"), triple codec H.265H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, true D/N, single SD card, hallway view, HLC, defog detection, DIS, PoE, IP66, IK10, -40°C ~ +55°C (-40°F ~ +131°F)	\$ 825.00	8801089132024
Camera - Network	XND-L6080RV	2MP Indoor IR Vandal Dome	Limited Stock Recommended Replacement XNO-C6083RV	Wisenet X powered by Wisenet 5 network indoor vandal dome camera, 2MP, Full HD(1080p) @60fps, motorized vari-focal lens 3.1x (3.2-10mm) (109"-33.2"), triple codec H.265H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, high powered IR LEDs range of 98.43', true D/N, single SD card, hallway view, HLC, defog detection, DIS, PoE, IK08	\$ 825.00	8801089132000
Camera - Network	XND-L6080V	2MP Indoor Vandal Dome		Wisenet X powered by Wisenet 5 network indoor vandal dome camera, 2MP, Full HD(1080p) @60fps, motorized vari-focal lens 3.1x (3.2-10mm) (109"-33.2"), triple codec H.265H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, true D/N, single SD card, hallway view, HLC, defog detection, DIS, PoE, IK08	\$ 725.00	8801089131973
Camera - Network	XNO-L6080R	2MP IR Bullet		Wisenet X powered by Wisenet 5 network IR outdoor bullet camera, 2MP, Full HD(1080p) @60fps, motorized vari-focal lens 3.1x (3.2-10mm) (109"-33.2"), triple codec H.265H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, high powered IR LEDs range of 98.43', true D/N, single SD card, hallway view, HLC, defog detection, DIS, PoE, IP66, IK10, -40°C ~ +55°C (-40°F ~ +131°F)	\$ 925.00	8801089132833
Camera - Network	TNB-6030	PVM Camera	Special order Need Accessory SBP-300NM	PVM camera powered by Wisenet 5, 1080p (1920x1080), micro HDMI output, 16:9 aspect ratio, face detection display for visual deterrent, customizable text overlay, 4.6mm fixed lens(73.87H), 150dB WDR, H.265H.264/MJPEG, WiseStream II compression technology, micro SD/SDHC/SDXC, bi-directional audio, hallway view mode	\$ 709.00	8801089102751
Camera - Network	TNO-6010M	Front Facing Mobile Camera	Limited Stock, Recommended replacement XNV-6012M	Wisenet T network mobile front facing camera, 2MP @ 60fps, 2.8mm fixed focal lens (113"), triple codec H.265H.264/MJPEG with WiseStream II technology, 150dB WDR, USB port for easy installation, advanced video analytics, true D/N, built-in SD card slot (1x256GB), hallway view, HLC, defog detection, DIS (Gyro), PoE, IP66, IK10, M12 connector (M12 to RJ45 is not included)	\$ 750.00	8801089165879
Camera - Network	QNO-6012R	2MP IR Bullet	Special Order Comparable Model QNO-6012R1	Wisenet Q network outdoor vandal bullet camera, 2MP @ 30fps, 2.8mm fixed focal lens (113"), triple codec H.265H.264/MJPEG with WiseStream II, 120dB WDR, IR LEDs range 65', defocus detection, hallway view, one way audio, built-in SD card slot (1x128GB), video analytics, CVBS, open platform, IP66, IK10, PoE/12VDC	\$ 379.00	8801089163905
Camera - Network	QNO-6012R1	2MP IR Bullet	Available No Audio in/out	Wisenet Q network outdoor vandal bullet camera, 2MP @ 30fps, 2.8mm fixed focal lens (113"), triple codec H.265H.264/MJPEG with WiseStream II, 120dB WDR, IR LEDs range 65', defocus detection, hallway view, no audio in/out, built-in SD card slot (1x128GB), video analytics, CVBS, open platform, IP66, IK10, PoE/12VDC	\$ 379.00	8801089209023
Camera - Network	QNO-6022R	2MP IR Bullet	Special Order Comparable Model QNO-6022R1	Wisenet Q network outdoor vandal bullet camera, 2MP @ 30fps, 4.0mm fixed focal lens (87"), triple codec H.265H.264/MJPEG with WiseStream II, 120dB WDR, IR LEDs range 82', defocus detection, hallway view, one way audio, built-in SD card slot (1x128GB), video analytics, CVBS, open platform, IP66, IK10, PoE/12VDC	\$ 379.00	8801089164629
Camera - Network	QNO-6022R1	2MP IR Bullet	Available No Audio in/out	Wisenet Q network outdoor vandal bullet camera, 2MP @ 30fps, 4.0mm fixed focal lens (87"), triple codec H.265H.264/MJPEG with WiseStream II, 120dB WDR, IR LEDs range 82', defocus detection, hallway view, no audio in/out, built-in SD card slot (1x128GB), video analytics, CVBS, open platform, IP66, IK10, PoE/12VDC	\$ 379.00	8801089209054
Camera - Network	QNO-6082R	2MP IR Bullet	Special Order Comparable Model QNO-6082R1	Wisenet Q network outdoor vandal bullet camera, 2MP @ 30fps, motorized vari-focal lens 3.1x (3.2 ~ 10.0mm) (109"-33"), triple codec H.265H.264/MJPEG with WiseStream II, 120dB WDR, IR LEDs range 98', defocus detection, hallway view, one way audio, built-in SD card slot (1x128GB), video analytics, CVBS, open platform, IP66, IK10, PoE/12VDC	\$ 519.00	8801089165473
Camera - Network	QNO-C6083R	2MP IR Bullet AI camera		Wisenet Q network outdoor vandal bullet camera, 2MP @ 30fps, motorized vari-focal lens 3.2-10.2mm (H: 102.0"-32.2" / V: 54.2"-18.3"), triple codec H.265H.264/MJPEG with WiseStream III (Based on AI engine), Wisenet II (Based on AI engine), WDR 120dB, IR viewable length 40m (131.23ft), Motion Detection based on AI engine, Classified object type: Person/Vehicle (vehicle type: car/bus/truck/motorcycle/bicycle), IVA events based on AI engine: Virtual line (Crossing/Direction), 150dB WDR, H.265H.264/MJPEG, WiseStream II compression technology, micro SD/SDHC/SDXC, bi-directional audio, hallway view, built-in SD card slot (1x256GB), video analytics, USB for easy installation, open platform, IP66, IK10, PoE, Operating temperature -40°C~+55°C(-40°F ~ +131°F) white color.	\$ 620.00	8801089212306
Camera - Network	QNO-6082R1	2MP IR Bullet	Available No Audio in/out	Wisenet Q network outdoor vandal bullet camera, 2MP @ 30fps, motorized vari-focal lens 3.1x (3.2 ~ 10.0mm) (109"-33"), triple codec H.265H.264/MJPEG with WiseStream II, 120dB WDR, IR LEDs range 98', defocus detection, hallway view, no audio in/out, built-in SD card slot (1x128GB), video analytics, CVBS, open platform, IP66, IK10, PoE/12VDC	\$ 519.00	8801089209405
Camera - Network	QNV-6012R	2MP IR Outdoor Dome	Special Order Comparable Model QNV-6012R1	Wisenet Q network outdoor vandal dome camera, 2MP @ 30fps, 2.8mm fixed focal lens (113"), triple codec H.265H.264/MJPEG with WiseStream II, 120dB WDR, IR LEDs range 65', defocus detection, hallway view, one way audio, built-in SD card slot (1x128GB), video analytics, CVBS, open platform, IP66, IK10, PoE/12VDC, white color.	\$ 395.00	8801089164094

Camera - Network	QNV-6012R1	2MP IR Outdoor Dome	Available No Audio in/out	Wisenet Q network outdoor vandal dome camera, 2MP @ 30fps, 2.8mm fixed focal lens (113°), triple codec H.265/H.264/MJPEG with Wisestream II, 120dB WDR, IR LEDs range 65', defocus detection, hallway View, no audio in/out, built-in SD card slot (1x128GB), video analytics, CVBS, open platform, IP66, IK10, PoE/12VDC, white color	\$ 395.00	8801089209429
Camera - Network	QNV-6022R	2MP IR Outdoor Dome	Special Order Comparable Model QNV-6022R1	Wisenet Q network outdoor vandal dome camera, 2MP @ 30fps, 4.0mm fixed focal lens (87°), triple codec H.265/H.264/MJPEG with Wisestream II, 120dB WDR, IR LEDs range 82', defocus detection, hallway View, one way audio, built-in SD card slot (1x128GB), video analytics, CVBS, open platform, IP66, IK10, PoE/12VDC, white color	\$ 395.00	8801089165114
Camera - Network	QNV-6022R1	2MP IR Outdoor Dome	Available No Audio in/out	Wisenet Q network outdoor vandal dome camera, 2MP @ 30fps, 4.0mm fixed focal lens (87°), triple codec H.265/H.264/MJPEG with Wisestream II, 120dB WDR, IR LEDs range 82', defocus detection, hallway View, no audio in/out, built-in SD card slot (1x128GB), video analytics, CVBS, open platform, IP66, IK10, PoE/12VDC, white color	\$ 395.00	8801089209504
Camera - Network	QNV-6024RM	2M Mobile IR Flat Camera		Wisenet Q network mobile IR vandal dome camera, 2MP, Full HD(1080p) 30fps, triple codec H.265/H.264/MJPEG with Wisestream technology, Fixed focal Lens 3.6mm, Built in Mic, M12 Network connectors (M12 connector to RJ-45 adaptor is not included), hallway View, 120dB WDR, built-in IR range of 32.8', true D/N, built-in SD card slot (1x128GB), IP66, IK10	\$ 399.00	8801089174345
Camera - Network	QNV-6082R	2MP IR Outdoor Dome	Special Order Comparable Model QNV-6082R1	Wisenet Q network outdoor vandal dome camera, 2MP @ 30fps, motorized vari-focal lens 3.1x (3.2 ~ 10.0mm) (109°~33°), triple codec H.265/H.264/MJPEG with Wisestream II, 120dB WDR, IR LEDs range 98', defocus detection, hallway View, one way audio, built-in SD card slot (1x128GB), video analytics, CVBS, open platform, IP66, IK10, PoE/12VDC, white color	\$ 535.00	8801089165367
Camera - Network	QNV-C6083R	2MP IR Outdoor Vandal Dome AI Camera		Wisenet Q network outdoor vandal dome camera, 2MP @ 30fps, motorized vari-focal lens 3.2-10.2mm (H: 102.0°~32.2° / V: 54.2°~18.3°), triple codec H.265/H.264/MJPEG with Wisestream III (Based on AI engine), Wisenet AI (Based on AI engine), WDR 120dB, IR viewable length 40m (131.23ft), Motion Detection based on AI engine, Classified object type: Person/Vehicle (vehicle type: car/bus/truck/motorcycle/bicycle), IVA events based on AI engine: Virtual line (Crossing/Direction), Virtual area (Loitering/Intrusion/Enter/Exit/(Dis)Appear), Audio: Selectable(mic in/line in), defocus detection, hallway View, built-in SD card slot (1x256GB), video analytics, USB for easy installation, open platform, IP66, IK10, PoE, Operating temperature -40°C~+55°C(-40°F ~ +131°F) white color. * HDMI out supported through an optional cable (SPP-C1900) * Alarm I/O and audio is supported through an optional cable (SPP-C7400)	\$ 620.00	880108921218
Camera - Network	QNV-6082R1	2MP IR Outdoor Dome	Available No Audio in/out	Wisenet Q network outdoor vandal dome camera, 2MP @ 30fps, motorized vari-focal lens 3.1x (3.2 ~ 10.0mm) (109°~33°), triple codec H.265/H.264/MJPEG with Wisestream II, 120dB WDR, IR LEDs range 98', defocus detection, hallway View, no audio in/out, built-in SD card slot (1x128GB), video analytics, CVBS, open platform, IP66, IK10, PoE/12VDC, white color	\$ 535.00	8801089209627
Camera - Network	QND-6012R	2MP IR Indoor Dome	Special Order Comparable Model QND-6012R1	Wisenet Q network indoor dome camera, 2MP @ 30fps, 2.8mm fixed focal lens (113°), triple codec H.265/H.264/MJPEG with Wisestream II, 120dB WDR, IR LEDs range 65', defocus detection, hallway View, one way audio, built-in SD card slot (1x128GB), video analytics, CVBS, open platform, PoE/12VDC, white color	\$ 289.00	8801089169198
Camera - Network	QND-6012R1	2MP IR Indoor Dome	Available No Audio in/out	Wisenet Q network indoor dome camera, 2MP @ 30fps, 2.8mm fixed focal lens (113°), triple codec H.265/H.264/MJPEG with Wisestream II, 120dB WDR, IR LEDs range 65', defocus detection, hallway View, no audio in/out, built-in SD card slot (1x128GB), video analytics, CVBS, open platform, PoE/12VDC, white color	\$ 289.00	8801089208590
Camera - Network	QND-6022R	2MP IR Indoor Dome	Special Order Comparable Model QND-6022R1	Wisenet Q network indoor dome camera, 2MP @ 30fps, 4.0mm fixed focal lens (87°), triple codec H.265/H.264/MJPEG with Wisestream II, 120dB WDR, IR LEDs range 65', defocus detection, hallway View, one way audio, built-in SD card slot (1x128GB), video analytics, CVBS, open platform, PoE/12VDC, white color	\$ 289.00	8801089169211
Camera - Network	QND-6022R1	2MP IR Indoor Dome	Available No Audio in/out	Wisenet Q network indoor dome camera, 2MP @ 30fps, 4.0mm fixed focal lens (87°), triple codec H.265/H.264/MJPEG with Wisestream II, 120dB WDR, IR LEDs range 65', defocus detection, hallway View, no audio in/out, built-in SD card slot (1x128GB), video analytics, CVBS, open platform, PoE/12VDC, white color	\$ 289.00	8801089208712
Camera - Network	QND-6082R	2MP IR Indoor Dome	Special Order Comparable Model QND-6082R1	Wisenet Q network indoor dome camera, 2MP @ 30fps, motorized vari-focal lens 3.1x (3.2 ~ 10.0mm) (109°~33°), triple codec H.265/H.264/MJPEG with Wisestream II, 120dB WDR, IR LEDs range 98', defocus detection, hallway View, one way audio, built-in SD card slot (1x128GB), video analytics, CVBS, open platform, PoE/12VDC, white color	\$ 459.00	8801089163622
Camera - Network	QND-6082R1	2MP IR Indoor Dome	Available No Audio in/out	Wisenet Q network indoor dome camera, 2MP @ 30fps, motorized vari-focal lens 3.1x (3.2 ~ 10.0mm) (109°~33°), triple codec H.265/H.264/MJPEG with Wisestream II, 120dB WDR, IR LEDs range 98', defocus detection, hallway View, no audio in/out, built-in SD card slot (1x128GB), video analytics, CVBS, open platform, PoE/12VDC, white color	\$ 459.00	8801089208927
Camera - Network	QND-6011	2MP Indoor Dome		Wisenet Q mini network indoor dome camera, 2MP @ 30fps, 2.8mm fixed focal lens (113°), triple codec H.265/H.264/MJPEG with Wisestream II, 120dB WDR, defocus detection, hallway View, built-in SD card slot (1x128GB), people counting, open platform, IP42, IK08, PoE, white color	\$ 280.00	8801089155191
Camera - Network	QND-6021	2MP Indoor Dome		Wisenet Q mini network indoor dome camera, 2MP @ 30fps, 4.0mm fixed focal lens (87°), triple codec H.265/H.264/MJPEG with Wisestream II, 120dB WDR, defocus detection, hallway View, built-in SD card slot (1x128GB), people counting, open platform, IP42, IK08, PoE, white color	\$ 280.00	8801089162809
Camera - Network	LND-6012R	2MP IR Dome		L series indoor dome camera, 2MP @ 30fps, 2.8mm fixed focal lens (102°), Double codec H.264/MJPEG, Wisestream II, 120dB WDR, IR LEDs, hallway view, SD card, PoE, White	\$ 209.00	8801089170071
Camera - Network	LND-6022R	2MP IR Dome		L series indoor dome camera, 2MP @ 30fps, 4mm fixed focal lens (80°), Double codec H.264/MJPEG, Wisestream II, 120dB WDR, IR LEDs, hallway view, SD card, PoE, White	\$ 209.00	8801089170057
Camera - Network	LNO-6072R	2MP IR Bullet	Limited Stock Recommended replacement ANO-L6082R	L series outdoor bullet camera, 2MP @ 30fps, vari-focal lens 3.1x (3.2 ~ 10mm) (101.6° ~ 31.3°), Double codec H.264/MJPEG, Wisestream II, 120dB WDR, IR LEDs, hallway view, SD card, IP66, PoE, White	\$ 359.00	8801089170064
Camera - Network	LNO-6012R	2MP IR Bullet		L series outdoor bullet camera, 2MP @ 30fps, 2.8mm fixed focal lens (102°), Double codec H.264/MJPEG, Wisestream II, 120dB WDR, IR LEDs, hallway view, SD card, IP66, PoE, White	\$ 249.00	8801089170101
Camera - Network	ANO-L6012R	2MP IR Bullet		Wisenet S Series bullet camera, 2MP @ 30FPS, 2.8mm fixed focal lens, FoV H: 113.7° / V: 61.5°, Wisestream II, triple codec (H.265/H.264/MJPEG), 120dB WDR, IR LEDs 30m(98.43ft), day & night (ICR), virtual area (intrusion/enter/exit), virtual line (crossing/ direction), motion detection, tampering, hallway view, built-in SD card slot (1x32GB), IP66, PoE, white	\$ 190.00	8801089212382
Camera - Network	ANO-L6022R	2MP IR Bullet		Wisenet S Series bullet camera, 2MP @ 30FPS, 4mm fixed focal lens, FoV H: 84.3° / V: 45.6° Wisestream II, triple codec (H.265/H.264/MJPEG), 120dB WDR, IR LEDs 30m(98.43ft), day & night (ICR), virtual area (intrusion/enter/exit), virtual line (crossing/ direction), motion detection, tampering, hallway view, built-in SD card slot (1x32GB), IP66, PoE, white	\$ 190.00	8801089212399
Camera - Network	ANO-L6082R	2MP IR Bullet		Wisenet S Series bullet camera, 2MP @ 30FPS, motorized varifocal lens 3.1x (3.3~10.3mm) (105.2° ~ 30.6°), Wisestream II, triple codec (H.265/H.264/MJPEG), 120dB WDR, IR LEDs 30m(98.43ft), day & night (ICR), virtual area (intrusion/enter/exit), virtual line (crossing/ direction), motion detection, tampering, hallway view, built-in SD card slot (1x32GB), IP66, PoE, white	\$ 280.00	8801089215963
Camera - Network	ANV-L6012R	2MP IR Vandal Dome		Wisenet A Series outdoor vandal dome camera, 2MP @ 30 FPS, 2.8mm fixed focal lens, FoV H: 113.7° / V: 61.5°, Wisestream II, triple codec (H.265/H.264/MJPEG), 120dB WDR, IR LEDs 30m(98.43ft), day & night (ICR), virtual area (intrusion/enter/exit), virtual line (crossing/ direction), motion detection, tampering, hallway view, built-in SD card slot (1x32GB), IP66, IK10, PoE, white	\$ 190.00	8801089212429
Camera - Network	ANV-L6023R	2MP IR Vandal Dome		Wisenet A Series outdoor vandal mini dome camera, 2MP @ 30 FPS, 3.6mm fixed focal lens, FoV H: 94.87° / V: 49.3°, Wisestream II, triple codec (H.265/H.264/MJPEG), 120dB WDR, IR LEDs 15m(49.21ft), day & night (ICR), virtual area (intrusion/enter/exit), virtual line (crossing/ direction), motion detection, tampering, hallway view, built-in SD card slot (1x128GB), IP66, PoE, white	\$ 260.00	8801089212436 8801089210609
Camera - Network	ANV-L6082R	2MP IR Vandal Dome		Wisenet A Series outdoor vandal dome camera, 2MP @ 30fps, motorized vari-focal lens 3.1x (3.3~10.3mm) (105.2° ~ 30.6°), Wisestream II, triple codec (H.265/H.264/MJPEG), 120dB WDR, IR LEDs 30m(98.43ft), day & night (ICR), virtual area (intrusion/enter/exit), virtual line (crossing/ direction), motion detection, tampering, hallway view, built-in SD card slot (1x32GB), IP66, IK10, PoE, white	\$ 280.00	8801089215970
Camera - Network	ANE-L6012R	2MP Turret Camera		Wisenet A Series turret camera, 2MP @ 30 FPS, 3mm fixed focal lens, FoV H: 107.7° / V: 59.0°, Wisestream II, triple codec (H.265/H.264/MJPEG), 120dB WDR, IR LEDs 20m(65.62ft), day & night (ICR), virtual area (intrusion/enter/exit), virtual line (crossing/ direction), motion detection, tampering, hallway view, built-in SD card slot (1x32GB), IP66, PoE, white	\$ 250.00	8801089216021
Camera - Network	XNB-H6241A	2MP Network ATM Camera Kit (L)		Wisenet X powered by Wisenet 5 network ATM camera, 2MP, Full HD(1080p) 60fps, 2.4mm fixed lens (138°), triple codec H.265/H.264/MJPEG with Wisestream II technology, 120dB WDR, micro SD/SDHC/SDXC, USB port for easy installation, advanced video analytics and sound classification and business analytics, hallway view, HLC, defog detection, DIS, 12VDC/PoE, +14°F ~ 131°F, cable Length is 8m (26 feet)	\$ 849.00	044701001096
Camera - Network	XNB-H6244A	2MP Network ATM Camera Kit		Wisenet X Powered by Wisenet 7 network camera, ATM kit, 2MP, Full HD(1080p) 60fps, 2.4mm fixed lens (138°), triple codec H.265/H.264/MJPEG with Wisestream II technology, 120dB WDR, micro SD/SDHC/SDXC, USB port for easy installation, advanced video analytics and sound classification and business analytics, hallway view, HLC, defog detection, DIS, 12VDC/PoE, +14°F ~ 131°F, TPM 2.0 (FIPS 140-2 level 2), cable Length is 1.5m (4.9 feet). (Package includes XNB-6002+SLA-T2415A+STB-2000)	\$ 849.00	8801089227720
Camera - Network	XNB-H6240A	2MP Network ATM Camera Kit (L)		Wisenet X powered by Wisenet 5 network ATM camera, 2MP, Full HD(1080p) 60fps, 2.4mm fixed lens (138°), triple codec H.265/H.264/MJPEG with Wisestream II technology, 120dB WDR, micro SD/SDHC/SDXC, USB port for easy installation, advanced video analytics and sound classification and business analytics, hallway view, HLC, defog detection, DIS, 12VDC/PoE, +14°F ~ 131°F, cable Length is 1.5m (4.9 feet).	\$ 849.00	044701001089
Camera - Network	XNB-H6461H	2MP Pinhole Height Strip Camera Kit (L)		Wisenet X powered by Wisenet 5 network pinhole camera with height strip housing, 2MP, Full HD(1080p) 60fps, 4.6mm fixed lens (73°), triple codec H.265/H.264/MJPEG with Wisestream II technology, 120dB WDR, micro SD/SDHC/SDXC, USB port for easy installation, advanced video analytics and sound classification and business analytics, hallway view, HLC, defog detection, DIS, 12VDC/PoE, +14°F ~ 131°F, cable Length is 8m (26 feet)	\$ 1,055.00	044701001102
Camera - Network	XNB-H6282B	2MP Bandit Barrier (L)		Wisenet X Powered by Wisenet 7 network Bandit Barrier camera, 2MP, Full HD(1080p) 60fps, 2.8mm fixed lens (107.4°), triple codec H.265/H.264/MJPEG with Wisestream II technology, 120dB WDR, micro SD/SDHC/SDXC, USB port for easy installation, advanced video analytics and sound classification and business analytics, hallway view, HLC, defog detection, DIS, 12VDC/PoE, +14°F ~ 131°F, TPM 2.0 (FIPS 140-2 level 2), cable Length is 8m (26 feet). (Package includes XNB-6002 and SLA-T2880BA)	\$ 1,300.00	849688021194
Camera - Network	XNB-H6280B	2MP Bandit Barrier (L)		Wisenet X powered by Wisenet 5 network Bandit Barrier camera, 2MP, Full HD(1080p) 60fps, 2.8mm fixed lens (107.4°), triple codec H.265/H.264/MJPEG with Wisestream II technology, 120dB WDR, micro SD/SDHC/SDXC, USB port for easy installation, advanced video analytics and sound classification and business analytics, hallway view, HLC, defog detection, DIS, 12VDC/PoE, +14°F ~ 131°F, cable Length is 1.5m (4.9 feet).	\$ 1,300.00	849688011171
Camera - Network	QNP-6250	2MP 25x PTZ	3 Week Lead Time	Wisenet Q network indoor PTZ camera, 2MP, Full HD(1080p) 60fps, triple codec H.265/H.264/MJPEG with Wisestream II technology, 4.4~111mm (25x) lens, 120dB WDR, Day & Night (ICR), DIS (Built-in gyro sensor), Intelligent Analytics, built-in SD card slot (1x256GB), Focus Save, white color	\$ 1,500.00	8801089204486
Camera - Network	QNP-6250H	2MP 25x PTZ	3 Week Lead Time	Wisenet Q network outdoor PTZ camera, 2MP, Full HD(1080p) 60fps, triple codec H.265/H.264/MJPEG with Wisestream II technology, 4.4~142.6mm (32x) lens, 120dB WDR, Day & Night (ICR), DIS (Built-in gyro sensor), Intelligent Analytics, built-in SD card slot (1x256GB), Focus Save, IP66, IK10, NEMA4X, white color	\$ 1,700.00	8801089196118
Camera - Network	QNP-6250R	2MP IR 25x PTZ	3 Week Lead Time	Wisenet Q network IR PTZ camera, IR range of up to 328ft, 2MP, Full HD(1080p) 60fps, triple codec H.265/H.264/MJPEG with Wisestream II technology, 4.4~111mm (25x) lens, 120dB WDR, Day & Night (ICR), DIS (Built-in gyro sensor), Intelligent Analytics, built-in SD card slot (1x256GB), Focus Save, IP66, IK10, NEMA4X, white color	\$ 2,000.00	8801089205445
Camera - Network	QNP-6320	2MP 32x PTZ	3 Week Lead Time	Wisenet Q network indoor PTZ camera, 2MP, Full HD(1080p) 60fps, triple codec H.265/H.264/MJPEG with Wisestream II technology, 4.4~142.6mm (32x) lens, 120dB WDR, Day & Night (ICR), DIS (Built-in gyro sensor), Intelligent Analytics, built-in SD card slot (1x256GB), Focus Save, white color	\$ 2,300.00	8801089204479
Camera - Network	QNP-6320H	2MP 32x PTZ	3 Week Lead Time	Wisenet Q network outdoor PTZ camera, 2MP, Full HD(1080p) 60fps, triple codec H.265/H.264/MJPEG with Wisestream II technology, 4.4~142.6mm (32x) lens, 120dB WDR, Day & Night (ICR), DIS (Built-in gyro sensor), Intelligent Analytics, built-in SD card slot (1x256GB), Focus Save, IP66, IK10, NEMA4X, white color	\$ 2,500.00	8801089204448
Camera - Network	QNP-6320R	2MP IR 32x PTZ	3 Week Lead Time	Wisenet Q network IR PTZ camera, IR range of up to 328ft, 2MP, Full HD(1080p) 60fps, triple codec H.265/H.264/MJPEG with Wisestream II technology, 4.4~142.6mm (32x) lens, 120dB WDR, Day & Night (ICR), DIS (Built-in gyro sensor), Intelligent Analytics, built-in SD card slot (1x256GB), Focus Save, IP66, IK10, NEMA4X, white color	\$ 2,700.00	8801089192653
Camera - Network	QNP-6320HS	2MP 32x PTZ	Special Order Only	Wisenet stainless steel PTZ camera, 2MP, Full HD(1080p) 60fps, triple codec H.265/H.264/MJPEG with Wisestream II technology, 4.4~142.6mm (32x) lens, 120dB WDR, Day & Night (ICR), DIS (Built-in gyro sensor), Directional detection, Motion detection, Enter/Exit, Tampering, Virtual line, Audio detection* (with NW I/O box), built-in SD card slot (1x256GB), Focus Save, IP66/IP67, IK10, NEMA4X, PoE+	\$ 5,040.00	8801089210029
Camera - Network	TNU-6321	2MP 32x Positioning Camera	Special Order Only	2MP Network Positioning Camera (1920 x 1080) resolution, 4.4 ~ 142.6mm (32x) varifocal lens, 60fps@2MP (H.264), 30fps@2MP (MJPEG), H.265, H.264, MJPEG codec support, 360° Endless, Tilt -90°~40°, Day & Night (ICR), WDR (120dB), Defog, Tampering, Virtual line, Enter / Exit, (Dis)Appear, Audio detection, Face detection, Motion detection, built-in SD card slot (1x256GB), Power 24VAC (Optional IR illuminators: SPI-50)	\$ 5,100.00	8801089190413

Wisenet Road AI

Network - Camera	PNB-A9091RLPH	4K AI LPR Box Camera Kit with Enclosure and IR (L)	Limited Stock Care is required in selecting the install location -- See product selector and quick reference guide for details	4K Moderate Speed (up to 75MPH) LPR Box Camera Kit with Enclosure and IR, Licensed with Wisenet Road AI. Max. 4K resolution, 12-50 mm lens, H.265, H.264, MJPEG codec, Wisestream III, Includes PoE+ Camera enclosure with Wall mount and LPR + MMCR: Make, Model & Color* Recognition on the Edge. 32GB Micro SD storage for up to 10,000 LPR/Vehicle Images, Licensed open platform application for multiple regions/countries (USA, Canada, Mexico, Brazil, Uruguay, Paraguay, Argentina, Colombia, Chile) * Color recognition only during day time	\$ 3,860.00	849688019214
------------------	---------------	--	---	---	-------------	--------------

Network - Camera	PNV-A9081RLP	4K IR Vandal Dome AI camera with Wisenet Road AI	Care is required in selecting the install location - See product selector and quick reference guide for details	4K Low-Moderate Speed LPR Vandal Dome Camera with Wisenet Road AI. Max. 4K resolution, 4.5-10mm(2.2x) M-Varifocal(4K) lens, 0.05Lux@F1.6 (Color), 0Lux (B/W, IR LED on). Day & Night(ICR), WDR(120dB), H.265, H.264, MJPEG codec, WiseStream III, PoE+, IP66/67/IP69K, IK10+, NEMA4X	LPR + MMCR: Make, Model & Color* Recognition on the Edge. 32GB Micro SD storage for up to 10,000 LPR/Vehicle images, Licensed open platform application for multiple regions/countries. (* Color recognition only during day time)	\$ 3,050.00	8801089199225
Camera - Network	TNO-7180RLP	3MP Global shutter LPR camera	Care is required in selecting the install location. HIPOE power supply is not included, must be purchased separately if required	High Speed Global Shutter Camera with Road AI 3MP. Max 60fps @3MP. 6.8-1220mm (18x) motorized varifocal lens, 32GB industrial Micro SD, Embedded Wisenet Road AI application, Adaptive IR, IP66, IK10, NEMA 4X, NEMA TS. (No PoE switch included)		\$ 4,500.00	8801089224187
Camera - Network	PNO-A931RLP	4K, AI IR Zoom (31x), Bullet Camera with Wisenet Road AI	Care is required in selecting the install location - Refer to the quick reference guide for details	4K Low-Moderate Speed Dedicated LPR Bullet Camera with Wisenet Road AI. Max. 4K resolution @ 30FPS, 0.05Lux@F1.6 (Color), 0Lux (B/W, IR LED on), WiseIR for LPR plate reads for approx. 200ft (61m), Day & Night(ICR), 6.91-214.64mm (31x) zoom lens, WDR(120dB) H.265, H.264, MJPEG codec, WiseStream II, WiseStream III (Using AI engine). Operating temperature: -40°C+55°C(-40°F + 131°F), Power: PoE+/12VDC, Metal shielded RJ-45, IP66/IP67, IK10, NEMA4X Road AI LPR application is pre-installed and licensed on the camera that provides LPR + MMCR (Make, Model, and Color*) Recognition on the Edge. (* Color recognition only during day time)		\$ 3,500.00	8801089230386
Network - Camera	PNO-A9081RLP	4K IR Bullet AI camera with Wisenet Road AI	Care is required in selecting the install location - See product selector and quick reference guide for details	4K Low-Moderate Speed LPR Bullet Camera with Wisenet Road AI. Max. 4K resolution, 4.5-10mm(2.2x) M-Varifocal(4K) lens, 0.05Lux@F1.6 (Color), 0Lux (B/W, IR LED on), Day & Night(ICR), WDR(120dB), H.265, H.264, MJPEG codec, WiseStream III, PoE+, IP66/67/IP69K, IK10+, NEMA4X	LPR + MMCR: Make, Model & Color* Recognition on the Edge. 32GB Micro SD storage for up to 10,000 LPR/Vehicle images, Licensed open platform application for multiple regions/countries. (* Color recognition only during day time)	\$ 2,950.00	8801089199171

Thermal Cameras (Note: Thermal cameras are non-returnable products)

Camera - Network	TNM-C3620TDR	Bi-spectrum AI Radiometric Camera	Special Order Non-cancellable Non-returnable	Wisenet T network Bi-spectrum AI Radiometric Camera, Thermal: 320 x 240 (uncooled) @ 30fps, <50mK (NETD), built-in 4.7mm fixed lens (HFoV: 50°), Visible: 2MP, built-in 4mm fixed (HFoV: 87.6°), Max. 1920 x 1080 resolution @ 30fps, Triple triple codec H.265/H.264/MJPEG with Wisestream II support, extremeWDR 150dB, AI object detection (visible only) Person/Face, Analytics events: Directional detection, Motion detection, Enter/Exit, Tampering, Virtual line, Audio detection, detection shot, Alarm events: Image upload (e-mail/FTP), Notification (e-mail), Recording (edge/NAS), Alarm output, Handover (PTZ preset, HTTP/HTTPS/TCP message), Audio clip playback, MQTT (publication), Radiometric: whole FoV area or up to 6 user programmable quadrangle ROIs, temperature detection range from -20°C to 130°C (-4°F to 266°F), FIPS 140-2, micro SD card (256GB x1), PoE+/12VDC This product is subject to the Thermal agreement.		\$ 7,600.00	8801089228437
Camera - Network	TNM-C3622TDR	Bi-spectrum AI Radiometric Camera QVGA thermal / 2MP visible	Thermal cameras with frame rates under 9fps versions do not require end user export documentation	Wisenet T network Bi-spectrum AI Radiometric Camera, Thermal: 320 x 240 (uncooled) @ 8fps, <50mK (NETD), built-in 4.7mm fixed lens (HFoV: 50°), Visible: 2MP, built-in 4mm fixed (HFoV: 87.6°), Max. 1920 x 1080 resolution @ 30fps, Triple codec H.265/H.264/MJPEG with Wisestream II support, extremeWDR 150dB, AI object detection (visible only) Person/Face, Analytics events: Directional detection, Motion detection, Enter/Exit, Tampering, Virtual line, Audio detection, detection shot, Alarm events: Image upload (e-mail/FTP), Notification (e-mail), Recording (edge/NAS), Alarm output, Handover (PTZ preset, HTTP/HTTPS/TCP message), Audio clip playback, MQTT (publication), Radiometric: whole FoV area or up to 6 user programmable quadrangle ROIs, temperature detection range from -20°C to 130°C (-4°F to 266°F), FIPS 140-2, micro SD card (256GB x1), PoE+/12VDC This product is subject to the Thermal agreement.		\$ 7,600.00	8801089228420
Camera - Network	TNM-C4940TDR	Bi-spectrum AI Radiometric Camera VGA thermal / 4K visible	Special Order Non-cancellable Non-returnable	Wisenet T network Bi-spectrum AI Radiometric Camera (Thermal), Thermal: 640 x 480 (uncooled) @ 30fps, <60mK (NETD), built-in 9.1mm fixed lens (HFoV: 50°), Visible: 4K, built-in 4.4-9.3mm motorized varifocal lens (HFoV: 112.1°-47.5°), Max. 3840 x 2160 resolution @ 30fps, Triple triple codec H.265/H.264/MJPEG with Wisestream II and Wisestream III (based on AI engine) support, WDR 120dB, IR viewable length 30m (98ft), AI object detection (thermal): Person/Vehicle, AI object detection (visible): Person/Face/Vehicle (car,bus,truck, motorcycle, bicycle)/License Plate, Analytics events based on AI engine: Virtual line (Crossing/Direction), Virtual area (Loitering/Intrusion/Enter/Exit), Additional analytics events (thermal): Motion detection, Additional analytics events (visible): Motion detection, Defocus detection, Tampering, Audio detection, Sound classification, Shock detection, Virtual area(Appear/Disappear), Alarm events: Image upload (e-mail/FTP), Notification (e-mail), Recording (edge/NAS), Alarm output, Handover (PTZ preset, HTTP/HTTPS/TCP message), Audio clip playback, MQTT (publication), Radiometric: whole FoV area or up to 10 user programmable quadrangle ROIs, temperature detection range from -20°C to 130°C (-4°F to 266°F), FIPS 140-2, 2x micro SD card (512GB x2), IP66/IP67, IK10, NEMA4X, NEMA TS 2(2.2.8, 2.2.9), PoE+/12VDC This product is subject to the Thermal agreement.		\$ 11,450.00	8801089228215
Camera - Network	TNM-C4942TDR	Bi-spectrum AI Radiometric Camera VGA thermal / 4K visible	Thermal cameras with frame rates under 9fps do not require end user export documentation	Wisenet T network Bi-spectrum AI Radiometric Camera (Thermal), Thermal: 640 x 480 (uncooled) @ 8fps, <60mK (NETD), built-in 9.1mm fixed lens (HFoV: 50°), Visible: 4K, built-in 4.4-9.3mm motorized varifocal lens (HFoV: 112.1°-47.5°), Max. 3840 x 2160 resolution @ 30fps, Triple triple codec H.265/H.264/MJPEG with Wisestream II (based on AI engine) support, WDR 120dB, IR viewable length 30m (98ft), AI object detection (thermal): Person/Vehicle, AI object detection (visible): Person/Face/Vehicle (car,bus,truck, motorcycle, bicycle)/License Plate, Analytics events based on AI engine: Virtual line (Crossing/Direction), Virtual area (Loitering/Intrusion/Enter/Exit), Additional analytics events (thermal): Motion detection, Additional analytics events (visible): Motion detection, Defocus detection, Tampering, Audio detection, Sound classification, Shock detection, Virtual area(Appear/Disappear), Alarm events: Image upload (e-mail/FTP), Notification (e-mail), Recording (edge/NAS), Alarm output, Handover (PTZ preset, HTTP/HTTPS/TCP message), Audio clip playback, MQTT (publication), Radiometric: whole FoV area or up to 10 user programmable quadrangle ROIs, temperature detection range from -20°C to 130°C (-4°F to 266°F), FIPS 140-2, 2x micro SD card (512GB x2), IP66/IP67, IK10, NEMA4X, NEMA TS 2(2.2.8, 2.2.9), PoE+/12VDC This product is subject to the Thermal agreement.		\$ 11,450.00	8801089228239
Camera - Network	TNM-C4940TD	Bi-spectrum AI Thermal Camera VGA thermal / 4K visible	Special order Non-returnable	Wisenet T network Bi-spectrum AI Thermal Camera (uncooled), Dual sensor camera with VGA thermal and 4K visible video output, built-in 9.1mm fixed lens (FoV: 50° thermal) & 4.4-9.3mm motorized varifocal lens (FoV: 112.1°-47.5° visible), Triple codec (H.265/H.264/MJPEG), Wisestream II (thermal), WDR 120dB, IR viewable length 30m (98ft), Features Based on AI engine: WiseNR II, Wise Stream III (visible only), Analytics events based on AI engine (visible only): Object detection (Person/Face/Vehicle/License plate), IVA (Virtual line/Area, Enter/Exit, Loitering, direction, intrusion), Stopped vehicle, Traffic jam, FIPS 140-2, 2x micro SD card (512GB x2), IP66/IP67, IK10, NEMA4X, NEMA TS 2(2.2.8, 2.2.9), PoE+/12VDC This product is subject to the Thermal agreement.		\$ 10,400.00	8801089217608
Camera - Network	TNM-C4950TD	Bi-spectrum AI Thermal Camera VGA thermal / 4K visible	Special order Non-returnable	Wisenet T network Bi-spectrum AI Thermal Camera (uncooled), Dual sensor camera with VGA thermal and 4K visible video output, built-in 13.5mm fixed lens (FoV: 31.9° thermal) & 10.9-29mm motorized varifocal lens (FoV: 42°-15° visible), Triple codec (H.265/H.264/MJPEG), Wisestream II (thermal), WDR 120dB, Features Based on AI engine: WiseNR II, Wise Stream III (visible only), Analytics events based on AI engine (visible only): Object detection (Person/Face/Vehicle/License plate), IVA (Virtual line/Area, Enter/Exit, Loitering, direction, intrusion), Stopped vehicle, Traffic jam, FIPS 140-2, 2x micro SD card (512GB x2), IP66/IP67, IK10, NEMA4X, NEMA TS 2(2.2.8, 2.2.9), PoE+/12VDC This product is subject to the Thermal agreement.		\$ 10,500.00	8801089217615
Camera - Network	TNM-C4960TD	Bi-spectrum AI Thermal Camera VGA thermal / 4K visible	Special Order Non-cancellable Non-returnable	Wisenet T network Bi-spectrum AI Thermal Camera (uncooled), Dual sensor camera with VGA thermal and 4K visible video output, built-in 25mm fixed lens (FoV: 17.4° thermal) & 10.9-29mm motorized varifocal lens (FoV: 42°-15° visible), Triple codec (H.265/H.264/MJPEG), Wisestream II (thermal), WDR 120dB, Features Based on AI engine: WiseNR II, Wise Stream III (visible only), Analytics events based on AI engine (visible only): Object detection (Person/Face/Vehicle/License plate), IVA (Virtual line/Area, Enter/Exit, Loitering, direction, intrusion), Stopped vehicle, Traffic jam, FIPS 140-2, 2x micro SD card (512GB x2), IP66/IP67, IK10, NEMA4X, NEMA TS 2(2.2.8, 2.2.9), PoE+/12VDC This product is subject to the Thermal agreement.		\$ 10,950.00	8801089217622
Camera - Network	TNO-3010T	QVGA Thermal Bullet	Special Order Non-cancellable Non-returnable	QVGA Thermal camera, Max. 320 x 240 resolution support, built-in 2.7mm fixed lens, H.265, H.264, MJPEG codec, Max. 30fps@all resolutions, full video and audio analytics, temperature detection, shock detection, micro SD Max. 256GB, Halfway View, WiseStreamII, PoE, 24VAC, 12VDC / IP66, NEMA4X, IK10 This product is subject to the Thermal agreement.		\$ 4,100.00	8801089191724
Camera - Network	TNO-3020T	QVGA Thermal Bullet	Special Order Non-cancellable Non-returnable	QVGA Thermal camera, Max. 320 x 240 resolution support, built-in 4.3mm fixed lens, H.265, H.264, MJPEG codec, Max. 30fps@all resolutions, full video and audio analytics, temperature detection, shock detection, micro SD Max. 256GB, Halfway View, WiseStreamII, PoE, 24VAC, 12VDC / IP66, NEMA4X, IK10 This product is subject to the Thermal agreement.		\$ 4,100.00	8801089191694
Camera - Network	TNO-3030T	QVGA Thermal Bullet	Special Order Non-cancellable Non-returnable	QVGA Thermal camera, Max. 320 x 240 resolution support, built-in 13.7mm fixed lens, H.265, H.264, MJPEG codec, Max. 30fps@all resolutions, full video and audio analytics, temperature detection, shock detection, micro SD Max. 256GB, Halfway View, WiseStreamII, PoE, 24VAC, 12VDC / IP66, NEMA4X, IK10 This product is subject to the Thermal agreement.		\$ 4,100.00	8801089191700
Camera - Network	TNO-L3030T	QVGA Thermal Bullet	Thermal cameras with frame rates under 9fps versions do not require end user export documentation	Wisenet T network outdoor vandal thermal bullet camera (uncooled), 320 x 240 @ 8fps, 13.7mm fixed focal lens (16"), triple codec H.265/H.264/MJPEG with Wisestream II, built-in SD card slot (1x256GB), advanced video analytics and sound classification, PTZ handover, open platform, DIS(Gyro), integrated back box, IP66, IK10, PoE/12VDC/24VAC, white color		\$ 4,100.00	8801089214096
Camera - Network	TNO-3040T	QVGA Thermal Bullet	Special Order Non-cancellable Non-returnable	QVGA Thermal camera, Max. 320 x 240 resolution support, built-in 19mm fixed lens, H.265, H.264, MJPEG codec, Max. 30fps@all resolutions, full video and audio analytics, temperature detection, shock detection, micro SD Max. 256GB, Halfway View, WiseStreamII, PoE, 24VAC, 12VDC / IP66, NEMA4X, IK10 This product is subject to the Thermal agreement.		\$ 5,000.00	8801089200495
Camera - Network	TNO-3050T	QVGA Thermal Bullet	Special Order Non-cancellable Non-returnable	QVGA Thermal camera, Max. 320 x 240 resolution support, built-in 35mm fixed lens, H.265, H.264, MJPEG codec, Max. 30fps@all resolutions, full video and audio analytics, temperature detection, shock detection, micro SD Max. 256GB, Halfway View, WiseStreamII, PoE, 24VAC, 12VDC / IP66, NEMA4X, IK10 This product is subject to the Thermal agreement.		\$ 6,520.00	8801089200549
Camera - Network	TNO-4030T	VGA Thermal Bullet	Special Order Non-cancellable Non-returnable	Wisenet T network outdoor vandal thermal bullet camera (uncooled), 640x480 @ 30fps, 13mm fixed focal lens (48.6"), triple codec H.265/H.264/MJPEG with Wisestream II, built-in SD card slot (1x256GB), advanced video analytics and sound classification, PTZ handover, open platform, DIS(Gyro), integrated back box, IP66, IK10, PoE/12VDC/24VAC, white color This product is subject to the Thermal agreement.		\$ 7,000.00	8801089118264
Camera - Network	TNO-L4030T	VGA Thermal Bullet	Thermal cameras with frame rates under 9fps versions do not require end user export documentation	Wisenet T network outdoor vandal thermal bullet camera (uncooled), 640x480 @ 8fps, 13mm fixed focal lens (48.6"), triple codec H.265/H.264/MJPEG with Wisestream II, built-in SD card slot (1x256GB), advanced video analytics and sound classification, PTZ handover, open platform, DIS(Gyro), integrated back box, IP66, IK10, PoE/12VDC/24VAC, white color		\$ 7,000.00	8801089214140
Camera - Network	TNO-4030TR	VGA Radiometric Bullet	Special Order Non-cancellable Non-returnable	Wisenet T network outdoor vandal Radiometric bullet camera (uncooled), 640x480 @ 30fps, 13mm fixed focal lens (48.6"), triple codec H.265/H.264/MJPEG with Wisestream II, built-in SD card slot (1x256GB), advanced video analytics and sound classification, PTZ handover, up to 6 user programmable temperature detection areas, temperature detection range is from (-4°F ~ 266°F), open platform, DIS(Gyro), integrated back box, IP66, IK10, PoE/12VDC/24VAC, white color This product is subject to the Thermal agreement.		\$ 8,400.00	8801089151131
Camera - Network	TNO-L4030TR	VGA Radiometric Bullet	Thermal cameras with frame rates under 9fps versions do not require end user export documentation	Wisenet T network outdoor vandal Radiometric bullet camera (uncooled), 640x480 @ 8fps, 13mm fixed focal lens (48.6"), triple codec H.265/H.264/MJPEG with Wisestream II, built-in SD card slot (1x256GB), advanced video analytics and sound classification, PTZ handover, up to 6 user programmable temperature detection areas, temperature detection range is from (-4°F ~ 266°F), open platform, DIS(Gyro), integrated back box, IP66, IK10, PoE/12VDC/24VAC, white color		\$ 8,400.00	8801089214003
Camera - Network	TNO-4040T	VGA Thermal Bullet	Special Order Non-cancellable Non-returnable	Wisenet T network outdoor vandal thermal bullet camera (uncooled), 640x480 @ 30fps, 19mm fixed focal lens (32"), triple codec H.265/H.264/MJPEG with Wisestream II, built-in SD card slot (1x256GB), advanced video analytics and sound classification, PTZ handover, open platform, DIS(Gyro), integrated back box, IP66, IK10, PoE/12VDC/24VAC, white color This product is subject to the Thermal agreement.		\$ 7,000.00	8801089118363
Camera - Network	TNO-L4040T	VGA Thermal Bullet	Thermal cameras with frame rates under 9fps versions do not require end user export documentation	Wisenet T network outdoor vandal thermal bullet camera (uncooled), 640x480 @ 8fps, 19mm fixed focal lens (32"), triple codec H.265/H.264/MJPEG with Wisestream II, built-in SD card slot (1x256GB), advanced video analytics and sound classification, PTZ handover, open platform, DIS(Gyro), integrated back box, IP66, IK10, PoE/12VDC/24VAC, white color		\$ 7,000.00	8801089214171
Camera - Network	TNO-4040TR	VGA Radiometric Bullet	Special Order Non-cancellable Non-returnable	Wisenet T network outdoor vandal Radiometric bullet camera (uncooled), 640x480 @ 30fps, 19mm fixed focal lens (32"), triple codec H.265/H.264/MJPEG with Wisestream II, built-in SD card slot (1x256GB), advanced video analytics and sound classification, PTZ handover, up to 6 user programmable temperature detection areas, temperature detection range is from (-4°F ~ 266°F), open platform, DIS(Gyro), integrated back box, IP66, IK10, PoE/12VDC/24VAC, white color This product is subject to the Thermal agreement.		\$ 8,400.00	8801089126348
Camera - Network	TNO-L4040TR	VGA Radiometric Bullet	Thermal cameras with frame rates under 9fps versions do not require end user export documentation	Wisenet T network outdoor vandal Radiometric bullet camera (uncooled), 640x480 @ 8fps, 19mm fixed focal lens (32"), triple codec H.265/H.264/MJPEG with Wisestream II, built-in SD card slot (1x256GB), advanced video analytics and sound classification, PTZ handover, up to 6 user programmable temperature detection areas, temperature detection range is from (-4°F ~ 266°F), open platform, DIS(Gyro), integrated back box, IP66, IK10, PoE/12VDC/24VAC, white color		\$ 8,400.00	8801089214041

Camera-Network	TNO-X6320EPT0-C	Explosion Proof Fixed Camera (L)	Special order only (16 Week lead time) 15% Cancellation fee	Explosion proof housing using the XNZ-6320A PoE Only (No Wiper), cLus C1/D1 certification, -10°C ~ +55°C (+14°F ~ +131°F), IP66/IP67, IP68, "-C" for cLCSA	\$ 8,395.00	849688012765
Camera-Network	TNO-X6320EPT0-M	Explosion Proof Fixed Camera (L)	Special order only (16 Week lead time) 15% Cancellation fee	Explosion proof housing using the XNZ-6320A PoE Only (No Wiper), cLus C1/D1 certification, -10°C ~ +55°C (+14°F ~ +131°F), IP66/IP67, IP68, "-M" for INMETRO	\$ 8,395.00	849688012772
Camera-Network	TNO-X6320E1WT1-Z	Explosion Proof Fixed Camera (L)	Special order only (16 Week lead time) 15% Cancellation fee	Explosion proof housing using the XNZ-6320A 24VAC Only with wiper, cLus C1/D1 certification, -40°C ~ +60°C (-40°F ~ +140°F), IP66/IP67, IP68, "-Z" for cLCSA C1/D1	\$ 11,415.00	849688012789
Camera-Network	TNO-X6320E1WT1-C	Explosion Proof Fixed Camera (L)	Special order only (16 Week lead time) 15% Cancellation fee	Explosion proof housing using the XNZ-6320A 24VAC Only with wiper, cLus C1/D1 certification, -40°C ~ +60°C (-40°F ~ +140°F), IP66/IP67, IP68, "-C" for cLCSA	\$ 11,415.00	849688012796
Camera-Network	TNO-X6320E1WT2-C	Explosion Proof Fixed Camera (L)	Special order only (16 Week lead time) 15% Cancellation fee	Explosion proof housing using the XNZ-6320A 24VAC Only with wiper, cLus C1/D1 certification, -60°C ~ +40°C (-67°F ~ +104°F), IP66/IP67, IP68, "-C" for cLCSA	\$ 12,185.00	849688012802
Camera-Network	TNO-X6320E1WT1-M	Explosion Proof Fixed Camera (L)	Special order only (16 Week lead time) 15% Cancellation fee	Explosion proof housing using the XNZ-6320A 24VAC Only with wiper, cLus C1/D1 certification, -40°C ~ +60°C (-40°F ~ +140°F), IP66/IP67, IP68, "-M" for INMETRO	\$ 11,415.00	849688012819
Camera-Network	TNO-X6320E2F2T1-Z	Explosion Proof Fixed Camera (L)	Special order only (16 Week lead time) 15% Cancellation fee	Explosion proof housing using the XNZ-6320A 110VAC Only, Single Mode Fiber (No Wiper), cLus C1/D1 certification, -40°C ~ +60°C (-40°F ~ +140°F), IP66/IP67, IP68, "-Z" for cLCSA C1/D1	\$ 15,365.00	849688012826
Camera-Network	TNO-X6320E2F2T1-C	Explosion Proof Fixed Camera (L)	Special order only (16 Week lead time) 15% Cancellation fee	Explosion proof housing using the XNZ-6320A 110VAC Only, Single Mode Fiber (No Wiper), cLus C1/D1 certification, -40°C ~ +60°C (-40°F ~ +140°F), IP66/IP67, IP68, "-C" for cLCSA	\$ 15,365.00	849688012833
Camera-Network	TNO-X6320E2F2T2-C	Explosion Proof Fixed Camera (L)	Special order only (16 Week lead time) 15% Cancellation fee	Explosion proof housing using the XNZ-6320A 110VAC Only, Single Mode Fiber (No Wiper), cLus C1/D1 certification, -60°C ~ +40°C (-67°F ~ +104°F), IP66/IP67, IP68, "-C" for cLCSA	\$ 16,815.00	849688012840
Camera-Network	TNO-X6320E2F2T1-M	Explosion Proof Fixed Camera (L)	Special order only (16 Week lead time) 15% Cancellation fee	Explosion proof housing using the XNZ-6320A 110VAC Only, Single Mode Fiber (No Wiper), cLus C1/D1 certification, -40°C ~ +60°C (-40°F ~ +140°F), IP66/IP67, IP68, "-M" for INMETRO	\$ 15,365.00	849688012857
Camera-Network	TNO-X6320E2F2WT1-Z	Explosion Proof Fixed Camera (L)	Special order only (16 Week lead time) 15% Cancellation fee	Explosion proof housing using the XNZ-6320A 110VAC Only, Single Mode Fiber with Wiper, cLus C1/D1 certification, -40°C ~ +60°C (-40°F ~ +140°F), IP66/IP67, IP68, "-Z" for cLCSA C1/D1	\$ 16,815.00	849688012864
Camera-Network	TNO-X6320E2F2WT1-C	Explosion Proof Fixed Camera (L)	Special order only (16 Week lead time) 15% Cancellation fee	Explosion proof housing using the XNZ-6320A 110VAC Only, Single Mode Fiber with Wiper, cLus C1/D1 certification, -40°C ~ +60°C (-40°F ~ +140°F), IP66/IP67, IP68, "-C" for cLCSA	\$ 16,815.00	849688012871
Camera-Network	TNO-X6320E2F2WT2-C	Explosion Proof Fixed Camera (L)	Special order only (16 Week lead time) 15% Cancellation fee	Explosion proof housing using the XNZ-6320A 110VAC Only, Single Mode Fiber with Wiper, cLus C1/D1 certification, -60°C ~ +40°C (-67°F ~ +104°F), IP66/IP67, IP68, "-C" for cLCSA	\$ 17,585.00	849688012888
Camera-Network	TNO-X6320E2F2WT1-M	Explosion Proof Fixed Camera (L)	Special order only (16 Week lead time) 15% Cancellation fee	Explosion proof housing using the XNZ-6320A 110VAC Only, Single Mode Fiber with Wiper, cLus C1/D1 certification, -40°C ~ +60°C (-40°F ~ +140°F), IP66/IP67, IP68, "-M" for INMETRO	\$ 16,815.00	849688012895
Explosion Proof - Accessory	HT-E-XWP10UL	Explosion Proof Accessories Washer Tank (L)	Special order only (16 Week lead time) 15% Cancellation fee	Stainless steel Washer tank for cameras with Wiper model (TNP-6320E2W, TNP-6320E1W, TNP-6320E1WF, TNU positioning camera, TNO-6070E2WF, TNO-6320E2WF, TNO-6070E1W)	\$ 7,725.00	849688007976
Explosion Proof - Accessory	HT-E-BFP00SW	Explosion Proof Accessories Mounting Bracket (L)	Special order only (16 Week lead time) 15% Cancellation fee	Stainless steel Top mounting bracket	\$ 775.00	849688007983
Explosion Proof - Accessory	HT-E-BFW320SW	Explosion Proof Accessories Wall Mount (L)	Special order only (16 Week lead time) 15% Cancellation fee	Stainless steel wall mount for (TNO-6070EP, TNO-6320EP, TNO-6070EW2, TNO-6320EW2)	\$ 1,650.00	849688007990
Explosion Proof - Accessory	HT-E-BPW6800	Explosion Proof Accessories PTZ wall Mount (L)	Special order only (16 Week lead time) 15% Cancellation fee	Stainless steel Wall mount for (TNP-xxx, TNU-xxxx)	\$ 1,475.00	849688008003
Explosion Proof - Accessory	HT-E-BFW50SW	Explosion Proof Accessories Wall Mount (L)	Special order only (16 Week lead time) 15% Cancellation fee	Stainless steel wall mount for (TNO-6070EF2, TNO-6320EF2, TNO-6070EWF2, TNO-6320EWF2)	\$ 1,825.00	849688008010
Explosion Proof - Accessory	HT-E-BFP00CL	Explosion Proof Accessories Pole Adaptor (L)	Special order only (16 Week lead time) 15% Cancellation fee	Stainless steel pole mount adaptor	\$ 1,550.00	849688008027
Camera - Network	TNO-X6072EPT1-Z	Explosion Proof Fixed Camera (L)	Limited Stock Recommended replacement TNO-X6073EPT1-Z	Explosion proof camera using the XNB-6000 (2MP @ 60fps) + 2.8-9mm Lens PoE Only (No Wiper), -40°C ~ +55°C (-40°F ~ +131°F), Type 4x, IP66, FM (Factory Mutual), C1/D1 certification	\$ 8,330.00	849688012659
Camera - Network	TNO-X8072EPT1-Z	Explosion Proof Fixed Camera (L)	Limited Stock Recommended replacement TNO-P9073EPT1-Z	Explosion proof camera using the XNB-8000 (5MP @ 30fps) + 4.1-9mm Lens PoE Only (No Wiper), -40°C ~ +55°C (-40°F ~ +131°F), Type 4x, IP66, FM (Factory Mutual), C1/D1 certification	\$ 8,620.00	849688013212
Camera - Network	TNM-XNF9013EPT3-Z	Explosion proof Camera (L)	Explosion Proof Fish Eye Camera Special order only (12 Week lead time) 15% Cancellation fee	Explosion proof Fisheye camera using the XNF-9013RV (12 MP, AI 360° camera, Stereographic fish eye lens PoE+ (No Wiper), -40°C ~ +60°C (-40°F ~ +140°F), type 4x, IP66, FM (Factory Mutual), C1/D1, CA/CE, and Inmetro certifications	\$ 13,850.00	849688021200
Camera - Network	TNP-Q6232EPT3-Z	Explosion Proof PTZ Dome Camera	Limited Stock No direct replacement Recommended Replacement TNP-X6322EPT3-Z	Explosion proof PTZ using the QNP-6230 (2MP @ 30fps) +with 23x optical zoom PoE+ (No Wiper), -20°C ~ +55°C (-4°F ~ +131°F), type 4x, IP66, FM (Factory Mutual), C1/D1 certification	\$ 22,710.00	849688012673
Camera - Network	TNP-XC6403EPT3-Z	Explosion Proof PTZ (L)	150 day lead time 15% Cancellation fee	AI 2MP Explosion proof PTZ using the XNP-C6403 (2MP @ 60fps) 4.25-170mm lens, 40x optical zoom, PoE+ (No Wiper), -20°C ~ +55°C (-4°F ~ +131°F), Type 4x, IP66, FM (Factory Mutual), C1/D1 certification	\$ 25,210.00	849688024331
Camera - Network	TNP-X6322EPT3-Z	Explosion Proof PTZ (L)	Recommended replacement TNP-XC6403EPT3-Z	Explosion proof PTZ using the XNP-6320 (2MP @ 60fps) +with 32x optical zoom PoE+ (No Wiper), -20°C ~ +55°C (-4°F ~ +131°F), type 4x, IP66, FM (Factory Mutual), C1/D1 certification	\$ 25,210.00	849688013229
Camera - Network	TNM-P9022EPT3-Z	Explosion Proof Panoramic Camera (L)	12 Week lead time 15% Cancellation fee	WN7 Panoramic Multi-sensor explosion proof camera, 180° view, (2MP X 4 sensors) 7.3MP @ 30fps, panoramic 209° view, 8.3MP, triple code H.265H.264M/JPEG with WiStream II technology, extreme WDR 120dB, defocus detection, built in analytics, Heatmap, Micro USB for easy installation, 2x Micro SD cards PoE+, IP66/IK10/NEMA4X; FM (Factory Mutual), cLus C1/D1 certification	\$ 14,500.00	849688018774
Explosion Proof - Accessory	HT-F1XX-WM	Wall Mount (L)	Limited Stock Replacement Coming Soon	Wall mount for the (TNO-X6072EPT1-Z, TNO-X8072EPT1-Z, and TNO-X6322EPT1-Z)	\$ 1,450.00	849688012734
Camera - Network	TNO-P9073EPT1-Z	Explosion Proof Fixed Camera (L)	90 day lead time 15% Cancellation fee	AI 4K Explosion proof camera using the PNB-A9001 (8MP @ 30fps) 3.9-10mm lens, PoE+ (No Wiper), -50°C ~ +55°C (-58°F ~ +131°F), Type 4x, IP66, FM (Factory Mutual), C1/D1 certification	\$ 9,975.00	849688024287
Camera - Network	TNO-X6323EPT1-Z	Explosion Proof Zoom Camera (L)	90 day lead time 15% Cancellation fee	2MP Explosion proof zoom camera using the XNZ-L6320 (2MP @ 60fps) 4.44-142.6mm lens, 32x optical zoom, PoE+ (No Wiper), -50°C ~ +55°C (-58°F ~ +131°F), Type 4x, IP66, FM (Factory Mutual), C1/D1 certification	\$ 9,420.00	849688024294
Camera - Network	TNO-X6073EPT1-Z	Explosion Proof Fixed Camera (L)	90 day lead time 15% Cancellation fee	2MP Explosion proof camera using the XNB-6000 (2MP @ 60fps) 2.8-9mm lens, PoE+ Only (No Wiper), -50°C ~ +55°C (-58°F ~ +131°F), Type 4x, IP66, FM (Factory Mutual), C1/D1 certification	\$ 9,120.00	849688024300
Explosion Proof - Accessory	F2XX-PM	Pole Mount (L)	90 day lead time 15% Cancellation fee	Pole mount compatible with TNO-X6073EPT1-Z, TNO-X6323EPT1-Z, TNO-P9073EPT1-Z	\$ 1,010.00	849688024317
Explosion Proof - Accessory	F2XX-WM	Wall Mount (L)	90 day lead time 15% Cancellation fee	Wall mount compatible with TNO-X6073EPT1-Z, TNO-X6323EPT1-Z, TNO-P9073EPT1-Z	\$ 1,010.00	849688024324
Explosion Proof - Accessory	HT-SD-FP	Protection Kit (L)	Limited Stock Protection accessory is part of the explosion proof camera	Protection kit for the (TNP-X6322EPT3-Z, TNP-Q6232EPT3-Z)	\$ 1,660.00	849688012741
Explosion Proof - Accessory	HT-SD-WM	Wall Mount (L)	No Replacement 90 day lead time 15% Cancellation fee	Wall mount for the (TNP-X6322EPT3-Z, TNP-Q6232EPT3-Z, TNP-XC6403EPT3-Z)	\$ 2,790.00	849688012680
Explosion Proof - Accessory	HT-SF-FP	Protection Kit (L)	Limited Stock Protection accessory is part of the explosion proof camera	Protection kit for the (TNO-X6072EPT1-Z, TNO-X8072EPT1-Z and TNO-X6322EPT1-Z)	\$ 400.00	849688012697
Explosion Proof - Accessory	HT-SPMA-SD	Pole Mount (L)	No Replacement 90 day lead time 15% Cancellation fee	Pole mount for the (TNO-X6072EPT1-Z, TNO-X8072EPT1-Z and TNO-X6322EPT1-Z, TNP-X6322EPT3-Z, TNP-Q6232EPT3-Z, TNP-XC6403EPT3-Z) requires a wall mount	\$ 2,260.00	849688012703
Explosion Proof - Accessory	HT-SD-CM	Corner Mount (L)	90 day lead time 15% Cancellation fee	Corner mount for the (TNO-X6072EPT1-Z, TNO-X8072EPT1-Z and TNO-X6322EPT1-Z, TNP-X6322EPT3-Z, TNP-Q6232EPT3-Z, TNP-XC6403EPT3-Z) requires a wall mount	\$ 1,255.00	849688012727
Audio						
Microphone	HNW-SS-800	Line level ceiling mounted microphone (L)		Line level ceiling mounted microphone. Omni-Directional pickup with 12" radius/24" diameter. 12Vdc power required @20mA. 30Hz-15kHz. 2.2kΩ Output Impedance, 60dB SNR, 3 1/8"D x 1"H	\$ 330.00	849688022283
Microphone	HNW-SS-806	Line level wall mounted microphone (L)		Line level wall mounted microphone. Anti-ligature and vandal-resistant design. 12 gauge stainless steel. Omni-Directional pickup with 12" radius/24" diameter. 12Vdc power required @20mA. 30Hz-15kHz. 2.2kΩ Output Impedance, 60dB SNR, 4.75"H x 2.5"W	\$ 350.00	849688022290
IP Audio System	SPA-M2000	IP Audio SIP Microphone		Desktop SIP Microphone for use with IPAS, Monitor Amp 1W/8Ω, DC24V, PoE, SUNAPI, SIP	\$ 1,687.00	880108922688
IP Audio System	SPA-B1000	IP Audio Bridge		IP Audio Bridge, Background Music, Analog Audio Input (L : R +6dBV Max line In level), 1GB Internal Storage, Single Micro SD slot (Up to 32GB), Built in Relay, SUNAPI, PoE	\$ 601.00	8801089186232
IP Audio System	SPA-W100W	IP Wall Speaker		IP Audio Speaker, Two-way audio, Scheduler, Background Music, Text To Speech, 10W Amp, 101dB Output, Freq. Range 120Hz-20kHz, 1GB Internal Storage, Single Micro SD slot (Up to 32GB), Built in Relay, SUNAPI, Onvif, SIP, P2P-SIP, IP54, PoE, PoE+, White Color	\$ 967.00	8801089194473
IP Audio System	SPA-W100B	IP Wall Speaker		IP Audio Speaker, Two-way audio, Scheduler, Background Music, Text To Speech, 10W Amp, 101dB Output, Freq. Range 120Hz-20kHz, 1GB Internal Storage, Single Micro SD slot (Up to 32GB), Built in Relay, SUNAPI, Onvif, SIP, P2P-SIP, IP54, PoE, PoE+, Black Color	\$ 967.00	8801089194466
IP Audio System	SPA-S1000	IP Audio Server		IP Audio Server, Scheduler, Background Music, Text To Speech, SUNAPI, Onvif	\$ 4,913.00	8801089196811
IP Audio System	SPA-P100W	IP Pendant Speaker		IP Audio Speaker, Two-way audio, Scheduler, Background Music, Text To Speech, 10W Amp, 101dB Output, Freq. Range 120Hz-20kHz, 1GB Internal Storage, Single Micro SD slot (Up to 32GB), Built in Relay, SUNAPI, Onvif, SIP, P2P-SIP, PoE, PoE+, White Color	\$ 892.00	8801089207289
IP Audio System	SPA-P100B	IP Pendant Speaker		IP Audio Speaker, Two-way audio, Scheduler, Background Music, Text To Speech, 10W Amp, 101dB Output, Freq. Range 130Hz-20kHz, 1GB Internal Storage, Single Micro SD slot (Up to 32GB), Built in Relay, SUNAPI, Onvif, SIP, P2P-SIP, PoE, PoE+, Black Color	\$ 892.00	8801089207272
IP Audio System	SPA-H100W	IP Horn Speaker		IP Audio Speaker, Two-way audio, Scheduler, Background Music, Text To Speech, 10W Amp, 124dB Output, Freq. Range 650Hz-5.3kHz, 1GB Internal Storage, Single Micro SD slot (Up to 32GB), Built in Relay, SUNAPI, Onvif, SIP, P2P-SIP, IP66, PoE, PoE+, White Color	\$ 1,071.00	8801089187444
IP Audio System	SPA-H100B	IP Horn Speaker		IP Audio Speaker, Two-way audio, Scheduler, Background Music, Text To Speech, 10W Amp, 124dB Output, Freq. Range 650Hz-5.3kHz, 1GB Internal Storage, Single Micro SD slot (Up to 32GB), Built in Relay, SUNAPI, Onvif, SIP, P2P-SIP, IP66, PoE, PoE+, Black Color	\$ 1,071.00	8801089187437
IP Audio System	SPA-D1000	IP Audio Module		IP Audio Module, Scheduler, Background Music, Text To Speech, 10W/8 Ohm Analog Speaker Output, 1GB Internal Storage, Single Micro SD slot (Up to 32GB), Built in Relay, SUNAPI, Onvif, SIP, P2P-SIP, PoE, PoE+	\$ 639.00	8801089184382
IP Audio System	SPA-C110W	IP Ceiling Speaker		IP Audio Speaker, Two-way audio, Scheduler, Background Music, Text To Speech, 10W, 100dB Output, Freq. Range 120Hz-20kHz, 1GB Internal Storage, Single Micro SD slot (Up to 32GB), Built in Relay, SUNAPI, Onvif, SIP, P2P-SIP, PoE, PoE+, White Color	\$ 743.00	8801089190703
IP Audio System	SPA-C110B	IP Ceiling Speaker		IP Audio Speaker, Two-way audio, Scheduler, Background Music, Text To Speech, 10W, 100dB Output, Freq. Range 120Hz-20kHz, 1GB Internal Storage, Single Micro SD slot (Up to 32GB), Built in Relay, SUNAPI, Onvif, SIP, P2P-SIP, PoE, PoE+, Black Color	\$ 743.00	8801089190697

Speaker	SPS-A100M	IP Speaker / Microphone / LED Combo		Audio Beacon - Speaker with Max. Sound Pressure Level 90dB at 1m(3.28ft) and Frequency Range of 144Hz-20KHz, 5 Digital Microphones with Two-Way/One-Way selectable, Full Duplex communication with Echo Cancellation and Noise Reduction, Sound Classification (Glass Break, Scream, Extreme Decibel Event, Event Metadata (Sound Direction, Confidence, Audio Clip, dB level), LED Ring(Green, Blue, Red, Pink, Sky blue, Purple), Initial and Re-Activation delay, USB-C for installation app, 2 configurable digital I/O, PoE+, ONVIF Profile S, SUNAPI(HTTP API), Wisenet open platform, AI Sound classification pack included, Secure element (FIPS 140-3 level3), Indoor Rated, Operating Temperature / Humidity -20°C ~ +55°C (-4°F ~ +122°F) / Less than 90% RH, Storage Temperature / Humidity 50°C ~ +60°C(58°F ~ +140°F) / Less than 90% RH	\$ 899.00	8801089234506
Intercoms						
Intercoms	TCIS-2	Outdoor Audio Intercom	One of the mounts (TA-1 / TA-13 / TA-18 - Purchased separately) is required for installation	Zenitel Turbine Intercom, Audio only, Full Duplex, Group call, AVC, AEC, HD voice, Outdoor IP66, IK10, 95dB at 1 m (Open Duplex), 105 dB at 1m(Half Duplex) PoE, 6 x I/O, 12mA LED driver output, SIP, UL, Cisco Certified, Avaya Certified, NEC Certified, -40° to 70° C (-40° to 158° F), UV Resistance, 10 W Amp, Audio out 600 Ohm	\$ 2,142.00	849688019108
Intercoms	TCIS-3	Outdoor Audio Intercom	One of the mounts (TA-1 / TA-13 / TA-18 - Purchased separately) is required for installation	Zenitel Turbine Intercom, Audio only, Full Duplex, Group call, AVC, AEC, HD voice, Outdoor IP66, IK08, 95dB at 1 m (Open Duplex), 105 dB at 1m(Half Duplex) PoE, 6 x I/O, 12mA LED driver output, SIP, UL, Cisco Certified, Avaya Certified, NEC Certified, -40° to 70° C (-40° to 158° F), UV Resistance, 10 W Amp Audio out 600 Ohm	\$ 1,883.00	849688019115
Intercoms	TMIS-1	Indoor Audio Intercom		Zenitel Turbine Mini Intercom, Audio only, Full Duplex, Group call, AVC, AEC, HD voice, Indoor IP42, 90dB at 1 m (Open Duplex), PoE, 6 x I/O, 12mA LED driver output, SIP, UL, Cisco Certified, Avaya Certified, -25° to 70° C (-13° to 158° F), 10 W Amp	\$ 1,456.00	849688019122
Intercoms	TID-600R	Video Intercom		Video Intercom Station, 2MP@30FPS, 1.6m x 1.1m, triple codec (H.265/H.264/MJPEG), 685x1284MJPEG, with Wisestream II, 150dB WDR, IR LEDs range 16', Touchless call, Tow-Way (Full duplex) audio, 85dB@0.5m, Echo cancellation and noise reduction, Built in tamper switch, Built in Relay, SIP 2.0, P2P-SIP, SIPS, IP65, IK08, NEMA4X, PoE, 12VDC	\$ 1,133.00	8801089198655
PC based Solution						
Wisenet WAVE Software	WAVE-PRO-01	WAVE, 1x IP camera license		WAVE Professional License. Enables one (1) IP stream recording, includes life-time SW upgrade. No annual & maintenance cost required.	\$ 165.00	849688010136
Wisenet WAVE Software	WAVE-PRO-04	WAVE, 4x IP camera license		WAVE Professional License. Enables four (4) IP stream recording, includes life-time SW upgrade. No annual & maintenance cost required.	\$ 660.00	849688010143
Wisenet WAVE Software	WAVE-PRO-05	WAVE, 5x IP camera license		WAVE Professional License. Enables five (5) IP stream recording, includes life-time SW upgrade. No annual & maintenance cost required.	\$ 825.00	849688021101
Wisenet WAVE Software	WAVE-PRO-08	WAVE, 8x IP camera license		WAVE Professional License. Enables eight (8) IP stream recording, includes life-time SW upgrade. No annual & maintenance cost required.	\$ 1,320.00	849688010150
Wisenet WAVE Software	WAVE-PRO-16	WAVE, 16x IP camera license		WAVE Professional License. Enables sixteen (16) IP stream recording, includes life-time SW upgrade. No annual & maintenance cost required.	\$ 2,640.00	849688010167
Wisenet WAVE Software	WAVE-PRO-24	WAVE, 24x IP camera license		WAVE Professional License. Enables twenty-four (24) IP stream recording, includes life-time SW upgrade. No annual & maintenance cost required.	\$ 3,960.00	849688010174
Wisenet WAVE Software	WAVE-PRO-48	WAVE, 48x IP camera license		WAVE Professional License. Enables forty-eight (48) IP stream recording, includes life-time SW upgrade. No annual & maintenance cost required.	\$ 7,920.00	849688010181
Wisenet WAVE Software	WAVE-VW-02	WAVE, Video Wall license		WAVE Video Wall License. Enables up to two (2) monitors, includes life-time SW upgrade. No annual & maintenance cost required.	\$ 1,400.00	849688010204
Wisenet WAVE Software	WAVE-ENC-04	WAVE, 4 channel encoder license		WAVE Encoder License. Enables up to four (4) recording channels, includes life-time SW upgrade. No annual & maintenance cost required.	\$ 165.00	849688010198
Wisenet WAVE Software	WAVE-IO-01	WAVE, IO module license		WAVE IO License. Enables one (1) IO module, includes life-time SW upgrade. No annual & maintenance cost required.	\$ 165.00	849688010211
Wisenet WAVE Software	WAVE-EMB-04	WAVE, 4 channel embedded recorder		WAVE Embedded Recorder License. Enables four (4) channel Hanwha Embedded Recorder playback, includes life-time SW upgrade. No annual & maintenance cost required.	\$ 110.00	849688010228
Wisenet WAVE Software	WAVE-EMB-08	WAVE, 8 channel embedded recorder		WAVE Embedded Recorder License. Enables eight (8) channel Hanwha Embedded Recorder playback, includes life-time SW upgrade. No annual & maintenance cost required.	\$ 220.00	849688010242
Wisenet WAVE Software	WAVE-EMB-16	WAVE, 16 channel embedded recorder		WAVE Embedded Recorder License. Enables sixteen (16) channel Hanwha Embedded Recorder playback, includes life-time SW upgrade. No annual & maintenance cost required.	\$ 440.00	849688010259
Wisenet WAVE Software	WAVE-EMB-32	WAVE, 32 channel embedded recorder		WAVE Embedded Recorder License. Enables thirty-two (32) channel Hanwha Embedded Recorder playback, includes life-time SW upgrade. No annual & maintenance cost required.	\$ 880.00	849688010266
Wisenet WAVE Software	WAVE-EMB-64	WAVE, 64 channel embedded recorder		WAVE Embedded Recorder License. Enables sixty-four (64) channel Hanwha Embedded Recorder playback, includes life-time SW upgrade. No annual & maintenance cost required.	\$ 1,760.00	849688010273
Wisenet WAVE Software	WAVE-AI-01	WAVE, 1x WAVE AI stream license		WAVE AI Plugin License. Enables one (1) AI stream processing, includes life-time SW upgrade. No annual & maintenance cost required. Does not include WAVE camera license. (Only usable on WRR-P-S202(X), WRR-P-S204(X), WRR-P-S206S, WRR-P-S206S1, WRR-P-A200W, WRR-P-A201W, PNM-C32084R0Z-8XE4T-W)	\$ 165.00	849688022627
Wisenet WAVE Software	WAVE-AI-04	WAVE, 4x WAVE AI stream license		WAVE AI Plugin License. Enables one (4) AI stream processing, includes life-time SW upgrade. No annual & maintenance cost required. Does not include WAVE camera license. (Only usable on WRR-P-S202(X), WRR-P-S204(X), WRR-P-S206S, WRR-P-S206S1, WRR-P-A200W, WRR-P-A201W, PNM-C32084R0Z-8XE4T-W)	\$ 660.00	849688022634
Wisenet WAVE Software	WAVE-AI-08	WAVE, 8x WAVE AI stream license		WAVE AI Plugin License. Enables one (8) AI stream processing, includes life-time SW upgrade. No annual & maintenance cost required. Does not include WAVE camera license. (Only usable on WRR-P-S202(X), WRR-P-S204(X), WRR-P-S206S, WRR-P-S206S1, WRR-P-A200W, WRR-P-A201W, PNM-C32084R0Z-8XE4T-W)	\$ 1,320.00	849688022641
Wisenet WAVE Software	WAVE-AI-16	WAVE, 16x WAVE AI stream license		WAVE AI Plugin License. Enables one (16) AI stream processing, includes life-time SW upgrade. No annual & maintenance cost required. Does not include WAVE camera license. (Only usable on WRR-P-S202(X), WRR-P-S204(X), WRR-P-S206S, WRR-P-S206S1, WRR-P-A200W, WRR-P-A201W, PNM-C32084R0Z-8XE4T-W)	\$ 2,640.00	849688022658
WAVE - Client	WWT-P-7205MW	WAVE Client (Windows IoT OS)	2 Weeks Lead Time	Micro form factor Wisenet WAVE Client Workstation for 2 monitor output, Wisenet WAVE pre-installed, Intel Core Ultra 7, 16GB RAM, 512GB SSD OS Drive, Windows 11 IoT Enterprise LTSC 2024, 2.5 GbE NIC, (2) HDMI, (1) DisplayPort outputs, Keyboard and Mouse Included	\$ 3,910.00	849688023983
WAVE - Client	WWT-P-7205ML	WAVE Client (Linux OS)	2 Weeks Lead Time	Micro form factor Wisenet WAVE Client Workstation for 2 monitor output, Wisenet WAVE pre-installed, Intel Core Ultra 7, 16GB RAM, 512GB SSD OS Drive, Ubuntu 22.04 LTS, (1) 2.5GbE NIC, (2) DisplayPort outputs, Keyboard and Mouse Included	\$ 3,910.00	849688023990
WAVE - Client	WWT-P-3204WP	WAVE Client (Windows IoT OS)	2 Weeks Lead Time	Small form factor Wisenet WAVE Client Workstation for 2 monitor output, Wisenet WAVE pre-installed, (14th Gen) Intel Core i3, 8GB RAM, 256 SSD OS Drive, Windows 11 IoT Enterprise LTSC 2024, (2) Display Port, (1) HDMI, Nvidia A400 GPU w/ (4) mDP output, (1) 1GbE NIC, (1) 2.5GbE NIC, (2) mDP to HDMI adapters included, Keyboard and mouse included	\$ 3,650.00	849688024003
WAVE - Client	WWT-P-3204L	WAVE Client (Linux OS)	2 Weeks Lead Time	Small form factor Wisenet WAVE Client Workstation for 2 monitor output, Wisenet WAVE pre-installed, (14th Gen) Intel Core i3, 8GB RAM, 256 SSD OS Drive, Ubuntu 22.04 LTS, (1) 2.5GbE NIC, (2) DisplayPort, (1) HDMI, Nvidia A400 GPU w/ (4) mDP output, (1) 1GbE NIC, (2) mDP to HDMI adapters included, Keyboard and mouse included	\$ 3,650.00	849688024010
WAVE - Client	WWT-P-5405W	WAVE Client (Windows IoT OS)	2 Weeks Lead Time	Small form factor Wisenet WAVE Client Workstation for 4 monitor output, Wisenet WAVE pre-installed, Intel Core Ultra 5, 16GB RAM, 512 SSD OS Drive, Windows 11 IoT Enterprise LTSC 2024, (1) 1GbE NIC, (1) 2.5GbE NIC, (1) HDMI, (3) DisplayPort outputs, Nvidia A400 GPU w/ (4) mDP output, (4) mDP to HDMI adapters included, Keyboard and mouse included	\$ 4,380.00	849688024027
WAVE - Client	WWT-P-5405L	WAVE Client (Linux OS)	2 Weeks Lead Time	Small form factor Wisenet WAVE Client Workstation for 4 monitor output, Wisenet WAVE pre-installed, Intel Core Ultra 5, 16GB RAM, 512 SSD OS Drive, Ubuntu 22.04 LTS, (1) 1GbE NIC, (1) 2.5GbE NIC, (1) HDMI, (3) DisplayPort outputs, Nvidia A400 GPU w/ (4) mDP output, (4) mDP to HDMI adapters included, Keyboard and mouse included	\$ 4,380.00	849688024034
WAVE - Appliance	WRT-P-3104MW1-1TB	Wave Recording Server (Windows IoT OS)	2 Weeks Lead Time	Micro form factor Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 1TB raw, 45 Mbps recording BW, (1) 3.5" HDD, (14th Gen) Intel Core i3, 8GB RAM, 256 GB SSD OS Drive, Windows 11 IoT Enterprise LTSC 2024, (2) HDMI, (1) DisplayPort output, 2.5 GbE NIC, Keyboard and mouse included	\$ 3,270.00	849688024041
WAVE - Appliance	WRT-P-3104MW1-2TB	Wave Recording Server (Windows IoT OS)	2 Weeks Lead Time	Micro form factor Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 2TB raw, 45 Mbps recording BW, (1) M.2 SSD, (14th Gen) Intel Core i3, 8GB RAM, 256 GB SSD OS Drive, Windows 11 IoT Enterprise LTSC 2024, (2) HDMI, (1) DisplayPort output, 2.5 GbE NIC, Keyboard and mouse included	\$ 3,410.00	849688024058
WAVE - Appliance	WRT-P-3104W1-4TB	Wave Recording Server (Windows IoT OS)	2 Weeks Lead Time	Mini-tower form factor Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 4TB raw, 170Mbps recording BW, (1) 3.5" HDD, (14th Gen) Intel Core i3, 16GB RAM, 512 GB SSD OS Drive, Windows 11 IoT Enterprise LTSC 2024, (1) DisplayPort, (1) HDMI output, Dual GbE NICs, Single 360W power supply, Keyboard and mouse included	\$ 5,830.00	849688024065
WAVE - Appliance	WRT-P-3104W1-8TB	Wave Recording Server (Windows IoT OS)	2 Weeks Lead Time	Mini-tower form factor Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 8TB raw, 170Mbps recording BW, (1) 3.5" HDD, (14th Gen) Intel Core i3, 16GB RAM, 512 GB SSD OS Drive, Windows 11 IoT Enterprise LTSC 2024, (1) DisplayPort, (1) HDMI output, Dual GbE NICs, Single 360W power supply, Keyboard and mouse included	\$ 6,280.00	849688024072
WAVE - Appliance	WRT-P-3104W1-12TB	Wave Recording Server (Windows IoT OS)	2 Weeks Lead Time	Mini-tower form factor Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 12TB raw, 170Mbps recording BW, (1) 3.5" HDD, (14th Gen) Intel Core i3, 16GB RAM, 512 GB SSD OS Drive, Windows 11 IoT Enterprise LTSC 2024, (1) DisplayPort, (1) HDMI output, Dual GbE NICs, Single 360W power supply, Keyboard and mouse included	\$ 6,740.00	849688024089
WAVE - Appliance	WRT-P-3104W1-16TB	Wave Recording Server (Windows IoT OS)	2 Weeks Lead Time	Mini-tower form factor Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 16TB raw, 170Mbps recording BW, (1) 3.5" HDD, (14th Gen) Intel Core i3, 16GB RAM, 512 GB SSD OS Drive, Windows 11 IoT Enterprise LTSC 2024, (1) DisplayPort, (1) HDMI output, Dual GbE NICs, Single 360W power supply, Keyboard and mouse included	\$ 7,120.00	849688024096
WAVE - Appliance	WRT-P-5205W-4TB	Wave Recording Server (Windows IoT OS)	2 Weeks Lead Time	Mini-tower form factor Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 4TB raw, 470 Mbps recording BW, (1) 3.5" HDD, Intel Core Ultra 5, 16GB RAM, 512 GB SSD OS Drive, Windows 11 IoT Enterprise LTSC 2024, (2) DisplayPort output, (1) DisplayPort to HDMI adapter included, 1x1 GbE NIC, 1x5 GbE NIC, Single 1500W power supply, Keyboard and mouse included	\$ 6,360.00	849688024102
WAVE - Appliance	WRT-P-5205W-8TB	Wave Recording Server (Windows IoT OS)	2 Weeks Lead Time	Mini-tower form factor Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 8TB raw, 470 Mbps recording BW, (1) 3.5" HDD, Intel Core Ultra 5, 16GB RAM, 512 GB SSD OS Drive, Windows 11 IoT Enterprise LTSC 2024, (2) DisplayPort output, (1) DisplayPort to HDMI adapter included, 1x1 GbE NIC, 1x5 GbE NIC, Single 1500W power supply, Keyboard and mouse included	\$ 6,820.00	849688024119
WAVE - Appliance	WRT-P-5205W-12TB	Wave Recording Server (Windows IoT OS)	2 Weeks Lead Time	Mini-tower form factor Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 12TB raw, 470 Mbps recording BW, (1) 3.5" HDD, Intel Core Ultra 5, 16GB RAM, 512 GB SSD OS Drive, Windows 11 IoT Enterprise LTSC 2024, (2) DisplayPort output, (1) DisplayPort to HDMI adapter included, 1x1 GbE NIC, 1x5 GbE NIC, Single 1500W power supply, Keyboard and mouse included	\$ 7,280.00	849688024126
WAVE - Appliance	WRT-P-5205W-16TB	Wave Recording Server (Windows IoT OS)	2 Weeks Lead Time	Mini-tower form factor Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 16TB raw, 470 Mbps recording BW, (1) 3.5" HDD, Intel Core Ultra 5, 16GB RAM, 512 GB SSD OS Drive, Windows 11 IoT Enterprise LTSC 2024, (2) DisplayPort output, (1) DisplayPort to HDMI adapter included, 1x1 GbE NIC, 1x5 GbE NIC, Single 1500W power supply, Keyboard and mouse included	\$ 7,660.00	849688024133
WAVE - Appliance	WRT-P-5205W-24TB	Wave Recording Server (Windows IoT OS)	2 Weeks Lead Time	Mini-tower form factor Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 24TB raw, 470 Mbps recording BW, (1) 3.5" HDD, Intel Core Ultra 5, 16GB RAM, 512 GB SSD OS Drive, Windows 11 IoT Enterprise LTSC 2024, (2) DisplayPort output, (1) DisplayPort to HDMI adapter included, 1x1 GbE NIC, 1x5 GbE NIC, Single 1500W power supply, Keyboard and mouse included	\$ 8,240.00	849688024140
WAVE - Appliance	WRT-P-5205W-36TB	Wave Recording Server (Windows IoT OS)	2 Weeks Lead Time	Mini-tower form factor Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 36TB raw, 470 Mbps recording BW, (1) 3.5" HDD, Intel Core Ultra 5, 16GB RAM, 512 GB SSD OS Drive, Windows 11 IoT Enterprise LTSC 2024, (2) DisplayPort output, (1) DisplayPort to HDMI adapter included, 1x1 GbE NIC, 1x5 GbE NIC, Single 1500W power supply, Keyboard and mouse included	\$ 9,410.00	849688024157
WAVE - Appliance	WRT-P-3104L1-4TB	WAVE Recording Server (Linux OS)	2 Weeks Lead Time	Mini-tower form factor Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 4TB raw, 170Mbps recording BW, (1) 3.5" HDD, (14th Gen) Intel Core i3, 16GB RAM, 512 GB SSD OS Drive, Ubuntu 22.04 LTS, (1) DisplayPort, (1) HDMI output, Dual GbE NICs, Single 360W power supply, Keyboard and mouse included	\$ 5,830.00	849688024164
WAVE - Appliance	WRT-P-3104L1-8TB	WAVE Recording Server (Linux OS)	2 Weeks Lead Time	Mini-tower form factor Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 8TB raw, 170Mbps recording BW, (1) 3.5" HDD, (14th Gen) Intel Core i3, 16GB RAM, 512 GB SSD OS Drive, Ubuntu 22.04 LTS, (1) DisplayPort, (1) HDMI output, Dual GbE NICs, Single 360W power supply, Keyboard and mouse included	\$ 6,280.00	849688024171
WAVE - Appliance	WRT-P-3104L1-12TB	WAVE Recording Server (Linux OS)	2 Weeks Lead Time	Mini-tower form factor Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 12TB raw, 170Mbps recording BW, (1) 3.5" HDD, (14th Gen) Intel Core i3, 16GB RAM, 512 GB SSD OS Drive, Ubuntu 22.04 LTS, (1) DisplayPort, (1) HDMI output, Dual GbE NICs, Single 360W power supply, Keyboard and mouse included	\$ 6,740.00	849688024188
WAVE - Appliance	WRT-P-3104L1-16TB	WAVE Recording Server (Linux OS)	2 Weeks Lead Time	Mini-tower form factor Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 16TB raw, 170Mbps recording BW, (1) 3.5" HDD, (14th Gen) Intel Core i3, 16GB RAM, 512 GB SSD OS Drive, Ubuntu 22.04 LTS, (1) DisplayPort, (1) HDMI output, Dual GbE NICs, Single 360W power supply, Keyboard and mouse included	\$ 7,120.00	849688024195
WAVE - Appliance	WRT-P-5205L-4TB	WAVE Recording Server (Linux OS)	2 Weeks Lead Time	Mini-tower form factor Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 4TB raw, 470 Mbps recording BW, (1) 3.5" HDD, Intel Core Ultra 5, 16GB RAM, 512 GB SSD OS Drive, Ubuntu 22.04 LTS, (2) DisplayPort output, (1) DisplayPort to HDMI adapter included, 1x1 GbE NIC, 1x5 GbE NIC, Single 1500W power supply, Keyboard and mouse included	\$ 6,360.00	849688024201
WAVE - Appliance	WRT-P-5205L-8TB	WAVE Recording Server (Linux OS)	2 Weeks Lead Time	Mini-tower form factor Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 8TB raw, 470 Mbps recording BW, (1) 3.5" HDD, Intel Core Ultra 5, 16GB RAM, 512 GB SSD OS Drive, Ubuntu 22.04 LTS, (2) DisplayPort output, (1) DisplayPort to HDMI adapter included, 1x1 GbE NIC, 1x5 GbE NIC, Single 1500W power supply, Keyboard and mouse included	\$ 6,820.00	849688024218
WAVE - Appliance	WRT-P-5205L-12TB	WAVE Recording Server (Linux OS)	2 Weeks Lead Time	Mini-tower form factor Wisenet WAVE Network Video Recorder with 4 Professional licenses, Wisenet WAVE pre-installed, 12TB raw, 470 Mbps recording BW, (1) 3.5" HDD, Intel Core Ultra 5, 16GB RAM, 512 GB SSD OS Drive, Ubuntu 22.04 LTS, (2) DisplayPort output, (1) DisplayPort to HDMI adapter included, 1x1 GbE NIC, 1x5 GbE NIC, Single 1500W power supply, Keyboard and mouse included	\$ 7,280.00	849688024225

Lumeo	LUMEO-CS-60DAY-HV-01-1Y	Lumeo 1 Year 60 Day Cloud Storage, 1x Camera License	Cloud Retention licenses must match the number of Enterprise licenses and cannot be combined with 30-day retention licenses.	Lumeo Cloud Storage License. Enables AI Search for HD Media, Event Recordings, though Lumeo cloud with 60-day retention. Includes Standard Support and license is valid for 12 months.	\$ 170.00	N/A
-------	-------------------------	--	--	--	-----------	-----

Cloud Solutions

VSaaS	VCV-1Y50000301	OnCloud Service	1 Year Access Edge Recording with 30 Days SO Cloud Backup	\$ 199.00	N/A
VSaaS	VCV-3Y50000301	OnCloud Service	3 Year Access Edge Recording with 30 Days SO Cloud Backup	\$ 549.00	N/A
VSaaS	VCV-5Y50000301	OnCloud Service	5 Year Access Edge Recording with 30 Days SO Cloud Backup	\$ 899.00	N/A
VSaaS	VCV-1Y02C0301	OnCloud Service	Oncloud 1 Year Access 2MP/30 Days Storage	\$ 450.00	N/A
VSaaS	VCV-1Y02C0601	OnCloud Service	Oncloud 1 Year Access 2MP/60 Days Storage	\$ 900.00	N/A
VSaaS	VCV-1Y02C1801	OnCloud Service	Oncloud 1 Year Access 2MP/180 Days Storage	\$ 1,350.00	N/A
VSaaS	VCV-1Y02C1801	OnCloud Service	Oncloud 1 Year Access 2MP/180 Days Storage	\$ 2,700.00	N/A
VSaaS	VCV-1Y02C3651	OnCloud Service	Oncloud 1 Year Access 2MP/365 Days Storage	\$ 5,400.00	N/A
VSaaS	VCV-1Y04C0301	OnCloud Service	Oncloud 1 Year Access 4MP/30 Days Storage	\$ 520.00	N/A
VSaaS	VCV-1Y04C0601	OnCloud Service	Oncloud 1 Year Access 4MP/60 Days Storage	\$ 1,040.00	N/A
VSaaS	VCV-1Y04C1801	OnCloud Service	Oncloud 1 Year Access 4MP/180 Days Storage	\$ 1,560.00	N/A
VSaaS	VCV-1Y04C3651	OnCloud Service	Oncloud 1 Year Access 4MP/365 Days Storage	\$ 3,120.00	N/A
VSaaS	VCV-1Y08C0301	OnCloud Service	Oncloud 1 Year Access 8MP/30 Days Storage	\$ 595.00	N/A
VSaaS	VCV-1Y08C0601	OnCloud Service	Oncloud 1 Year Access 8MP/60 Days Storage	\$ 1,190.00	N/A
VSaaS	VCV-1Y08C0901	OnCloud Service	Oncloud 1 Year Access 8MP/90 Days Storage	\$ 1,785.00	N/A
VSaaS	VCV-1Y08C1801	OnCloud Service	Oncloud 1 Year Access 8MP/180 Days Storage	\$ 3,570.00	N/A
VSaaS	VCV-1Y08C3651	OnCloud Service	Oncloud 1 Year Access 8MP/365 Days Storage	\$ 7,140.00	N/A
VSaaS	VCV-3Y02C0301	OnCloud Service	Oncloud 3 Years Access 2MP/30 Days Storage	\$ 1,350.00	N/A
VSaaS	VCV-3Y02C0601	OnCloud Service	Oncloud 3 Years Access 2MP/60 Days Storage	\$ 2,700.00	N/A
VSaaS	VCV-3Y02C0901	OnCloud Service	Oncloud 3 Years Access 2MP/90 Days Storage	\$ 4,050.00	N/A
VSaaS	VCV-3Y02C1801	OnCloud Service	Oncloud 3 Years Access 2MP/180 Days Storage	\$ 8,100.00	N/A
VSaaS	VCV-3Y02C3651	OnCloud Service	Oncloud 3 Years Access 2MP/365 Days Storage	\$ 16,200.00	N/A
VSaaS	VCV-3Y04C0301	OnCloud Service	Oncloud 3 Years Access 4MP/30 Days Storage	\$ 1,560.00	N/A
VSaaS	VCV-3Y04C0601	OnCloud Service	Oncloud 3 Years Access 4MP/60 Days Storage	\$ 3,120.00	N/A
VSaaS	VCV-3Y04C0901	OnCloud Service	Oncloud 3 Years Access 4MP/90 Days Storage	\$ 4,680.00	N/A
VSaaS	VCV-3Y04C1801	OnCloud Service	Oncloud 3 Years Access 4MP/180 Days Storage	\$ 9,360.00	N/A
VSaaS	VCV-3Y04C3651	OnCloud Service	Oncloud 3 Years Access 4MP/365 Days Storage	\$ 18,720.00	N/A
VSaaS	VCV-3Y08C0301	OnCloud Service	Oncloud 3 Years Access 8MP/30 Days Storage	\$ 1,785.00	N/A
VSaaS	VCV-3Y08C0601	OnCloud Service	Oncloud 3 Years Access 8MP/60 Days Storage	\$ 3,570.00	N/A
VSaaS	VCV-3Y08C0901	OnCloud Service	Oncloud 3 Years Access 8MP/90 Days Storage	\$ 5,355.00	N/A
VSaaS	VCV-3Y08C1801	OnCloud Service	Oncloud 3 Years Access 8MP/180 Days Storage	\$ 10,710.00	N/A
VSaaS	VCV-3Y08C3651	OnCloud Service	Oncloud 3 Years Access 8MP/365 Days Storage	\$ 21,420.00	N/A
Appliance	CGA-1610	Cloud Gateway Appliance	Cloud Gateway Access Appliance - 16 Ports - Cloud CVR Recording - ONVIF support	\$ 480.00	8801089229236 8801089232168
HealthPro	VCD-1YB0001	HealthPro 1 Year Access	HealthPro 1 Year Access per device - Remote health monitoring and maintenance	\$ 15.00	N/A
HealthPro	VCD-3YB0001	HealthPro 3 Year Access	HealthPro 3 Year Access per device - Remote health monitoring and maintenance	\$ 43.00	N/A
HealthPro	VCD-5YB0001	HealthPro 5 Year Access	HealthPro 5 Year Access per device - Remote health monitoring and maintenance	\$ 70.00	N/A
SightMind	VCB-1YB0001	SightMind 1 Year Access	SightMind 1 Year Access - 1 Year metadata retention	\$ 210.00	N/A
SightMind	VCB-3YB0001	SightMind 3 Year Access	SightMind 3 Year Access - 3 Year metadata retention	\$ 630.00	N/A
SightMind	VCB-5YB0001	SightMind 5 Year Access	SightMind 5 Year Access - 5 Year metadata retention	\$ 1,050.00	N/A

Wisenet SKY (Wisenet SKY products are only available for Wisenet SKY certified partners)

Wisenet SKY - Hardware	SKY-SU301-0	Bridge 301 (L)	Orders over 25 units require additional lead time.	Location Setup Fee Bridge 301 (Rack Form Factor) 1MP, 25CH, 4MP, 20CH, Analytics: 5CH, up to 2 days of local video buffering, 1TB HDD, VGA, DVI This product is subject to the Wisenet SKY agreement.	\$ 940.00	849688018745
Wisenet SKY - Hardware	SKY-SU304p-0	Bridge 304+ (L)	Orders over 25 units require additional lead time.	Location Setup Fee Bridge 304+ (Compact and Ruggedized Form Factor) 1MP, 25CH, 4MP, 20CH, Analytics: 5CH, up to 2 days of local video buffering, 1TB SSD, VGA, HDMI This product is subject to the Wisenet SKY agreement.	\$ 940.00	849688018972
Wisenet SKY - Hardware	SKY-SU305-0	Bridge 305 (L)	Orders over 25 units require additional lead time.	Location Setup Fee Bridge 305 (Compact and Ruggedized Form Factor with 4 PoE Ports) 1MP, 15CH, 4MP, 12CH, Analytics: 5CH, up to 2 days of local video buffering, 1TB HDD, HDMI, DP, 4PoE ports This product is subject to the Wisenet SKY agreement.	\$ 1,306.00	849688018392
Wisenet SKY - Hardware	SKY-SU401-0	Bridge 401 (L)	Orders over 25 units require additional lead time.	Location Setup Fee Bridge 401 (Rack Form Factor) 1MP, 42CH, 4MP, 35CH, Analytics: 10CH, up to 2 LPR cameras, up to 2 days of local video buffering, 1TB HDD, VGA, HDMI, DP This product is subject to the Wisenet SKY agreement.	\$ 1,568.00	849688017876
Wisenet SKY - Hardware	SKY-SU406p-0	Bridge 406+ (L)	Orders over 25 units require additional lead time.	Location Setup Fee Bridge 406+ (Compact rack form Factor) 1MP, 44CH, 4MP, 35CH, Analytics: 15CH, up to 2 LPR cameras, up to 2 days of local video buffering for 35CH @ 4MP, 2x HDMI This product is subject to the Wisenet SKY agreement.	\$ 1,830.00	849688020609
Wisenet SKY - Hardware	SKY-SU501-0	Bridge 501 (L)	Orders over 25 units require additional lead time.	Location Setup Fee Bridge 501 (Rack Form Factor) 1MP, 72CH, 4MP, 50CH, Analytics: 10CH, up to 4 LPR cameras, up to 2 days of local video buffering, 1TB HDD, VGA, HDMI, DP This product is subject to the Wisenet SKY agreement.	\$ 2,091.00	849688017883
Wisenet SKY - Hardware	SKY-SU504p-0	Bridge 504+ (L)	Orders over 25 units require additional lead time.	Location Setup Fee Bridge 504+ (Compact and Ruggedized Form Factor) 1MP, 72CH, 4MP, 50CH, Analytics: 20CH, up to 4 LPR cameras, up to 2 days of local video buffering 50CH @ 4MP, HDMI, DP This product is subject to the Wisenet SKY agreement.	\$ 2,615.00	849688019948
Wisenet SKY - Hardware	SKY-BR320-0	CMVR 320 (L)	Orders over 25 units require additional lead time.	CMVR 320 with 4TB (Rack Form Factor) 1MP, 25CH, 4MP, 20CH, Analytics: 5CH, 4TB HDD (35 days for 20 cameras @ 1MP), VGA, DVI This product is subject to the Wisenet SKY agreement.	\$ 1,394.00	849688017906
Wisenet SKY - Hardware	SKY-BR324p-0	CMVR 324+ (L)	Orders over 25 units require additional lead time.	CMVR 324+ with 4TB (Compact and Ruggedized Form Factor) 1MP, 12CH, 4MP, 8CH, Analytics: 5CH, 4TB HDD (60 days for 12 cameras @ 1MP), VGA, HDMI This product is subject to the Wisenet SKY agreement.	\$ 1,394.00	849688019016
Wisenet SKY - Hardware	SKY-BR325-0	CMVR 325 (L)	Orders over 25 units require additional lead time.	CMVR 325 with 2TB (Compact and Ruggedized Form Factor with 4 PoE Ports) 1MP, 12CH, 4MP, 8CH, Analytics: 5CH, 2TB HDD (45 days for 8 cameras @ 1MP), HDMI, DP, 4PoE ports This product is subject to the Wisenet SKY agreement.	\$ 1,655.00	849688018385
Wisenet SKY - Hardware	SKY-BR426p-0	CMVR 426+ (L)	Orders over 25 units require additional lead time.	CMVR 426+ with 4TB (Compact and Ruggedized Form Factor) 4MP, 20CH, Analytics: 15CH, up to 2 LPR cameras, 16TB HDD (35 days for 20 cameras @ 4MP), 2x HDMI This product is subject to the Wisenet SKY agreement.	\$ 2,963.00	849688020616
Wisenet SKY - Hardware	SKY-BR524p-0	CMVR 524+ (L)	Orders over 25 units require additional lead time.	CMVR 524+ with 4TB (Compact and Ruggedized Form Factor) 4MP, 25CH, Analytics: 20CH, up to 4 LPR cameras, 16TB HDD (30 days for 25 cameras @ 4MP), HDMI, DP This product is subject to the Wisenet SKY agreement.	\$ 4,359.00	849688020623
Wisenet SKY - Hardware	SKY-BR420-0	CMVR 420 (L)	Orders over 25 units require additional lead time.	CMVR 420 with 10TB (Rack Form Factor) 1MP, 42CH, 4MP, 35CH, Analytics: 10CH, up to 2 LPR Cameras, 10TB HDD (50 days for 35 camera @ 1MP), VGA, HDMI, DP This product is subject to the Wisenet SKY agreement.	\$ 2,963.00	849688017920
Wisenet SKY - Hardware	SKY-BR520-0	CMVR 520 (L)	Orders over 25 units require additional lead time.	CMVR 520 with 40TB (raw) 30TB (useable) RAID 5 (Enterprise Rack Form Factor) 1MP, 62CH, 4MP, 50CH, Analytics: 20CH, up to 4 LPR cameras, 40TB (raw) 30TB (useable) RAID 5, (30 days for 40 cameras @ 4MP), VGA, HDMI, DP This product is subject to the Wisenet SKY agreement.	\$ 6,975.00	849688017937
Wisenet SKY - Hardware	SKY-BR620-0	CMVR 620 (L)	Orders over 25 units require additional lead time.	CMVR 620 with 64TB (raw) 48TB (useable) RAID 5 (Enterprise Rack Form Factor) 1MP, 125CH, 4MP, 100CH, Analytics: 30CH, 64TB (raw) 48TB (useable) RAID 5, (30 days for 60 cameras @ 4MP), VGA, HDMI, DP This product is subject to the Wisenet SKY agreement.	\$ 12,208.00	849688017944
Wisenet SKY - Hardware	SKY-BR820-0	CMVR 820 (L)	Orders over 25 units require additional lead time.	CMVR 820 with 120TB (raw) 100TB (useable) RAID 6 (Enterprise Rack Form Factor) 1MP, 195CH, 4MP, 165CH, Analytics: 40CH, 120TB (raw) 100TB (useable) RAID 6, (30 days for 130 cameras @ 4MP), VGA, HDMI, DP This product is subject to the Wisenet SKY agreement.	\$ 20,928.00	849688017951
Wisenet SKY - Hardware	SKY-SW10g-001	Network Switch SW10g (L)	Power Cycle capability via Wisenet SKY interface. Orders over 25 units require additional lead time.	Switch SW10g (8 Port Gigabit PoE+ Switch with 2xSFP, 802.3af (max 15.4W), 802.3at (max 30W), max power budget 125W, 10/100/1000 Mbps)	\$ 399.00	849688020630
Wisenet SKY - Hardware	SKY-SW20g-001	Network Switch SW20g (L)	Power Cycle capability via Wisenet SKY interface. Orders over 25 units require additional lead time.	Switch SW20g (16 Port Gigabit PoE+ Switch with 2xUplink and 2xSFP, 802.3af (max 15.4W), 802.3at (max 30W), max power budget 250W, 10/100/1000 Mbps)	\$ 870.00	849688020647
Wisenet SKY - Hardware	SKY-SW28g-001	Network Switch SW28g (L)	Power Cycle capability via Wisenet SKY interface. Orders over 25 units require additional lead time.	Switch SW28g (24 Port Gigabit PoE+ Switch with 2xUplink and 2xSFP, 802.3af (max 15.4W), 802.3at (max 30W), max power budget 370W, 10/100/1000 Mbps)	\$ 1,394.00	849688020654
Wisenet SKY - Hardware	SKY-SWSFP-002	Network Module (L)	Orders over 25 units require additional lead time.	Switch SFP Copper MMF Module	\$ 68.00	849688020661
Wisenet SKY - Hardware	SKY-SWSFP-001	Network Module (L)	Orders over 25 units require additional lead time.	Switch SFP Optical MMF Module (850nm, 1.25Gbps, 550m)	\$ 68.00	849688018026

Embedded NVR

Recording - Network	XRN-6420B2	64 CH NVR	No HDD	8K NVR (Intel based), 64Ch, No HDD, 8 SATA HDD bays (up to 10TB per HDD), H.265/H.264/MJPEG, SUNAPI, ONVIF, ARB (Automatic Recovery Backup) & Failover (N+1), Up To 520 Mbps Recording / Up To 200 Mbps Playback, Dual Stream Recording, iSCSI, WiseStream Support, HDMI(x2) Dual Display, Alarm I/O, 2-Way Audio, Maximum Camera Resolution of 32MP Recording/Display, Fisheye Dewarping (Local/CMS), AI Search (Wisenet AI Cameras Only), P2P QR Code.	\$ 4,174.00	8801089221438
Recording - Network	XRN-6420B2-8TB	64 CH NVR		8K NVR (Intel based), 64Ch, 8TB RAW, 8 SATA HDD bays (up to 10TB per HDD), H.265/H.264/MJPEG, SUNAPI, ONVIF, ARB (Automatic Recovery Backup) & Failover (N+1), Up To 520 Mbps Recording / Up To 200 Mbps Playback, Dual Stream Recording, iSCSI, WiseStream Support, HDMI(x2) Dual Display, Alarm I/O, 2-Way Audio, Maximum Camera Resolution of 32MP Recording/Display, Fisheye Dewarping (Local/CMS), AI Search (Wisenet AI Cameras Only), P2P QR Code.	\$ 5,134.00	849688023532
Recording - Network	XRN-6420B2-10TB	64 CH NVR		8K NVR (Intel based), 64Ch, 10TB RAW, 8 SATA HDD bays (up to 10TB per HDD), H.265/H.264/MJPEG, SUNAPI, ONVIF, ARB (Automatic Recovery Backup) & Failover (N+1), Up To 520 Mbps Recording / Up To 200 Mbps Playback, Dual Stream Recording, iSCSI, WiseStream Support, HDMI(x2) Dual Display, Alarm I/O, 2-Way Audio, Maximum Camera Resolution of 32MP Recording/Display, Fisheye Dewarping (Local/CMS), AI Search (Wisenet AI Cameras Only), P2P QR Code.	\$ 5,374.00	849688023549
Recording - Network	XRN-6420B2-16TB	64 CH NVR		8K NVR (Intel based), 64Ch, 16TB RAW, 8 SATA HDD bays (up to 10TB per HDD), H.265/H.264/MJPEG, SUNAPI, ONVIF, ARB (Automatic Recovery Backup) & Failover (N+1), Up To 520 Mbps Recording / Up To 200 Mbps Playback, Dual Stream Recording, iSCSI, WiseStream Support, HDMI(x2) Dual Display, Alarm I/O, 2-Way Audio, Maximum Camera Resolution of 32MP Recording/Display, Fisheye Dewarping (Local/CMS), AI Search (Wisenet AI Cameras Only), P2P QR Code.	\$ 6,094.00	849688023556
Recording - Network	XRN-6420B2-20TB	64 CH NVR		8K NVR (Intel based), 64Ch, 20TB RAW, 8 SATA HDD bays (up to 10TB per HDD), H.265/H.264/MJPEG, SUNAPI, ONVIF, ARB (Automatic Recovery Backup) & Failover (N+1), Up To 520 Mbps Recording / Up To 200 Mbps Playback, Dual Stream Recording, iSCSI, WiseStream Support, HDMI(x2) Dual Display, Alarm I/O, 2-Way Audio, Maximum Camera Resolution of 32MP Recording/Display, Fisheye Dewarping (Local/CMS), AI Search (Wisenet AI Cameras Only), P2P QR Code.	\$ 6,574.00	849688023563
Recording - Network	XRN-6420B2-32TB	64 CH NVR		8K NVR (Intel based), 64Ch, 32TB RAW, 8 SATA HDD bays (up to 10TB per HDD), H.265/H.264/MJPEG, SUNAPI, ONVIF, ARB (Automatic Recovery Backup) & Failover (N+1), Up To 520 Mbps Recording / Up To 200 Mbps Playback, Dual Stream Recording, iSCSI, WiseStream Support, HDMI(x2) Dual Display, Alarm I/O, 2-Way Audio, Maximum Camera Resolution of 32MP Recording/Display, Fisheye Dewarping (Local/CMS), AI Search (Wisenet AI Cameras Only), P2P QR Code.	\$ 8,014.00	849688023570

Recording - Network	QRN-430S	NVR with PoE+	No HDD	4K NVR (Intel based), 4CH with 4 PoE/PoE+ ports (PoE Budget 35W), H265,H264, MJPEG, 1 fixed internal SATA HDDs (6TB max), ARB (Automatic Recovery Backup), 40 Mbps recording / up to 32 Mbps playback, Dual stream recording, WiseStream technology, 4K HDMI display, max. resolution of 8MP recording/display, QR Code	\$ 517.00	8801089205216
Recording - Network	QRN-430S-2TB	4 CH NVR		4K NVR (Intel based), 2TB RAW, 4CH with 4 PoE/PoE+ ports (PoE Budget 35W), H265, H264, MJPEG, 1 fixed internal SATA HDDs (6TB max), ARB (Automatic Recovery Backup), 40 Mbps recording / up to 32 Mbps playback, Dual stream recording, WiseStream technology, 4K HDMI display, max. resolution of 8MP recording/display, QR Code	\$ 757.00	849688018736
Recording - Network	QRN-430S-4TB	4 CH NVR		4K NVR (Intel based), 4TB RAW, 4CH with 4 PoE/PoE+ ports (PoE Budget 35W), H265,H264, MJPEG, 1 fixed internal SATA HDDs (6TB max), ARB (Automatic Recovery Backup), 40 Mbps recording / up to 32 Mbps playback, Dual stream recording, WiseStream technology, 4K HDMI display, max. resolution of 8MP recording/display, QR Code	\$ 997.00	849688018743
Recording - Network	QRN-430S-6TB	4 CH NVR		4K NVR (Intel based), 6TB RAW, 4CH with 4 PoE/PoE+ ports (PoE Budget 35W), H265,H264, MJPEG, 1 fixed internal SATA HDDs (6TB max), ARB (Automatic Recovery Backup), 40 Mbps recording / up to 32 Mbps playback, Dual stream recording, WiseStream technology, 4K HDMI display, max. resolution of 8MP recording/display, QR Code	\$ 1,237.00	849688018750

Encoders and Decoders

Network - Encoder	SPE-1630	16 Channel Encoder		Encoder, 16CH H.265/H.264/MJPEG, Supports: AHD, CVI, TVI and CVBS (AUTO), Up to 5MP@12fps, AMP@15fps, 2MP@30fps, RS-485Interface, Coaxial Control, Pelco C when using CVBS or ACP up-coax protocol @ AHD, ONVIF Profile S support, 1 HDMI OUT (16 multi Image, 1920x1080), I/O 16/4, Audio In/out 4/1	\$ 1,375.00	8801089213624
Network - Encoder	SPE-1610	16 Channel Encoder	Limited Stock Comparable model SPE-1620	Encoder, 16CH H.264/MJPEG, 30fps @ 2MP or lower and 15 fps @ 4MP, AHD/CVI/TVI/CVBS compatible, RS-485/422 Interface, Pelco C when using CVBS or ACP up-coax protocol @ AHD, ONVIF protocol support, HDMI output, I/O 16/4, Audio In/out 4/1, 12VDC	\$ 1,365.00	8801089130846
Network - Encoder	SPE-420	4 Channel Encoder		Encoder, 4CH H.265/H.264/MJPEG, 5MP - 12fps/CH, 4MP - 15fps/CH, 1080p - 30fps/CH, 720p/WD1/4/CIF/CIF, 30fps, AHD/CVI/TVI/CVBS compatible, RS-485/422 Interface, Pelco C when using CVBS or ACP up-coax protocol @ AHD, ONVIF protocol support, HDMI output, I/O 4/2, Audio In/out 4/1, DC 12V, PoE(IEEE 802.3af)	\$ 535.00	8801089207593
Decoder - Network	SPD-152	64CH Network Video Decoder		Video decoding up to 64 cameras, Dual HDMI output (HDMI#1 UHD, HDMI#2 FHD), Supported resolution: 4K@60FPS ~ 2M@360FPS, ONVIF, S/NDAPI, RTSP, H.265 / H.264 / MJPEG codes, up to 20 Layout, Sequence Support, 12V DC, PoE	\$ 850.00	8801089218957

IOT Devices

IOT - Vape & Smart Safety Sensor	TRTN-UA001	POE+ Powered Vape and Smart Safety Sensor	14 Day Lead Time	Environmental Sensor, Advanced BLE Detection Engine, Multi-Detection Capabilities (Vaping, THC, Aggression, Glass Breakage), Cloud-Integrated, Privacy-Compliant Design, Compatible with Major Security Systems and Dashboards, Real-time environmental monitoring, Detection coverage up to 15m. Precision analytics: Vaping, Aggression, Keyword detection, Health and environmental monitoring, BLE Radar with device tracking for lotterring and unauthorized access management. Supported alerts include: Audio detection (Scream/Shout), Keyword triggers, and SmartKey analytics, installed software features: Customizable API alerts, real-time cloud sync, customizable API integrations, and a streamlined 3rd Party VMS/Triton dashboard Integration for management and alerts. Operating temperature: -10°C to +50°C (14°F - 122°F). Power: PoE+ (802.3af), optional 12VDC. Durable IP65-rated casing, privacy-compliant (no camera).	\$ 2,360.00	90849688023221
IOT - Vape & Smart Safety Sensor	TRTN-PR001	POE+ Powered Vape and Smart Safety Sensor	14 Day Lead Time	Enhanced Multi-Detection Capabilities (Vaping, THC, Aggression), Cloud-Integrated, Privacy-Compliant Design, Compatible with Major Security Systems. Detection coverage up to 15m. Precision analytics: Vaping, Keyword detection, Basic environmental monitoring. Supports customizable alerts for vaping, THC detection, and aggression events. Installed software features include real-time cloud sync, customizable API integrations, and a streamlined 3rd Party VMS/Triton dashboard Integration for management and alerts. Operating temperature: -10°C to +50°C (14°F - 122°F). Power: PoE+ (802.3af), optional 12VDC. Durable IP65-rated casing, privacy-compliant (no camera).	\$ 1,890.00	90849688023238
IOT - Vape & Smart Safety Sensor	TRTN-VD001	POE+ Powered Vape and Smart Safety Sensor	14 Day Lead Time	Triton Vape Detector, Focused Single-Detection Capability for Vaping, Privacy-Compliant Design, Standalone Operation. Designed for environments requiring targeted vape detection with affordability and simplicity in mind. Detection coverage up to 15m. Optimized for high-accuracy vape detection to address vaping in schools, workplaces, and public spaces.Features: Real-time detection with customizable alerts for vape incidents. Integrated with the WAVE/Triton dashboard for monitoring and management. Operating temperature: 0°C to +40°C (32°F ~ 104°F). Power: 12VDC or PoE (802.3af).	\$ 1,420.00	90849688023245
IOT - Cloud Software	TRTN-CL1	1 Year - Triton Cloud Service	14 Day Lead Time	1-Year Triton Cloud Service provides seamless cloud integration for real-time monitoring, data storage, and alert management. It enables remote access to device data, scalable management of multiple sensors, and customizable notifications for incidents like vaping, aggression, or environmental changes. This service ensures secure data handling, privacy compliance, and compatibility with Triton dashboards and third-party systems, offering a streamlined and efficient solution for maintaining safety and compliance across facilities.	\$ 380.00	90849688023252
IOT - Cloud Software	TRTN-CL5	5 Year - Triton Cloud Service	14 Day Lead Time	5-Year Triton Cloud Service provides seamless cloud integration for real-time monitoring, data storage, and alert management. It enables remote access to device data, scalable management of multiple sensors, and customizable notifications for incidents like vaping, aggression, or environmental changes. This service ensures secure data handling, privacy compliance, and compatibility with Triton dashboards and third-party systems, offering a streamlined and efficient solution for maintaining safety and compliance across facilities.	\$ 1,610.00	90849688023269
IOT - Cloud Software	TRTN-CL10	10 Year - Triton Cloud Service	14 Day Lead Time	10-Year Triton Cloud Service provides seamless cloud integration for real-time monitoring, data storage, and alert management. It enables remote access to device data, scalable management of multiple sensors, and customizable notifications for incidents like vaping, aggression, or environmental changes. This service ensures secure data handling, privacy compliance, and compatibility with Triton dashboards and third-party systems, offering a streamlined and efficient solution for maintaining safety and compliance across facilities.	\$ 2,830.00	90849688023276
IOT - Accessories	TRTN-CAGE	Protective Cage	14 Day Lead Time	Triton Vape Sensor Steel anti-lamper cage.	\$ 260.00	90849688023283
IOT - Services	TRTN-Confiq	Optional professional configuration.	14 Day Lead Time	Optional professional configuration. Each license covers two devices. Configuration included on all orders with a cloud license.	\$ 400.00	90849688023290

Network Switches and Transmission Devices

Switch	HV-GS950/10PS-910	8 x Gigabit Ethernet PoE+ 130W (L)	TAA Compliant switch	8 port Gigabit Websmart PoE+ switch, 2 x SFP uplink ports, 130W total power budget, no WAVE integration	\$ 710.00	849688024348
Switch	HV-GS950/20PS-910	16 x Gigabit Ethernet PoE+ 370W (L)	TAA Compliant switch	16 port Gigabit Websmart PoE+ switch, 4 x SFP uplink ports, 370W total power budget, no WAVE integration	\$ 1,110.00	849688024355
Switch	HV-GS950/28PS-910	24 x Gigabit Ethernet PoE+ 510W (L)	TAA Compliant switch	24 port Gigabit Websmart PoE+ switch, 4 x SFP uplink ports, 510W total power budget, no WAVE integration	\$ 1,510.00	849688024362
Switch	HV-GS950/52PS-910	48 x Gigabit Ethernet PoE+ 740W (L)	TAA Compliant switch	48 port Gigabit Websmart PoE+ switch, 4 x SFP uplink ports, 740W total power budget, no WAVE integration	\$ 2,710.00	849688024379
Switch	HV-IMC200T1P/SP-980	Media converter (POE)	4 Weeks lead time TAA compliant	Industrial Temp Gigabit Media Converter, 10/100/1000 PoE to 100X/1000 SFP, TAA compliant. Optimized to use with Hanwha network camera products.	\$ 1,840.00	90849688023924
Switch	HV-GS980M/18H5m	Mid range edge switch	4 Weeks lead time	L3 Stackable Switch, 16x 100M/1/2.5/5G-T PoE+, 2x SFP+ ports and a single fixed PSU, US Power Cord. Optimized to use with Hanwha network camera products.	\$ 4,750.00	90849688023917
Switch	HV-GS980M/10H5m	Mid range edge switch	4 Weeks lead time	L3 Stackable Switch, 8x 100M/1/2.5/5G PoE+, 2x SFP+ ports and a single fixed power supply, US Power Cord. Optimized to use with Hanwha network camera products.	\$ 4,050.00	90849688023900
Switch	HV-GS980M/52PSm-10	Mid range edge switch	4 Weeks lead time	L3 Stackable Switch, 40x 10/100/1000-T PoE+, 8x 100M/1G/2.5G/5G-T PoE+, 4x SFP+ Ports and a single fixed PSU, US Power Cord. Optimized to use with Hanwha network camera products.	\$ 5,200.00	90849688023894
Switch	HV-GS980M/28PSm-10	Mid range edge switch	4 Weeks lead time	L3 Stackable Switch, 20x 10/100/1000-T PoE+, 4x 100M/1G/2.5G/5G-T PoE+, 4x SFP+ Ports and a single fixed PSU, US Power Cord. Optimized to use with Hanwha network camera products.	\$ 4,400.00	90849688023887
Switch	HV-x540L-28XS-10	Mid range fiber SFP stackable fiber	4 Weeks lead time	10 Gigabit Layer 3 Stackable Switch, 28x SFP/SFP+ ports and a single fixed PSU, US Power Cord. Optimized to use with Hanwha network camera products.	\$ 9,950.00	90849688023870
Switch	HV-x540L-28XTm-10	Mid range copper 10 Gigabit Stackable fiber	4 Weeks lead time	10 Gigabit Layer 3 Stackable Switch, 24x 100M/1/2.5/10G, 4x SFP/SFP+ ports and a single fixed PSU, US Power Cord. Optimized to use with Hanwha network camera products.	\$ 8,760.00	90849688023863
Switch	HV-x530-52GPXm-90	Stackable Multi-Gigabit L3 Dual PSU Switch	4 Weeks lead time TAA compliant switch	L3 Stackable Switch, 40x 10/100/1000-T PoE+, 8x 100M/1G/2.5G/5G-T PoE+, 4x SFP+ Ports and dual fixed PSU. TAA compliant. Optimized to use with Hanwha network camera products.	\$ 10,785.00	90849688023856
Switch	HV-x250-18XTm-10	Low-mid range TOR Switch	4 Weeks lead time	10 Gigabit Layer 3 Lite Stackable Switch, 16x 100M/1/2.5/10G, 2x SFP/SFP+ ports and a single fixed PSU, US Power Cord. Optimized to use with Hanwha network camera products.	\$ 5,940.00	90849688023849
Switch	HV-x250-28XTm-10	Low-mid range TOR Switch	4 Weeks lead time	10 Gigabit Layer 3 Lite Stackable Switch, 24x 100M/1/2.5/10G, 4x SFP/SFP+ ports and a single fixed PSU, US Power Cord. Optimized to use with Hanwha network camera products.	\$ 7,130.00	90849688023832
Switch	HV-x250-18XS-10	Low-mid range TOR Switch	4 Weeks lead time	10 Gigabit Layer 3 Lite Stackable Switch, 18x SFP/SFP+ ports and a single fixed PSU, US Power Cord. Optimized to use with Hanwha network camera products.	\$ 5,200.00	90849688023825
Switch	HV-x250-28XS-10	Low-mid range TOR Switch	4 Weeks lead time	10 Gigabit Layer 3 Lite Stackable Switch, 28x SFP/SFP+ ports and a single fixed PSU, US Power Cord. Optimized to use with Hanwha network camera products.	\$ 7,130.00	90849688023818
Switch	HV-IE360-12GHX-980	Industrial Ethernet L3 Switch	4 Weeks lead time TAA compliant switch	Industrial switch, 8x 10/100/1000T, 2x 100/1000 SFP, 2x 1/10G SFP+, Industrial Ethernet, Layer 3 Switch, PoE++ Support, TAA compliant. Optimized to use with Hanwha network camera products.	\$ 3,800.00	90849688023801
Switch	HV-DRB50-48-1	DIN Rail Power supply, 50W DC output and 85 to 264V AC input voltage	4 Weeks lead time	DIN Rail Power supply, 50W DC output and 85 to 264V AC input voltage rating, Suitable for TS-35/7.5 and TS-35/15 DIN rail mounts. Optimized to use with Hanwha network camera products.	\$ 360.00	90849688023795
Switch	HV-GS970M/10PS-R-10	8 x Gigabit Ethernet PoE+ 124W (L)		8 port Gigabit Managed PoE+ switch, 2 x SFP uplink ports, 124W total PoE budget, Optimized to use with Hanwha network camera products	\$ 1,190.00	849688024386
Switch	HV-GS970M/18PS-R-10	16 x Gigabit Ethernet PoE+ 247W (L)		16 port Gigabit Managed PoE+ switch, 2 x SFP uplink ports, 247W total PoE budget, Optimized to use with Hanwha network camera products	\$ 1,590.00	849688024393
Switch	HV-GS970M/28PS-10	24 x Gigabit Ethernet PoE+ 370W (L)		24 port Gigabit Managed PoE+ switch, 4 x SFP uplink ports, 370W total PoE budget, Optimized to use with Hanwha network camera products	\$ 2,190.00	849688024409
Switch	HV-GS980M/52PS-10	48 x Gigabit Ethernet PoE+ 740W (L)		48 port Gigabit Managed PoE+ switch, 4 x SFP uplink ports, 740W total PoE budget, Optimized to use with Hanwha network camera products	\$ 3,390.00	849688024416
Switch	AT-GS970M/10PS-R-10	8 x Gigabit Ethernet PoE+ 124W (L)	Limited Stock Recommended Replacement HV-GS970M/10PS-R-10	AT 8 x Gigabit Ethernet managed switch, 2 x SFP Uplink PoE+ 124W total PoE budget	\$ 850.00	90849688022101
Switch	AT-GS970M/18PS-R-10	16 x Gigabit Ethernet PoE+ 247W (L)	Limited Stock Recommended Replacement HV-GS970M/18PS-R-10	AT 16 x Gigabit Ethernet managed switch , 2 x SFP Uplink, PoE+ 247W total PoE budget	\$ 1,290.00	90849688022118
Switch	AT-GS970M/28PS-10	24 x Gigabit Ethernet PoE+ 370W (L)	Limited Stock Recommended Replacement HV-GS970M/28PS-10	AT 24 x Gigabit Ethernet managed switch, 4x SFP uplink ports, PoE+ 370W total PoE budget	\$ 1,700.00	90849688022125
Switch	AT-GS980M/52PS-10	48 x Gigabit Ethernet PoE+ 740W (L)	Limited Stock Recommended Replacement HV-GS980M/52PS-10	AT 48 x Gigabit Ethernet managed Switch, 4x SFP uplink port, PoE+ 740W total PoE budget	\$ 3,000.00	90849688022132
Switch	AT-x530L-28GPX-90	24 x Gigabit Ethernet PoE+ 740W (L)	TAA Compliant switch	AT 24 x Gigabit Ethernet PoE+ with advanced management features, 4x10GB (SFP+) uplink ports, PoE+ 740W total PoE budget (NDA and TAA compliant)	\$ 5,600.00	90849688023160
Switch	AT-x530L-28GPX-901	24 x Gigabit Ethernet PoE+ 740W (L)	Limited Stock 4 weeks lead time Same model as AT-x530L-28GPX-90	AT 24 x Gigabit Ethernet PoE+ with advanced management features, 4x10GB (SFP+) uplink ports, PoE+ 740W total PoE budget	\$ 5,600.00	90849688022149
Switch	HV-x530-28GSX-90	Medium 1gb fiber aggregator stackable Multi-Gigabit L3 Dual PSU Switch	4 Weeks lead time TAA compliant switch	Stackable Multi-Gigabit Layer 3 Dual PSU Switch, 24x SFP Ports, 4x SFP+ Ports and dual fixed PSU, TAA compliant. Optimized to use with Hanwha network camera products	\$ 11,885.00	90849688023733
Switch	HV-x950-28XSQ-900	Top of the Rack switch fiber aggregator with advanced L3, Dual Hotswap PSU switch	4 Weeks lead time TAA compliant switch	Advanced Layer 3 switch with SFP+ slot x 24 - QSFP/QSFP28 slots x 4 - Expansion slot x 1 - Dual Hotswap PSU Bays. TAA compliant. Optimized to use with Hanwha network camera products	\$ 26,200.00	90849688023757
Switch	HV-x950-52XSQ-900	Top of the Rack switch fiber aggregator with advanced L3, Dual Hotswap PSU switch	4 Weeks lead time TAA compliant switch	Advanced Layer 3 Stackable Switch, 48x 1/10G SFP+ slot, 4x 40/100G QSFP28 slot and 2x PSU bays. PSU must be ordered separately. Purchasing service needed. TAA compliant. Optimized to use with Hanwha network camera products.	\$ 34,165.00	90849688023764
Switch	HV-PWR600-10	Power Supply for x950 series switch	4 Weeks lead time	600W AC System Power Supply for x950 series switch, US Power cord. Optimized to use with Hanwha network camera products.	\$ 3,360.00	90849688023771
Switch	HV-PWR800 V2-10	Power Supply for AT-x530DP and AT-x930 series	4 Weeks lead time	800W AC Hot Swappable Power Supply for AT-x530DP and AT-x930 series switches. US Power cord. Optimized to use with Hanwha network camera products	\$ 4,000.00	90849688023788
Switch	AT-x530L-52GPX-90	48 x Gigabit Ethernet PoE+ 740W (L)	TAA Compliant switch	AT 48 x Gigabit Ethernet PoE+ with advanced management features, 4x10GB (SFP+) uplink, 740W total PoE budget (NDA and TAA compliant)	\$ 9,200.00	90849688023177
Switch	AT-x530L-10GHXm-90	8 x 1/2.5/5 Gigabit Ethernet PoE++ 500W (L)	TAA Compliant switch	AT 8 x 1/2.5/5 Gigabit Ethernet PoE++ switch with advanced management features, 2x 10GB (SFP+) uplink, 500W total PoE budget (NDA and TAA compliant)	\$ 8,000.00	90849688023184
Switch	AT-x530L-18GHXm-90	16 x 1/2.5/5 Gigabit Ethernet PoE++ 720W (L)	TAA Compliant switch	AT 16 x 1/2.5/5 Gigabit Ethernet PoE++ switch with advanced management features, 2x 10GB (SFP+) uplink , 720W total PoE budget (NDA and TAA compliant)	\$ 10,600.00	90849688023191
Switch	AT-x530DP-28GHXm-10	20 x Gigabit Ethernet 4 x 1/2.5/5 Gigabit Ethernet dual hot swap PSU's PoE++ 1480 W, not included (L)	Limited Stock Recommended Replacement HV-XS30DP-28GHXm-900	AT 20 x Gigabit Ethernet 4 x 1/2.5/5 Gigabit Ethernet PoE++ switch with advance management features 4 x 10GB (SFP+) uplink, PoE++ 1480 W total PoE budget. * hot swap psu's sold separately, can take two psu.	\$ 6,700.00	90849688022187

Switch	AT-PWR1200	Secondary Hot swap power supply (L)	Limited Stock Recommended Replacement HV-PWR1200V2	Hot swap power supply for AT-x30DP-28GHxm-10 switch.	\$ 3,800.00	90849688022194
Switch	AT-IE220-6GHX-K90	4 x Gigabit Ethernet PoE++ 180W Industrial rugged switch (L)	TAA Compliant switch	AT Industrial rugged switch with 4 x Gigabit Ethernet DIN Rail Mount, PoE++ and optional 2x 10G (SFP+). 180W total PoE budget *Power supply sold separately (NDAA and TAA compliant)	\$ 2,300.00	90849688023207
Switch	AT-IE220-10GHX-K90	8 x Gigabit Ethernet PoE++ 240W Industrial rugged switch (L)	TAA Compliant switch	AT Industrial rugged switch with 8 x Gigabit Ethernet, PoE++ and optional 2x 10G (SFP+). 240W total PoE budget *Power supply sold separately (NDAA and TAA compliant)	\$ 2,700.00	90849688023214
Switch	AT-IE340-12GP-980	8 x Gigabit Ethernet PoE+ Total 240W (8/8 Port PoE) (L)	TAA Compliant switch	AT Industrial rugged switch with 8 x Gigabit Ethernet 4x 1G SFP. PoE+ Total 240W (8/8 PoE at/af) *Power supply sold separately (NDAA and TAA compliant)	\$ 3,000.00	90849688022224
Switch	AT-IE340-20GP-980	16 x Gigabit Ethernet PoE+ Total 240W (16 PoE at/af) (L)	TAA Compliant switch	AT Industrial rugged switch with 16 x Gigabit Ethernet 4x 1G SFP. PoE+ Total 240W (16 port PoE at & 8 PoE at) *Power supply sold separately (NDAA and TAA compliant)	\$ 4,100.00	90849688022231
Switch	AT-IE048-480	480W @48Vdc. Industrial AC/DC power supply, DIN rail mount (L)	4 weeks lead time	AT Power supply for Rugged switches, 480W @48Vdc, Industrial AC/DC power supply, DIN rail mount	\$ 1,000.00	90849688022248
Switch	AT-IE048-240	240W @48Vdc. Industrial AC/DC power supply, DIN rail mount (L)	4 weeks lead time	AT Power supply for Rugged switches, 240W @48Vdc, Industrial AC/DC power supply, DIN rail mount	\$ 850.00	90849688022255
Switch	SWT-G11MGHP	11 Port Hardened Managed Gigabit Ethernet Switch with 60W PoE (L)	6 weeks lead time	Hardened 11 Port - 2 to 100/1000/2500FX + 1 x 100/1000FX SFP Ports and 8 x 10/100/1000TX Ports Managed Switch, four 1000Mbps TX with 30W PoE, four 1000Mbps TX Combo Ports with 60W PoE. Hardened 48VDC 480Watt (10A) DIN Rail High Temp Power Supply (+40C to +71C With -40C Start-Up) Included	\$ 3,850.00	949688012307
Switch	SWT-F11MGHP	11 Port Hardened Managed Megabit Ethernet Switch with 50W PoE (L)	6 weeks lead time	Hardened 3 FX SFP 100/1000/2500Mbps FX + 8 Port 10/100Mbps TX Ports Managed Switch 60 Watt PoE, Hardened 48VDC 480Watt (10A) DIN Rail High Temp Power Supply Included	\$ 3,100.00	949688012321
Transmission-Fiber	SBP-303HF	Fiber Optic for PTZ	4 weeks lead time	RJ-45 for Fiber mounting accessory for PTZ, NXP-6230H/6321H, XNP-6550RH and QNP-6230H	\$ 269.00	8801089155849
Transmission-Fiber	TMC-FSTM1ACM-A	Mini 100M Media Converter (A) (L)	6 weeks lead time	Hardened mini media fiber converter (A), 100Mbps, ST connector, multi-mode, 1 fiber, power supply included (not hardened), TMC-FSTM1-B required to work as a pair	\$ 730.00	949688011935
Transmission-Fiber	TMC-FST1ACM-A	Mini 100M Media Converter (A) (L)	6 weeks lead time	Hardened mini media fiber converter (A), 100Mbps, ST connector, single-mode, 1 fiber, power supply included (not hardened), TMC-FST1-B required to work as a pair	\$ 850.00	949688011942
Transmission-Fiber	TMC-FSTM1PoE-M	100M Media Converter (A) (L)	6 weeks lead time	Hardened media fiber converter (A), 100Mbps, ST Connector, multi-mode, 1 fiber, PoE+ output, 48V power supply included (not hardened), TMC-FST1-B required to work as a pair	\$ 900.00	949688011959
Transmission-Fiber	TMC-FST1PoE-M	100M Media Converter (A) (L)	6 weeks lead time	Hardened media fiber converter (A), 100Mbps, ST Connector, single-mode, 1 fiber, PoE+ output, 48V power supply included (not hardened), TMC-FST1-B required to work as a pair	\$ 1,025.00	949688011966
Transmission-Fiber	TMC-FSTM1-B	100M Media Converter (B) (L)	6 weeks lead time	Hardened media fiber converter (B), cage mountable, 100Mbps, ST connector, multi-mode, 1 fiber, power supply included, TMC-FST1ACM-A or TMC-FST1PoE-M required to work as a pair	\$ 730.00	949688011973
Transmission-Fiber	TMC-FST1-B	100M Media Converter (B) (L)	6 weeks lead time	Hardened media fiber converter (B), cage mountable, 100Mbps, SC connector, multi-mode, 1 fiber, power supply included, TMC-FST1ACM-A or TMC-FST1PoE-M required to work as a pair	\$ 850.00	949688011980
Transmission-Fiber	TMC-FSCM1ACM-A	Mini 100M Media Converter (A) (L)	6 weeks lead time	Hardened mini media fiber converter (A), 100Mbps, SC connector, multi-mode, 1 fiber, power supply included (not hardened), TMC-FSCM1-B required to work as a pair	\$ 730.00	949688011997
Transmission-Fiber	TMC-FSC1ACM-A	Mini 100M Media Converter (A) (L)	6 weeks lead time	Hardened mini media fiber converter (A), 100Mbps, SC connector, single-mode, 1 fiber, power supply included (not hardened), TMC-FSC1-B required to work as a pair	\$ 850.00	949688012000
Transmission-Fiber	TMC-FSCM1PoE-M	100M Media Converter (A) (L)	6 weeks lead time	Hardened media fiber converter (A), 100Mbps, SC Connector, multi-mode, 1 fiber, PoE+ output, 48V power supply included (not hardened), TMC-FSCM1-B required to work as a pair	\$ 900.00	949688012017
Transmission-Fiber	TMC-FSC1PoE-M	100M Media Converter (A) (L)	6 weeks lead time	Hardened media fiber converter (A), 100Mbps, SC Connector, single-mode, 1 fiber, PoE+ output, 48V power supply included (not hardened), TMC-FSC1-B required to work as a pair	\$ 1,025.00	949688012024
Transmission-Fiber	TMC-FSCM1-B	100M Media Converter (B) (L)	6 weeks lead time	Hardened media fiber converter (B), cage mountable, 100Mbps, SC connector, multi-mode, 1 fiber, power supply included, TMC-FSCM1ACM-A or TMC-FSCM1PoE-M required to work as a pair	\$ 730.00	949688012031
Transmission-Fiber	TMC-FSC1-B	100M Media Converter (B) (L)	6 weeks lead time	Hardened media fiber converter (B), cage mountable, 100Mbps, SC connector, single-mode, 1 fiber, power supply included, TMC-FSC1ACM-A or TMC-FSC1PoE-M required to work as a pair	\$ 850.00	949688012048
Transmission-Fiber	TMC-GSFP	Mini 1000M Multi-Rate Media Converter (L)	6 weeks lead time	10/100/1000Mbps Multi-Rate media converter, SFP, 100FX/1000FX selectable, small size, SFP module required	\$ 1,125.00	949688012055
Transmission-Fiber	TMC-GSFP	1000M Multi-Rate Media Converter (L)	6 weeks lead time	10/100/1000Mbps Multi-Rate media converter, SFP, 100FX/1000FX selectable, SFP module required	\$ 1,125.00	949688012062
Transmission-Fiber	TMC-GSFPoE-M	Mini 1000M Multi-Rate Media Converter (L)	6 weeks lead time	10/100/1000Mbps Multi-Rate media converter, SFP, 100FX/1000FX selectable, small size, PoE+, SFP module required	\$ 1,225.00	949688012079
Transmission-Fiber	TMC-FSFPoE30M	Mini 100M Media Converter (L)	6 weeks lead time	Hardened 100Mbps Media Converter, SFP, 48V PoE, Power Supply Included, 30w output, SFP module required	\$ 760.00	949688012086
SFP Module	SFP-GRUC	SFP to RJ45 (L)	6 weeks lead time	Copper 10/100/1000Mbps RJ45, MSA Compliant	\$ 225.00	949688012093
SFP Module	SFP-FLC202	Multi Mode SFP module (L)	6 weeks lead time	100Mbps, 1310nm, 2km, LC, 2 Fiber, Multi Mode, MSA Compliant	\$ 160.00	949688012100
SFP Module	SFP-FLCS220	Single Mode SFP module (L)	6 weeks lead time	100Mbps, 1310nm, 20km, LC, 2 Fiber, Single Mode, MSA Compliant	\$ 170.00	949688012116
SFP Module	SFP-FSCM102-A	Multi Mode SFP module A (L)	6 weeks lead time	100Mbps, 1310nm, 2km, SC, 1 Fiber, Pair with SFP-FSCM102-B, Multi Mode, MSA Compliant	\$ 260.00	949688012123
SFP Module	SFP-FSCM102-B	Single Mode SFP module B (L)	6 weeks lead time	100Mbps, 1550nm, 2km, SC, 1 Fiber, Pair with SFP-FSCM102-A, Single Mode, MSA Compliant	\$ 260.00	949688012130
SFP Module	SFP-FSC120-A	Single Mode SFP module A (L)	6 weeks lead time	100Mbps, 1310nm, 20km, SC, 1 Fiber, Pair with SFP-FSCM102-B, Single Mode, MSA Compliant	\$ 260.00	949688012147
SFP Module	SFP-FSC120-B	Single Mode SFP module B (L)	6 weeks lead time	100Mbps, 1550nm, 20km, SC, 1 Fiber, Pair with SFP-FSCM102-A, Single Mode, MSA Compliant	\$ 260.00	949688012154
SFP Module	SFP-GLCS215	Single Mode SFP module (L)	6 weeks lead time	1000Mbps, 1310nm, 20km, LC, 2 Fiber, Single Mode, MSA Compliant	\$ 160.00	949688012161
SFP Module	SFP-GLCS120-A	Single Mode SFP module A (L)	6 weeks lead time	1000Mbps, 1310nm, 20km, LC, 1 Fiber, Pair with SFP-GLCS120-B, Single Mode, MSA Compliant	\$ 385.00	949688012178
SFP Module	SFP-GLCS120-B	Single Mode SFP module B (L)	6 weeks lead time	1000Mbps, 1550nm, 20km, LC, 1 Fiber, Pair with SFP-GLCS120-A, Single Mode, MSA Compliant	\$ 385.00	949688012185
SFP Module	SFP-GLCM202	Multi Mode SFP module (L)	6 weeks lead time	1000Mbps 1310nm, 2km, 2 Fiber, LC, Multi Mode, MSA Compliant	\$ 1,325.00	949688012192
Transmission-Accessory	SBP-C14	Card Cage Rack Mount (L)	6 weeks lead time	14 slot card cage rack, power supply included	\$ 302.00	949688012208
Transmission-Accessory	TEC-C03	3 Unit Card Cage (L)	6 weeks lead time	3 slot card cage rack, power supply included	\$ 580.00	949688012215
Transmission-Accessory	SBP-C14P51	Rack Mount Power Supply (L)	6 weeks lead time	90-284 VAC, 30/60Hz power supply for SBP-C14	\$ 580.00	949688012222
Transmission-Accessory	SBP-C14BP1	1 Slot Blank Filter Panel (L)	6 weeks lead time	1 slot blank filter panel for SBP-C14 card cage	\$ 35.00	949688012239
Transmission-Accessory	SBP-C14BP3	3 Slot Blank Filter Panel (L)	6 weeks lead time	3 slot blank filter panel for SBP-C14 card cage	\$ 35.00	949688012246
Transmission-Accessory	SBP-UDR	Universal Din Rail Adapter (L)	6 weeks lead time	Universal DIN-Rail mount adapter kit that allow the Hanuhua product to be mounted on the adaptor in a vertical axis configuration	\$ 35.00	949688012253
Transmission-Network	TEU-F01	Single Channel over UTP (L)	6 weeks lead time	Single-Channel Ethernet over UTP with Pass-through PoE	\$ 470.00	949688011850
Transmission-Network	TEU-F01	Single Channel over COAX (L)	6 weeks lead time	Single-Channel Ethernet over COAX with Pass-through PoE	\$ 440.00	949688011867
Transmission-Network	TEU-F04	Four Channels over UTP (L)	6 weeks lead time	Four-Channel Ethernet over UTP with Pass-through PoE	\$ 1,700.00	949688011874
Transmission-Network	TEU-F04	Four Channels over COAX (L)	6 weeks lead time	Four-Channel Ethernet over COAX with Pass-through PoE	\$ 1,650.00	949688011881
Transmission-Network	TEU-F16	16 Channels over UTP (L)	6 weeks lead time	Sixteen-Channel Ethernet over UTP with Pass-through PoE	\$ 4,900.00	949688011904
Transmission-Network	TEU-F16	16 Channels over COAX (L)	6 weeks lead time	Sixteen-Channel Ethernet over COAX with Pass-through PoE	\$ 4,850.00	949688011898
Transmission-Network	TER-F01	Ethernet Repeater (L)	6 weeks lead time	100 Meter Ethernet Repeater Pass-Through PoE Power	\$ 385.00	949688011911
Transmission-Network	TER-F10P	Ethernet Repeater (L)	6 weeks lead time	100 Meter Ethernet Repeater External Power	\$ 385.00	949688011928

Analog High Definition Cameras

Camera - Analog HD	HCF-8011RV	5MP IR Analog HD Fisheye Camera		5MP (2560x1944) resolution, 20FPS @5MP, IR Viewable Length: 10m(32.8ft), BLC, Day & Night (ICR), WDR 120dB, Coaxial communication (ACP / Coaxtron) (selectable universal output AHD / CVBS), IP66, IK10, Power 12VDC/24VAC, Operating Temperature -30°C ~ +55°C(22°F ~ +131°F), hard coated dome bubble, white color	\$ 500.00	8801089221995
Camera - Analog HD	HCB-7000A	4MP Wisenet HD+ Box Camera		Wisenet HD+ 4MP box camera, AHD or CVBS formats are available, RS485 /Coaxial Control, true D/N, 24VAC/12VDC (Require 4MP or higher CS Mount Lens).	\$ 180.00	8801089185204
Camera - Analog HD	HCO-7070RA	4MP Wisenet HD+ Bullet Camera		Wisenet HD+ 4MP IR bullet camera, AHD or CVBS formats are available, manual vari-focal Lens (3.1X) (3.2-10mm), true D/N, 24VAC/12VDC, IR distance 98 feet, IP66/IK10.	\$ 300.00	8801089184603
Camera - Analog HD	HCO-7010RA	4MP Wisenet HD+ Bullet Camera		Wisenet HD+ 4MP IR bullet camera, AHD or CVBS formats are available, 2.8 mm fixed lens, true D/N, 12VDC, IR distance 65 feet, IP66/IK10.	\$ 200.00	8801089184635
Camera - Analog HD	ACD-8020R	5MP Analog HD IR Bullet		Wisenet A Series 5MP IR bullet camera, AHD / TVI / CVI / CVBS formats are available, 5MP @ 30 FPS, (CVI supports up to 4M), 3.6mm fixed focal lens, FoV H: 94° / V: 54°, DWDR, IR distance 20m(65.6 ft), day & night, IP67, IK10, 12VDC, Analog, white.	\$ 115.00	8801089219374
Camera - Analog HD	ACE-8020R	5MP Turret Camera		Wisenet A Series 5MP IR turret camera, AHD / TVI / CVI / CVBS formats are available, 5MP @ 30 FPS, (CVI supports up to 4M), 3.6mm fixed focal lens, FoV H: 94° / V: 54°, DWDR, IR distance 20m(65.6 ft), day & night, IP67, IK10, 12VDC, Analog, white.	\$ 115.00	8801089219381
Camera - Analog HD	ACV-8080R	5MP Analog HD IR Outdoor Dome		Wisenet A Series 5MP IR vandal dome camera, AHD / TVI / CVI / CVBS formats are available, 5MP @ 30fps (CVI supports up to 4M), motorized vari-focal lens 3x (3.5-10.5mm) (114° ~ 33.9°), DWDR, IR distance 20m(65.6 ft), day & night, IP66, IK10, 12VDC, Analog, white.	\$ 185.00	8801089219119
Camera - Analog HD	ACV-8081R	5MP Analog HD IR Outdoor Dome		Wisenet A Series 5MP IR vandal dome camera, AHD / TVI / CVI / CVBS formats are available, 5MP @ 30fps, motorized vari-focal lens 3x (3.5-10.5mm) (99° ~ 30.3°), VDR, IR distance 20m(65.6 ft), day & night, IP66, IK10, 12VDC, Analog, white.	\$ 270.00	8801089219428
Camera - Analog HD	HCV-7070RA	4MP Wisenet HD+ Outdoor Dome Camera		Wisenet HD+ 4MP IR outdoor dome camera, AHD or CVBS formats are available, manual vari-focal lens (3.1X) (3.2-10mm), true D/N, 24VAC/12VDC, IR distance 98 feet, IP66/IK10.	\$ 300.00	8801089184894
Camera - Analog HD	HCV-7010RA	4MP Wisenet HD+ Outdoor Dome Camera		Wisenet HD+ 4MP IR outdoor dome camera, AHD or CVBS formats are available, 2.8 mm fixed lens, true D/N, 12VDC, IR distance 65 feet, IP66/IK10.	\$ 200.00	8801089184863
Camera - Analog HD	HCD-7070RA	4MP Wisenet HD+ Indoor Dome Camera	Limited Recommended replacement HCD-6070R	Wisenet HD+ 4MP IR indoor dome camera, AHD or CVBS formats are available, manual vari-focal Lens (3.1X) (3.2-10mm), true D/N, 24VAC/12VDC, IR distance 65 feet.	\$ 270.00	8801089185020
Camera - Analog HD	HCD-7010RA	4MP Wisenet HD+ Indoor Dome Camera		Wisenet HD+ 4MP IR indoor dome camera, AHD or CVBS formats are available, 2.8 mm fixed lens, true D/N, 12VDC, IR distance 65 feet.	\$ 180.00	8801089185099
Camera - Analog HD	HCB-6000	2MP Analog HD Box		Wisenet HD+ 2MP, Full HD(1080p) 30fps box camera, AHD/TVI/CVI/CVBS, 120 dB true WDR, RS485 /Coaxial Control, true D/N, 24VAC/12VDC (Require 2MP or higher CS Mount Lens).	\$ 180.00	8801089131171
Camera - Analog HD	HCB-6001	2MP Analog HD Box		Wisenet HD+ 2MP, Full HD(1080p) 30fps box camera, AHD/TVI/CVI/CVBS, 120 dB true WDR, RS485 /Coaxial Control, simple focus, true D/N, 24VAC/12VDC (Require 2MP or higher CS Mount Lens).	\$ 215.00	8801089131188
Camera - Analog HD	HCD-6070R	2MP Analog HD IR Indoor Dome		Wisenet HD+ 2MP, Full HD(1080p) 30fps IR indoor dome camera, AHD/TVI/CVI/CVBS, manual Vari-focal Lens (3.1X) (3.2-10mm), 120 dB true WDR, true D/N, 24VAC/12VDC, IR distance 65 feet.	\$ 270.00	8801089131218
Camera - Analog HD	HCD-6080R	2MP Analog HD IR Indoor Dome		Wisenet HD+ 2MP, Full HD(1080p) 30fps IR indoor dome camera, AHD/TVI/CVI/CVBS, motorized vari-focal lens (3.1X) (3.2-10mm), 120 dB true WDR, true D/N, 24VAC/12VDC, IR distance 65 feet.	\$ 320.00	8801089131203
Camera - Analog HD	HCD-6010	2MP Wisenet HD+ Indoor Dome Camera		Wisenet HD+ 2MP indoor dome camera, AHD, CVI, TVI, CVBS formats are available, 2.8 mm fixed lens, true D/N, 12VDC	\$ 180.00	8801089155693
Camera - Analog HD	HCD-6020R	2MP Wisenet HD+ Indoor Dome Camera		Wisenet HD+ 2MP IR indoor dome camera, AHD, CVI, TVI, CVBS formats are available, 4.0 mm fixed lens, true D/N, 12VDC	\$ 210.00	8801089155306
Camera - Analog HD	HCV-6070R	2MP Analog HD IR Outdoor Dome		Wisenet HD+ 2MP, Full HD(1080p) 30fps IR outdoor dome camera, AHD/TVI/CVI/CVBS, manual Vari-focal Lens (3.1X) (3.2-10mm), 120 dB true WDR, true D/N, 24VAC/12VDC, IR distance 98 feet, IP66/IK10.	\$ 300.00	8801089131133
Camera - Analog HD	HCV-6080R	2MP Analog HD IR Outdoor Dome		Wisenet HD+ 2MP, Full HD(1080p) 30fps IR outdoor dome camera, AHD/TVI/CVI/CVBS, motorized vari-focal lens (3.1X) (3.2-10mm), 120 dB true WDR, true D/N, 24VAC/12VDC, IR distance 98 feet, IP66/IK10.	\$ 350.00	8801089131140
Camera - Analog HD	HCO-6070R	2MP Analog HD IR Bullet		Wisenet HD+ 2MP, Full HD(1080p) 30fps IR bullet camera, AHD/TVI/CVI/CVBS, manual Vari-focal Lens (3.1X) (3.2-10mm), 120 dB true WDR, true D/N, 24VAC/12VDC, IR distance 98 feet, IP66/IK10.	\$ 300.00	8801089131294
Camera - Analog HD	ACE-6020R	2MP Turret Camera		Wisenet A Series 2MP IR turret camera, AHD / TVI / CVI / CVBS formats are available, 2MP @ 30 FPS, 3.6mm fixed focal lens, FoV H: 81° / V: 42°, DWDR, IR distance 25m(82 ft), day & night, IP67, IK10, 12VDC, Analog, white.	\$ 89.00	8801089219367
Camera - Analog HD	ACE-6020R	2MP Turret Camera		Wisenet A Series 2MP IR turret camera, AHD / TVI / CVI / CVBS formats are available, 2MP @ 30 FPS, 3.6mm fixed focal lens, FoV H: 81° / V: 42°, DWDR, IR distance 20m(65.6 ft), day & night, IP67, IK10, 12VDC, Analog, white.	\$ 89.00	8801089219404
Camera - Analog HD	HCO-6020R	2MP Wisenet HD+ Bullet Camera		Wisenet HD+ 2MP IR bullet camera, AHD, CVI, TVI, CVBS formats are available, 4.0 mm fixed lens, true D/N, 12VDC	\$ 210.00	8801089155382
Camera - Analog HD	HCO-6080R	2MP Analog HD IR Bullet		Wisenet HD+ 2MP, Full HD(1080p) 30fps IR bullet camera, AHD/TVI/CVI/CVBS, motorized vari-focal lens (3.1X) (3.2-10mm), 120 dB true WDR, true D/N, 24VAC/12VDC, IR distance 98 feet, IP66/IK10.	\$ 350.00	8801089131239
Camera - Analog HD	HCP-6320A	AHD PTZ		Wisenet HD+ 2MP, Full HD(1080p) 30fps PTZ camera, Optical zoom lens 32X (4.44-142.6mm), true WDR 120dB, RS485/UV coax (ACP protocol only) PTZ control, true D/N, 24VAC.	\$ 1,270.00	8801089132339
Camera - Analog HD	HCP-6320A	AHD PTZ		Wisenet HD+ 2MP, Full HD(1080p) 30fps PTZ camera, Optical zoom lens 32X (4.44-142.6mm), RS485/UV coax (ACP protocol only) PTZ control, true WDR 120dB, true D/N, 24VAC, IP66/IK10.	\$ 1,470.00	8801089132222
Camera - Analog HD	SCO-6085R	AHD IR Bullet		Wisenet HD+ 2MP, Full HD(1080p) 30fps IR bullet camera, 1/2.8" 2M CMOS, vari-focal lens (3.1X) (3.2-10mm), 60dB DWDR, Coaxial Control, true D/N, 24VAC/12VDC, IR distance 98.43 feet, IP66 IK10.	\$ 250.00	8801089155535
Camera - Analog HD	SCV-6085R	AHD IR Vandal Dome		Wisenet HD+ 2MP, Full HD(1080p) 30fps IR vandal dome camera, 1/2.8" 2M CMOS, Vari-focal lens (3.1X) (3.2-10mm), 60dB DWDR, true D/N, 24VAC/12VDC, IR distance 98.42 feet, IP66 IK10.	\$ 250.00	8801089179876
Camera - Analog HD	SCD-6085R	AHD IR Dome		Wisenet HD+ 2MP, Full HD(1080p) 30fps IR dome camera, 1/2.8" 2M CMOS, vari-focal lens (3.1X) (3.2-10mm), 60dB DWDR, Coaxial Control, true D/N, 24VAC/12VDC, IR distance 65.62 feet.	\$ 230.00	8801089180261
Camera - Analog HD	SCB-6005	AHD Box		Wisenet HD+ 2MP, Full HD(1080p) 30fps, 1/2.8" 2M CMOS, 60dB DWDR, RS485 /Coaxial Control, true D/N, 24VAC/12VDC (Requires 2MP or higher CS Mount Lens).	\$ 159.00	8801089178756

Pentabrid

Recording - Hybrid	ARD-1610	16CH AHD, TVI, CVI, CVBS, IP Recorder		A-Series 16CH DVR, AHD / TVI / CVI up to 5MP (Half), CVBS (NTSC/Pal), Max. Analog 16CH + NW 2CH(2MP), 12/12fps@5MP(Half), 15/12fps@4MP(Half), 15/12fps@2MP recording, H.265/H.264/MPEG, Recording Bandwidth Max 100Mbps. 4CH audio input / 1CH audio output, 4 alarm input and 1 relay output, coaxial control, HDMI/ VGA video output, 1 x spot monitor output, QR code, up to two 6TB SATA HDDs (Max. 12TB).	\$ 583.00	8801089219008
Recording - Hybrid	ARD-1610-4TB					

Recording - Hybrid	ARD-410	4CH AHD, TVI, CVI, CVBS, IP Recorder		A-Series 4CH DVR, AHD / TVI / CVI up to 5MP Half, CVBS (NTSC/PAL), Max. Analog 4CH + NW 2CH(2MP), 12/12fps@5MP(Half), 15/12fps@4MP(Half), 15/12fps@2MP recording, H.265/H.264/MJPEG, Recording Bandwidth Max. 30Mbps, 1CH audio input/1CH audio output, 4 alarm input and 1 relay output, coaxial control, HDMI/ VGA video output, 1 x spot monitor output, QR code, up to one 6TB SATA HDD (Max. 6TB).	\$ 220.00	8801089218964
Recording - Hybrid	ARD-410-2TB	4CH AHD, TVI, CVI, CVBS, IP Recorder		A-Series 4CH DVR, 2TB HDD, AHD / TVI / CVI up to 5MP Half, CVBS (NTSC/PAL), Max. Analog 4CH + NW 2CH(2MP), 12/12fps@5MP(Half), 15/12fps@4MP(Half), 15/12fps@2MP recording, H.265/H.264/MJPEG, Recording Bandwidth Max. 30Mbps, 1CH audio input/1CH audio output, 4 alarm input and 1 relay output, coaxial control, HDMI/ VGA video output, 1 x spot monitor output, QR code, up to one 6TB SATA HDD (Max. 6TB).	\$ 460.00	8801089218971
Recording - Hybrid	HRX-434	4CH AHD, TVI, CVI, CVBS, IP Recorder		Wisenet HD+ Pentabrid DVR AHD (up to 8MP), TVI (up to 8MP), CVI (up to 5MP), CVBS and IP (up to 8MP), • Max. Analog 4CH + NW 6CH, up to 8MP, 8/8fps@8MP, 12/12fps@5MP recording (frame rate at higher resolutions will vary), triple codec H.265/H.264/MJPEG, Recording Bandwidth Max. 30Mbps, Playback Bandwidth 32Mbps, 4CH audio input/1CH audio output, 4 alarm input and 2 relay output, coaxial control, HDMI/ VGA video output, 1 X spot monitor output, QR code, Up to 1 SATA HDDs (6TB/HDD)	\$ 334.00	8801089203847
Recording - Hybrid	HRX-434-2TB	4CH AHD, TVI, CVI, CVBS, IP Recorder		Wisenet HD+ Pentabrid DVR AHD (up to 8MP), - 2TB Raw Storage.TVI (up to 8MP), CVI (up to 5MP), CVBS and IP (up to 8MP), • Max. Analog 4CH + NW 6CH, up to 8MP, 8/8fps@8MP, 12/12fps@5MP recording (frame rate at higher resolutions will vary), triple codec H.265/H.264/MJPEG, Recording Bandwidth Max. 30Mbps, Playback Bandwidth 32Mbps, 4CH audio input/1CH audio output, 4 alarm input and 2 relay output, coaxial control, HDMI/ VGA video output, 1 X spot monitor output, QR code, Up to 1 SATA HDDs (6TB/HDD)	\$ 574.00	849688018590
Recording - Hybrid	HRX-434-4TB	4CH AHD, TVI, CVI, CVBS, IP Recorder		Wisenet HD+ Pentabrid DVR AHD (up to 8MP), - 4TB Raw Storage.TVI (up to 8MP), CVI (up to 5MP), CVBS and IP (up to 8MP), • Max. Analog 4CH + NW 6CH, up to 8MP, 8/8fps@8MP, 12/12fps@5MP recording (frame rate at higher resolutions will vary), triple codec H.265/H.264/MJPEG, Recording Bandwidth Max. 30Mbps, Playback Bandwidth 32Mbps, 4CH audio input/1CH audio output, 4 alarm input and 2 relay output, coaxial control, HDMI/ VGA video output, 1 X spot monitor output, QR code, Up to 1 SATA HDDs (6TB/HDD)	\$ 814.00	849688018606
Recording - Hybrid	HRX-434-6TB	4CH AHD, TVI, CVI, CVBS, IP Recorder		Wisenet HD+ Pentabrid DVR AHD (up to 8MP), - 6TB Raw Storage.TVI (up to 8MP), CVI (up to 5MP), CVBS and IP (up to 8MP), • Max. Analog 4CH + NW 6CH, up to 8MP, 8/8fps@8MP, 12/12fps@5MP recording (frame rate at higher resolutions will vary), triple codec H.265/H.264/MJPEG, Recording Bandwidth Max. 30Mbps, Playback Bandwidth 32Mbps, 4CH audio input/1CH audio output, 4 alarm input and 2 relay output, coaxial control, HDMI/ VGA video output, 1 X spot monitor output, QR code, Up to 1 SATA HDDs (6TB/HDD)	\$ 1,054.00	849688018613

AI Appliance						
AI Box	AIB-800	8CH AI Box		AI appliance capable of adding AI features to non-AI cameras, Up to 8CH support, Max resolution 8K, protocols: SUNAPI, ONNVF, Video Analytics based on AI (Object detection and classification (Person, Face, Vehicle, License plate), Attribute, BestShot) People counting, Vehicle counting, Queue management, Heatmap based on AI, Operating Temperature: 0°C to 40°C (32°F to 104°F), Power: 12VDC	\$ 4,350.00	8801089226488

Lenses

Lens	SLA-T2480BA	Bandit Barrier	Compatible with XNB-6002 and PNM-9000QB	Bandit Barrier 2.4mm fixed lens (138°), compatible with PNM-9000QB, and XNB-6002 (not included), cable length 8m (26 feet), black color	\$ 790.00	8801089228345
Lens	SLA-C-E24	Canon EF 24mm f/1.4L II USM (L)	Limited Stock Recommended replacement SLA-C-E2470	Canon 24mm f1.4L, Auto-Iris (EF 24mm f/1.4 II USM) : Horizontal field of view: 8K 62.1°, CarePak 4 Years warranty	\$ 5,025.00	849688014830
Lens	SLA-C-E2470	Canon EF 24-70mm f/2.8L II USM (L)		Canon 24-70mm f/2.8L II USM (EF 24-70mm f/2.8L USM) : Horizontal field of view: 8K 23.2° ~ 23.2° CarePak 4 Years Warranty	\$ 4,900.00	849688014861
Lens	SLA-C-E70200	Canon EF 70-200mm f/2.8L IS III USM (L)		Canon 70-200mm f/2.8L, Auto-Iris, Vari Focal (EF 70-200mm f/2.8L USM) : Horizontal field of view: 8K 23.2° ~ 8.3° . CarePak 4 Years Warranty	\$ 5,450.00	849688014878
Lens	SLA-C-13910	1/1.8" 3.9-10mm (i-CS Mount) (L)	4 weeks lead time	1/1.8" 3.9-10mm F1.5 Varifocal, HD Series P-Iris (i-CS Mount) Day/Night IR (12 MP capable) for AI Box Camera (PNB-A9001)	\$ 455.00	849688015261
Lens	SLA-C-12885	1/2.7" 2.8-8.5mm (i-CS Mount) (L)	4 weeks lead time	1/2.7" 2.8-8.5mm F1.2 Varifocal, HD Series P-Iris (i-CS Mount) Day/Night IR (8 MP capable) for WN7 Box Cameras (XNB-9002 and XNB-8002)	\$ 435.00	849688015278
Lens	SLA-T1080F	1.6mm Lens/Imager straight body for XNB-6001 (8.0m cable)		1.6mm fixed lens module, compatible with the XNB-6001, straight body style, 2MP @ 60fps, 0.03 Lux, 120dB WDR, 187° horizontal field of view, 8 meters/ 26 feet cable	\$ 310.00	8801089137920 8801089125057
Lens	SLA-T2480	2.4mm Lens/Imager straight body for XNB-6001 (8.0m cable)		2.4mm fixed lens module, compatible with the XNB-6001, straight body style, 2MP @ 60fps, 0.45 Lux, 120dB WDR, 138° horizontal field of view, 8 meters/ 26 feet cable	\$ 215.00	8801089137983 8801089125101
Lens	SLA-T2480V	2.4mm Lens/Imager right angle body for XNB-6001 (8.0m cable)		2.4mm fixed lens module, compatible with the XNB-6001, right angle body style, 2MP @ 60fps, 0.45 Lux, 120dB WDR, 138° horizontal field of view, 8 meters/ 26 feet cable	\$ 215.00	8801089125071
Lens	SLA-T4680	4.6mm Lens/Imager straight body for XNB-6001 (8.0m cable)		4.6mm pinhole lens module, compatible with the XNB-6001, straight body style, 2MP @ 60fps, 0.06 Lux, 120dB WDR, 73° horizontal field of view, 8 meters/ 26 feet cable	\$ 215.00	8801089125118
Lens	SLA-T4680V	4.6mm Lens/Imager right angle body for XNB-6001 (8.0m cable)		4.6mm pinhole lens module, compatible with the XNB-6001, right angle body style, 2MP @ 60fps, 0.06 Lux, 120dB WDR, 73° horizontal field of view, 8 meters/ 26 feet cable	\$ 215.00	8801089125088
Lens	SLA-T2480WA	Outdoor 2.4mm Lens/Imager straight body for XNB-6002, and PNM-9000QB (8.0m cable)	Compatible with XNB-6002 and PNM-9000QB	Outdoor rated 2.4mm fixed lens module, straight body style, compatible with PNM-9000QB and XNB-6002, 2MP @ 30fps, 0.45 Lux, 138° horizontal field of view, 8 meters/ 26 feet cable, IP66, NEMA 4X, IK10, Operating temperature -30°C+55°C(-22°F ~+131°F)	\$ 275.00	8801089226631
Lens	SLA-T2480WDA	Outdoor 2.4mm Lens/Imager Dome body for XNB-6002, and PNM-9000QB (8.0m cable)	Compatible with XNB-6002 and PNM-9000QB	Outdoor rated 2.4mm fixed lens module, Dome style, compatible with PNM-9000QB and XNB-6002, 2MP @ 30fps, 0.45 Lux, 138° horizontal field of view, 8 meters/ 26 feet cable, IP66, NEMA 4X, IK10, Operating temperature -30°C+55°C(-22°F ~+131°F)	\$ 275.00	8801089226648
Lens	SLA-T4680A	4.6mm Lens/Imager straight body for XNB-6002, and PNM-9000QB (8.0m cable)	Compatible with XNB-6002 and PNM-9000QB	4.6mm pinhole lens module, compatible with PNM-9000QB and XNB-6002, straight body style, 2MP @ 30fps, 0.06 Lux, 73° horizontal field of view, 8 meters/ 26 feet cable	\$ 215.00	8801089195913
Lens	SLA-T4680VA	4.6mm Lens/Imager right angle body for XNB-6002, and PNM-9000QB (8.0m cable)	Compatible with XNB-6002 and PNM-9000QB	4.6mm pinhole lens module, compatible with PNM-9000QB and XNB-6002, right angle body style, 2MP @ 30fps, 0.06 Lux, 73° horizontal field of view, 8 meters/ 26 feet cable	\$ 215.00	8801089195890
Lens	SLA-T2480A	2.4mm Lens/Imager straight body for XNB-6002, and PNM-9000QB (8.0m cable)	Compatible with XNB-6002 and PNM-9000QB	2.4mm fixed lens module, compatible with PNM-9000QB and XNB-6002, straight body style, 2MP @ 30fps, 0.45 Lux, 138° horizontal field of view, 8 meters/ 26 feet cable	\$ 215.00	8801089195876
Lens	SLA-T2480VA	2.4mm Lens/Imager right angle body for XNB-6002, and PNM-9000QB (8.0m cable)	Compatible with XNB-6002 and PNM-9000QB	2.4mm fixed lens module, compatible with PNM-9000QB and XNB-6002, right angle body style, 2MP @ 30fps, 0.45 Lux, 138° horizontal field of view, 8 meters/ 26 feet cable	\$ 215.00	8801089195883
Lens	SLA-T1080FA	1.6mm Lens/Imager straight body for XNB-6002, and PNM-9000QB (8.0m cable)	Compatible with XNB-6002 and PNM-9000QB	1.6mm fixed lens module, compatible with PNM-9000QB and XNB-6002, straight body style, 2MP @ 30fps, 0.03 Lux, 187° horizontal field of view, 8 meters/ 26 feet cable	\$ 310.00	8801089196552
Lens	SLA-H-4680VA	Height strip with 2MP pinhole lens	Camera not included	Height strip with 4.6mm pinhole lens module, compatible with PNM-9000QB, right angle body style, 2MP @ 30fps, 0.06 Lux, 73° horizontal field of view, 8 meters/ 26 feet cable	\$ 545.00	849688016695
Lens	SLA-T2880BA	Bandit Barrier	Compatible with XNB-6002 and PNM-9000QB	Bandit Barrier 2.8mm fixed lens (107.4°), compatible with PNM-9000QB, and XNB-6002 (not included), cable length 8m (26 feet), black color	\$ 790.00	8801089219121
Lens	SLA-T4680DA	Door Jamb Lens (black)	Compatible with XNB-6002 and PNM-9000QB	Door Jamb head with 4.6mm lens, compatible with PNM-9000QB, and XNB-6002 (not included), cable length 8m (26 feet), black color	\$ 270.00	8801089219107
Lens	SLA-T4680DSA	Door Jamb Lens (silver)	Compatible with XNB-6002 and PNM-9000QB	Door Jamb head with 4.6mm lens, compatible with PNM-9000QB, and XNB-6002 (not included), cable length 8m (26 feet), silver color	\$ 270.00	8801089219114
Lens	SLA-T4680D	Door Jamb Lens (black)		Door Jamb head with 4.6mm lens, compatible with XNB-6001 (not included) 8m (26 feet) cable, black color	\$ 270.00	8801089135926
Lens	SLA-T4680DS	Door Jamb Lens (silver)		Door Jamb head with 4.6mm lens, compatible with XNB-6001 (not included) 8m (26 feet) cable, silver color	\$ 270.00	8801089142184
Lens	SLA-T4680DW	Door Jamb Lens (white) Special order ONLY	Special order only	Door Jamb head with 4.6mm lens, compatible with XNB-6001 (not included) 8m (26 feet) cable, white color	\$ 270.00	8801089135933
Lens	SLA-T-M410DN	Megapixel DC-Iris Lens (L)		Megapixel Lens, image sensor from 1/2.3" up to 1/1.7", Up to 12MP resolution, Vari-focal (4-10mm), DC auto iris, CS-Mount, Compatible with: XNB-6005/8000, PNB-A9001	\$ 420.00	849688014779
Lens	SLA-T-M1250DN	Megapixel DC-Iris Lens (L)		Megapixel Lens, image sensor from 1/2.3" up to 1/1.7", Up to 12MP resolution, Vari-focal (12-50mm), DC auto iris, CS-Mount, Compatible with: XNB-6005/8000, PNB-A9001	\$ 420.00	849688014786
Lens	SLA-T-M940DN	Megapixel DC-Iris Lens (L)	Limited stock, Recommended replacement SLA-T-M1250DN	Lens, 1/2.3", Up to 4K Vari-focal(9-40mm), Auto DC IRIS, CS-Mount, compatible with: XNB-6000, HCB-6000/601/7000/7000A	\$ 369.00	849688007075
Lens	SLA-2M3600P	PNM-9322VQP Lens module	Limited Stock Lens for the PNM-9320VQP, PNM-9321VQP, PNM-9322VQP	1/2.8" 2MP CMOS with a 3.6mm fixed focal lens, FoV: H: 94.8°, V: 49.3°, for the PNM-9320VQP and PNM-9322VQP	\$ 85.00	8801089176714
Lens	SLA-5M3700P	PNM-9322VQP Lens module	Limited Stock Lens for the PNM-9320VQP, PNM-9321VQP, PNM-9322VQP	1/1.8" 5MP CMOS with a 3.7mm fixed focal lens, FoV: H: 97.5°, V: 71.9° for the PNM-9320VQP and PNM-9322VQP	\$ 250.00	8801089173430
Lens	SLA-5M4600P	PNM-9322VQP Lens module	Limited Stock Lens for the PNM-9320VQP, PNM-9321VQP, PNM-9322VQP	1/1.8" 5MP CMOS with a 4.6mm fixed focal lens, FoV: H: 77.9°, V: 57.9° for the PNM-9320VQP and PNM-9322VQP	\$ 250.00	8801089173447
Lens	SLA-5M7000P	PNM-9322VQP Lens module	Limited Stock Lens for the PNM-9320VQP, PNM-9321VQP, PNM-9322VQP	1/1.8" 5MP CMOS with a 7.0mm fixed focal lens, FoV: H: 50.7°, V: 37.8° for the PNM-9320VQP and PNM-9322VQP	\$ 250.00	8801089173485 8801089147554
Lens	SLA-2M2400Q	PNM-9000VQ Lens module	For the PNM-9000VQ, PNM-9002VQ	1/2.8" 2MP CMOS with a 2.4mm fixed focal lens, FoV: H: 135.4°, V: 71.2° for the PNM-9000VQ	\$ 85.00	8801089172969
Lens	SLA-2M2800Q	PNM-9000VQ Lens module	For the PNM-9000VQ, PNM-9002VQ	1/2.8" 2MP CMOS with a 2.8mm fixed focal lens, FoV: H: 107.4°, V: 62.2°, for the PNM-9000VQ	\$ 85.00	8801089176721
Lens	SLA-2M3600Q	PNM-9000VQ Lens module	For the PNM-9000VQ, PNM-9002VQ	1/2.8" 2MP CMOS with a 3.6mm fixed focal lens, FoV: H: 94.8°, V: 49.3°, for the PNM-9000VQ	\$ 85.00	8801089173027 8801089114570
Lens	SLA-5M3700Q	PNM-9000VQ Lens module	For the PNM-9000VQ, PNM-9002VQ	1/1.8" 5MP CMOS with a 3.7mm fixed focal lens, FoV: H: 97.5°, V: 71.9° for the PNM-9000VQ	\$ 250.00	8801089176233
Lens	SLA-5M4600Q	PNM-9000VQ Lens module	For the PNM-9000VQ, PNM-9002VQ	1/1.8" 5MP CMOS with a 4.6mm fixed focal lens, FoV: H: 77.9°, V: 57.9° for the PNM-9000VQ	\$ 250.00	8801089173492
Lens	SLA-5M7000Q	PNM-9000VQ Lens module	For the PNM-9000VQ, PNM-9002VQ	1/1.8" 5MP CMOS with a 7.0mm fixed focal lens, FoV: H: 50.7°, V: 37.8° for the PNM-9000VQ	\$ 250.00	8801089173461
Lens	SLA-5M3700D	PNM-9000VD Lens module	Limited Stock	1/1.8" 5MP CMOS with a 3.7mm fixed focal lens, FoV: H: 97.5°, V: 71.9° for the PNM-9000VD	\$ 250.00	8801089173843 8801089158970
Lens	SLA-5M4600D	PNM-9000VD Lens module	Limited Stock Lens for the PNM-9000VD	1/1.8" 5MP CMOS with a 4.6mm fixed focal lens, FoV: H: 77.9°, V: 57.9° for the PNM-9000VD	\$ 250.00	8801089173454
Lens	SLA-5M7000D	PNM-9000VD Lens module	Limited Stock Lens for the PNM-9000VD	1/1.8" 5MP CMOS with a 7.0mm fixed focal lens, FoV: H: 50.7°, V: 37.8° for the PNM-9000VD	\$ 250.00	8801089173478
Lens	SLA-2M2402D	PNM-7002VD Lens module	Limited Stock Lens for the PNM-7002VD	1/2.8" 2MP CMOS with a 2.4mm fixed focal lens, FoV: H: 135.4°, V: 71.2°, for the PNM-7002VD	\$ 85.00	8801089193506
Lens	SLA-2M2802D	PNM-7002VD Lens module	Limited Stock Lens for the PNM-7002VD No Replacement	1/2.8" 2MP CMOS with a 2.8mm fixed focal lens, FoV: H: 107.4°, V: 62.2°, for the PNM-7002VD	\$ 85.00	8801089193520
Lens	SLA-2M3602D	PNM-7002VD Lens module	Limited Stock Lens for the PNM-7002VD	1/2.8" 2MP CMOS with a 3.6mm fixed focal lens, FoV: H: 94.8°, V: 49.3°, for the PNM-7002VD	\$ 85.00	8801089193537

Lens	SLA-2M6002D	PNM-7002VD Lens module	Limited Stock Lenses for the PNM-7002VD	1/2.8" 2MP CMOS with a 6.0mm fixed focal lens, Fov: H: 50.4°, V: 28.8°, for the PNM-7002VD	\$ 85.00	8801089193568
Lens	SLA-M2890DN	Meqapix DC-Iris Lens		Lens: 1/2.8" 3 MP Vari-focal (2.8-9.0mm), Auto DC Iris, CS-Mount	\$ 199.00	8801089137937
Lens	SLA-M2890PN	Meqapix P-Iris Lens		Lens: 1/2.8" 3 MP Vari-focal (2.8-9.0mm), Auto P-Iris, CS-Mount	\$ 249.00	8801089137944
Installation Solution						
Accessory	SBP-168WMW1	Wall/Pole Mount		Wall mount white compatible with XNP-6120HW	\$ 80.00	8801089231903
Accessory	SNP-1730FPW	Flush mount		Plenum rated in-ceiling mount. Compatible with XNP-C7310R & C9310R	\$ 185.00	8801089226141
Accessory	SBP-300BW1	Wall Mount Bracket	Table top mount is with conduit hole 3/4" (19.1mm) (M25)	Wall Mount Base Compatible with wall mounts SBP-300WMM and SBP-300WMMW1 Table top mount for (TNO-7180RPL) Includes conduit hole 3/4" (19.1mm) (M25)	\$ 50.00	8801089217288
Accessory	SBP-187WMW	Wall & Pole Mount for High speed LPR (TNO-7180RPL) camera		Wall & Pole Mount for (TNO-7180RPL) High Speed Global shutter LPR camera (Steel strap sold separately)	\$ 150.00	8801089217271
Accessory	SBD-110GPA	Installation Kit		Installation kit for TNV-C8014RM & TNV-C8034RM, includes mount plate and M12 to RJ45 adapter	\$ 80.00	8801089235190
Accessory	SBD-137WMA	Wall Adapter Plate		Wall adaptor plate to make a Q-Core camera compatible with SBP-137WMM and SBP-137WMMW1	\$ 20.00	8801089220660
Accessory	SBD-110GP1	Gangbox Plate		Adapter plate for Single, Double, 4" Octagon, supported cameras: QNV-C8011R/C8012/C9011R, QND-601121, 801121, QNF-8010, 9010, LND-6012R/22R, QND-6012R/22R, 7012R/22R, QNE-8011R/21R, ANE-L6012R, 7012R	\$ 20.00	8801089220653
Accessory	SPM-4210	Network I/O Box		Network I/O Box for PTZ plus, 4-Configurable I/O ports, Audio I/O, PoE, Compatible with XNP-9300RV/9250R/9250 XNP-8300RV/8250R/8250, XNP-8400RV/8400R/8400, PNM-C-12053RV/D/12053RV/D/12053RV/D/7082RVD	\$ 265.00	8801089195968
Accessory	SBS-165B	Surface Mount Backbox for Video Intercom TID-600R		Surface Mount Back Box (with conduit holes) for TID-600R	\$ 49.00	8801089229526
Accessory	SBS-165TM	Tilt Mount for Video Intercom TID-600R		Tilt Mount for TID-600R, 30° Tilt angle, Installable on Left or Right	\$ 31.00	8801089202758
Accessory	SHS-165F	Flush Mount for Video Intercom TID-600R		Flush Mount for TID-600R, 2 Cover plates included (White, Dark Grey)	\$ 107.00	8801089202741
Accessory	SBC-160BF	Black Skin Cover		Black Skin Cover for XNF-9013RV, QTY of 6	\$ 50.00	8801089218261
Accessory	SBC-165W	White Cover for Video Intercom TID-600R		White Skin Cover for TID-600R	\$ 22.00	8801089202734
Accessory	TA-18	Flush Mount for TCIS-2 and TCIS-3		Turbine Compact Flush-Mount Back Box for TCIS-2 and TCIS-3	\$ 340.00	849688019184
Accessory	TA-14	Windscreen for TCIS-2 and TCIS-3		Windscreen Microphone for TCIS-2 and TCIS-3	\$ 197.00	849688019177
Accessory	TA-13	Onwall Back Box for TMIS-1		Turbine Mini On Wall Back Box White, Compatible with TMIS-1	\$ 315.00	849688019160
Accessory	TA-5	Bracket for 2 Gang Back Box for TCIS-2 and TCIS-3		Bracket for US 2 GANG Double Depth back box, compatible with TCIS-2 and TCIS-3	\$ 97.00	849688019153
Accessory	TA-1	Onwall Back Box for TCIS-2 and TCIS-3		Turbine Compact Onwall Back Box, IP66, IK10 Aluminum alloy, Grey, Compatible with TCIS-2 and TCIS-3	\$ 245.00	849688019146
Accessory	TKIS-2	External Relay for Audio Intercoms		Zentel Turbine Intercom module used as an external relay for the Zentel Turbine Intercoms, Ports-I/O, Relay, 10W Audio Out, DIN-rail mountable, Avaya and CISCO Certified, UL	\$ 1,113.00	849688019139
Accessory	SBD-110GP	Gangbox Plate		Adapter plate for Single, Double, 4" Octagon, supported cameras (HCD-7010R / 7020R / 7030R, XND-6010 / 6020R / 8020R / 8030R / 8040R, 6012R / 6022R / 6032R, HCD-7010RA / 7020RA / 7030RA, LND-6012R / 6022R / 6032R / 6072R, QND-6010R / 6012R / 6020R / 6022R / 6030R / 6032R, QND-7010R / 7012R / 7022R / 7030R / 7032R / 8020R, QND-8010R / 8020R / 8030R, SCD-6013 / 6023R) Pack of 5	\$ 45.00	8801089165886
Accessory	SBD-150GP	Adapter Plate		Adapter plate for Double, 4" Octagon, 4" Square compatible with QNV-6082R/6082R1/6084R/7082R/6072R/6072R1/7082R/8080R, XNP-6040HW, ACV-8080R/8081R, ANV-L6082R/7082R, QNV-C9083R/C8083R/C6083R	\$ 30.00	8801089241481
Accessory	SBP-B-100P	Gano box Plate (L)		Single Gano Box Converter Plate for XNV-6011	\$ 39.00	849688020056
Accessory	STB-2000	ATM mounting bracket		ATM mounting bracket for remote head lens, compatible with SLA-T2480, SLA-T2480A, SLA-T4680, SLA-T4680A lenses	\$ 124.00	8801089190475
Accessory	SBP-168HM	Cap Adapter		Cap Adapter for the XNP-6120H	\$ 79.00	8801089168685
Accessory	SBP-140CMB	Ceiling Mount		Ceiling mount base (w/o conduit holes), compatible with extension pipes: SBP-150CMP/300CMP/900CMP	\$ 35.00	8801089220749
Accessory	SBP-C15P	Ceiling Mount Coupler		Ceiling mount coupler (for pipe extension), compatible with SBP-150CMP, SBP-300CMP, SBP-900CMP	\$ 20.00	8801089220516
Accessory	SBP-C35H	Pipe Converter		3/4" to 1.5" PF pipe converter, to support compatibility between 3/4" pipe/connector and hanging adaptor	\$ 80.00	8801089235145
Accessory	SBP-C15NP	Thread Converter		1.5" NPT to PF thread converter, to support compatibility with NPT threaded pipes	\$ 20.00	8801089235152
Accessory	SBP-C15H	1.5" coupler (White)		1.5" Coupler (White) Pack of 4 compatible with Ceiling mount SBP-140CMB, SBP-180CMB, SBP-180CMS Hanging Adaptor SBP-099HMW, SBP-120HMW, SBP-140HMW, SBP-160HMW1, SBP-180HMW1, SBP-200HMW, SBP-250HMW, SBP-315HMW, SBP-156HMW	\$ 80.00	8801089231970
Accessory	SBP-140CMT	Tile Grid Ceiling Mount		Tile Grid Ceiling Mount Pack of 4, Compatible with QND-6011/6021, QND-8011/8021 QNF-8010/9010, QND-6012R/6022R/6082R, QNV-C9011R/C8011R/C8012, QND-6012R/6022R/6072R, QNE-8011R/8021R, ANE-L6012R/L7012R/L7012L, QNV-C8083R/C9083R, XND-8082R/9082RV, X plus indoor dome, P AI indoor dome	\$ 155.00	8801089223845
Accessory	SBP-140HMW	Cap Adapter		Cap Adapter for QNV-C9083R, QNV-C8083R	\$ 49.00	8801089220592
Accessory	SBP-200C	Mounting Hole Cover		Mount Plate Pack of 5 for SBP-250WMMW & SBP-400WMMW compatible with PNM-C16013RVQ	\$ 30.00	8801089231703
Accessory	SBP-200HMW	Cap Adapter		Cap Adapter for the PNM-9000VD, PNM-7002VD and PNM-C16013RVQ Multi-sensor	\$ 49.00	8801089225467
Accessory	SBP-300HM8	Cap Adapter		Cap Adapter for the PND-9080R, XND-6080 / 6080R / 6080V / 6080RV, XND-8080R / 8080RV, XND-L6080R / L6080RV	\$ 49.00	8801089168801
Accessory	SBP-300HM7	Cap Adapter		Small cap adapter (aluminum), accessory for XNV-6011, SCD-6013 / 6023R / 6025R, QND-6010R / 7010R / 7020R / 7030R, LND-6010 / 6020R, 6030R / 8030R / 8040R, XNV-6011, HCD-6010 / 6020R / 7010R / 7010RA / 7020R / 7020RA / 7030R / 7030RA, LND-6011R / 6021R / 6031R	\$ 49.00	8801089168788
Accessory	SBP-300HMW7	Cap Adapter		Small cap adapter (aluminum), accessory for XNV-6011W, QND-8010R / 8020R / 8030R, QND-6012R / 6022R / 6032R, QND-7012R / 7022R / 7032R, LND-6010R / 6012R / 6020R / 6022R / 6030R / 6032R, HCF-8010V white color.	\$ 49.00	8801089168511
Accessory	SBP-300HM6	Cap Adapter		Medium Cap Adapter (Aluminum), accessory for PNV-9080R, XNV-6120 / 6120R / 6080 / 6080R / 6085 / 6085V, XNV-8080R, XNV-L6080 / L6080R, PNM-7000VD	\$ 49.00	8801089170590
Accessory	SBP-300HM5	Cap Adapter		Small cap adapter (aluminum), accessory for SMP fisheye cameras (SNF-8010, SNF-8010VM, XNF-8010R / 8010RV / 8010RVM, PNF-9010R / 9010RV / 9010RVM), QNE-6080RV, QNV-7080RV, Works with Mounts (SNP-300CM, SBP-300LM, SBP-300WM, SBP-300WMM1)	\$ 49.00	8801089167798
Accessory	SBP-301HMW3	Cap Adapter	Replacement for SBP-301HM2	Medium Cap Adapter Accessory, compatible with QNP-6250, QNP-6320, White color	\$ 49.00	8801089214751
Accessory	SBP-301HM5	Cap Adapter		Small Cap Adapter (Aluminum), accessory for SCV-6083R / 6023R / 6085R, LNV-6071R, QNV-6070R / 6071R / 7080R / 7081R, HCV-6070R / 6080R / 6080RSD / 7070R / 7070RA / 7080R / 7080RVP, XNP-6040H, (Ivory color).	\$ 49.00	8801089167996
Accessory	SBP-099HMW	Cap Adapter		Small cap adapter, accessory for Q-mini cameras: QNF-8010, QNF-9010, QND-6011, QND-6021, QND-8011, QND-8021 (White color)	\$ 34.00	8801089190833
Accessory	SBP-300HMW5	Cap Adapter		Small cap adapter, accessory for XNF-8010RW / 8010RVM, QNE-6080RV / 7080RVW (White color).	\$ 49.00	8801089167767
Accessory	SBP-150CMI	Ceiling mount		Ceiling mount (150mm) (w/o conduit holes), compatible with all 1.5" hanging mounts and extension pipes: SBP-C15P, SBP-150CMP/300CMP/900CMP	\$ 80.00	8801089220547
Accessory	SBP-300CM	Ceiling mount		Pendant Mount Accessory, Length: 300mm (11.81") with female 1.5" pipe thread	\$ 90.00	8801089220554
Accessory	SBP-302CM-06	Extension pendant pipe 6" (L)		Extension pendant pipe 6" long, fit the SBP-302CMB (Mounting backbox), SBP-302CMA (mounting plate), SBP-302CM (telescopic pendant mount) and the extension pipes: SBP-302CM-12 and SBP-302CM-36	\$ 45.00	849688014304
Accessory	SBP-301HMW2	Cap Adapter		Small cap adapter (aluminum), accessory (QNV-6072R / 6082R / 8080R / 7082R, LNV-6070R / 6072R), (White color).	\$ 49.00	8801089167989
Accessory	SBP-317HMWP	Cap Adapter		Hanging Cap Adapter with extra storage space. Can be used with PNM-9084RQZ / PNM-9085RQZ / PNM-9085RQZ1. Mount screw size: PF 1 1/2", White	\$ 275.00	8801089219435
Accessory	SBP-315C	Mounting Hole Cover		Mount Plate Pack of 5 for SBP-250WMMW & SBP-400WMMW compatible with PNM-9084RQZ/ROZ1 / PNM-9085RQZ/ROZ1	\$ 30.00	8801089231727
Accessory	SBP-315HMW	Cap Adapter		Cap Adapter for PNM-9084RQZ(1), PNM-9085RQZ(1)	\$ 70.00	8801089225481
Accessories	SBP-317HMW	Cap Adapter		Can be used with PNM-9084RQZ / PNM-9084RQZ1 / PNM-9085RQZ / PNM-9085RQZ1. Mount screw size: PF 1 1/2", (White color).	\$ 75.00	8801089179760
Accessory	SBP-122HM	Cap Adapter		Small cap adapter for: (QND-7080R / 6070R / 6071R / 7081R), QNV-7010R/20R/30R, QNV-6010R/20R/30R, XNV-6010R/20R, XNV-8020R/30R/40R, HCD-6070R / 6080R / 7070R / 7070RA / 7080R, HCV-7010R / 7010RA / 7020R / 7020RA / 7030R / 7030RA, LND-6071R, LNV6011R / 6021R / 6031R, SCD-6083R / 6085R)	\$ 34.00	8801089168658
Accessory	SBP-122HMW	Cap Adapter		Cap adapter for the (ANV-L6012R / L7012R, QND- 6072R / 7082R / 6082R / 8080R, QNV-6012R / 6022R / 6032R / 7012R / 7022R / 7032R / 8010R / 8020R / 8030R, LND-6070R / 6072R, LNV-6010R / 6012R / 6020R / 6022R / 6030R / 6032R, HCF-8010V), white color	\$ 34.00	8801089168733
Accessory	SBP-167HM	Cap Adapter		Hanging cap (Ivory) for the indoor X Plus dome cameras	\$ 50.00	8801089168061
Accessory	SBP-250C	Mounting Hole Cover		Mount Plate Pack of 5 for SBP-250WMMW & SBP-400WMMW compatible with PNM-C16083RVQ/C32083RVQ, PNM-8082VT, PNM-9084QZ/Q21, PNM-9022V, PNM-C9022RV, PNM-9031RV	\$ 30.00	8801089231710
Accessory	SBP-250HMW	Cap Adapter		Cap adapter for the PNM-9084QZ1, PNM-9084QZ, PNM-8082VT, PNM-9022V, PNM-C9022RV, PNM-9031RV, PNM-9002VQ, PNM-C16083RVQ, PNM-C32083RVQ	\$ 75.00	8801089225474
Accessory	SBP-276HMW	Cap Adapter		Cap adapter for the PNM-9084QZ, PNM-8082VT, PNM-9022V, PNM-9031RV, PNM9002VQ	\$ 75.00	8801089179807
Accessory	SBP-160HMW1	Cap Adapter	Replacement for SBP-167HMW	Hanging cap compatible with: XNF-9010RV / 9010RVM, XND-9082RV / 8082RV, XND-6081V / 6081VW / 6081RV / 6081REV, XND-8081RV / 8081REV / 8081RVW / 8081RVWV, PND-A6081RV, PND-A6081RVW, XND-8083RV / C7083RV / C7083RVW / C8083RV / 8083RV / 8083RVW / C8083RV / 8083RVW / C8083RV / 8083RVW / C9083RV / XNV-C9083R / C7083R / C8083R / C9083R, TNF-9010, white color.	\$ 50.00	8801089217585
Accessory	SBP-187HM	Cap Adapter		Hanging cap (Ivory) for the outdoor X Plus dome cameras	\$ 50.00	8801089162441
Accessory	SBP-180CMS	Ceiling Mount		Swivel ceiling Mount (base), compatible with SBP-C15P, SBP-150CMP/300CMP/900CMP	\$ 170.00	8801089222923
Accessory	SBP-180CMB	Ceiling Mount Base		Ceiling mount base (with conduit holes) compatible with SBP-C15P, SBP-150CMP/300CMP/900CMP	\$ 130.00	8801089220462
Accessory	SBP-180HMW1	Cap Adapter	Replacement for SBP-187HMW	Hanging cap compatible with: XNV-8082R / 8083R / 9082R, XNV-6083R / 8083R / 9083R, XNV-6122R / 6081 / 6081R / 6081Z / 6081RE / 6081R / 9081R / 8081Z, PNV-A9081R / A9081RV / PNV-A9081R / PNV-A6081R-E1T / PNV-A6081R-E2T, XNV-6083R / 8083RZ / 9083RZ, white color.	\$ 50.00	8801089217578
Accessory	SBC-170C	Silver Skin Cover		Silver Skin Cover for TNV-8011C	\$ 35.00	8801089210531
Accessory	SBC-170CB	Black Skin Cover		Black Skin Cover for TNV-8011C	\$ 35.00	8801089210555
Accessory	SBC-170CV	White Skin Cover		White Skin Cover for TNV-8011C	\$ 35.00	8801089210548
Accessory	SBC-160B	Black cover		Black skin cover for indoor X-Plus series domes XND-8081REV / 6081RV / 6081V / 6081VW / 6081REV / 8081RV / 8081VZ / 9082RV / 8082RV / 6083RV / 8083RVW / 8093RV / 9083RV, PND-A9081RV, PND-A9081RVW, QTY of 3	\$ 50.00	8801089161734
Accessory	SBC-200B	Black Skin Cover		Black Skin Cover for PNM-C16013RVQ Pack of 3	\$ 50.00	8801089239471
Accessory	SBC-180B	Black cover		Black skin cover for outdoor X-Plus series domes XNV-6081 / 6081R / 6081RE / 6081Z / 8081R / 8081RE / 8081Z / 9082R / 8082R / 6083R / 8083R / 8093R / 903R, QTY of 3	\$ 50.00	8801089161741
Accessory	SBV-160WC	Weather Cap		Weather cap for the following outdoor domes: PNV-9080R, XND-6085 / 6085V / 6080 / 6080R / 6085 / 6120 / 6120R / 8080R / L6080 / L6080R	\$ 30.00	8801089170606
Accessory	SBV-120WCW	Weather Cap		Weather cap for the following outdoor domes: QNV- 6012R / 6022R / 6032R / 8010R / 8020R / 8030R / 7012R / 7022R / 7032R, ANV-L6012R / L7012R, LNV- 6010R / 6012R / 6020R / 6022R / 6030R / 6032R, white color.	\$ 30.00	8801089167088
Accessory	SBV-121WCW	Weather Cap		Weather Cap compatible with QNV-C8013R/C8023R	\$ 30.00	8801089232564
Accessory	SBV-140WCWB	Weather Cap		Weather Cap compatible with TNV-C8011RV	\$ 30.00	8801089233875
Accessory	SBV-161WCW	Weather Cap		Weather cap compatible with: XNV-C8083RV / C7083RV / C8083RV / C9083RV	\$ 30.00	8801089207067
Accessory	SBV-253WCW	Weather Cap		Weather cap compatible with PNM-9031RV, PNM-9022V	\$ 35.00	8801089215123
Accessory	SBV-A14B	Back Box		Back box compatible with ANV-L6012R/L7012R/7082R, ANO-L6012R/L6022R/L6082R/L7012R/L7022R/L7082R, ANE-L6012R/L7012R, QNV-6072R/6072R1/6082R/6082R1/6084R/7082R/8080R/8081R	\$ 49.00	8801089217103
Accessory	SBV-180WB	Backbox		Backbox compatible with XND-C9083RV/C8083RV/C7083RV/C6083RV, XND-9083RV/8093RV/8083RV/6083RV, XNV-9083RV/8093RV/8083RV/6083RV, XND-9082RV/8082RV, XNV-9082RV/8082RV	\$ 49.00	8801089217166
Accessory	SBV-180WW	Back Box		Waterproof Backbox for Vanal X-Core anti-vandal cameras, Compatible models: XNV-6080R/L6080R/6085/6120R/8080R, XNV-6081R/8081R/8083R/8083R/8093R/9083R, XNV-C6083R/C7083R/C8083R/C9083R	\$ 120.00	8801089205254
Accessory	SBV-215WCW	Weather Cap		Weather cap for PNM-C7083RV/D/7082RVD and PNM-C12083RV/D/12082RV	\$ 40.00	8801089215543
Accessory	SBP-215HMWB	Cap Adapter		Hanging Cap Adapter with vibration isolation gasket for Audio Beacon SPS-A100M	\$ 65.00	8801089235114
Accessory	SBP-215HMW	Cap Adapter		Hanging mount for PNM-C7083RV/D/7082RVD and PNM-C12083RV/D/12082RV	\$ 40.00	8801089215581
Accessory	SBC-140WB	Black Skin Cover		Black Skin Cover for TNV-C8011RV	\$ 40.00	8801089233868
Accessory	SBV-140TBW	Tilt Mount		Tilt Mount for TNV-C8011RV - 20° tilt	\$ 35.00	8801089229618
Accessory	SBV-140TMW	Tilt Mount		Tilt Mount, compatible with: QNV-C8083R/C9083R, QNV-C8011R/C8012/C9011R, QND-6011/6021, QND-8011/8021, QND-6012R/6022R/6082R, QND-7012R/7022R/7082R, QNE-8011R/		

Accessory	SPB-VAN14W	Smoke Dome	Smoke Dome compatible with XNV-60126012M, XNV-6022RM, QNV-6024RM	\$ 35.00	8801089233530
Accessory	SPB-VAN23W	Smoke Dome Cover	Smoke Dome for TNV-C8014RM & TNV-C8034RM	\$ 55.00	8801089235176
Accessory	SPG-VAN23W	Dome Cover	Clear Dome for TNV-C8014RM & TNV-C8034RM	\$ 55.00	8801089235183
Accessory	SPB-IND98W	Tinted Dome Cover	Tinted dome for indoor dome X-Core cameras	\$ 80.00	8801089207111
Accessory	SPB-PT295W	Smoke Dome Cover	Smoke Dome Cover compatible with XNP-C7310R & XNP-C9310R	\$ 133.00	8801089226129
Accessory	SPG-PT295W	Dome Cover	Dome Cover compatible with XNP-C7310R & XNP-C9310R	\$ 133.00	8801089226136
Accessory	SPB-VAN82W	Smoked Dome Cover	Smoke Dome for QAI VJF Compatible with QNV-C6083R/C8083R/C9083R	\$ 85.00	8801089231598
Accessory	SPB-VAN88W	Tinted Dome Cover	Tinted dome for Vandal dome X-Core cameras	\$ 85.00	8801089207104
Accessory	SPB-VAN89W	Tinted Bubble	Tinted dome cover for: XNV-6083RZ / XNV-6083RZ / XNV-9083RZ	\$ 80.00	8801089178592
Accessory	SHD-1400FPW	Plenum Flush Mount	Plenum rated flush mount Compatible with QNV-C8083R/C9083R	\$ 135.00	8801089225405
Accessory	SHD-1400FW	Flush Mount	In-ceiling flush mount Compatible with QNV-C8083R/C9083R	\$ 79.00	8801089225412
Accessory	SHD-1370FPW	Flush mount	In-ceiling Mount Plenum compatible with XNV-6123R, XNV-6083RZ/8083RZ/9083RZ, XNV-6083Z/8083Z, XNV-6083R/8083R/9083R, XNV-8082R/9082R, PNV-A6081R/A6081R	\$ 125.00	8801089225382
Accessory	SHD-1200FW	Flush mount	Lite In-ceiling mount compatible with QNV-C8013R/8023R	\$ 80.00	8801089225436
Accessory	SHD-1200FPW	Plenum Flush Mount	Plenum In-ceiling Mount compatible with QNV-C8011R/C8012R/C9011R	\$ 76.00	8801089225429
Accessory	SHD-1201FPW	Plenum flush mount	Plenum In-ceiling mount compatible with QNV-C8013R/C8023R	\$ 100.00	8801089232540
Accessory	SHD-1350FPW	Flush mount	In-ceiling Housing for X-Plus module cameras	\$ 135.00	8801089207128
Accessory	SPB-VAN85W	Tinted Bubble	Tinted bubble for outdoor X-Plus cameras, compatible with: XNV-8081RE/8081R/8081Z, XNV-6081RE/6081R/6081F, PNV-A9081R, XNV-9082R/8082R	\$ 80.00	8801089190789
Accessory	SPB-IND85W	Tinted Bubble	Tinted bubble for indoor X-Plus cameras, compatible with: XND-8081REV/8081RV/8081VZ, XND-6081REV/6081RV/6081V, PND-A9081RV, XND-9082R/8082R	\$ 75.00	8801089190772
Accessory	SPB-FCD85W	Tinted Bubble	Tinted bubble for indoor flush mount X-Plus cameras, compatible with: XND-8081RF/8081FZ, XND-6081RF/6081F, PND-A9081RF, XNV-9082R/8082R	\$ 75.00	8801089190796
Accessory	SPB-PT273	Tinted Bubble	Tinted replacement Bubble for XNP-6120H	\$ 100.00	8801089168153
Accessory	SPB-PT282W	Smoke Dome	Smoke Dome Cover compatible with QNP-6320H and QNP-6250H	\$ 105.00	8801089239259
Accessory	SPB-PT285W	Tinted Bubble	Smoked dome cover for PTZ Plus cameras: XNP-6400/6400R, XNP-8250/8250R, XNP-9250/9250R (not compatible with wiper models)	\$ 100.00	8801089208231
Accessory	SPB-VAN71	Tinted Bubble	Tinted replacement Bubble for XNV-6120, XNV-6120R	\$ 80.00	8801089167705
Accessory	SPB-VAN81	Tinted Bubble	Tinted replacement Bubble for XNV-6085	\$ 80.00	8801089167774
Accessory	SPB-IND11	Tinted Bubble	Tinted bubble [XND-6010/6020/8020R/8030R/8040R]	\$ 25.00	8801089170651
Accessory	SPB-IND12	Tinted Bubble	Tinted bubble [QND- 8010R/6020R/6030R / 7010R/7020R/7030R, LND-6011R/6021R/6031R, HCD-7010RA/20RA/30RA]	\$ 25.00	8801089162108
Accessory	SPB-IND72	Tinted Bubble	Smoked dome cover for QNL varifocal QVL cameras	\$ 25.00	8801089196386
Accessory	SPB-IND81V	Tinted Bubble	Tinted bubble [XND-6080V/XND-6080RV, XND-8080RV]	\$ 45.00	8801089168188
Accessory	SPB-VAN11	Tinted Bubble	Tinted bubble [XNV- 6010/6020/ 8020R/8030R/8040R]	\$ 25.00	8801089104700
Accessory	SPB-VAN12	Tinted Bubble	Tinted bubble [QNV- 6010R/6020R/6030R/ 7010R/7020R/7030R, LNV-6011R/6021R/6031R]	\$ 25.00	8801089168115
Accessory	SPB-VAN16W	Smoke Dome	Smoke Dome compatible with QNV-C8011R/C8012R/C9011R	\$ 40.00	8801089239549
Accessory	SPB-VAN72	Tinted Bubble	Tinted bubble [HCV-6070R/8080R/7070RA, SCV-6083R]	\$ 35.00	8801089167712
Accessories	SPB-VAW12	Tinted Bubble	Smoked dome cover for White Q/L fixed vandal domes [LNV-6012R/6022R/6032R, QNV-6012R/6022R/6032R/8010R/8020R/8030R]	\$ 25.00	8801089186423
Accessories	SPB-IND12	Tinted Bubble	Smoked dome cover for White Q/L fixed indoor domes [LND-6012R/6022R/6032R, QND-6012R/6022R/6032R]	\$ 25.00	8801089186393
Accessories	SPB-IND73	Tinted Bubble	Smoked dome cover for White QND-8080R	\$ 25.00	8801089186812
Accessory	SPB-VAN3	Tinted Bubble	Accessory, tinted replacement Bubble for XNV-6080/6080R/L6080/6080R, XNV-8080R	\$ 69.00	8801089168986
Accessory	SPB-IND6	Tinted Bubble	Accessory, tinted replacement Bubble for SCD-6083R/HCD-6080R/6070R	\$ 39.00	8801089162076
Accessory	SPB-MDC31	Tinted Bubble	Tinted dome cover for PNM-9084OZ and PNM-9082VT	\$ 95.00	8801089226181
Accessory	SPB-MDC41	Tinted Bubble	Tinted dome cover for PNM-9084ROZ and PNM-9085ROZ	\$ 230.00	8801089226174
Accessory	SPB-MDC41V	Smoke Dome Cover	Smoke dome compatible with PNM-C19183RVTP	\$ 280.00	8801089237385
Accessory	SPB-MDC41W	Tinted Bubble	Tinted dome cover for PNM-9022V	\$ 125.00	8801089226198
Accessory	SPB-PT26	Tinted Bubble	Accessory, tinted replacement Bubble for Indoor PTZ, XNP-6320/6321, QNP-6230/6250/6320, HCP-6320A	\$ 99.00	8801089159137
Accessory	SPG-VAN13W	Dome Cover	Dome cover with conduit hole access - Compatible with TNV-C7013RC	\$ 79.00	8801089225139
Accessory	SPB-VAW72	Tinted Bubble	Smoked dome cover for: QNV-8080R, QNV-6082R, LNV-6072R	\$ 35.00	8801089186409
Accessory	SPG-IND12B	Black cover	Black cover for QND-6010R / 6012R / 6020R / 6022R / 6030R / 6032R, QND-7010R / 7012R / 7020R / 7022R / 7030R / 7032R, LND-6010R / 6011R / 6012R / 6020R / 6021R / 6022R / 6030R / 6031R / 6032R, HCD-6010 / 6020R / 7010R / 7010RA / 7020R / 7020RA / 7030R / 7030RA, SCD-6013 / 6023R	\$ 25.00	8801089162229
Accessory	SPG-IND72B	Black cover	Black cover for LND-6010R / 6012R / 6020R, QND-6010R / 6012R / 6020R / 7082R / 7082R, XND-7080R / 7081R / 7082R	\$ 25.00	8801089192813
Accessory	SHD-315F	Flush mount (L)	2X drop ceiling tile flush mount adaptor for the PNM-9084OZ and PNM-9085ROZ	\$ 325.00	849688015117
Accessory	SHD-1198FW	Flush mount	In-ceiling flush mount accessory for indoor dome: QND-8080R, QND-7080R, QND-6070R, HCD-7070RA, HCD-7070R, HCD-6080R, HCD-6070R, HCD-6020R, HCD-6010 (White color)	\$ 79.00	8801089187109
Accessory	SHF-1500F	Flush Mount	In-ceiling flush mount accessory for XNF-6010R/RV/M, PNF-9010R/RV/M	\$ 79.00	8801089162021
Accessory	SHD-400F	Flush mount (L)	In-ceiling flush mount accessory for XNV-6011, Aluminum Body, Ivory	\$ 119.00	8496880052224
Accessory	SHD-3000F1	Flush mount	In-ceiling flush mount accessory for PNV-9080R, XNV-6080R, XNV-8080R, XNV-6080R, XND-L6080/L6080R	\$ 79.00	8801089161994
Accessory	SHD-3000F4	Flush mount	In-ceiling flush mount accessory for PND-9080R, XND-6080RV, XND-6080V & XND-8080RV, XND-L6080/L6080R	\$ 79.00	8801089162014
Accessory	SHD-3000F5	Flush mount	In-ceiling flush mount accessory for PNM-9000V, plenum rated (UL 2820)	\$ 250.00	8801089161079
Accessory	SHP-1680F	Flush mount	In-ceiling flush mount accessory for XNP-6120H, XND-6085V, XNV-6085	\$ 79.00	8801089162083
Accessory	SHD-1408FW	Flush mount	In-ceiling flush mount accessory for HCV-6070R/6070RA, PNV-9080R, QNV-6082R/7080R/8080R, XND-6080RV/6080RV/L6080RV/L6080V (White color)	\$ 79.00	8801089187093
Accessory	SHD-1408FPW	Plenum flush mount	Plenum rated flush mount, white color. Compatible with HCD-6080R/7070RA, QND-6082R/8080R, XNV-6010/6020R/8020R/8030R/8040R, HCV-7010RA/7020RA/7030RA/6080R/6070R, LNV-6012R/6022R/6032R/6072R, QNV-6012R/6022R/6032R/802R/8010R/8020R/8030R/8080R, XND-6080V/6080RV/8080RV, XND-L6080V/6080RV, XNP-6040H	\$ 125.00	8801089191540
Accessory	SHD-1100FW	In-ceiling Mount	In-ceiling Mount compatible with QNV-C8011R/C8012R/C9011R	\$ 80.00	8801089232534
Accessory	SHD-1101FW	Flush mount	Lite In-ceiling mount compatible with QNV-C8013R/C8023R	\$ 80.00	8801089233393
Accessory	SHD-1100FPW	Plenum flush mount	Plenum In-ceiling mount compatible with QND-C8013R/C8023R	\$ 100.00	8801089232526
Accessory	SHD-1128FPW	Plenum flush mount	Plenum rated flush mount, white color. Compatible with: QNF-8010/9010, HCD-6010/6020R/7010RA/7020RA/7030RA, QND-6011/6021/18011/8021/6012R/6022R/6032R/ 7010R/7020R/7030R/8010R/8020R/8030R, LND-6012R/6022R/6032R, XND-6010/6020R/8020R/8030R/8040R, XNV-6011/6011W	\$ 79.00	8801089191755
Accessory	SHP-1520FW	Flush mount	White color PTZ flush mount. Compatible with QNP-6320/6250	\$ 119.00	8801089188793
Accessory	SHP-1563FW	Flush mount	PTZ-Plus flush mount, white color. Compatible with XNP-9250/9250R/8250/8250R/6400/6400R, QNP-6320/6250R, XNP-C6403/C8253/C9253, XNP-C6403R/C8253R/C9253R	\$ 112.00	8801089225450
Accessory	SHP-1563FPW	Plenum flush mount	Plenum rated PTZ-Plus flush mount, white color. Compatible with XNP-9250/9250R/8250/8250R/6400/6400R, QNP-6320/6250R, XNP-C6403/C8253/C9253, XNP-C6403R/C8253R/C9253R	\$ 159.00	8801089225443
Accessory	SHP-1680FPW	Plenum flush mount	White color PTZ flush mount. Compatible with HCP-6300/6300A, QNP-6230/6250/6320, XNP-6320/6321/6120H	\$ 159.00	8801089196576
Accessory	SHP-1680FW	Flush Mount	In-ceiling flush mount accessory for XNP-6120H, XND-6085V, XNV-6085, XNV-6120, XNV-6120R (White color)	\$ 79.00	8801089174468
Accessory	SBU-500MM	Pole Mount	Pole Mount compatible with SBU-500WM for Positioning Cameras TNU-4041T/4051T / TNU-6321	\$ 667.00	8801089233455
Accessory	SBU-500MMW	Wall Mount	Wall mount for the TNU-6321	\$ 325.00	8801089148886
Accessory	SBP-137WM1	Wall Mount	Outdoor wall mount for outdoor domes (QNV-7010R/7020R/7030R, XNV-6010/6020R/8020R/8030R/8040R, HCV-6080R/6070R/7010RA/7020RA/7030RA/7070RA, SCD-6023R/6083R, XNP-6040H)	\$ 65.00	8801089168764
Accessory	SBP-137WMW1	Wall Mount	Outdoor wall mount for outdoor domes (QNV-6012R/6022R/6032R/8010R/8020R/8030R, 8080R/8082R), white color	\$ 65.00	8801089174420
Accessory	SBP-125WMW1	Wall/Pole Mount	Replacement for SBP-125WMW QND-6082R, QNE-8011R/8021R, LND-6012R/6022R/6072R, QND-7012R/7022R/7082R (Stainless steel straps are NOT included, compatible with SBP-150S and SBP-060S)	\$ 65.00	8801089223883
Accessory	SBP-120MM	Wall Mount	Indoor Wall mount for indoor domes (QND-7080R/7030R/7020R/7010R/6070R/6030R/6020R/6010R, XND-6010/6020/8020R/8030R/8040R, SCD-6083R/6023R)	\$ 25.00	8801089161963
Accessory	SBP-142CMW	Ceiling Mount	Ceiling Mount compatible with TNM-3620TDY, TNM-C3620DR/C3622DR	\$ 133.00	8801089229465
Accessory	SBP-142WMW	Wall Mount	Wall Mount compatible with TNM-3620TDY, TNM-C3620DR/C3622DR	\$ 267.00	8801089229458
Accessory	SBP-140WMW	Wall mount	Wall/Pole mount. Compatible with: QNV-C8083R/QNV-C9083R (Stainless steel straps are NOT included, compatible with SBP-150S and SBP-060S)	\$ 65.00	8801089220561
Accessory	SBP-115PA	Wall/Pole Adaptor	3 Pin Adaptor for Wall&Pole Mount (SBP-250MMW/SBP-400MMW) Compatible with XNP-C7310R/C9310R, XNP-C6403/C8253/C9253, XNP-6400/8250/9250 Pack of 3	\$ 150.00	8801089225498
Accessory	SBP-115PFA	Wall/Pole Adaptor	1.5" PF Adaptor for Wall&Pole Mount (SBP-250MMW/SBP-400MMW) Compatible with SBP-180HMM/1200HMM/215HMM/250HMM/315HMM Pack of 3	\$ 150.00	8801089225504
Accessory	SBP-120HMM	Cap Adaptor	Cap Adaptor for QNV-C9011R/C8011R/C8012	\$ 49.00	8801089220585
Accessory	SBP-120MMW	Wall Mount	Indoor wall mount for indoor domes (QND-8080R/8030R/8020R/8010R/6082R/6032R/6022R/6012R), white color	\$ 25.00	8801089167040
Accessory	SBP-160MMW1	Wall mount	Wall mount Compatible models: XND-C6083R/C7083R/C8083R/C9083R, XNV-C6083R/C7083R/C8083R/C9083R, XND-C6083R/C7083R/C8083R/C9083R, XNV-6083R/8083R/9083R, PNV-A6081R/A6081R-E1T/A6081R-E2T, XNV-6083RZ/8083RZ/9083RZ, etc.	\$ 79.00	8801089207074
Accessory	SBP-300CMW1	Ceiling Mount	Ceiling mount with conduit holes compatible with Hanging Adaptor SBP-120HMM/140HMM/160HMM/1/180HMM/1	\$ 180.00	8801089220523
Accessory	SBP-250MMW	Wall/Pole Mount	1. Camera Direct : QNV-C8083R/C9083R, XND-C6083R/C7083R/C8083R/C9083R, XNV-C6083R/C7083R/C8083R/C9083R, XND-6083R/8083R/9083R, XNV-6083R/8083R/9083R, PNV-A9081R/A6081R-E1T/A6081R-E2T, XNV-6083RZ/8083RZ/9083RZ, etc. 2. with SBP-115PA : XNP-6400/8250/9250, XNP-6400R/8250R/9250R, XNP-6400RW/8300RW/9300RW, XNP-C6403/C8253/C9253, XNP-C6403R/C8253R/C9253R, XNP-C6403RW/C8303RW/C9303RW, XNP-C7310R/C9310R, QNP-6250R/6320R 3. Hanging Adaptor with SBP-115PFA : SBP-099HMM/120HMM/140HMM/160HMM/1/180HMM/1200HMM/215HMM/250HMM/315HMM and others 4. Gang Plate : SBD-110GP1, SBD-090GP 5. with Mounting Hole Cover (SBP-200C/250C/315C) : PNM-C16013RVQ, PNM-C16083RVQ/C32083RVQ, PNM-9084ROZ/9085ROZ and others Wall Mount White Compatible with 1. Camera Direct : QNV-C8083R/C9083R, XND-C6083R/C7083R/C8083R/C9083R, XNV-C6083R/C7083R/C8083R/C9083R, XND-6083R/8083R/9083R, XNV-6083R/8083R/9083R, PNV-A6081R/A6081R-E1T/A6081R-E2T, XNV-6083RZ/8083RZ/9083RZ, etc. 2. with SBP-115PA : XNP-6400/8250/9250, XNP-6400R/8250R/9250R, XNP-6400RW/8300RW/9300RW, XNP-C6403/C8253/C9253, XNP-C6403R/C8253R/C9253R, XNP-C6403RW/C8303RW/C9303RW, XNP-C7310R/C9310R, QNP-6250R/6320R	\$ 160.00	8801089222909
Accessory	SBP-300MMW	Wall Mount	Limited Stock SBP-250MMW and SBP-400MMW are similar with SBP-115PA or SBP-115PFA for some applications White Gooseneck mount	\$ 79.00	8801089186416
Accessory	SBP-390MMW2	Wall Mount	Wall Mount Accessory, 2x knock out built-in, compatible with all full size outdoor PTZs and all caps, White color	\$ 215.00	8801089166777
Accessory	SBP-300MM1	Wall Mount	Wall Mount Accessory. All caps except SBP-329HM and all outdoor PTZs Ivory	\$ 79.00	8801089168177
Accessory	SBP-300MMW1	Wall Mount (White)	Wall Mount Accessory (white). Compatible with white hanging caps	\$ 79.00	8801089168238

Accessory	SBP-300WMS1	Stainless Steel Wall Mount		Stainless Steel wall mount for stainless steel cameras PTZ: XNP-6320HS, QNP-6320HS and dome cameras: XNV-6080RSA, XNV-8080RSA, (need to purchase a separate cap SBP-300HMS6 for the dome camera)	\$ 625.00	880189133038
Accessory	SBP-390WM2	Wall Mount		Wall Mount Accessory, 2x knock out built-in, compatible with all full size outdoor PTZs and all caps, Ivory color as well as SBP-300PM pole mount adaptor and SBP-300KM corner mount adaptor	\$ 215.00	880189166715
Accessory	SBP-300WM	Wall Mount		Wall Mount Accessory, All caps and all outdoor PTZs Ivory	\$ 79.00	880189167835
Accessory	SBP-300WMS	Stainless Steel Wall Mount (Gooseneck)		Stainless Steel wall mount (gooseneck) for stainless steel cameras PTZ: XNP-6320HS, QNP-6320HS and dome cameras: XNV-6080RSA, XNV-8080RSA, PNM-9002VQS (need to purchase a separate cap SBP-300HMS6 for the dome camera)	\$ 625.00	880189146281
Accessory	SBP-300HMS6	Stainless Steel Cap Adaptor		Stainless steel cap adaptor for XNV-6080RSA, XNV-8080RSA	\$ 485.00	880189148230
Accessory	SBP-302PM	Pole Mount Base		Pole Mount Adaptor Accessory, use with SBP-100B1, PNO-9080R, SNO-9081R SBO-100B1	\$ 79.00	880189087503
Installation solution	SBP-300PMW2	Pole Mount Base		Pole Mount Adaptor Accessory, use with SBP-300WMW1, White color, made of aluminum	\$ 79.00	880189217295
Accessory	SBD-140PMB	Pole Mount		Pole Mount compatible with QNV-C8011R/C8012R/C9011R, QNV-C8083R/C9083R, QND-6011/6021, QND-8011/8021, QNF-8010/9010, QND-6012R(1)/6022R(1)/6082R(1), QND-7012R/7022R/7082R, QNE-8011R/8021R, LND-6012R/6022R/6072R, ANE-L6012R/L7012R	\$ 70.00	880189220622
Accessory	SBD-140PMW	Pole Mount		Pole mount base. Compatible with: QNV-C8083R/C9083R, QNV-C8011R/C8012R/C9011R, QND-6012R(1)/6022R(1)/6082R(1), QND-7012R/7022R/7082R, QNE-8011R/8021R, LND-6012R/6022R/6072R, ANE-L6012R/L7012R	\$ 49.00	880189220615
Accessory	SBD-180PMW	Pole Mount		Pole mount base. Compatible with: PNV-A6081R/A9081R, XNV-8082R/9082R, XNV-6083R/8083R/8093R/9083R XNV-6123R, XNV-6083Z/8083Z, XNV-6083Z/8083Z/9083Z, PNE-A6081R/A9081R, XND-8082R/9082R, XNF-9010R/9010R, XND-6083R/8083R/8093R/9083R, XNC-6083R/6123R/8083R/9083R, XND-6083R/C7083R/C8083R/C9083R, XND-C6083R/C8083R/C9083R, XNV-C6083R/C7083R/C8083R/C9083R	\$ 70.00	880189220608
Accessory	SBB-300PMW1	Installation plate		Installation plate for SBP-300PMW1, compatible with Box Camera Housing: SHB-4301HP/SHB-4300H1/SHB-4200/SHB-4200H	\$ 32.00	880189216717
Accessory	SBP-300PM1	Pole Mount Base		Pole Mount Adaptor Accessory, use with SBP-300WM, SBP-300WM1, SBP-390WM2, Ivory color, made of aluminum	\$ 79.00	880189198693
Accessory	SBP-300PMS	Stainless Steel Pole Mount Adaptor		Pole mount adaptor for the SBP-300WMS and SBP-300WMS1	\$ 110.00	880189168528
Accessory	SBP-303PM	Pole Mount Base	Special order	Pole mount adaptor accessory for thermal bullet cameras, compatible with TNO-4040T, TNO-4030T, TNO-4050T, TNO-4030TR, TNO-4040TR, TNO-3010T/3020T/3030T	\$ 79.00	880189168542
Accessory	SBP-300KM1	Corner Mount Base		Corner Mount Adaptor Accessory, Ivory color	\$ 79.00	880189198709
Accessory	SBP-300KMW1	Corner Mount Base		Corner Mount Adaptor Accessory, use with SBP-300WMW1, White color, made of aluminum	\$ 79.00	880189198686
Accessory	SBP-300KMS	Stainless Steel Corner Mount Adaptor		Corner mount adaptor for the SBP-300WMS and SBP-300WMS1	\$ 150.00	880189168535
Accessory	SBP-300LM	Parapet Mount		Parapet Mount Accessory, compatible with all full size outdoor PTZs and all caps, Ivory color	\$ 395.00	880189167842
Accessory	SBP-300LMW	Parapet Mount		Parapet Mount Accessory, compatible with all full size outdoor PTZs and all caps, White	\$ 395.00	880189167604
Accessory	SBP-302CM	Pendant Mount (L)		Telescopic pendant mount Accessory, require a mounting plate SBP-302CMA	\$ 250.00	044701009990
Accessory	SBP-300CMP	Ceiling Mount		Ceiling mount pipe (300mm/11.8inch), Compatible with: SBP-140CMB, SBP-180CMB and Pipe extension: SBP-C15P, SBP-150CMP/300CMP/900CMP	\$ 65.00	880189220493
Accessory	SBP-300CTS	Telescopic Ceiling Mount		Swivel based Ceiling Mount with Telescopic Extension Pipe	\$ 440.00	880189222978
Accessory	SBP-300CMTW	Telescopic Ceiling Mount		Telescopic Ceiling Mount with female 1.5" pipe thread and 3/4" conduit access holes, Product dimension: ø180x956-5-1667.5mm (ø7.09x37.66-65.65")	\$ 279.00	880189222992
Accessory	SBP-900CMP	Ceiling Mount		Ceiling mount pipe (900mm/35.43inch), Compatible with: SBP-140CMB, SBP-180CMB and Pipe extension: SBP-C15P, SBP-150CMP/300CMP/900CMP	\$ 100.00	880189220486
Accessory	SBP-900CMW	Ceiling Mount		Pendant Mount Accessory, Length: 900mm (35.43") with female 1.5" pipe thread and 3/4" conduit access holes	\$ 210.00	880189220530
Accessory	SBP-300CMA	Pendant Mount (White)		Pendant Mount Accessory, white	\$ 79.00	880189168689
Accessory	SBP-302CMA	Mounting plate (L)		Mounting plate for the telescopic pendant mount SBP-302CM	\$ 30.00	044701001003
Accessory	SBP-302CM	Pendant Mount		Pendant Mount Accessory, Ivory	\$ 79.00	880189167927
Accessory	SBP-302CM-36	Extension pendant pipe 36" (L)		Extension pendant pipe 36" long, fit the SBP-302CMB (Mounting backbox), SBP-302CMA (mounting plate), SBP-302CM (telescopic pendant mount) and the extension pipes SBP-302CM-12 and SBP-302CM-36	\$ 105.00	044701001027
Accessory	SBP-302CM-12	Extension pendant pipe 12" (L)		Extension pendant pipe 12" long, fit the SBP-302CMB (Mounting backbox), SBP-302CMA (mounting plate), SBP-302CM (telescopic pendant mount) and the extension pipes SBP-302CM-12 and SBP-302CM-36	\$ 65.00	044701001034
Accessory	SBP-302CMB	Pendant back box		Back box made to fit SBP-302CM telescopic pendant mount and the extension pipes (SBP-302CM-12 and SBP-302CM-36)	\$ 190.00	880189143242
Accessory	SBP-302CMAS	Swivel Joint + Telescopic pendant mount (L)		Telescopic pendant mount accessory with 90 degrees swivel joint, 4.5" to 8" adjustable, includes SBP-302CMA for ceiling mount, Ivory color	\$ 400.00	849688010822
Accessory	SBP-302CMS	Swivel adapter for pendant mount (L)	Need SBP-302CMA or SBP-302CMB	Swivel adapter for pendant mount for SBP-302CM, SBP-302CM-12, SBP-302CM-36 and it also requires one mounting option either SBP-302CMA or SBP-302CMB	\$ 120.00	849688010839
Accessory	SBP-150S	Stainless steel mount strap		Stainless steel mount strap (QTY of 2) for a wall/pole mount. Length: 1,500mm (59.1"), Width: 12.6mm (0.5")	\$ 40.00	880189225533
Accessory	SBP-06S	Stainless steel mount strap		Stainless steel mount strap (QTY of 2) for a wall/pole mount. Length: 600mm (23.6"), Width: 12.6mm (0.5")	\$ 30.00	880189225528
Accessory	SBP-156WMW	Wall/Pole mount		Wall/Pole mount, Material: Aluminum, Color: White, Dimensions : 135(W)x183(H)x302(D)mm (5.31x7.20x11.89"), Compatible with: XNP-9300RW/8300RW/6400RW, QNP-6320R/6250R/6320H/6250H, Stainless Steel Pole straps are not included.	\$ 149.00	880189193995
Accessory	SBP-156HMW	Hanging mount		Hanging mount, Material: Aluminum, Color: White, Dimensions : 995.5x77.0 mm (Ø3.76x3.03"), Compatible with: XNP-9300RW/8300RW/6400RW, QNP-6320R/6250R/6320H/6250H	\$ 65.00	880189194022
Accessory	SBP-150CMP	Ceiling Mount		Ceiling mount pipe (150mm/5.9inch), Compatible with: SBP-140CMB, SBP-180CMB and Pipe extension: SBP-C15P, SBP-150CMP/300CMP/900CMP	\$ 255.00	880189220509
Accessory	SBP-156CMW1	Telescopic Parapet Mount		Ceiling mount, Weight: 4.2 kg (9.3 lb), Material: Aluminum, Color: White, Compatible with: XNP-9300RW/8300RW/6400RW, QNP-6320R/6250R/6320H/6250H	\$ 410.00	880189225375
Accessory	SBP-156LMW	Telescopic Parapet Mount		Telescopic Parapet Mount, White color parapet mount, Weight : 7.1 kg (15.7 lb), Product dimensions: 835-1098x1000x95mm(32.9-43.2x39.4x3.8"), (doesn't include SBP-156HMW)	\$ 410.00	880189225375
Accessory	SBD-140KMB	Corner Mount		Telescopic Parapet Mount, White color parapet mount, Weight : 7.1 kg (15.7 lb), Product dimensions: 853-1116x1000x95mm(33.6-43.9x39.4x3.8"), Compatible with: XNP-9300RW/8300RW/6400RW, QNP-6320R/6250R/6320H/6250H, Package includes SBP-156HMW	\$ 435.00	880189193971
Accessory	SBP-156KMW	Corner Mount		Light weight stainless steel corner mount compatible with: QNV-C8011R/C8012R/C9011R, QNV-C8083R/C9083R, QND-6011/6021, QND-8010/8020, QNF-8010/9010, QND-6012R(1)/6022R(1)/6082R(1), QNE-8011R/8021R, LND-6012R/6022R/6072R, ANE-L6012R/L7012R	\$ 70.00	880189220639
Accessory	SBP-156KMB	Corner Mount		Corner mount, Material: Aluminum, Color: White, Dimensions : 276.8(W)x183.0(H)x158.5(D)mm (10.90x7.20x6.24"), Compatible with: XNP-9300RW/8300RW/6400RW, QNP-6320R/6250R/6320H/6250H	\$ 119.00	880189193964
Accessory	SBP-099TMW	Tilt mount		Tilt mount for O-fisheye cameras, Compatible with QNF-9010, QNF-8010	\$ 49.00	880189194312
Accessory	SBP-125HMW	Small Hanging Cap		Hanging Mount for QNE-8011R/8021R	\$ 34.00	880189195623
Accessory	SHD-2500FPW	Plenum Flush Mount		Plenum In-ceiling Mount compatible with: PNM-C16083RV/C32083RVQ	\$ 250.00	880189226853
Accessory	SHD-2501FPW	Plenum In-ceiling Mount		Plenum-rated In-ceiling Mount compatible with PNM-C19183RVTP	\$ 250.00	880189237378
Accessory	SHD-2510FPW	Plenum Flush Mount		Plenum Flush Mount for PNM-9084QZ/8082VT	\$ 250.00	880189194817
Accessory	SHD-1800FPW	In-ceiling Mount		In-ceiling mount compatible with QNV-C7083RV, XND-C8083RV, XND-C9083RV	\$ 85.00	880189217004
Accessory	SHD-2000FPW	Flush Mount		Plenum rated in-ceiling mount compatible with PNM-C16013RVQ	\$ 170.00	880189225399
Accessory	SHD-1600FPW	Plenum flush mount		Plenum Flush Mount for XNF-6010R/8010R/9010R/9010RV, XND-6085V, XNV-6080/6080R/8080R/L6080/6120/6120R/6085	\$ 189.00	880189192332
Accessory	SBL-100D	Remote lens dome bracket		Dome bracket for SLA-T2480A, SLA-T4680A, SLA-T2480, SLA-T2480, SLA-T4680	\$ 39.00	880189196194
Accessory	SBL-101C	Corner bracket for remote head lens		Corner bracket for SLA-T2480A, SLA-T4680A, SLA-T2480, SLA-T2480, SLA-T4680	\$ 39.00	880189222023
Accessory	SCL-30	Extension cable for remote head lens	Not compatible with XNB-6001	Parapet cable for remote head lens, 3m (9.84ft), compatible with: PNM-9000QB, XNB-6002, SLA-T4680A, SLA-T4680VA, SLA-T2480A, SLA-T2480VA, SLA-T1080FA, SLA-T2880BA, SLA-T4680DA, SLA-T4680DA, SLA-T4680DA	\$ 95.00	880189217041
Accessory	SCL-150	Extension cable for remote head lens	Not compatible with XNB-6001 and XNB-6002	Extension cable for remote head lens, 15m (49.2ft), compatible with: PNM-9000QB, SLA-T4680A, SLA-T4680VA, SLA-T2480A, SLA-T2480VA, SLA-T1080FA, SLA-T2880BA, SLA-T4680DA, SLA-T4680DA	\$ 95.00	880189198808
Accessory	STB-1520VW	swivel adapter (L)		Box camera swivel adapter, converting 1.5" NPT to 1/2-20 UNC, Compatible with TNM-3620TDY (body temperature detection camera), SPI-35B (blackbody), All other box cameras, white color	\$ 130.00	849688016336
Accessory	STB-5075W	Floor Stand (L)		Floor stand with adjustable height, compatible with all box cameras, temperature detecting camera [TNM-3620TDY], blackbody [SPI-35B], and all other box cameras, extend between 50 inch to 75 inch, white color	\$ 450.00	849688016343
Accessory	STB-4150V	Box Camera Mount		Wall/Ceiling Mount Accessory for Box cameras	\$ 29.00	880189130785
Accessory	SBP-300B	Mount Base		Wall Mount Base, Works with Mounts (SBP-300WM/300WM1), Ivory	\$ 89.00	880189167736
Accessory	SBP-120GW	Back Box		Back Box with knockouts, compatible with QNV-6012R/6022R/6032R, QNV-8010R/8020R/8030R	\$ 49.00	880189196655
Accessory	SBO-090GP	Wall Adapter Plate		Gang plate (for bullet) Adaptor plate for Single, Double, 4" Octagon Compatible with QNO-C8083R / QNO-C9083R / ANO-L6012R / ANO-L6022R / ANO-L6082R / ANO-L7012R / ANO-L7022R, ANO-L7082R	\$ 20.00	880189220714
Accessory	SBO-140WM	Back Box for Bullet Cameras		Waterproof Back box for bullet cameras, Compatible with: QNO-C8083R/C9083R, ANO-L6012R/22R/82R, ANO-L7012R/22R/82R	\$ 76.00	880189226242
Accessory	SBO-140WB	Back Box for Bullet Cameras		Back box for bullet cameras, Compatible with: QNO-C8083R/C9083R, ANO-L6012R/22R/82R, ANO-L7012R/22R/82R	\$ 49.00	880189220707
Accessory	SBO-100B1	Bullet Back Box		IR Bullet camera Back box (QNO-C7083RV, QNO-7080R, SCO-6083R, HCO-6080R/6070R/7010R/7020R/7030R/7070RA, QNO-8010R/8020R/8030R, QNO-6012R/6022R/6032R/6082R)	\$ 49.00	880189168214
Accessory	SBO-126B	Bullet Back Box		IR bullet camera back box, (XNO-L6080R, QNO-8080R)	\$ 49.00	880189168047
Accessory	SBP-060BA	Conduit Adaptor		Conduit Adaptor compatible with PNM-C16013RV, QNV-C8083R/C9083R, XNO-C8083R/C7083R/C8083R/C9083R	\$ 20.00	880189225511
Accessory	SBO-147BA	Conduit Hole Adaptor		Conduit Hole Adaptor for X-Core bullet cameras	\$ 20.00	880189207098
Accessory	SBO-147B	Bullet Back Box		Water-Proof Back Box for QNO-6082R	\$ 75.00	880189196569
Accessory	SBV-140WW	Back Box for Dome Cameras		Waterproof Back box for dome cameras, Compatible with: QNV-C8083R/C9083R, QNV-C8011R/C8012R/C9011R, QND-6011/6021, QND-8010/8020, QNF-8010/9010, QND-6012R/6022R/6082R, QND-7012R/7022R/7082R, QNE-8011R/8021R	\$ 76.00	880189226235
Accessory	SBV-140BW	Back Box for Dome Cameras		Back box for dome cameras, Compatible with: QNV-C8083R/C9083R, QNV-C8011R/C8012R/C9011R, QND-6011/6021, QND-8010/8020, QNF-8010/9010, QND-6012R/6022R/6082R, QND-7012R/7022R/7082R, QNE-8011R/8021R	\$ 49.00	880189220691
Accessory	SBV-160BW	Dome Back box		White Back Box, Compatible with: XNF-9010R/RV/M, and all indoor X-Plus cameras (XND)	\$ 49.00	880189199645
Accessory	SBV-158S	Dome Back box		Vandal dome camera Back box (PNV-9080R, XNV-9080R, XNV-8080R, XNV-6120R, XNV-6085, PNM-7000VD)	\$ 85.00	880189168603
Accessory	SBV-136B	Dome Back Box		Back Box with knockouts and water proof design, Compatible with SCV-6083R/6023R, QNV-7080R, HCV-6070R/6080R, XNP-6040H	\$ 49.00	880189168559
Accessory	SBV-136BW	Dome Back Box		Back box with knockouts (QNV-8080R, QNV-6082R), white color	\$ 49.00	880189167149
Accessory	SBP-100B1	Fisheye Back Box		Fisheye camera Back box, (XNF-9010R/RV/M, PNF-9010R/RV/M)	\$ 49.00	880189167903
Accessory	SBV-116B	Dome back box		Back box with knockouts, compatible with XNV-6011	\$ 49.00	880189168645
Accessory	SBP-300NB	Installation Box		Installation Back box compatible with (SBP-300WM, SBP-300WM1, SBP-300KM, SBP-300PM)	\$ 300.00	880189071088
Accessory	SBP-050NBW	Cabinet		Installation Cabinet compatible with 1. Camera Direct: QNV-C8083R/C9083R, XND-C6083R/C7083R/C8083R/C9083RV, XNV-C6083R/C7083R/C8083R/C9083R, XND-6083RV/8083RV/9083RV, XNV-6083R/8083R/9083R/9083R 2. SBP-156WMW & SBP-250WMW 3. Misc.: SBV-140BW, SBV-140BW, SBO-090GP, SBD-110GP1, SBP-050PMW (Max Load 11lbs/5kg)	\$ 330.00	880189235121
Accessory	SBP-050PMW	Pole Mount		Pole Mount for SBP-050NBW included SBP-060S Steel Straps (Max Load 33lbs/15kg)	\$ 75.00	880189235138
Accessory	SBP-150NBW	Cabinet		Installation Cabinet compatible with 1. Camera Direct: QNV-C8083R/C9083R, XND-C6083R/C7083R/C8083R/C9083RV, XNV-C6083R/C7083R/C8083R/C9083R, XND-6083RV/8083RV/9083RV, XNV-6083R/8083R/9083R/9083R 2. SBP-156WMW, SBP-250WMW, SBP-400WMW 3. Misc.: SBV-140BW, SBO-140BW, SBO-090GP, SBD-110GP1, SBP-150PMW (Max Load 33lbs/15kg)	\$ 620.00	880189223043
Accessory	SBP-150PMW	Pole Mount		Pole Mount for SBP-150NBW (Max Load 88lbs/40kg)	\$ 230.00	880189229472
Accessory	SBP-300NBW	Installation Box		Installation Back box compatible with (SBP-300WMW, SBP-300WMW1, SBP-300KMW, SBP-300PMW)	\$ 300.00	880189167033
Accessory	SBP-300NM	Mounting accessory for the TNB-6030		PVM camera (TNB-6030) mounting hardware	\$ 65.00	880189148653
Accessory	SBP-2CTW1	2x2" ceiling tile, 1.5" NPT female thread (L)		2x2" drop ceiling tile (or half of 2x4 ceiling tile) accessory with 1.5" NPT female thread, includes suspension wire, four turnbuckles, and anchors to suspend from wood or concrete structures, supports up to 50lb, scratch resistant fused epoxy white finish	\$ 150.00	849688018958
Accessory	SBP-HCFW	1.5" coupler (White) (L)	Limited Stock No Replacement	1.5" coupler, female thread on both sides, White	\$ 15.00	849688018781
Accessory	SBP-HCF	1.5" coupler (L)		1.5" coupler, female thread on both sides, Ivory	\$ 15.00	044701001072
Accessory	SBP-35PVMB	PVM Mount (L)		Telescopic PVM uni-strut mount, 3'-5.5" drop length, VESA compatible 75x75mm, 100x100mm, Up to 25° of tilt and 360° continuous rotation, black	\$ 160.00	849688010501
Accessory	SBP-35PVMW	PVM Mount (L)		Telescopic PVM uni-strut mount, 3'-5.5" drop length, VESA compatible 75x75mm, 100x100mm, Up to 25° of tilt and 360° continuous rotation, white	\$ 160.00	849688010518
Accessory	SBP-59PVMB	PVM Mount (L)		Telescopic PVM uni-strut mount, 5'-9" drop length, VESA compatible 75x75mm, 100x100mm, Up to 25° of tilt and 360° continuous rotation, black	\$ 200.00	849688010525
Accessory	SBP-59PVMW	PVM Mount (

Power Supply	NetWay3012P	POE Converter (L)		Altronix Netway3012P provides simultaneous 12VDC and PoE/PoE+ outputs for applications including PoE cameras and external microphones.	\$ 300.00	782239964529
Power Supply	SPO-8315	83W HPoE Injector		83W HPoE Injector, Fully compliant with IEEE802.3af/at/bt, PoE++, Built-in SFP slot, Compatible with XNP-9300RW / XNP-8300RW / XNP-6400RW, PNM-9088RQZ / PNM-9089RQZ1 / PNM-9084RQZ / PNM-9084RQZ1 / PNM-9322VQP / SMT-3221PV / SMT-3231PV / SMT-2721PV / SMT-2731PV / SMT-1031PV / SMT-1031PVW / SMT-2721D	\$ 425.00	8801089218476
Power Supply	SPO-6011	60W PoE++ Injector		60W HPoE Injector, Fully compliant with IEEE802.3af/at/bt, PoE++, Built-in SFP slot, Compatible with XNP-9250R / XNP-8250R / XNP-6400R / TNB-9000	\$ 365.00	8801089218490
Power Supply	SPU-60241	60W Power Adapter		60W, 24V DC Power Adapter Compatible with SMT-3221PV / SMT-3231PV / SMT-2721PV / SMT-2731PV / SMT-1031PV / SMT-1031PVW / SMT-2721D	\$ 100.00	8801089235978

Open Platform Application License

Open Platform Application License	AIA-C01BLK	Blocked Exit Detection x1	2 Weeks Lead Time	One Camera License for Blocked Exit Detection Open Platform Application. To be installed on Compatible P-Series Cameras (PNV-A9081R, PNO-A9081R, PND-A9081RF, PND-A9081RVX, PNV-A9081RX, PNB-A9001, PNV-A6081R, PNO-A6081R, PND-A6081RV, PND-A6081RF, PNB-A6001) This analytics requires WiseAI application to be installed.	\$ 100.00	N/A
Open Platform Application License	AIA-C01FAC	Factory and Safety Pack License x1	2 week lead time	One Camera License for Factory and Safety Open Platform Application. To be installed on Compatible P-Series Cameras (PNV-A9081R, PNO-A9081R, PND-A9081RV, PND-A9081RF, PND-A9081RVX, PNV-A9081RX, PNB-A9001, PNV-A6081R, PNO-A6081R, PND-A6081RV, PND-A6081RF, PNB-A6001)	\$ 300.00	N/A
Open Platform Application License	AIA-C01RET	Retail Solution Pack License x1	2 Weeks Lead Time	One Camera License for Retail & Business pack Open Platform Application. To be installed on Compatible P-Series Cameras (PNV-A9081R, PNO-A9081R, PND-A9081RV, PND-A9081RF, PND-A9081RVX, PNV-A9081RX, PNB-A9001, PNV-A6081R, PNO-A6081R, PND-A6081RV, PND-A6081RF, PNB-A6001)	\$ 200.00	N/A
Open Platform Application License	AIA-C01TRF	Traffic Solution Pack License x1	2 Weeks Lead Time	One Camera License for Intelligent Traffic Solution Open Platform Application. To be installed on Compatible P-Series Cameras (PNV-A9081R, PNO-A9081R, PND-A9081RV, PND-A9081RF, PND-A9081RVX, PNV-A9081RX, PNB-A9001, PNV-A6081R, PNO-A6081R, PND-A6081RV, PND-A6081RF, PNB-A6001)	\$ 500.00	N/A

EPIC WebRTC Media Server License

EPIC WebRTC Media Server License	WRTC-EP5-1	EPIC WebRTC Media Server License (L)		5 Years EPIC WebRTC Media Server License for one camera connection including Audio	\$ 2,500.00	N/A
EPIC WebRTC Media Server License	WRTC-EP3-1	EPIC WebRTC Media Server License (L)		3 Years EPIC WebRTC Media Server License for one camera connection including Audio	\$ 1,600.00	N/A

Services

Service	DIN-SSDA006/CO	On-site engineering service (L)	Service per/Day	This is an on site engineering service that will be provided by one of Hanwha Vision B2B security division trained personal for our STEP dealers to help configuring or training on product including cameras, recorders and software. This SKU is for one day, if multiple days are needed please reflect that by increasing the QTY of this SKU.	\$ 3,000.00	N/A
Service	DIN-SSDA003/CO	Professional Firmware Customization (L)	Service per/Day	This is a professional firmware customization service that will be provided by Hanwha Vision B2B security R&D Division to provide valuable functions on our network cameras and network recorders. This SKU is for one day engineering cost. For more details please contact us by emailing proctcfwservice@hanwha.com	\$ 500.00	N/A
Video Professional Certification	CERT-VPC-VIR	Virtual course	Training per Attendee	A redemption code will be issued to allow 1 person to attend the Hanwha Vision Video Professional Certification Virtual course. Code must be redeemed with registration on the Hanwha Vision Learning Center (https://learn.hanwhavision.com). Each attendee must have their own account for redemption. For more details, contact training@hanwha.com .	\$ 800.00	N/A
Video Professional Certification	CERT-VPC-ILT	In-Person course	Training per Attendee	A redemption code will be issued to allow 1 person to attend the Hanwha Vision Video Professional Certification In-Person course. Code must be redeemed with registration on the Hanwha Vision Learning Center (https://learn.hanwhavision.com). Each attendee must have their own account for redemption. For more details, contact training@hanwha.com .	\$ 1,600.00	N/A
Service	DIN-SSDA008/CO	Remote engineering service (L)	Service per/Day	This is a remote engineering service that will be provided by a Hanwha Vision B2B security division trained personnel for our STEP dealers to help configure or train on product including cameras, recorders and software. A reliable phone connection and internet connection (for a connection to the surveillance system via a remote desktop software) is required to be provided by the STEP partner. This SKU is for one day. If multiple days are needed please reflect that by increasing the QTY of the SKU.	\$ 2,000.00	N/A

Disclaimer:

We put our best effort and knowledge to maintain the accuracy of specifications and price. Should there be any discrepancies we reserve the right to follow our specifications and price set. Thanks for your understanding.