

Region USA	SINCLAIR 2025 PRICE LIST (Valid until 12.31.2025)			
Model Number	Description	Frequency Range (MHz)	US List Price (USD, Taxes Extra, EXW)	Notes

## Antennas

### Collinear Antennas

SC2340-HMBSNF(D00)	Collinear omni, 2 dBi, Tri-band, N-Female connector	136 - 960	\$ 620.00	
SC213-SF6SNF	Collinear omni, 3 dBd, N-Female connector	163 - 174	\$ 990.00	Successor of the SC233 and SG217-SF2 antennas
SC213-SF9SNF	Collinear omni, 3 dBd, N-Female connector	157 - 170	\$ 990.00	
SC213-SF8SNF	Collinear omni, 3 dBd, N-Female connector	151 - 164	\$ 990.00	
SC213-SF11SNF	Collinear omni, 3 dBd, N-Female connector	150 - 163	\$ 990.00	
SC213-SF7SNF	Collinear omni, 3 dBd, N-Female connector	146 - 159	\$ 990.00	
SC213-SF4SNF	Collinear omni, 3 dBd, N-Female connector	142 - 154	\$ 990.00	
SC213-SF3SNF	Collinear omni, 3 dBd, N-Female connector	137 - 148	\$ 990.00	
SC225M-HF1SNM	Collinear omni, 0 dBd, HD, N-Male connector, 130-139 MHz	130 - 139	\$ 1,195.00	
SC225M-HF2SNM	Collinear omni, 0 dBd, HD, N-Male connector, 138-148 MHz	138 - 148	\$ 1,195.00	
SC225M-HF3SNM	Collinear omni, 0 dBd, HD, N-Male connector, 147-157 MHz	147 - 157	\$ 1,195.00	
SC225M-HF4SNM	Collinear omni, 0 dBd, HD, N-Male connector, 156-166 MHz	156 - 166	\$ 1,195.00	
SC225M-HF5SNM	Collinear omni, 0 dBd, HD, N-Male connector, 164-174 MHz	164 - 174	\$ 1,195.00	
SC225M-HF6SNM	Collinear omni, 0 dBd, HD, N-Male connector, 150-160 MHz	150 - 160	\$ 1,195.00	
SC225M-SF2SNM	Collinear omni, 0 dBd, N-Male connector	138 - 148	\$ 915.00	
SC225M-SF3SNM	Collinear omni, 0 dBd, N-Male connector	147 - 157	\$ 915.00	
SC225M-SF4SNM	Collinear omni, 0 dBd, N-Male connector	156 - 166	\$ 915.00	
SC225M-SF5SNM	Collinear omni, 0 dBd, N-Male connector	164 - 174	\$ 915.00	
SC224-SFXSNF(D00-Fxxxx)	Collinear Omni, 4.5 dBd, 8 MHz B.W., Straight radome, 134-174 MHz	134 - 174	\$ 1,560.00	
SC246-SFXSNF(D00-Fxxxx) **	Aurora™ collinear omni, 6 dBd, N-female connector	136 - 225	\$ 1,735.00	
SC246-SFXSNM(D00-Fxxxx) **	Aurora™ collinear omni, 6 dBd, N-male connector	136 - 225	\$ 1,735.00	
SC246-SFXLDF(D00-Fxxxx) **	Aurora™ collinear omni, 6 dBd, DIN-female connector, low PIM	136 - 225	\$ 1,840.00	
SC272-SF1SNF	Collinear omni, 0 dBd, 118-137 MHz	118 - 137	\$ 1,030.00	
SC251-HF2LDF(D00-G3)	Collinear omni, 2.3 dBd, low PIM, PIP rated, HD	138 - 158	\$ 2,620.00	
SC251-HF3LDF(D00-G3)	Collinear omni, 2.3 dBd, low PIM, PIP rated, HD	148 - 168	\$ 2,620.00	
SC251-HF4LDF(D00-G3)	Collinear omni, 2.4 dBd, low PIM, PIP rated, HD	156 - 174	\$ 2,620.00	
SC251-HF3LDF(D00-G4)	Collinear omni, 3.5 dBd, low PIM, PIP rated, HD	148 - 168	\$ 3,255.00	
SC251D-HF2LDF(D00-G3)	Collinear omni, dual port, 2.3 dBd, low PIM, PIP rated, HD	138 - 158	\$ 4,955.00	
SC251D-HF3LDF(D00-G3)	Collinear omni, dual port, 2.3 dBd, low PIM, PIP rated, HD	148 - 168	\$ 4,580.00	
SC251D-HF4LDF(D00-G3)	Collinear omni, dual port, 2.4 dBd, low PIM, PIP rated, HD	156 - 174	\$ 4,580.00	
SC281-HF1LNF(D00-G04)	Collinear omni, 4 dBd, HD, N-female connector	118 - 137	\$ 3,815.00	To be discontinued by 12.31.2026, and replaced by SC29x and SC266 antennas
SC281-HF2LDF(D00)	Collinear omni, 5 dBd, HD, low PIM, 7/16 DIN-Female connector	138 - 158	\$ 3,815.00	
SC281-HF3LDF(D00)	Collinear omni, 5 dBd, HD, low PIM, 7/16 DIN-Female connector	148 - 168	\$ 3,815.00	
SC281-HF4LDF(D00)	Collinear omni, 5 dBd, HD, low PIM, 7/16 DIN-Female connector	156 - 174	\$ 3,815.00	
SC295-HF1LNF(D00)	Collinear omni, 5 dBd, HD, N-female connector	118 - 137	\$ 3,630.00	Successor of the SC281 series
SC295-HF1LDF(D00-PIP)	Collinear omni, 5 dBd, HD, low PIM, PIP rated, 7/16 DIN-Female connector	118 - 137	\$ 3,630.00	
SC296-HF2LDF(D00-PIP)	Collinear omni, 6 dBd, HD, low PIM, PIP rated, 7/16 DIN-Female connector	138 - 158	\$ 3,630.00	
SC296-HF3LDF(D00-PIP)	Collinear omni, 6 dBd, HD, low PIM, PIP rated, 7/16 DIN-Female connector	148 - 168	\$ 3,630.00	
SC266-HF4LDF(D00)	Aurora™ Collinear omni, 6 dBd gain, low PIM, HD, 7/16 DIN(f) connector	156 - 174	\$ 3,385.00	Successor of the SC281 series
SC266-HF4LNF(D00)	Aurora™ Collinear omni, 6 dBd gain, HD, N(f) connector	156 - 174	\$ 3,385.00	
SC343-HT1SNF(D00)	Aurora™ collinear omni, 3 dBd, N-female connector	380 - 400	\$ 770.00	
SC343-HT1SPNM(D00)	Aurora™ collinear omni, 3 dBd, N-male connector	380 - 400	\$ 770.00	
SC343-HT2SNF(D00)	Aurora™ collinear omni, 3 dBd, N-female connector	410 - 430	\$ 770.00	
SC343-HT3SNF(D00)	Aurora™ collinear omni, 3 dBd, N-female connector	351 - 368	\$ 770.00	
SC343-HF1SNF(D00)	Aurora™ collinear omni, 3 dBd, N-female connector	400 - 420	\$ 770.00	
SC343-HF2SNF(D00)	Aurora™ collinear omni, 3 dBd, N-female connector	430 - 450	\$ 770.00	
SC343-HF3SNF(D00)	Aurora™ collinear omni, 3 dBd, N-female connector	450 - 470	\$ 770.00	
SC343-HF4SNF(D00)	Aurora™ collinear omni, 3 dBd, N-female connector	470 - 490	\$ 770.00	
SC343-HF5SNF(D00)	Aurora™ collinear omni, 3 dBd, N-female connector	490 - 512	\$ 770.00	
SC343-HT1LDF(D00)	Aurora™ collinear omni, 3 dBd, DIN-female connector, low PIM	380 - 400	\$ 885.00	
SC343-HT2LDF(D00)	Aurora™ collinear omni, 3 dBd, DIN-female connector, low PIM	410 - 430	\$ 885.00	
SC343-HT3LDF(D00)	Aurora™ collinear omni, 3 dBd, DIN-female connector, low PIM	351 - 368	\$ 885.00	

SC343-HF1LDF(D00)	Aurora™ collinear omni, 3 dBd, DIN-female connector, low PIM	400 - 420	\$ 885.00	
SC343-HF2LDF(D00)	Aurora™ collinear omni, 3 dBd, DIN-female connector, low PIM	430 - 450	\$ 885.00	
SC343-HF3LDF(D00)	Aurora™ collinear omni, 3 dBd, DIN-female connector, low PIM	450 - 470	\$ 885.00	
SC343-HF4LDF(D00)	Aurora™ collinear omni, 3 dBd, DIN-female connector, low PIM	470 - 490	\$ 885.00	
SC343-HF5LDF(D00)	Aurora™ collinear omni, 3 dBd, DIN-female connector, low PIM	490 - 512	\$ 885.00	
SC343-HF3LDF(D00-PIP)	Aurora™ collinear omni, 450-470 MHz PIP	450 - 470	\$ 1,075.00	
SC346-HT1SNF(D00)	Aurora™ collinear omni, 6 dBd, N-female connector	380 - 400	\$ 1,075.00	
SC346-HT2SNF(D00)	Aurora™ collinear omni, 6 dBd, N-female connector	410 - 430	\$ 1,075.00	
SC346-HT3SNF(D00-E6677)	Aurora™ collinear omni, 6 dBd, N-female connector	351 - 368	\$ 1,075.00	
SC346-HF1SNF(D00)	Aurora™ collinear omni, 6 dBd, N-female connector	400 - 420	\$ 1,075.00	
SC346-HF2SNF(D00)	Aurora™ collinear omni, 6 dBd, N-female connector	430 - 450	\$ 1,075.00	
SC346-HF3SNF(D00)	Aurora™ collinear omni, 6 dBd, N-female connector	450 - 470	\$ 1,075.00	
SC346-HF4SNF(D00)	Aurora™ collinear omni, 6 dBd, N-female connector	470 - 490	\$ 1,075.00	
SC346-HF5SNF(D00)	Aurora™ collinear omni, 6 dBd, N-female connector	490 - 512	\$ 1,075.00	
SC346-HT1LDF(D00)	Aurora™ collinear omni, 6 dBd, DIN-female connector, low PIM	380 - 400	\$ 1,175.00	Successor of the SC329 series
SC346-HT2LDF(D00)	Aurora™ collinear omni, 6 dBd, DIN-female connector, low PIM	410 - 430	\$ 1,175.00	
SC346-HT3LDF(D00-E6677)	Aurora™ collinear omni, 6 dBd, DIN-female connector, low PIM	351 - 368	\$ 1,175.00	
SC346-HF1LDF(D00)	Aurora™ collinear omni, 6 dBd, DIN-female connector, low PIM	400 - 420	\$ 1,175.00	
SC346-HF2LDF(D00)	Aurora™ collinear omni, 6 dBd, DIN-female connector, low PIM	430 - 450	\$ 1,175.00	
SC346-HF3LDF(D00)	Aurora™ collinear omni, 6 dBd, DIN-female connector, low PIM	450 - 470	\$ 1,175.00	
SC346-HF4LDF(D00)	Aurora™ collinear omni, 6 dBd, DIN-female connector, low PIM	470 - 490	\$ 1,175.00	
SC346-HF5LDF(D00)	Aurora™ collinear omni, 6 dBd, DIN-female connector, low PIM	490 - 512	\$ 1,175.00	
SC346-HF3LDF(D00-PIP)	Aurora™ collinear omni, 6 dBd, 450-470 MHz PIP	450 - 470	\$ 1,380.00	
SC347-HT3SNF(D00-M)	Aurora™ collinear omni antenna, 7.5 dBd, HD, 350-366 MHz	350 - 366	\$ 1,185.00	
SC347-HT1SNF(D00-M)	Aurora™ collinear omni antenna, 7.5 dBd, HD, 380-400 MHz	380 - 400	\$ 1,185.00	
SC347-HT2SNF(D00-M)	Aurora™ collinear omni antenna, 7.5 dBd, HD, 410-430 MHz	410 - 430	\$ 1,185.00	
SC347-HF2SNF(D00-M)	Aurora™ collinear omni antenna, 7.5 dBd, HD, 430-450 MHz	430 - 450	\$ 1,185.00	
SC347-HT3LDF(D00-M)	Aurora™ collinear omni antenna, 7.5 dBd, low PIM, HD	350 - 366	\$ 1,350.00	
SC347-HT1LDF(D00-M)	Aurora™ collinear omni antenna, 7.5 dBd, low PIM, HD	380 - 400	\$ 1,350.00	
SC347-HT2LDF(D00-M)	Aurora™ collinear omni antenna, 7.5 dBd, low PIM, HD	410 - 430	\$ 1,350.00	
SC347-HF8LDF(D00-M)	Aurora™ collinear omni antenna, 7.5 dBd, low PIM, HD	470 - 490	\$ 1,350.00	
SC34A-ST1SNF(D00)	Aurora™ collinear omni, 10 dBd, N-female connector	380 - 400	\$ 1,400.00	
SC34A-ST2SNF(D00)	Aurora™ collinear omni, 10 dBd, N-female connector	410 - 430	\$ 1,400.00	
SC34A-SF1SNF(D00)	Aurora™ collinear omni, 10 dBd, N-female connector	400 - 420	\$ 1,400.00	
SC34A-SF2SNF(D00)	Aurora™ collinear omni, 10 dBd, N-female connector	430 - 450	\$ 1,400.00	
SC34A-SF3SNF(D00)	Aurora™ collinear omni, 10 dBd, N-female connector	450 - 470	\$ 1,400.00	
SC34A-SF4SNF(D00)	Aurora™ collinear omni, 10 dBd, N-female connector	470 - 490	\$ 1,400.00	
SC34A-SF5SNF(D00)	Aurora™ collinear omni, 10 dBd, N-female connector	490 - 512	\$ 1,400.00	
SC34A-ST1LDF(D00)	Aurora™ collinear omni, 10 dBd, DIN-female connector, low PIM	380 - 400	\$ 1,475.00	Successor of the SC331 series
SC34A-ST2LDF(D00)	Aurora™ collinear omni, 10 dBd, DIN-female connector, low PIM	410 - 430	\$ 1,475.00	
SC34A-SF1LDF(D00)	Aurora™ collinear omni, 10 dBd, DIN-female connector, low PIM	400 - 420	\$ 1,475.00	
SC34A-SF2LDF(D00)	Aurora™ collinear omni, 10 dBd, DIN-female connector, low PIM	430 - 450	\$ 1,475.00	
SC34A-SF3LDF(D00)	Aurora™ collinear omni, 10 dBd, DIN-female connector, low PIM	450 - 470	\$ 1,475.00	
SC34A-SF4LDF(D00)	Aurora™ collinear omni, 10 dBd, DIN-female connector, low PIM	470 - 490	\$ 1,475.00	
SC34A-SF5LDF(D00)	Aurora™ collinear omni, 10 dBd, DIN-female connector, low PIM	490 - 512	\$ 1,475.00	
SC364-HF1LDF(D00-PIP)	Aurora™ collinear omni, 4 dBd, HD, low PIM, PIP rated	380 - 430	\$ 1,875.00	
SC364-HF2LDF(D00-PIP)	Aurora™ collinear omni, 4 dBd, HD, low PIM, PIP rated	403 - 470	\$ 1,875.00	Successor of SC351(G4) series with PIP rating
SC364-HF3LDF(D00-PIP)	Aurora™ collinear omni, 4 dBd, HD, low PIM, PIP rated	450 - 512	\$ 1,875.00	
SC394D-HF2LDF(D00-I35-PIP)	Aurora™ collinear omni, dual port, 4 dBd, HD, low PIM, PIP rated	403 - 470	\$ 3,450.00	Successor of SC351D-HF2LDF(D00-G4).
SC394D-HF2LDF(D00-I35)	Aurora™ collinear omni, dual port, 4 dBd, HD, low PIM	403 - 470	\$ 3,250.00	
SC396D-HF1LDF(D00-I35-PIP)	Aurora™ collinear omni, dual port, 6 dBd gain, low PIM, PIP rated, HD	380 - 430	\$ 5,040.00	
SC396D-HF2LDF(D00-I35-PIP)	Aurora™ collinear omni, dual port, 6 dBd gain, low PIM, PIP rated, HD	403 - 470	\$ 5,040.00	Successor of SC351D(G6) series
SC396D-HF3LDF(D00-I35-PIP)	Aurora™ collinear omni, dual port, 6 dBd gain, low PIM, PIP rated, HD	450 - 512	\$ 5,040.00	
SC366-HF6LDF(D00-M)	Aurora™ collinear omni, 6 dBd, HD, low PIM	320 - 355	\$ 1,980.00	
SC366-HF5LDF(D00-M)	Aurora™ collinear omni, 6 dBd, HD, low PIM	350 - 400	\$ 1,980.00	
SC366-HF2LDF(D00-M)	Aurora™ collinear omni, 6 dBd, HD, low PIM	450 - 512	\$ 1,980.00	
SC366-HF4LDF(D00-M)	Aurora™ collinear omni, 6 dBd, HD, low PIM	406 - 460	\$ 1,980.00	
SC366-HF3LDF(D00-M)	Aurora™ collinear omni, 6 dBd, HD, low PIM	406 - 470	\$ 2,475.00	
SC366-HF7LDF(D00-M)	Aurora™ collinear omni, 6 dBd, HD, low PIM	380 - 430	\$ 1,980.00	Successor of the SC381-H and SC351-H(G6) series
SC366-HF7LDF(D00-M-PIP)	Aurora™ collinear omni, 6 dBd, HD, low PIM, PIP rated	380 - 430	\$ 2,180.00	
SC366-HF6LDF(D00-M-PIP)	Aurora™ collinear omni, 6 dBd, HD, low PIM, PIP rated	320 - 355	\$ 2,180.00	
SC366-HF5LDF(D00-M-PIP)	Aurora™ collinear omni, 6 dBd, HD, low PIM, PIP rated	350 - 400	\$ 2,180.00	
SC366-HF2LDF(D00-M-PIP)	Aurora™ collinear omni, 6 dBd, HD, low PIM, PIP rated	450 - 512	\$ 2,180.00	

SC366-HF4LDF(D00-M-PIP)	Aurora™ collinear omni, 6 dBd, HD, low PIM, PIP rated	406 - 460	\$ 2,180.00	
SC366-HF3LDF(D00-M-PIP)	Aurora™ collinear omni, 6 dBd, HD, low PIM, PIP rated	406 - 470	\$ 2,675.00	
SC369-HF1LDF(D00)	Aurora™ collinear omni, 9 dBd, HD, low PIM, 7/16 DIN Connector	380 - 430	\$ 4,325.00	Successor of SC389 series
SC369-HF2LDF(D00)	Aurora™ collinear omni, 9 dBd, HD, low PIM, 7/16 DIN Connector	403 - 470	\$ 4,325.00	
SC369-HF3LDF(D00)	Aurora™ collinear omni, 9 dBd, HD, low PIM, 7/16 DIN Connector	450 - 512	\$ 4,325.00	
SC369-HF5LDF(D00)	Aurora™ collinear omni, 9 dBd, HD, low PIM, 7/16 DIN Connector	350 - 400	\$ 4,325.00	
SC369-HF5LNF(D00)	Aurora™ collinear omni, 9 dBd, HD, N-Female Connector	350 - 400	\$ 4,325.00	
SC369-HF1LDF(D00-PIP)	Aurora™ collinear omni, 9 dBd, HD, low PIM, PIP rated, 7/16 DIN Connector	380 - 430	\$ 4,525.00	Alternative of SC389 series with PIP rating
SC369-HF2LDF(D00-PIP)	Aurora™ collinear omni, 9 dBd, HD, low PIM, PIP rated, 7/16 DIN Connector	403 - 470	\$ 4,525.00	
SC369-HF3LDF(D00-PIP)	Aurora™ collinear omni, 9 dBd, HD, low PIM, PIP rated, 7/16 DIN Connector	450 - 512	\$ 4,525.00	
SC464-HF1LDF(D00)	Aurora™ collinear omni, 4 dBd, HD, low PIM	746 - 869	\$ 1,695.00	Successor of the SC473 series
SC464-HF1LDF(D00-PIP)	Aurora™ collinear omni, 4 dBd, HD, low PIM, PIP rated	746 - 869	\$ 1,915.00	
SC466-HF1LDF(D00)	Aurora™ collinear omni, 6.5 dBd, HD, low PIM	746 - 869	\$ 2,135.00	Successor of the SC476 series
SC466-HF1LDF(D00-PIP)	Aurora™ collinear omni, 6.5 dBd, HD, low PIM, PIP rated	746 - 869	\$ 2,380.00	
SC466D-HF1LDF(D00-I40-PIP)	Aurora™ collinear omni, 6.5 dBd, HD, low PIM, PIP rated, Dual port	746 - 869	\$ 4,285.00	
SC469-HF1LDF(D00)	Aurora™ collinear omni, 9.5 dBd, HD, low PIM	746 - 869	\$ 3,760.00	Successor of the SC479 series
SC469-HF1LDF(D00-PIP)	Aurora™ collinear omni, 9.5 dBd, HD, low PIM, PIP rated	746 - 869	\$ 3,970.00	
SC469-HF1LDF(D00-NuF)	Aurora™ collinear omni, 9 dBd, HD, low PIM, Null fill	746 - 869	\$ 3,920.00	
SC469-HF1LDF(D00-NuFP)	Aurora™ collinear omni, 9 dBd, HD, low PIM, Null fill, PIP rated	746 - 869	\$ 4,130.00	
SC469-HF1LDF(D00I-NuFP)	Aurora™ collinear omni, 9 dBd, HD, low PIM, Null fill, PIP rated, Inverted	746 - 869	\$ 4,340.00	
SC46A-HF1LDF(D00-PIP)	Aurora™ collinear omni, 10 dBd, low PIM, PIP	746 - 869	\$ 4,010.00	
SC46A-HF1LDF(D00-NuFP)		746 - 869	\$ 4,210.00	
SR4BC-HF3P4LDF(D00-PIP)	Aurora™ directive collinear, 12.5 dBd, 220° HPBW, low PIM, PIP	806 - 869	\$ 4,380.00	
SR4BC-HF4P4LDF(D00-PIP)	Aurora™ directive collinear, 12.5 dBd, 220° HPBW, low PIM, PIP	746 - 806	\$ 4,380.00	
SR4BD-HF4P2LDF(D00-PIP)	Aurora™ directive collinear, 13.5 dBd, bi-directional, low PIM, PIP	746 - 806	\$ 4,380.00	
SR4BD-HF3P2LDF(D00-PIP)	Aurora™ directive collinear, 13.5 dBd, bi-directional, low PIM, PIP	806 - 869	\$ 4,380.00	
SR4BE-HF3P3LDF(D00-PIP)	Aurora™ directive collinear, 14.3 dBd, 120° HPBW, low PIM, PIP	806 - 869	\$ 4,380.00	
SR4BE-HF4P3LDF(D00-PIP)	Aurora™ directive collinear, 14.3 dBd, 120° HPBW, low PIM, PIP	746 - 806	\$ 4,380.00	
SR4CG-SF3P6LDF(D00-PIP)	Aurora™ directive collinear, 16 dBd, 140° HPBW, low PIM, PIP	806 - 869	\$ 6,390.00	
SR4CG-SF4P6LDF(D00-PIP)	Aurora™ directive collinear, 16 dBd, 140° HPBW, low PIM, PIP	746 - 806	\$ 6,390.00	
SR4CF-SF3P2LDF(D00-PIP)	Aurora™ directive collinear, 15.5 dBd, bi-directional, low PIM, PIP	806 - 869	\$ 6,390.00	
SR4CF-SF4P2LDF(D00-PIP)	Aurora™ directive collinear, 15.5 dBd, bi-directional, low PIM, PIP	746 - 806	\$ 6,390.00	
SR4CE-SF3P4LDF(D00-PIP)	Aurora™ directive collinear, 14.3 dBd, 220° HPBW, low PIM, PIP	806 - 869	\$ 6,390.00	
SR4CE-SF3P4LDF(D00-NUFP)	Aurora™ directive collinear, 13.8 dBd, 220° HPBW, low PIM, PIP, Null-filled	806 - 869	\$ 6,540.00	
SR4A8-HF3P4LDF(D00-PIP)	Aurora™ directive collinear, 8.3 dBd, 220° HPBW, low PIM, PIP	806 - 869	\$ 2,875.00	
SR4A8-HF4P4LDF(D00-PIP)	Aurora™ directive collinear, 8.3 dBd, 220° HPBW, low PIM, PIP	746 - 806	\$ 2,875.00	
SR4A9-HF4P2LDF(D00-PIP)	Aurora™ directive collinear, 9.5 dBd, bi-directional, low PIM, PIP	746 - 806	\$ 2,875.00	
SC499-HWBLDF(D00-PIP)	Aurora™ collinear omni, 9.5 dBd, HD, low PIM, PIP rated	746 - 960	\$ 4,060.00	
SC499-HWBLDF(D00-NuF)	Aurora™ collinear omni, 9 dBd, HD, low PIM, Null fill	746 - 960	\$ 4,010.00	
SC499-HWBLDF(D00-NuFP)	Aurora™ collinear omni, 9 dBd, HD, low PIM, Null fill, PIP rated	746 - 960	\$ 4,215.00	
SC499-HWBLDF(D00I-NuFP)	Aurora™ collinear omni, 9 dBd, HD, low PIM, Null fill, PIP rated, Inverted	746 - 960	\$ 4,420.00	
SC499D-HF1LDF(D00-I35-PIP)	Aurora™ collinear omni, 9 dBd, HD, low PIM, PIP rated, Dual port with 35 dB isolation	746 - 869	\$ 6,350.00	
SC499S-HF1LDF(D00-PIP)	Aurora™ collinear omni, 9 dBd, HD, low PIM, PIP rated, Single port	746 - 869	\$ 4,060.00	
SC49C-HWBLDF(D00)	Aurora™ collinear omni, 11.5 dBd, HD, low PIM, 746-960 MHz	746 - 960	\$ 5,290.00	Successor of the SC412 series
SC49C-HWBLDF(D00-PIP)	Aurora™ collinear omni, 11.5 dBd, HD, low PIM, PIP rated, 746-960 MHz	746 - 960	\$ 5,590.00	
SC49C-HWBLDF(D00-NuF)	Aurora™ collinear omni, 11.5 dBd, HD, low PIM, Null fill, 746-960 MHz	746 - 960	\$ 5,445.00	
SC49C-HWBLDF(D00-NuFP)	Aurora™ collinear omni, 11.5 dBd, HD, low PIM, Null fill, PIP rated, 746-960 MHz	746 - 960	\$ 5,650.00	
SC49C-HWBLDF(D00I-NuF)	Aurora™ collinear omni, 11.5 dBd, HD, low PIM, Null fill, Inverted, 746-960 MHz	746 - 960	\$ 5,720.00	
SC49C-HWBLDF(D00I-NuFP)	Aurora™ collinear omni, 11.5 dBd, HD, low PIM, Null fill, PIP rated, Inverted, 746-960 MHz	746 - 960	\$ 5,935.00	
SC432D-HF6LDF(I45-G00)	Collinear omni, 0 dBd (typ), dual ports, 45 dB isolation, HD, low PIM, 746-869 MHz	746 - 869	\$ 2,515.00	
SC432D-HF6LDF(I45-G00-PIP) ((E5749))*	Collinear omni, 0 dBd (typ), dual ports, 45 dB isolation, HD, low PIM, PIP rated, 746-869 MHz	746 - 869	\$ 2,705.00	
SC432D-HF6LDF(D00-I45-G03)	Collinear omni, 3 dBd (typ), dual ports, 45 dB isolation, HD, low PIM, 746-869 MHz	746 - 869	\$ 3,270.00	
SC432D-HF6LDF(D00-I45-G03-PIP) ((E5749))*	Collinear omni, 3 dBd (typ), dual ports, 45 dB isolation, HD, low PIM, PIP rated, 746-869 MHz	746 - 869	\$ 3,460.00	
SC432D-HF2LDF(D00-I40-G06)	Collinear omni, 6 dBd (typ), dual ports, 40 dB isolation, HD, low PIM, 806-960 MHz	806 - 960	\$ 3,565.00	
SC432D-HF2LDF(D00-I40-G03-E5749)	Collinear omni, 3 dBd (typ), dual ports, 40 dB isolation, HD, low PIM, PIP rated, 806-960 MHz	806 - 960	\$ 3,770.00	
SC432D-HF6LDF(D00-I40-G06)	Collinear omni, 6 dBd (typ), dual ports, 40 dB isolation, HD, low PIM, 746-869 MHz	746 - 869	\$ 3,565.00	
SC432D-HF6LDF(D00-I40-G06-PIP) ((E5749))*	Collinear omni, 6 dBd (typ), dual ports, 40 dB isolation, HD, low PIM, PIP rated, 746-869 MHz	746 - 869	\$ 3,750.00	
SC432T-SF2LDF(D00-I30-G06)	Collinear omni, 6 dBd (typ), three ports, 30 dB isolation, low PIM, 806-960 MHz	806 - 960	\$ 4,510.00	
SC432T-SF6LDF(D00-I30-G06)	Collinear omni, 6 dBd (typ), three ports, 30 dB isolation, low PIM, 746-869 MHz	746 - 869	\$ 4,510.00	
SC432T-SF2LDF(D00-I30-G06-PIP) ((E5749))*	Collinear omni, 6 dBd (typ), three ports, 30 dB isolation, low PIM, PIP rated, 806-960 MHz	806 - 960	\$ 4,695.00	

SC432T-SF6LDF(D00-I30-G06-PIP) ((E5749))*	Collinear omni, 6 dBd (typ), three ports, 30 dB isolation, low PIM, PIP rated, 746-869 MHz	746 - 869	\$	4,695.00	
SC442D-HF1LDF(D00-I30-G09)	Dual port 9.0 dBd collinear antenna, 30 dB isolation, low PIM, 746-869 MHz	746 - 869	\$	6,500.00	
SC442D-HF1LDF(D00-I30-G09-PIP)	Dual port 9.0 dBd collinear antenna, 30 dB isolation, low PIM, PIP rated, 746-869 MHz	746 - 869	\$	6,740.00	
SC442D-HF1LDF(D00-I30-G09-NuFP)	Dual port 8.5 dBd collinear antenna, 30 dB isolation, low PIM, PIP rated, null fill, 746-869 MHz	746 - 869	\$	6,920.00	
SC442D-HF2LDF(D00-I40-G09)	Dual port 9.0 dBd collinear antenna, 40dB isolation, low PIM, 806-960 MHz	806 - 960	\$	6,660.00	
SC442D-HF2LDF(D00-I40-G09-PIP)	Dual port 9.0 dBd collinear antenna, 40dB isolation, low PIM, PIP rated, 806-960 MHz	806 - 960	\$	6,900.00	
SC433-HF1SNF(D00)	Collinear omni, 2.5 dBd, HD, 806-869 MHz	806 - 869	\$	1,415.00	
SC433-HF2SNF(D00)	Collinear omni, 2.5 dBd, HD, 824-896 MHz	824 - 896	\$	1,415.00	
SC433-HF3SNF(D00)	Collinear omni, 2.5 dBd, HD, 890-940 MHz	890 - 940	\$	1,415.00	
SC433-HF4SNF(D00)	Collinear omni, 2.5 dBd, HD, 928-960 MHz	928 - 960	\$	1,415.00	
SC433-HF5SNF(D00)	Collinear omni, 2.5 dBd, HD, 750-806 MHz	750 - 806	\$	1,415.00	
SC433-HF6SNF(D00)	Collinear omni, 2.5 dBd, HD, 902-928 MHz	902 - 928	\$	1,415.00	
SC433-HF1LDF(D00)	Collinear omni, 2.5 dBd, HD, low PIM	806 - 869	\$	1,515.00	
SC433-HF2LDF(D00)	Collinear omni, 2.5 dBd, HD, low PIM	824 - 896	\$	1,515.00	
SC433-HF3LDF(D00)	Collinear omni, 2.5 dBd, HD, low PIM	890 - 940	\$	1,515.00	
SC433-HF4LDF(D00)	Collinear omni, 2.5 dBd, HD, low PIM	928 - 960	\$	1,515.00	
SC433-HF5LDF(D00)	Collinear omni, 2.5 dBd, HD, low PIM	750 - 806	\$	1,515.00	
SC433-HF6LDF(D00)	Collinear omni, 2.5 dBd, HD, low PIM	902 - 928	\$	1,515.00	
SC420-HF1LDF(D00)	Collinear omni, 7.5 dBd, low PIM, DIN-Female connector, HD, 806-869 MHz	806 - 869	\$	1,960.00	
SC420-HF2LDF(D00)	Collinear omni, 7.5 dBd, low PIM, DIN-Female connector, HD, 824-896 MHz	824 - 896	\$	1,960.00	
SC420-HF3LDF(D00)	Collinear omni, 7.5 dBd, low PIM, DIN-Female connector, HD, 890-940 MHz	890 - 940	\$	1,960.00	
SC420-HF4LDF(D00)	Collinear omni, 7.5 dBd, low PIM, DIN-Female connector, HD, 928-960 MHz	928 - 960	\$	1,960.00	
SC420-HF1LNF(D00)	Collinear omni, 7.5 dBd, N-Female connector, HD, 806-869 MHz	806 - 869	\$	1,960.00	
SC420-HF2LNF(D00)	Collinear omni, 7.5 dBd, N-Female connector, HD, 824-896 MHz	824 - 896	\$	1,960.00	
SC420-HF3LNF(D00)	Collinear omni, 7.5 dBd, N-Female connector, HD, 890-940 MHz	890 - 940	\$	1,960.00	
SC420-HF4LNF(D00)	Collinear omni, 7.5 dBd, N-Female connector, HD, 928-960 MHz	928 - 960	\$	1,960.00	
SC45A-SF1LDF(D00)	Collinear omni, 10 dBd, low PIM, 7/16 DIN-Female connector	806 - 869	\$	2,045.00	
SC45A-SF2LDF(D00)	Collinear omni, 10 dBd, low PIM, 7/16 DIN-Female connector	698 - 806	\$	2,045.00	Successor of the SC488-SF1, SC488-SF6, and SC488-SF9
SC45A-SF1LNF(D00)	Collinear omni, 10 dBd, N-Female connector	806 - 869	\$	2,045.00	
SC45A-SF2LNF(D00)	Collinear omni, 10 dBd, N-Female connector	698 - 806	\$	2,045.00	
SC45A-SF3LDF(D00)	Collinear omni, 10 dBd, low PIM, 7/16 DIN-Female connector	890 - 960	\$	2,045.00	Successor of the SC488-SF3, SC488-SF4, and SC488-SF5
SC45A-SF3LNF(D00)	Collinear omni, 10 dBd, N-Female connector	890 - 960	\$	2,045.00	
SC488-HF1LDF(D00)	Collinear omni, 10 dBd, HD, low PIM, DIN-Female connector	806 - 869	\$	3,220.00	
SC488-HF1LNF(D00)	Collinear omni, 10 dBd, HD, N-Female connector	806 - 869	\$	3,220.00	
SC488-HF1SNF(D00)	Collinear omni, 10 dBd, HD, N-Female connector	806 - 869	\$	3,085.00	
SC488-HF2LDF(D00)	Collinear omni, 10 dBd, HD, low PIM, DIN-Female connector	824 - 896	\$	3,220.00	To be discontinued on 12.31.2025, and replaced by SC45A and SC46A
SC488-HF2LNF(D00)	Collinear omni, 10 dBd, HD, N-Female connector	824 - 896	\$	3,220.00	
SC488-HF2SNF(D00)	Collinear omni, 10 dBd, HD, N-Female connector	824 - 896	\$	3,085.00	
SC488-HF6LDF(D00)	Collinear omni, 10 dBd, HD, low PIM, 7/16 DIN-Female connector	746 - 806	\$	3,220.00	
SC488-HF9LDF(D00)	Collinear omni, 10 dBd, HD, low PIM, DIN-Female connector	694 - 746	\$	3,220.00	
SC488-HF3LDF(D00)	Collinear omni, 10 dBd, HD, low PIM, DIN-Female connector	890 - 940	\$	3,220.00	
SC488-HF3LNF(D00)	Collinear omni, 10 dBd, HD, N-Female connector	890 - 940	\$	3,220.00	To be discontinued on 12.31.2025, and replaced by SC45A and SC499
SC488-HF3SNF(D00)	Collinear omni, 10 dBd, HD, N-Female connector	890 - 940	\$	3,085.00	
SC488-HF4SNF(D00)	Collinear omni, 10 dBd, HD, N-Female connector	928 - 960	\$	3,085.00	
SC459-SF1LNF(D00)	Collinear omni, 9 dBd, N-Female connector	806 - 869	\$	1,985.00	Successor of the SC489-SF1LNF(D00)
SC459-SF3LNF(D00)	Collinear omni, 9 dBd, N-Female connector	890 - 960	\$	1,985.00	Successor of the SC489-SF2, SC489-SF3, and SC489-SF4

**DAS**

SI300-OTBL4F	Omni in-building DAS antenna, 4.3-10 female connector, low PIM	380 - 430	\$	265.00	
SI300-OTBLNF	Omni in-building DAS antenna, N female connector, low PIM	380 - 430	\$	265.00	
SI300-OF2L4F	Omni in-building DAS antenna, 4.3-10 female connector, low PIM	450 - 512	\$	265.00	
SI300-OF2LNF	Omni in-building DAS antenna, N female connector, low PIM	450 - 512	\$	265.00	
SI400-OWBL4F	Omni in-building DAS antenna, 4.3-10 female connector, low PIM	694 - 6000	\$	320.00	
SI400-OWBLNF	Omni in-building DAS antenna, N female connector, low PIM	694 - 6000	\$	320.00	
SI240F-OWBL4F	Omni in-building DAS antenna, 4.3-10 female connector, low PIM	132 - 960	\$	275.00	
SI240F-OWBLNF	Omni in-building DAS antenna, N female connector, low PIM	132 - 960	\$	270.00	
DDC240-06-L4F	6 dB directional coupler, 4.3-10 female connector, low PIM	138 - 960	\$	485.00	
DDC240-06-LNF	6 dB directional coupler, N female connector, low PIM	138 - 960	\$	485.00	
DDC240-10-L4F	10 dB directional coupler, 4.3-10 female connector, low PIM	138 - 960	\$	485.00	
DDC240-10-LNF	10 dB directional coupler, N female connector, low PIM	138 - 960	\$	485.00	
DDC240-15-L4F	15 dB directional coupler, 4.3-10 female connector, low PIM	138 - 960	\$	485.00	
DDC240-15-LNF	15 dB directional coupler, N female connector, low PIM	138 - 960	\$	485.00	
DDC240-20-L4F	20 dB directional coupler, 4.3-10 female connector, low PIM	138 - 960	\$	485.00	

DDC240-20-LNF	20 dB directional coupler, N female connector, low PIM	138 - 960	\$ 485.00
DDC240-25-L4F	25 dB directional coupler, 4.3-10 female connector, low PIM	138 - 960	\$ 485.00
DDC240-25-LNF	25 dB directional coupler, N female connector, low PIM	138 - 960	\$ 485.00
DDC240-30-L4F	30 dB directional coupler, 4.3-10 female connector, low PIM	138 - 960	\$ 485.00
DDC240-30-LNF	30 dB directional coupler, N female connector, low PIM	138 - 960	\$ 485.00
DPSL240-2-SNF	2-Way power splitter, N female connector	138 - 960	\$ 235.00
DPSL240-3-SNF	3-Way power splitter, N female connector	138 - 960	\$ 280.00
DPSL240-4-SNF	4-Way power splitter, N female connector	138 - 960	\$ 310.00

**Aviation**

SC6172DE	Aviation band, 1 dBi, HD, dual feed, -55 to +60° C	118 - 138	\$ 3,400.00
SC6172D-E3023E	Aviation band, 1 dBi, HD, dual feed, -55 to +60° C, Bird Cap	118 - 138	\$ 4,220.00
SC6172D-E5105E	Aviation band, 1 dBi, HD, dual feed, -55 to +60° C, Bird cap, Gel coat	118 - 138	\$ 4,990.00
SC6172D-E3818E	Aviation band, 1 dBi, HD, dual +3' feed, -55 to +60° C	118 - 138	\$ 3,740.00
SC6172D-E5755E	Aviation band, 1 dBi, HD, dual +3' feed, -55 to +60° C, Bird cap	118 - 138	\$ 4,320.00
SC6172D-E5106E	Aviation band, 1 dBi, HD, dual +3' feed, -55 to +60° C, Bird cap, Gel coat	118 - 138	\$ 5,165.00
SC6172-E2712E	Aviation band, 1 dBi, HD, single +1' feed, -55 to +60° C	118 - 138	\$ 2,710.00
SC6172-E5657E	Aviation band, 1 dBi, HD, single +3' feed, -55 to +60° C	118 - 138	\$ 2,810.00
SC6172-E6535E	Aviation band, 1 dBi, HD, single +3' feed, -55 to +60° C, Bird cap, Gel coat	118 - 138	\$ 4,445.00
SC6175DE	Aviation band, 1 dBi, HD, dual feed, 118-138 & 225-400 MHz	118 - 138 & 225 - 400	\$ 3,500.00
SC6175D-E5109E	Aviation band, 1 dBi, HD, dual feed, Bird cap, Gel coat, 118-138 & 225-400 MHz	118 - 138 & 225 - 400	\$ 5,295.00
SC6175D-E3818E	Aviation band, 1 dBi, HD, dual +3' feed, 118-138 & 225-400 MHz	118 - 138 & 225 - 400	\$ 3,665.00
SC6175D-E5117E	Aviation band, 1 dBi, HD, dual +3' feed, Bird cap, Gel coat, 118-138 & 225-400 MHz	118 - 138 & 225 - 400	\$ 5,470.00
SC6185	Aviation band, 3 dBi, HD	225 - 400	\$ 3,330.00
SC6185-E3818	Aviation band, 3 dBi, HD, +3' pig tail	225 - 400	\$ 3,435.00
SC6185(BC)	Aviation band, 3 dBi, HD, bird cap	225 - 400	\$ 4,005.00
SC6185-E5107	Aviation band, 3 dBi, HD, bird cap, Gel coat	225 - 400	\$ 5,015.00
SC6185-E5108	Aviation band, 3 dBi, HD, bird cap, Gel coat, +3' pig tail	225 - 400	\$ 5,130.00

**Dipole Antennas**

SD110-SF1PASNM(FXXXX) **	Exposed dipole, 2.5 dBd, 10% Bandwidth, N-Male connector, 27-35 MHz	27 - 35	\$ 1,445.00
SD110-SF2PASNM(FXXXX) **	Exposed dipole, 2.5 dBd, 10% Bandwidth, N-Male connector, 35.5-61.5 MHz	35.5 - 61.5	\$ 1,295.00
SD110-SF3PASNM(FXXXX) **	Exposed dipole, 2.5 dBd, 10% Bandwidth, N-Male connector, 62-88 MHz	62 - 88	\$ 1,220.00
SD112-SF1PASNM(FXXXX) **	Dual stacked exposed dipole, 5.5 dBd, 10% Bandwidth, N-Male connector, 27-35 MHz	27 - 35	\$ 3,080.00
SD112-SF2PASNM(FXXXX) **	Dual stacked exposed dipole, 5.5 dBd, 10% Bandwidth, N-Male connector, 35.5-61.5 MHz	35.5 - 61.5	\$ 2,745.00
SD112-SF3PASNM(FXXXX) **	Dual stacked exposed dipole, 5.5 dBd, 10% Bandwidth, N-Male connector, 62-88 MHz	62 - 88	\$ 2,745.00
SD114-SF2PASNM(FXXXX) **	Quad stacked exposed dipole, 7.5 dBd, 10% Bandwidth, N-Male connector, 35.5-61.5 MHz	35.5 - 61.5	\$ 5,345.00
SD114-SF3PASNM(FXXXX) **	Quad stacked exposed dipole, 7.5 dBd, 10% Bandwidth, N-Male connector, 62-88 MHz	62 - 88	\$ 5,345.00
SD210-SF1P2SNM	1 dipole, 2.0 dBd, bi-directional, 118-138 MHz	118 - 138	\$ 670.00
SD210-SF1P4SNM	1 dipole, 2.5 dBd, offset, 118-138 MHz	118 - 138	\$ 670.00
SD210-SF2PASNM(LM)	1 dipole, 2/2.5 dBd, field adjustable, less mast, 138-174 MHz	138 - 174	\$ 555.00
SD210-SF2P2SNM	1 dipole, 2.0 dBd, bi-directional, HD, N-Male connector	138 - 174	\$ 635.00
SD210-SF2P2SNF	1 dipole, 2.0 dBd, bi-directional, HD, N-Female connector	138 - 174	\$ 635.00
SD210-SF2P4SNM	1 dipole, 2.5 dBd, offset, HD, N-Male connector	138 - 174	\$ 635.00
SD210-SF2P4SNF	1 dipole, 2.5 dBd, offset, HD, N-Female connector	138 - 174	\$ 635.00
SD210-SF2P2LDF	1 dipole, 2.0 dBd, low PIM, bi-directional, 138-174 MHz	138 - 174	\$ 995.00
SD210-SF2P4LDF	1 dipole, 2.5 dBd, low PIM, offset, 138-174 MHz	138 - 174	\$ 995.00
SD210D-HF2P4LDF	Dual 1 dipole, 2 feed cables, 2.5 dBd, offset, HD, 138-174 MHz	138 - 174	\$ 2,695.00
SD210-HF1P2SNM	1 dipole, 2.0 dBd, bi-directional, HD, 118-138 MHz	118 - 138	\$ 920.00
SD210-HF1P4SNM	1 dipole, 2.5 dBd, offset, HD, 118-138 MHz	118 - 138	\$ 920.00
SD210-HF2P2SNM	1 dipole, 2.0 dBd, bi-directional, HD, 138-174 MHz	138 - 174	\$ 835.00
SD210-HF2P4SNM	1 dipole, 2.5 dBd, offset, HD, 138-174 MHz	138 - 174	\$ 835.00
SD210-HF2P2LDF	1 dipole, 1.5 dBd, low PIM, HD, bi-directional, 138-174 MHz	138 - 174	\$ 1,360.00
SD210-HF2P4LDF	1 dipole, 2.0 dBd, low PIM, HD, offset, 138-174 MHz	138 - 174	\$ 1,360.00
SD210R-SF2P60LDF(S)	Low PIM VHF reflector, single dipole, 60° beamwidth, 7.0 dBd	138 - 174	\$ 4,110.00
SD210R-SF2P90LDF(S)	Low PIM VHF reflector, single dipole, 90° beamwidth, 5.5 dBd	138 - 174	\$ 4,060.00
SD210R-SF2P120LDF(S)	Low PIM VHF reflector, single dipole, 120° beamwidth, 4.5 dBd	138 - 174	\$ 3,795.00
SD210D-SF2P2SNM	Dual Ant., 2 feed cables, 1 dipole, 2.0 dBd, bi-directional, 138-174	138 - 174	\$ 1,330.00
SD210D-SF2P4SNM	Dual Ant., 2 feed cables, 1 dipole, 2.5 dBd, offset, 138-174	138 - 174	\$ 1,330.00
SD212-SF1P2SNM(D00)	2 dipole, 5.0 dBd, bi-directional, N-Male connector	118 - 138	\$ 1,380.00
SD212-SF1P4SNM(D00)	2 dipole, 5.5 dBd, offset, N-Male connector	118 - 138	\$ 1,380.00
SD212-SF2P2SNM(D00)	2 dipole, 5.0 dBd, bi-directional, N-Male connector	138 - 174	\$ 1,340.00
SD212-SF2P4SNM(D00)	2 dipole, 5.5 dBd, offset, N-Male connector	138 - 174	\$ 1,340.00
SD212-SF2P2LDF(D00)	2 dipole, 5.0 dBd, bi-directional, low PIM, 138-174 MHz	138 - 174	\$ 2,015.00

SD212-SF2P4LDF(D00)	2 dipole, 5.5 dBd, offset, low PIM, 138-174 MHz	138 - 174	\$ 2,015.00
SD212-HF1P2SNM(D00)	2 dipole, 5.0 dBd, bi-directional, HD, 118-138 MHz	118 - 138	\$ 2,355.00
SD212-HF1P4SNM(D00)	2 dipole, 5.5 dBd, offset, HD, 118-138 MHz	118 - 138	\$ 2,355.00
SD212-HF2P2SNM(D00)	2 dipole, 5.0 dBd, bi-directional, HD, 138-174 MHz	138 - 174	\$ 1,700.00
SD212-HF2P4SNM(D00)	2 dipole, 5.5 dBd, offset, HD, 138-174 MHz	138 - 174	\$ 1,700.00
SD212-HF2P2LDF(D00)	2 dipole, 4.5 dBd, bi-directional, low PIM, HD, 138-174 MHz	138 - 174	\$ 2,475.00
SD212-HF2P4LDF(D00)	2 dipole, 5.0 dBd, offset, low PIM, HD, 138-174 MHz	138 - 174	\$ 2,475.00
SD212R-SF2P60LDF(D00S)	Low PIM VHF reflector, 2 dipole, 60° beamwidth, 10 dBd	138 - 174	\$ 7,405.00
SD212R-SF2P90LDF(D00S)	Low PIM VHF reflector, 2 dipole, 90° beamwidth, 8.5 dBd	138 - 174	\$ 7,300.00
SD212R-SF2P120LDF(D00S)	Low PIM VHF reflector, 2 dipole, 120° beamwidth, 7 dBd	138 - 174	\$ 6,435.00
SD212D-SF2P2SNM(D00)	Dual Ant., 2 feed cables, 2 dipole, 5.0 dBd, bi-directional	138 - 174	\$ 2,200.00
SD212D-SF2P4SNM(D00)	Dual Ant., 2 feed cables, 2 dipole, 5.5 dBd, offset	138 - 174	\$ 2,200.00
SD212D-SF2PASNM(D00)	Dual Ant., 2 feed cables, 2 dipole, 5/5.5 dBd, field adjustable	138 - 174	\$ 2,560.00
SD212D-HF2P2SNM(D00B)	Dual Ant., 2 feed cables, 2 dipole, 5.0 dBd, HD, top mount, bi-directional	138 - 174	\$ 4,580.00
SD212D-HF2P4SNM(D00B)	Dual Ant., 2 feed cables, 2 dipole, 5.5 dBd, HD, top mount, offset	138 - 174	\$ 4,580.00
SD212D-HF2P2SNM(D00S)	Dual Ant., 2 feed cables, 2 dipole, 5.0 dBd, HD, side mount, bi-directional	138 - 174	\$ 3,800.00
SD212D-HF2P4SNM(D00S)	Dual Ant., 2 feed cables, 2 dipole, 5.5 dBd, HD, side mount, offset	138 - 174	\$ 3,800.00
SD212D-HF2P2SNM(D00B-LS)	Dual Ant., 2 feed cables, 2 dipole, 5.0 dBd, HD, top mount, bi-directional	138 - 174	\$ 4,780.00
SD212D-HF2P2LDF(D00B)	Dual Ant., 2 feed cables, 2 dipole, 4.5 dBd, low PIM, HD, top mount, bi-directional	138 - 174	\$ 7,645.00
SD212D-HF2P4LDF(D00B)	Dual Ant., 2 feed cables, 2 dipole, 5.0 dBd, low PIM, HD, top mount, offset	138 - 174	\$ 7,645.00
SD212/235-SF2P2/PASNM(D00B)	Dual Ant., 2 feed cables, Ant 1: 5 dBd, Ant 2: 5.5 or 3 dBd (field Adj.), HD, top mount	138 - 174	\$ 4,405.00
SD214-SF1P2SNM(D00)	4 dipole, 8.0 dBd, bi-directional, N-Male, 118-138 MHz	118 - 138	\$ 2,505.00
SD214-SF1P4SNM(D00)	4 dipole, 8.5 dBd, offset, N-Male, 118-138 MHz	118 - 138	\$ 2,505.00
SD214-SF2P2SNM(D00)	4 dipole, 8.0 dBd, bi-directional, N-Male, 138-174 MHz	138 - 174	\$ 2,260.00
SD214-SF2P4SNM(D00)	4 dipole, 8.5 dBd, offset, N-Male, 138-174 MHz	138 - 174	\$ 2,260.00
SD214-SF2PASNM(D00)	4 dipole, 8/8.5 dBd, field adjustable, 138-174 MHz	138 - 174	\$ 2,215.00
SD214-HF2P2SNM(D00B)	4 dipole, 8.0 dBd, top mount, bi-directional, HD, 138-174 MHz	138 - 174	\$ 4,145.00
SD214-HF2P4SNM(D00B)	4 dipole, 8.5 dBd, top mount, offset, HD, 138-174 MHz	138 - 174	\$ 4,145.00
SD214-HF2P2SNM(D00S)	4 dipole, 8.0 dBd, side mount, bi-directional, HD, 138-174 MHz	138 - 174	\$ 3,380.00
SD214-HF2P4SNM(D00S)	4 dipole, 8.5 dBd, side mount, offset, HD, 138-174 MHz	138 - 174	\$ 3,380.00
SD214-HF2PASNM(D00B)	4 dipole, 8.0/8.5 dBd, bottom mount, field adjustable, HD, 138-174 MHz	138 - 174	\$ 4,230.00
SD214-HF2PASNM(D00S)	4 dipole, 8.0/8.5 dBd, side mount, field adjustable, HD, 138-174 MHz	138 - 174	\$ 2,915.00
SD214-SF2P2LDF(D00)	4 dipole, 7.0 dBd, bi-directional, low PIM, 138-174 MHz	138 - 174	\$ 4,495.00
SD214-SF2P4LDF(D00)	4 dipole, 7.5 dBd, offset, low PIM, 138-174 MHz	138 - 174	\$ 4,495.00
SD214-HF2P2LDF(D00B)	4 dipole, 7.0 dBd, low PIM, HD, bi-directional, top mount, 138-174 MHz	138 - 174	\$ 6,770.00
SD214-HF2P4LDF(D00B)	4 dipole, 7.5 dBd, low PIM, HD, offset, top mount, 138-174 MHz	138 - 174	\$ 6,770.00
SD214-HF2P2LDF(D00S)	4 dipole, 7.0 dBd, low PIM, HD, bi-directional, side mount, 138-174 MHz	138 - 174	\$ 5,900.00
SD214-HF2P4LDF(D00S)	4 dipole, 7.5 dBd, low PIM, HD, offset, side mount, 138-174 MHz	138 - 174	\$ 5,900.00
SD214-HF6P2LDM(D00B-LSWMABK)	4 dipole, 7.0 dBd, low PIM, bi-directional, HD, welded mast, lightning spike, black anodized, top mount	125 - 160	\$ 6,590.00
SD214-HF6P4LDM(D00B-LSWMABK)	4 dipole, 7.5 dBd, low PIM, offset, HD, welded mast, lightning spike, black anodized, top mount	125 - 160	\$ 6,590.00
SD214R-SF2P60LDF(D00S)	Low PIM VHF reflector, 4 dipole, 60° beamwidth, 12.5 dBd, side mount	138 - 174	\$ 15,665.00
SD214R-SF2P90LDF(D00S)	Low PIM VHF reflector, 4 dipole, 90° beamwidth, 10.5 dBd, side mount	138 - 174	\$ 15,100.00
SD214R-SF2P120LDF(D00S)	Low PIM VHF reflector, 4 dipole, 120° beamwidth, 9.5 dBd, side mount	138 - 174	\$ 13,625.00
SD218-SF1P2SNM(D00S)	8 dipole, 11.0 dBd, bi-directional, side mount, 118-138 MHz	118 - 138	\$ 5,320.00
SD218-SF1P4SNM(D00S)	8 dipole, 11.5 dBd, offset, side mount, 118-138 MHz	118 - 138	\$ 5,320.00
SD218-SF2P2SNM(D00S)	8 dipole, 11.0 dBd, bi-directional, side mount, 138-174 MHz	138 - 174	\$ 4,330.00
SD218-SF2P4SNM(D00S)	8 dipole, 11.5 dBd, offset, side mount, 138-174 MHz	138 - 174	\$ 4,330.00
SD218-SF2P2LDF(D00S)	8 dipole, 9.5 dBd, low PIM, bi-directional, side mount, 138-174 MHz	138 - 174	\$ 9,100.00
SD218-SF2P4LDF(D00S)	8 dipole, 10 dBd, low PIM, offset, side mount, 138-174 MHz	138 - 174	\$ 9,100.00
SD222-SF1PASNM	Exposed dipole, 3 dBd omni/ 6 dBd offset, field adjustable, N-Male, 132-142 MHz	132 - 142	\$ 965.00
SD222-SF2PASNM	Exposed dipole, 3 dBd omni/ 6 dBd offset, field adjustable, N-Male, 137-147 MHz	137 - 147	\$ 965.00
SD222-SF11PASNM	Exposed dipole, 3 dBd omni/ 6 dBd offset, field adjustable, N-Male, 139-149 MHz	139 - 149	\$ 965.00
SD222-SF3PASNM	Exposed dipole, 3 dBd omni/ 6 dBd offset, field adjustable, N-Male, 142-152 MHz	142 - 152	\$ 965.00
SD222-SF4PASNM	Exposed dipole, 3 dBd omni/ 6 dBd offset, field adjustable, N-Male, 147-157 MHz	147 - 157	\$ 965.00
SD222-SF8PASNM	Exposed dipole, 3 dBd omni/ 6 dBd offset, field adjustable, N-Male, 150-160 MHz	150 - 160	\$ 965.00
SD222-SF5PASNM	Exposed dipole, 3 dBd omni/ 6 dBd offset, field adjustable, N-Male, 152-162 MHz	152 - 162	\$ 965.00
SD222-SF6PASNM	Exposed dipole, 3 dBd omni/ 6 dBd offset, field adjustable, N-Male, 158-168 MHz	158 - 168	\$ 965.00
SD222-SF9PASNM	Exposed dipole, 3 dBd omni/ 6 dBd offset, field adjustable, N-Male, 160-170 MHz	160 - 170	\$ 965.00
SD222-SF7PASNM	Exposed dipole, 3 dBd omni/ 6 dBd offset, field adjustable, N-Male, 164-174 MHz	164 - 174	\$ 965.00
SD222-SF10PASNM	Exposed dipole, 3 dBd omni/ 6 dBd offset, field adjustable, N-Male, 215-225 MHz	215 - 225	\$ 965.00
SD224-SF1PASNM	Exposed dipole, 6 dBd omni/ 9 dBd offset, field adjustable, N-Male, 132-142 MHz	132 - 142	\$ 1,925.00
SD224-SF2PASNM	Exposed dipole, 6 dBd omni/ 9 dBd offset, field adjustable, N-Male, 137-147 MHz	137 - 147	\$ 1,925.00
SD224-SF3PASNM	Exposed dipole, 6 dBd omni/ 9 dBd offset, field adjustable, N-Male, 142-152 MHz	142 - 152	\$ 1,925.00

SD224-SF4PASNM	Exposed dipole, 6 dBd omni/ 9 dBd offset, field adjustable, N-Male, 147-157 MHz	147 - 157	\$ 1,925.00
SD224-SF5PASNM	Exposed dipole, 6 dBd omni/ 9 dBd offset, field adjustable, N-Male, 152-162 MHz	152 - 162	\$ 1,925.00
SD224-SF6PASNM	Exposed dipole, 6 dBd omni/ 9 dBd offset, field adjustable, N-Male, 158-168 MHz	158 - 168	\$ 1,925.00
SD224-SF7PASNM	Exposed dipole, 6 dBd omni/ 9 dBd offset, field adjustable, N-Male, 164-174 MHz	164 - 174	\$ 1,925.00
SD224-SF8PASNM	Exposed dipole, 6 dBd omni/ 9 dBd offset, field adjustable, N-Male, 150-160 MHz	150 - 160	\$ 1,925.00
SD224-SF9PASNM	Exposed dipole, 6 dBd omni/ 9 dBd offset, field adjustable, N-Male, 128-138 MHz	128 - 138	\$ 1,925.00
SD224-SF10PASNM	Exposed dipole, 6 dBd omni/ 9 dBd offset, field adjustable, N-Male, 149-159 MHz	149 - 159	\$ 1,925.00
SD235-SF1PASNM(D00B)	Exposed dipole, 3 dBd omni/5.5 dBd bi-directional, field adjustable, 118-138 MHz	118 - 138	\$ 2,375.00
SD235-SF2PASNM(D00B)	Exposed dipole, 3 dBd omni/5.5 dBd bi-directional, field adjustable, 138-174 MHz	138 - 174	\$ 2,120.00
SD235-HF1PASNM(D00B)	Exposed dipole, 3 dBd omni/5.5 dBd bi-directional, field adjustable, HD, 118-138 MHz	118 - 138	\$ 3,175.00
SD235-HF2PASNM(D00B)	Exposed dipole, 3 dBd omni/5.5 dBd bi-directional, field adjustable, HD, 138-174 MHz	138 - 174	\$ 2,880.00
SD235-SF1PALDF(D00B)	Exposed dipole, 3 dBd omni/ 5.5 dBd bi-directional, field adjustable,low PIM, 118-138 MHz	118 - 138	\$ 5,555.00
SD235-SF2PALDF(D00B)	Exposed dipole, 3 dBd omni/ 5.5 dBd bi-directional, field adjustable,low PIM, 138-174 MHz	138 - 174	\$ 5,525.00
SD235-HF2PALDF(D00B)	Exposed dipole, 3 dBd omni/ 5.5 dBd bi-directional, field adjustable,low PIM, HD, 138-174 MHz	138 - 174	\$ 5,660.00
SD2352-SF2PASNM(D00B)	Exposed dipole, 6 dBd omni/8.5 dBd bi-directional, field adjustable	138 - 174	\$ 3,470.00
SD2352-HF2PASNM(D00B)	Exposed dipole, 6 dBd omni/8.5 dBd bi-directional, field adjustable, HD	138 - 174	\$ 5,645.00
SD2352-SF2PALDF(D00B)	Exposed dipole, 6 dBd omni/8.5 dBd bi-directional, field adjustable, low PIM	138 - 174	\$ 10,110.00
SD2352-HF2PALDF(D00B)	Exposed dipole, 6 dBd omni/8.5 dBd bi-directional, field adjustable, low PIM, HD	138 - 174	\$ 12,130.00
SD235D-SF2PASNM(D00B)	Dual Ant., two input cables, exposed dipole, 3 dBd omni/5.5 dBd bi-directional, field adjustable	138 - 174	\$ 3,975.00
SD235D-SF2PALDF(D00B)	Dual Ant., two input cables, exposed dipole, 3 dBd omni/5.5 dBd bi-directional, field adjustable, low PIM	138 - 174	\$ 10,475.00
SD235D-HF2PALDF(D00B)	Dual Ant., two input cables, exposed dipole, 3 dBd omni/5.5 dBd bi-directional, field adjustable, low PIM, HD	138 - 174	\$ 11,740.00
SD312/212D-SF2P4SNM(D00)	Dual Ant., two input cables, exposed dipole, 5.5 dBd offset pattern	406 - 512 & 138 - 174	\$ 2,350.00
SD310-HF1P2SNM	1 dipole 2.0 dBd, bi-directional, HD, 370-460 MHz	370 - 460	\$ 665.00
SD310-HF1P2SNM	1 dipole 2.0 dBd, bi-directional, HD, 370-460 MHz	370 - 460	\$ 665.00
SD310-HF1P4SNM	1 dipole 2.5 dBd, offset, HD, 370-460 MHz	370 - 460	\$ 665.00
SD310-HF2P4SNM	1 dipole 2.5 dBd, offset, HD, 406-512 MHz	406 - 512	\$ 665.00
SD310-HF2P2SNM	1 dipole 2.0 dBd, bi-directional, HD, 406-512 MHz	406 - 512	\$ 665.00
SD310-HF1P2LDF	1 dipole 1.5 dBd, bi-directional, low PIM, HD, 370-430 MHz	370 - 430	\$ 775.00
SD310-HF1P4LDF	1 dipole 2.0 dBd, offset, low PIM, HD, 370-430 MHz	370 - 430	\$ 775.00
SD310-HF2P2LDF	1 dipole 1.5 dBd, bi-directional, low PIM, HD, 406-470 MHz	406 - 470	\$ 775.00
SD310-HF2P4LDF	1 dipole 2.0 dBd, offset, low PIM, HD, 406-470 MHz	406 - 470	\$ 775.00
SD310-HF3P2LDF	1 dipole 1.5 dBd, bi-directional, low PIM, HD, 450-512 MHz	450 - 512	\$ 775.00
SD310-HF3P4LDF	1 dipole 2.0 dBd, offset, low PIM, HD, 450-512 MHz	450 - 512	\$ 775.00
SD310D-HF2P2SNM	Dual Ant., two input cables, 1 dipole, 2.0 dBd, HD, bi-directional, 406-512 MHz	406 - 512	\$ 1,070.00
SD310D-HF2P4SNM	Dual Ant., two input cables, 1 dipole, 2.5 dBd, HD, offset, 406-512 MHz	406 - 512	\$ 1,070.00
SD312-HF1P2SNM(D00)	2 dipole 5.0 dBd, bi-directional, N-Male, HD, 370-460 MHz	370 - 460	\$ 1,020.00
SD312-HF1P4SNM(D00)	2 dipole 5.5 dBd, offset, N-Male, HD, 370-460 MHz	370 - 460	\$ 1,020.00
SD312-HF2P2SNM(D00)	2 dipole 5.0 dBd, bi-directional, N-Male, HD, 406-512 MHz	406 - 512	\$ 1,020.00
SD312-HF2P4SNM(D00)	2 dipole 5.5 dBd, offset, N-Male, HD, 406-512 MHz	406 - 512	\$ 1,020.00
SD312-HF5P2SNM(D00)	2 dipole 5.0 dBd, bi-directional, N-Male, HD	300 - 380	\$ 1,020.00
SD312-HF5P4SNM(D00)	2 dipole 5.5 dBd, offset, N-Male, HD	300 - 380	\$ 1,020.00
SD312-HF1P2LDF(D00)	2 dipole, 4.0 dBd, bi-directional, low PIM, HD, 370-430 MHz	370 - 430	\$ 1,530.00
SD312-HF1P4LDF(D00)	2 dipole, 4.5 dBd, offset, low PIM, HD, 370-430 MHz	370 - 430	\$ 1,530.00
SD312-HF2P2LDF(D00)	2 dipole, 4.0 dBd, bi-directional, low PIM, HD, 406-470 MHz	406 - 470	\$ 1,530.00
SD312-HF2P4LDF(D00)	2 dipole, 4.5 dBd, offset, low PIM, HD, 406-470 MHz	406 - 470	\$ 1,530.00
SD312-HF3P2LDF(D00)	2 dipole, 4.0 dBd, bi-directional, low PIM, HD, 450-512 MHz	450 - 512	\$ 1,530.00
SD312-HF3P4LDF(D00)	2 dipole, 4.5 dBd, offset, low PIM, HD, 450-512 MHz	450 - 512	\$ 1,530.00
SD312D-HF2P2LDF(D00)	Dual Ant., two input cables, 2 dipole, 4.0 dBd, low PIM, HD, bi-directional, 406-470 MHz	406 - 470	\$ 2,935.00
SD312D-HF2P4LDF(D00)	Dual Ant., two input cables, 2 dipole, 4.5 dBd, low PIM, HD, offset, 406-470 MHz	406 - 470	\$ 2,935.00
SD312D-HF2P2SNM(D00)	Dual Ant., two input cables, 2 dipole, 5.0 dBd, HD, bi-directional, 406-512 MHz	406 - 512	\$ 2,050.00
SD312D-HF2P4SNM(D00)	Dual Ant., two input cables, 2 dipole, 5.5 dBd, HD, offset, 406-512 MHz	406 - 512	\$ 2,050.00
SD314-HF1P2SNM(D00)	4 dipole, 8.0 dBd, bi-directional, N-Male, HD, 370-460 MHz	370 - 460	\$ 1,715.00
SD314-HF1P4SNM(D00)	4 dipole, 8.5 dBd, offset, N-Male, HD, 370-460 MHz	370 - 460	\$ 1,715.00
SD314-HF2P2SNM(D00)	4 dipole, 8.0 dBd, bi-directional, N-Male, HD, 406-512 MHz	406 - 512	\$ 1,715.00
SD314-HF2P4SNM(D00)	4 dipole, 8.5 dBd, offset, N-Male, HD, 406-512 MHz	406 - 512	\$ 1,715.00
SD314-HF1P2LDF(D00)	4 dipole, 7.0 dBd, bi-directional, low PIM, HD, 370-430 MHz	370 - 430	\$ 2,770.00
SD314-HF1P4LDF(D00)	4 dipole, 7.5 dBd, offset, low PIM, HD, 370-430 MHz	370 - 430	\$ 2,770.00
SD314-HF2P2LDF(D00)	4 dipole, 7.0 dBd, bi-directional, low PIM, HD, 406-470 MHz	406 - 470	\$ 2,770.00
SD314-HF2P4LDF(D00)	4 dipole, 7.5 dBd, offset, low PIM, HD, 406-470 MHz	406 - 470	\$ 2,770.00
SD314-HF3P2LDF(D00)	4 dipole, 7.0 dBd, bi-directional, low PIM, HD, 450-512 MHz	450 - 512	\$ 2,770.00
SD314-HF3P4LDF(D00)	4 dipole, 7.5 dBd, offset, low PIM, HD, 450-512 MHz	450 - 512	\$ 2,770.00
SD314D-HF1P2LDF(D00S)	Dual Ant., two input cables, 4 dipole, 7.0 dBd, HD, Low PIM, bi-directional	370 - 430	\$ 5,185.00
SD314D-HF1P4LDF(D00S)	Dual Ant., two input cables, 4 dipole, 7.5 dBd, HD, Low PIM, offset	370 - 430	\$ 5,185.00

SD314D-HF2P2LDF(D00S)	Dual Ant., two input cables, 4 dipole, 7.0 dBd, HD, Low PIM, bi-directional	406 - 470	\$ 5,185.00
SD314D-HF2P4LDF(D00S)	Dual Ant., two input cables, 4 dipole, 7.5 dBd, HD, Low PIM, offset	406 - 470	\$ 5,185.00
SD314D-HF3P2LDF(D00S)	Dual Ant., two input cables, 4 dipole, 7.0 dBd, HD, Low PIM, bi-directional	450 - 512	\$ 5,185.00
SD314D-HF3P4LDF(D00S)	Dual Ant., two input cables, 4 dipole, 7.5 dBd, HD, Low PIM, offset	450 - 512	\$ 5,185.00
SD314D-SF2P2SNM(D00)	Dual Ant., two input cables, 4 dipole, 8.0 dBd, bi-directional	406 - 512	\$ 3,530.00
SD314D-SF2P4SNM(D00)	Dual Ant., two input cables, 4 dipole, 8.5 dBd, offset	406 - 512	\$ 3,530.00
SD318-HF1P2SNM(D00S)	8 dipole, 10.0 dBd, HD, bi-directional, side mount, 380-460 MHz	380 - 460	\$ 3,150.00
SD318-HF1P4SNM(D00S)	8 dipole, 10.5 dBd, HD, offset, side mount, 380-460 MHz	380 - 460	\$ 3,150.00
SD318-HF2P2SNM(D00)	8 dipole, 10.0 dBd, HD, bi-directional, 406-512 MHz	406 - 512	\$ 3,380.00
SD318-HF2P4SNM(D00)	8 dipole, 10.5 dBd, HD, offset, 406-512 MHz	406 - 512	\$ 3,380.00
SD318-HF1P2LDF(D00)	8 dipole, 10.0 dBd, low PIM, HD, bi-directional, 370-430 MHz	370 - 430	\$ 5,145.00
SD318-HF1P4LDF(D00)	8 dipole, 10.5 dBd, low PIM, HD, offset, 370-430 MHz	370 - 430	\$ 5,145.00
SD318-HF2P2LDF(D00)	8 dipole, 10.0 dBd, low PIM, HD, bi-directional, 406-470 MHz	406 - 470	\$ 5,145.00
SD318-HF2P4LDF(D00)	8 dipole, 10.5 dBd, low PIM, HD, offset, 406-470 MHz	406 - 470	\$ 5,145.00
SD318-HF3P2LDF(D00)	8 dipole, 10.0 dBd, low PIM, HD, bi-directional, 450-512 MHz	450 - 512	\$ 5,145.00
SD318-HF3P4LDF(D00)	8 dipole, 10.5 dBd, low PIM, HD, offset, 450-512 MHz	450 - 512	\$ 5,145.00
SD318-HF2P2LDF(D00-NuF)	8 dipole, 9.5 dBd, low PIM, HD, bi-directional, null fill, 406-470 MHz	406 - 470	\$ 5,075.00
SD318-HF2P4LDF(D00-NuF)	8 dipole, 10.0 dBd, low PIM, HD, offset, null fill, 406-470 MHz	406 - 470	\$ 5,075.00
SD335-HF1PASNM(D00B)	Exposed dipole, 3 dBd omni/ 5.5 dBd bi-directional/ field adjustable, HD, N-Male connector	406 - 512	\$ 1,720.00
SD335-HF1PALDF(D00B)	Exposed dipole, 2.5 dBd omni/ 5 dBd bi-directional, field adjustable, HD, low PIM	370 - 430	\$ 2,980.00
SD335-HF2PALDF(D00B)	Exposed dipole, 2.5 dBd omni/ 5 dBd bi-directional, field adjustable, HD, low PIM	406 - 470	\$ 2,980.00
SD335-HF3PALDF(D00B)	Exposed dipole, 2.5 dBd omni/ 5 dBd bi-directional, field adjustable, HD, low PIM	450 - 512	\$ 2,980.00
SD3352-HF1PASNF(D00B)	Exposed dipole, 6 dBd omni/ 8.5 dBd bi-directional, field adjustable, HD, N-Female connector	406 - 512	\$ 3,295.00
SD3352-HF1PASNM(D00B)	Exposed dipole, 6 dBd omni/ 8.5 dBd bi-directional, field adjustable, HD, N-Male connector	406 - 512	\$ 3,295.00
SD3352-HF3PALDF(D00B)	Exposed dipole, 5.5 dBd omni/ 8 dBd bi-directional, field adjustable, HD, low PIM	450 - 512	\$ 4,640.00
SD335D-HF1PASNM(D00B)	Dual Ant., two input cables, 3 dBd omni/ 5.5 dBd bi-directional, field adjustable, HD	406 - 512	\$ 3,720.00
SD3352D-SF1PASNM(D00B)	Dual Ant., two input cables, 6 dBd omni/ 8.5 dBd bi-directional, field adjustable	406 - 512	\$ 7,260.00
SD3352D-SF1PASNM(D00I)	Dual Ant., two input cables, 6 dBd omni/ 8.5 dBd bi-directional, field adjustable, inverted	406 - 512	\$ 7,625.00
SD3354-SF1PASNM(D00B)	Exposed dipole, 9 dBd omni/ 11 dBd bi-directional, field adjustable, N-Male connector	406 - 512	\$ 5,895.00
SD3358-HF2PALDF(D00S)	Exposed dipole, 12 dBd omni/ 14 dBd bi-directional, field adjustable, N-Male connector	406 - 512	\$ 18,900.00

**Enclosed Dipole Antennas**

SE412-SWBP2LNF(D00)	Enclosed dipole, 5.0 dBd, Bi-directional, N-Female	746 - 960	\$ 960.00
SE412-SWBP4LNF(D00)	Enclosed dipole, 5.0 dBd, Offset, N-Female	746 - 960	\$ 960.00
SE412-SWBP2LDF(D00)	Enclosed dipole, 5.0 dBd, Bi-directional, DIN-Female, low PIM, PIP rated	746 - 960	\$ 960.00
SE412-SWBP4LDF(D00)	Enclosed dipole, 5.0 dBd, Offset, DIN-Female, low PIM, PIP rated	746 - 960	\$ 960.00
SE414-SWBP2LNF(D00)	Enclosed dipole, 7.5 dBd, Bi-directional, N-Female	746 - 960	\$ 1,365.00
SE414-SWBP4LNF(D00)	Enclosed dipole, 7.5 dBd, Offset, N-Female	746 - 960	\$ 1,365.00
SE414-SWBP2LDF(D00)	Enclosed dipole, 7.5 dBd, Bi-directional, DIN-Female, low PIM, PIP rated	746 - 960	\$ 1,365.00
SE414-SWBP4LDF(D00)	Enclosed dipole, 7.5 dBd, Offset, DIN-Female, low PIM, PIP rated	746 - 960	\$ 1,365.00
SE414-SWBPALNF(D00)	Enclosed dipole, 8-11.5 dBd, adj. beamwidth, N-Female	746 - 960	\$ 2,175.00
SE414-SWBPALDF(D00)	Enclosed dipole, 8-11.5 dBd, adj. beamwidth, DIN-Female, low PIM, PIP rated	746 - 960	\$ 2,175.00
SE419-SWBP2LNF(D00)	Enclosed dipole, 10 dBd, Bi-directional, N-Female	746 - 960	\$ 2,090.00
SE419-SWBP4LNF(D00)	Enclosed dipole, 10 dBd, Offset, N-Female	746 - 960	\$ 2,090.00
SE419-SWBP2LDF(D00)	Enclosed dipole, 10 dBd, Bi-directional, DIN-Female, low PIM, PIP rated	746 - 960	\$ 2,090.00
SE419-SWBP4LDF(D00)	Enclosed dipole, 10 dBd, Offset, DIN-Female, low PIM, PIP rated	746 - 960	\$ 2,090.00
SE419-SWBPALNF(D00)	Enclosed dipole, 11.5-15.5 dBd, field adjustable, N-Female	746 - 960	\$ 3,275.00
SE419-SWBPALDF(D00)	Enclosed dipole, 11.5-15.5 dBd, field adjustable, DIN-Female, low PIM, PIP rated	746 - 960	\$ 3,275.00
SE419-SWBPALDF(D00-NUF)	Enclosed dipole, 11.5-15.5 dBd, field adjustable, DIN-Female, low PIM, PIP rated, null filled	746 - 960	\$ 3,475.00
SE4192-SWBP2LNF(D00)	Enclosed dipole, 12.0 dBd, Bi-directional, N-Female	746 - 960	\$ 5,420.00
SE4192-SWBP4LNF(D00)	Enclosed dipole, 12.5 dBd, Offse, N-Female	746 - 960	\$ 5,420.00
SE4192-SWBP2LDF(D00)	Enclosed dipole, 12.0 dBd, Bi-directional, DIN-Female, low PIM, PIP rated	746 - 960	\$ 5,420.00
SE4192-SWBP4LDF(D00)	Enclosed dipole, 12.5 dBd, Offset, DIN-Female, low PIM, PIP rated	746 - 960	\$ 5,420.00
SE4192-SWBP2LNF(D00-NuF)	Enclosed dipole, 11.5 dBd, Null fill, Bi-directional, N-Female	746 - 960	\$ 5,575.00
SE4192-SWBP4LNF(D00-NuF)	Enclosed dipole, 12.0 dBd, Null fill, Offset, N-Female	746 - 960	\$ 5,575.00
SE4192-SWBP2LDF(D00-NuF)	Enclosed dipole, 11.5 dBd, Null fill, Bi-directional, DIN-Female, low PIM, PIP rated	746 - 960	\$ 5,575.00
SE4192-SWBP4LDF(D00-NuF) ((E6461)) *	Enclosed dipole, 12.0 dBd, Null fill, Offset, DIN-Female, low PIM, PIP rated	746 - 960	\$ 5,575.00
SE4192-SWBPALDF(D00)	Enclosed dipole, 14.0-18.0 dBd, field adjustable, DIN-Female, low PIM, PIP rated	746 - 960	\$ 7,660.00
SE4192-SWBPALDF(D00-NuF)	Enclosed dipole, 13.5-17.5 dBd, field adjustable, DIN-Female, low PIM, PIP rated, Null fill	746 - 960	\$ 7,810.00

**Ground Plane Antennas**

SG101-SF1PASNM	Ground plane omni, 0 dBd, field adjustable, 30-44 MHz	30 - 44	\$ 1,630.00
SG101-SF2PASNM	Ground plane omni, 0 dBd, field adjustable, 44-62 MHz	44 - 62	\$ 1,560.00
SG101-SF3PASNM	Ground plane omni, 0 dBd, field adjustable, 62-88 MHz	62 - 88	\$ 1,415.00

SG201-SF1SNM	Ground plane omni, 0 dBd, 3.2-5.4% B.W., N-Male, 118-138 MHz	118 - 138	\$ 470.00
SG201-SF2SNM	Ground plane omni, 0 dBd, 3.8-7.1% B.W., N-Male, 130-150 MHz	130 - 150	\$ 470.00
SG201-SF3SNM	Ground plane omni, 0 dBd, 3.3-4.7% B.W., N-Male, 148-174 MHz	148 - 174	\$ 470.00
SG217-SF1SNM	Ground plane omni, 2.5 dBd, 1.6-2.1% B.W., N-Male, 118-138 MHz	118 - 138	\$ 700.00
SG217-SF2SNM	Ground plane omni, 2.5 dBd, 2.1-2.5% B.W., N-Male, 138-174 MHz	138 - 174	\$ 600.00
SG217-SF1SUF	Ground plane omni, 2.5 dBd, 1.6-2.1% B.W., UHF-Female, 118-138 MHz	118 - 138	\$ 740.00
SG238-SF1SNM	Ground plane omni, 0 dBd, 118-138 MHz	118 - 138	\$ 640.00
SG238-SF2SNM	Ground plane omni, 0 dBd, 136-160 MHz	136 - 160	\$ 640.00
SG238-SF3SNM	Ground plane omni, 0 dBd, 150-174 MHz	150 - 174	\$ 640.00
SG238-HF1SNM	Ground plane omni, 0 dBd, HD, 118-138 MHz	118 - 138	\$ 965.00
SG238-HF2SNM	Ground plane omni, 0 dBd, HD, 136-160 MHz	136 - 160	\$ 965.00
SG238-HF3SNM	Ground plane omni, 0 dBd, HD, 150-174 MHz	150 - 174	\$ 965.00
SG238-HF1SNM(BC)	Ground plane omni, 0 dBd, HD, Bird cap, 118-138 MHz	118 - 138	\$ 1,050.00
SG238M-SF1SNF	Ground plane omni, 0 dBd gain, 118-138 MHz	118 - 138	\$ 380.00
SG238M-SF2SNF	Ground plane omni, 0 dBd gain, 136-154 MHz	136 - 154	\$ 380.00
SG301-SF1SNM	Ground plane omni, 0 dBd, 406-420 MHz	406 - 420	\$ 335.00
SG301-SF2SNM	Ground plane omni, 0 dBd, 450-470 MHz	450 - 470	\$ 335.00
SG301-SF3SNM	Ground plane omni, 0 dBd, 430-450 MHz	430 - 450	\$ 335.00
SG301-SF4SNM	Ground plane omni, 0 dBd, 470-490 MHz	470 - 490	\$ 335.00
SG301-SF5SNM	Ground plane omni, 0 dBd, 490-512 MHz	490 - 512	\$ 335.00
SG301-SF6SNM	Ground plane omni, 0 dBd, 395-410 MHz	395 - 410	\$ 335.00
SG301-SF7SNM	Ground plane omni, 0 dBd, 395-415 MHz	395 - 415	\$ 335.00
SG301-SF8SNM	Ground plane omni, 0 dBd, 415-435 MHz	415 - 435	\$ 335.00
SG301-SF9SNM	Ground plane omni, 0 dBd, 410-430 MHz	410 - 430	\$ 335.00
SG301-SF10SNM	Ground plane omni, 0 dBd, 360-375 MHz	360 - 375	\$ 335.00
SG301-SF11SNM	Ground plane omni, 0 dBd, 375-390 MHz	375 - 390	\$ 335.00
SG317-SF1SNM	Ground plane omni, 2.5 dBd, 406-420 MHz	406 - 420	\$ 390.00
SG317-SF2SNM	Ground plane omni, 2.5 dBd, 450-470 MHz	450 - 470	\$ 390.00
SG317-SF3SNM	Ground plane omni, 2.5 dBd, 470-490 MHz	470 - 490	\$ 390.00
SG317-SF4SNM	Ground plane omni, 2.5 dBd, 430-450 MHz	430 - 450	\$ 390.00
SG317-SF5SNM	Ground plane omni, 2.5 dBd, 490-512 MHz	490 - 512	\$ 390.00
SG317-SF6SNM	Ground plane omni, 2.5 dBd, 420-430 MHz	420 - 430	\$ 390.00
SG401-SF1SNM	Ground plane omni, 0 dBd, 806-890 MHz	806 - 890	\$ 340.00
SG401-SF1SNF	Ground plane omni, 0 dBd, 806-890 MHz	806 - 890	\$ 340.00
SG401-SF2SNM	Ground plane omni, 0 dBd, 890-960 MHz	890 - 960	\$ 340.00
SG401-SF2SNF	Ground plane omni, 0 dBd, 890-960 MHz	890 - 960	\$ 340.00
SG401-SF3SNM	Ground plane omni, 0 dBd, 768-869 MHz	768 - 869	\$ 340.00
SG401-SF3SNF	Ground plane omni, 0 dBd, 768-869 MHz	768 - 869	\$ 340.00

**Panel Antennas**

SP3394X-SF1P65LDF(D00)	Quad-port cross polarized UHF panel, 9.5 dBd, 65° beamwidth, low PIM	380 - 470	\$ 3,230.00	Successor of the SP304 Series
SP3394X-SF1P65LDF(D00-PIP)	Quad-port cross polarized UHF panel, 9.5 dBd, 65° beamwidth, low PIM, PIP	380 - 470	\$ 3,430.00	
SP33C2X-SF1P65LDF(D00)	Dual Cross polarized UHF panel, 12 dBd, 65° beamwidth, low PIM	380 - 470	\$ 2,900.00	
SP33C2X-SF1P65LDF(D00-PIP)	Dual Cross polarized UHF panel, 12 dBd, 65° beamwidth, low PIM, PIP	380 - 470	\$ 3,100.00	
SP33C1V-SF1P65LDF(D00)	Vertical polarized UHF panel, 12 dBd, 65° beamwidth, low PIM	380 - 470	\$ 2,645.00	
SP33C1V-SF1P65LDF(D00-PIP)	Vertical polarized UHF panel, 12 dBd, 65° beamwidth, low PIM, PIP	380 - 470	\$ 2,845.00	
SP33C1V-SF2P70LDF(D00)	Vertical polarized UHF panel, 12 dBd, 70° beamwidth, low PIM	450 - 512	\$ 2,645.00	
SP33C1V-SF2P70LDF(D00-PIP)	Vertical polarized UHF panel, 12 dBd, 70° beamwidth, low PIM, PIP	450 - 512	\$ 2,845.00	
SP33B1V-SWB90LDF(D00)	Vertical polarized UHF panel, 10.5 dBd, 90° beamwidth, low PIM	380 - 512	\$ 2,515.00	
SP33B1V-SWB90LDF(D00-PIP)	Vertical polarized UHF panel, 10.5 dBd, 90° beamwidth, low PIM, PIP	380 - 512	\$ 2,715.00	
SP33A1V-SWB120LDF(D00)	Vertical polarized UHF panel, 9.5 dBd, 120° beamwidth, low PIM	380 - 512	\$ 2,515.00	
SP33A1V-SWB120LDF(D00-PIP)	Vertical polarized UHF panel, 9.5 dBd, 120° beamwidth, low PIM, PIP	380 - 512	\$ 2,715.00	
SP440-SF1SNF	Enclosed log periodic data system antenna, N-Female connector, 6 dBd, 928-956 MHz	928 - 956	\$ 485.00	
SP440-SF2SNF	Enclosed log periodic data system antenna, N-Female connector, 5 dBd, 800-1000 MHz	800 - 1000	\$ 485.00	
SP440-SF2S4M(C02)	Enclosed log periodic data system antenna, 4.3-10 Male connector, 2ft cable, 5 dBd, 800-1000 MHz	800 - 1000	\$ 515.00	
SP440-SF2S4F(C02)	Enclosed log periodic data system antenna, 4.3-10 Female connector, 2ft cable, 5 dBd, 800-1000 MHz	800 - 1000	\$ 515.00	
SP440-SF3SNF	Enclosed log periodic data system antenna, 5 dBd	750 - 850	\$ 515.00	
SP4402-SF2SNF	Dual enclosed log periodic data system antenna, 8 dBd, 800-1000 MHz	800 - 1000	\$ 850.00	
SP470-SF1P60SNF	Panel directive, 8.5 dBd, 60° Horizontal beamwidth, 806-870 MHz	806 - 870	\$ 955.00	
SP470-SF2P60SNF	Panel directive, 8.5 dBd, 60° Horizontal beamwidth, 824-894 MHz	824 - 894	\$ 955.00	
SP470-SF4P60SNF	Panel directive, 8.5 dBd, 60° Horizontal beamwidth, 890-960 MHz	890 - 960	\$ 955.00	
SP470-SF4P75SNF	Panel directive, 6.5 dBd, 75° Horizontal beamwidth, 900-920 MHz	900 - 920	\$ 955.00	
SP470-SF5P60SNF	Panel directive, 8.5 dBd, 60° Horizontal beamwidth	694 - 896	\$ 955.00	
SP470-SF8P120SNF	Panel directive, 5 dBd, 120° Horizontal beamwidth	900 - 930	\$ 1,065.00	

SP42F2X-HF1P65LDF(DR)	Radiant™ panel antenna, 2 port X-Pol, 15 dBd, low PIM, RET, HD, 698-869 MHz	698 - 869	\$	<b>3,995.00</b>
-----------------------	---	-----------	----	-----------------

**Small Cell Antenna**

SSOP1-G144B1F0AB	Small cell antenna, Omni pattern, 14-port, Low PIM, Heavy duty	696 - 5925	\$	<b>6,180.00</b>
------------------	--	------------	----	-----------------

**Corner Reflector Antennas**

SV227-SF1SNM	Corner reflector directive, 7 dBd, 130-150 MHz	130 - 150	\$	<b>2,480.00</b>
SV227-SF2SNM	Corner reflector directive, 7 dBd, 148-174 MHz	148 - 174	\$	<b>2,480.00</b>
SV228-SF1SNM	Corner reflector directive, 10 dBd, 130-150 MHz	130 - 150	\$	<b>5,420.00</b>
SV228-SF2SNM	Corner reflector directive, 10 dBd, 148-174 MHz	148 - 174	\$	<b>4,530.00</b>
SV228-SF3SNM	Corner reflector directive, 10 dBd, 190-225 MHz	190 - 225	\$	<b>4,140.00</b>
SV228-HF2SNM	Corner reflector directive, 10 dBd, HD, 148-174 MHz	148 - 174	\$	<b>5,745.00</b>
SV302-HF1SNM	Corner reflector directive, 9.5 dBd, HD, 406-470	406 - 470	\$	<b>1,620.00</b>
SV302-HF2SNM	Corner reflector directive, 9.5 dBd, HD, 450-512	450 - 512	\$	<b>1,620.00</b>
SV3022-HF1SNM	Corner reflector directive, 12 dBd, HD, 406-470	406 - 470	\$	<b>2,985.00</b>
SV3022-HF2SNM	Corner reflector directive, 12 dBd, HD, 450-512	450 - 512	\$	<b>2,985.00</b>
SV360-SF1SNM	Parabolic reflector directive, 15 dBd, 406-420 MHz	406 - 420	\$	<b>2,200.00</b>
SV360-SF2SNM	Parabolic reflector directive, 15 dBd, 450-470 MHz	450 - 470	\$	<b>2,200.00</b>
SV360-SF3SNM	Parabolic reflector directive, 15 dBd, 380-400 MHz	380 - 400	\$	<b>2,310.00</b>
SV360-SF8SNM		350 - 380	\$	<b>2,310.00</b>
SV460-SF1SNM	Parabolic reflector directive, 15 dBd, 806-890 MHz	806 - 890	\$	<b>2,980.00</b>
SV460-SF2SNM	Parabolic reflector directive, 15 dBd, 890-965 MHz	890 - 965	\$	<b>2,980.00</b>
SV402-SF1SNM	Corner reflector directive, 10 dBd, 800-900 MHz	800 - 900	\$	<b>1,240.00</b>
SV402-SF2SNM	Corner reflector directive, 10 dBd, 896-960 MHz	896 - 960	\$	<b>1,240.00</b>

**Yagi Antennas**

SY203-SF1SNM(C)	Yagi directional, 5.5 dBd, center mount, 138-144 MHz	138 - 144		<b>Call For Price</b>	Call for price. SY203-SFxxxx(E) available as alternative. To be discontinued by 12.31.2026.
SY203-SF2SNM(C)	Yagi directional, 5.5 dBd, center mount, 143-149 MHz	143 - 149		<b>Call For Price</b>	
SY203-SF3SNM(C)	Yagi directional, 5.5 dBd, center mount, 148-154 MHz	148 - 154		<b>Call For Price</b>	
SY203-SF4SNM(C)	Yagi directional, 5.5 dBd, center mount, 152-159 MHz	152 - 159		<b>Call For Price</b>	
SY203-SF5SNM(C)	Yagi directional, 5.5 dBd, center mount, 157-164 MHz	157 - 164		<b>Call For Price</b>	
SY203-SF6SNM(C)	Yagi directional, 5.5 dBd, center mount, 162-169 MHz	162 - 169		<b>Call For Price</b>	
SY203-SF7SNM(C)	Yagi directional, 5.5 dBd, center mount, 167-174 MHz	167 - 174		<b>Call For Price</b>	
SY203-SF8SNM(C)	Yagi directional, 5.5 dBd, center mount, 141-148 MHz	141 - 148		<b>Call For Price</b>	
SY203-SF1SNM(E)	Yagi directional, 5.5 dBd, extended boom for end mount, 138-144 MHz	138 - 144	\$	<b>745.00</b>	
SY203-SF2SNM(E)	Yagi directional, 5.5 dBd, extended boom for end mount, 143-149 MHz	143 - 149	\$	<b>745.00</b>	
SY203-SF3SNM(E)	Yagi directional, 5.5 dBd, extended boom for end mount, 148-154 MHz	148 - 154	\$	<b>745.00</b>	
SY203-SF4SNM(E)	Yagi directional, 5.5 dBd, extended boom for end mount, 152-159 MHz	152 - 159	\$	<b>745.00</b>	
SY203-SF5SNM(E)	Yagi directional, 5.5 dBd, extended boom for end mount, 157-164 MHz	157 - 164	\$	<b>745.00</b>	
SY203-SF6SNM(E)	Yagi directional, 5.5 dBd, extended boom for end mount, 162-169 MHz	162 - 169	\$	<b>745.00</b>	
SY203-SF7SNM(E)	Yagi directional, 5.5 dBd, extended boom for end mount, 167-174 MHz	167 - 174	\$	<b>745.00</b>	
SY203-SF8SNM(E)	Yagi directional, 5.5 dBd, extended boom for end mount, 141-148 MHz	141 - 148	\$	<b>745.00</b>	
SY203-SF1SNM(E-ABK)	Yagi directional, 5.5 dBd, extended boom for end mount, black anodized, 138-144 MHz	138 - 144	\$	<b>1,095.00</b>	Call for price. SY206-SFxxxx(E) available as alternative.
SY203-SF2SNM(E-ABK)	Yagi directional, 5.5 dBd, extended boom for end mount, black anodized, 143-149 MHz	143 - 149	\$	<b>1,095.00</b>	
SY203-SF3SNM(E-ABK)	Yagi directional, 5.5 dBd, extended boom for end mount, black anodized, 148-154 MHz	148 - 154	\$	<b>1,095.00</b>	
SY203-SF4SNM(E-ABK)	Yagi directional, 5.5 dBd, extended boom for end mount, black anodized, 152-159 MHz	152 - 159	\$	<b>1,095.00</b>	
SY203-SF5SNM(E-ABK)	Yagi directional, 5.5 dBd, extended boom for end mount, black anodized, 157-164 MHz	157 - 164	\$	<b>1,095.00</b>	
SY203-SF6SNM(E-ABK)	Yagi directional, 5.5 dBd, extended boom for end mount, black anodized, 162-169 MHz	162 - 169	\$	<b>1,095.00</b>	
SY203-SF7SNM(E-ABK)	Yagi directional, 5.5 dBd, extended boom for end mount, black anodized, 167-174 MHz	167 - 174	\$	<b>1,095.00</b>	
SY203-SF8SNM(E-ABK)	Yagi directional, 5.5 dBd, extended boom for end mount, black anodized, 141-148 MHz	141 - 148	\$	<b>1,095.00</b>	
SY206-SF1SNM(C)	Yagi directional, 9.5 dBd, center mount, 148-155 MHz	148 - 155		<b>Call For Price</b>	
SY206-SF2SNM(C)	Yagi directional, 9.5 dBd, center mount, 152-159 MHz	152 - 159		<b>Call For Price</b>	
SY206-SF3SNM(C)	Yagi directional, 9.5 dBd, center mount, 157-164 MHz	157 - 164		<b>Call For Price</b>	
SY206-SF4SNM(C)	Yagi directional, 9.5 dBd, center mount, 162-169 MHz	162 - 169		<b>Call For Price</b>	
SY206-SF5SNM(C)	Yagi directional, 9.5 dBd, center mount, 167-174 MHz	167 - 174		<b>Call For Price</b>	
SY206-SF6SNM(C)	Yagi directional, 9.5 dBd, center mount, 138-143 MHz	137 - 143		<b>Call For Price</b>	
SY206-SF7SNM(C)	Yagi directional, 9.5 dBd, center mount, 143-148 MHz	143 - 148		<b>Call For Price</b>	
SY206-SF10SNM(C)	Yagi directional, 9.5 dBd, center mount, 108-118 MHz	108 - 118	\$	<b>1,405.00</b>	
SY206-SF1SNM(E)	Yagi directional, 9.5 dBd, extended boom for end mount, 148-155 MHz	148 - 155	\$	<b>970.00</b>	
SY206-SF2SNM(E)	Yagi directional, 9.5 dBd, extended boom for end mount, 152-159 MHz	152 - 159	\$	<b>840.00</b>	
SY206-SF3SNM(E)	Yagi directional, 9.5 dBd, extended boom for end mount, 157-164 MHz	157 - 164	\$	<b>840.00</b>	
SY206-SF4SNM(E)	Yagi directional, 9.5 dBd, extended boom for end mount, 162-169 MHz	162 - 169	\$	<b>840.00</b>	
SY206-SF5SNM(E)	Yagi directional, 9.5 dBd, extended boom for end mount, 167-174 MHz	167 - 174	\$	<b>840.00</b>	
SY206-SF6SNM(E)	Yagi directional, 9.5 dBd, extended boom for end mount, 138-143 MHz	137 - 143	\$	<b>970.00</b>	
SY206-SF7SNM(E)	Yagi directional, 9.5 dBd, extended boom for end mount, 143-148 MHz	143 - 148	\$	<b>970.00</b>	

SY206-SF1SNM(E-ABK)	Yagi directional, 9.5 dBd, extended boom for end mount, black anodized, 148-155 MHz	148 - 155	\$ 1,300.00	
SY206-SF2SNM(E-ABK)	Yagi directional, 9.5 dBd, extended boom for end mount, black anodized, 152-159 MHz	152 - 159	\$ 1,300.00	
SY206-SF3SNM(E-ABK)	Yagi directional, 9.5 dBd, extended boom for end mount, black anodized, 157-164 MHz	157 - 164	\$ 1,300.00	
SY206-SF4SNM(E-ABK)	Yagi directional, 9.5 dBd, extended boom for end mount, black anodized, 162-169 MHz	162 - 169	\$ 1,300.00	
SY206-SF5SNM(E-ABK)	Yagi directional, 9.5 dBd, extended boom for end mount, black anodized, 167-174 MHz	167 - 174	\$ 1,300.00	
SY206-SF6SNM(E-ABK)	Yagi directional, 9.5 dBd, extended boom for end mount, black anodized, 138-143 MHz	137 - 143	\$ 1,300.00	
SY206-SF7SNM(E-ABK)	Yagi directional, 9.5 dBd, extended boom for end mount, black anodized, 143-148 MHz	143 - 148	\$ 1,300.00	
SY206-HF1SNM(E)	Yagi directional, 9.5 dBd, heavy duty, extended boom for end mount, 148-155 MHz	148 - 155	Call For Price	Call for price.
SY206-HF1SNM(E-ABK)	Yagi directional, 9.5 dBd, heavy duty, extended boom for end mount, black anodized, 148-155 MHz	148 - 155	Call For Price	
SY206-HF1SNM(E-MABK)	Yagi directional, 9.5 dBd, heavy duty, extended boom for end mount, military type III black anodizing, 148-155 MHz	148 - 155	Call For Price	
SY206-HF2SNM(E)	Yagi directional, 9.5 dBd, heavy duty, extended boom for end mount, 152-159 MHz	152 - 159	Call For Price	
SY206-HF2SNM(E-MABK)	Yagi directional, 9.5 dBd, heavy duty, extended boom for end mount, military type III black anodizing, 152-159 MHz	152 - 159	Call For Price	
SY206-HF7SNM(E-ABK)	Yagi directional, 9.5 dBd, heavy duty, extended boom for end mount, black anodized, 143-148 MHz	143 - 148	Call For Price	
SY206-SF1SNM(E-ABK-E6108)	Yagi directional, high power	148 - 155	Call For Price	Call for price. To be discontinued by 12.31.2025
SY206-SF11SNM(E-ABK-E6108)	Yagi directional, high power	217 - 225	Call For Price	
SY2062-SF1SNM(E-ABK-E6108)	Yagi directional, high power	148 - 155	Call For Price	
SY2062-SF11SNM(E-ABK-E6108)	Yagi directional, high power	217 - 225	Call For Price	
SY206-SF8SNM(E-HT-E5215)	Yagi directional, heated	165 - 171	Call For Price	
SY206-SF7SNM(E-HP)	Yagi directional, high power	142 - 150	Call For Price	
SY206-SF1SNM(E-MABK)	Yagi directional, MABK finish	148 - 155	Call For Price	
SY2062-SF1SNM(C)	Yagi directional, dual array, center mount, 12 dBd, 148-155 MHz	148 - 155	Call For Price	Call for price. To be discontinued by 12.31.2026 SY2062-SFxxxx(E) available as alternative.
SY2062-SF2SNM(C)	Yagi directional, dual array, center mount, 12 dBd, 152-159 MHz	152 - 159	Call For Price	
SY2062-SF3SNM(C)	Yagi directional, dual array, center mount, 12 dBd, 157-164 MHz	157 - 164	Call For Price	
SY2062-SF4SNM(C)	Yagi directional, dual array, center mount, 12 dBd, 162-169 MHz	162 - 169	Call For Price	
SY2062-SF5SNM(C)	Yagi directional, dual array, center mount, 12 dBd, 167-174 MHz	167 - 174	Call For Price	
SY2062-SF6SNM(C)	Yagi directional, dual array, center mount, 12 dBd, 137-143 MHz	137 - 143	Call For Price	
SY2062-SF7SNM(C)	Yagi directional, dual array, center mount, 12 dBd, 143-148 MHz	143 - 148	Call For Price	
SY2062-SF8SNM(C)	Yagi directional, dual array, center mount, 12 dBd, 156-162 MHz	156 - 162	Call For Price	
SY2062-SF1SNM(E)	Yagi directional, dual array, extended boom for end mount, 12 dBd, 148-155 MHz	148 - 155	Call For Price	Call for price.
SY2062-SF2SNM(E)	Yagi directional, dual array, extended boom for end mount, 12 dBd, 152-159 MHz	152 - 159	Call For Price	
SY2062-SF3SNM(E)	Yagi directional, dual array, extended boom for end mount, 12 dBd, 157-164 MHz	157 - 164	Call For Price	
SY2062-SF4SNM(E)	Yagi directional, dual array, extended boom for end mount, 12 dBd, 162-169 MHz	162 - 169	Call For Price	
SY2062-SF5SNM(E)	Yagi directional, dual array, extended boom for end mount, 12 dBd, 167-174 MHz	167 - 174	Call For Price	
SY2062-SF6SNM(E)	Yagi directional, dual array, extended boom for end mount, 12 dBd, 137-143 MHz	137 - 143	Call For Price	
SY2062-SF7SNM(E)	Yagi directional, dual array, extended boom for end mount, 12 dBd, 143-148 MHz	143 - 148	Call For Price	
SY2062-SF8SNM(E)	Yagi directional, dual array, extended boom for end mount, 12 dBd, 156-162 MHz	156 - 162	Call For Price	
SY2064-HF1SNM(E)	Yagi directional, quad array, extended boom for end mount, 12 dBd, 148-155 MHz	148 - 155	Call For Price	Call for price. To be discontinued by 12.31.2025
SY2064-HF2SNM(E)	Yagi directional, quad array, extended boom for end mount, 12 dBd, 152-159 MHz	152 - 159	Call For Price	
SY2064-HF3SNM(E)	Yagi directional, quad array, extended boom for end mount, 12 dBd, 157-164 MHz	157 - 164	Call For Price	
SY2064-HF4SNM(E)	Yagi directional, quad array, extended boom for end mount, 12 dBd, 162-169 MHz	162 - 169	Call For Price	
SY2064-HF5SNM(E)	Yagi directional, quad array, extended boom for end mount, 12 dBd, 167-174 MHz	167 - 174	Call For Price	
SY2064-HF6SNM(E)	Yagi directional, quad array, extended boom for end mount, 12 dBd, 137-143 MHz	137 - 143	Call For Price	
SY2064-SF3SNM(C)	Yagi directional, quad array, center mount, 12 dBd, 157-164 MHz	157 - 164	Call For Price	
SY250-HF2SNM(U)	Yagi directional, 7 dBd, universal mount, N male connector, 138-174 MHz	138 - 174	\$ 985.00	
SY250-HF2SNF(U)	Yagi directional, 7 dBd, universal mount, N female connector, 138-174 MHz	138 - 174	\$ 985.00	
SY250-HF2SNM(U-ABK)	Yagi directional, 7 dBd, universal mount, N male connector, black anodized, 138-174 MHz	138 - 174	Call For Price	Call for price.
SY250-HF9SNM(U)	Yagi directional, 7 dBd, universal mount, N male connector, 136-174 MHz	136 - 174	Call For Price	
SY303-SF1SNM(ABK)	Yagi directional, 6 dBd, black anodized, N-male connector, 403-430 MHz	403 - 430	\$ 340.00	
SY303-SF2SNM(ABK)	Yagi directional, 6 dBd, black anodized, N-male connector, 450-475 MHz	450 - 475	\$ 340.00	
SY303-SF3SNM(ABK)	Yagi directional, 6 dBd, black anodized, N-male connector, 380-400 MHz	380 - 400	\$ 340.00	
SY303-STBSNF(ABK)	Yagi directional, 6 dBd, black anodized, N-male connector	380 - 430	\$ 380.00	
SY306R-HFXSNF(Fxxxx) **	Yagi directional, radiome enclosed, 6 MHz B.W., 10 dBd, HD, 406-512 MHz	406 - 512	\$ 2,010.00	
SY307-SF1SNM(ABK)	Yagi directional, 10 dBd, black anodized, 403-430 MHz	403 - 430	\$ 450.00	
SY307-SF2SNM(ABK)	Yagi directional, 10 dBd, black anodized, 430-450 MHz	430 - 450	\$ 450.00	
SY307-SF3SNM(ABK)	Yagi directional, 10 dBd, black anodized, 450-470 MHz	450 - 470	\$ 450.00	
SY307-SF4SNM(ABK)	Yagi directional, 10 dBd, black anodized, 470-490 MHz	470 - 490	\$ 450.00	
SY307-SF5SNM(ABK)	Yagi directional, 10 dBd, black anodized, 490-512 MHz	490 - 512	\$ 450.00	
SY307-SF6SNM(ABK)	Yagi directional, 10 dBd, black anodized, 340-360 MHz	340 - 360	\$ 450.00	
SY307-SF7SNM(ABK)	Yagi directional, 10 dBd, black anodized, 360-380 MHz	360 - 380	\$ 450.00	
SY307-SF8SNM(ABK)	Yagi directional, 10 dBd, black anodized, 380-400 MHz	380 - 400	\$ 450.00	
SY307-SF9SNM(ABK)	Yagi directional, 10 dBd, black anodized, 440-460 MHz	440 - 460	\$ 450.00	
SY307-SW1SNM(ABK)	Yagi directional, 10 dBd, black anodized, NM	360 - 390	\$ 660.00	
SY307-SW2SNF(ABK)	Yagi directional, 10 dBd, black anodized, NF	403 - 470	\$ 660.00	

SY307-SW2SNM(ABK)	Yagi directional, 10 dBd, black anodized, NM	403 - 470	\$	660.00	
SY3072-SF1SNM(ABK)	Yagi directional, dual array, 12.5 dBd, black anodized, 403-430 MHz	403 - 430	\$	1,005.00	
SY3072-SF2SNM(ABK)	Yagi directional, dual array, 12.5 dBd, black anodized, 430-450 MHz	430 - 450	\$	1,005.00	
SY3072-SF3SNM(ABK)	Yagi directional, dual array, 12.5 dBd, black anodized, 450-470 MHz	450 - 470	\$	1,005.00	
SY3072-SF4SNM(ABK)	Yagi directional, dual array, 12.5 dBd, black anodized, 470-490 MHz	470 - 490	\$	1,005.00	
SY3072-SF5SNM(ABK)	Yagi directional, dual array, 12.5 dBd, black anodized, 490-512 MHz	490 - 512	\$	1,005.00	
SY3072-SF6SNM(ABK)	Yagi directional, dual array, 12.5 dBd, black anodized, 340-360 MHz	340 - 360	\$	1,005.00	
SY3072-SF7SNM(ABK)	Yagi directional, dual array, 12.5 dBd, black anodized, 360-380 MHz	360 - 380	\$	1,005.00	
SY3072-SF8SNM(ABK)	Yagi directional, dual array, 12.5 dBd, black anodized, 380-400 MHz	380 - 400	\$	1,005.00	
SY3072-SF9SNM(ABK)	Yagi directional, dual array, 12.5 dBd, black anodized, 440-460 MHz	440 - 460	\$	1,005.00	
SY3074-SF7SNM(ABK)	Yagi directional, quad array, 15 dBd, black anodized, 360-380 MHz	360 - 380	\$	2,175.00	
SY307R-HF1SNF	Yagi directional, radome enclosed, 10 dBd, HD, 403-430 MHz	403 - 430	\$	1,885.00	
SY307R-HF2SNF	Yagi directional, radome enclosed, 10 dBd, HD, 450-470 MHz	450 - 470	\$	1,885.00	
SY307R-HF3SNF	Yagi directional, radome enclosed, 10 dBd, HD, 430-450 MHz	430 - 450	\$	1,885.00	
SY307R-HF4SNF	Yagi directional, radome enclosed, 10 dBd, HD, 470-490 MHz	470 - 490	\$	1,885.00	
SY350-SWBSNM(ABK)	Yagi directional, 7.5 dBd, wide band, black anodized, 380-512 MHz	380 - 512	\$	460.00	
SY426R-HF3SNF	Yagi directional, 10 dBd, Radome enclosed, Heavy duty, N-Female connector	846 - 966	\$	970.00	
SY426R-HF3SNM	Yagi directional, 10 dBd, Radome enclosed, Heavy duty, N-Male connector	846 - 966	\$	970.00	Successor of SY406R-HF2SNF and SY406R-HF3SNF
SY426R-HF3L4F	Yagi directional, 10 dBd, Radome enclosed, Heavy duty, 4.3-10 Female connector, Low PIM	846 - 966	\$	970.00	
SY406R-HF1SNF	Yagi directional, radome enclosed, 10 dBd, HD, N-Female connector, 806-870 MHz	806 - 870	\$	1,800.00	
SY406R-HF1SNM	Yagi directional, radome enclosed, 10 dBd, HD, N-Male connector, 806-870 MHz	806 - 870	\$	1,800.00	
SY426-SF4SNF(DBK)	Yagi directional, 10 dBd, Powder coated, N-Female connector	890 - 960	\$	305.00	Alternative of SY406-SF4
SY406-SF1SNM(ABK)	Yagi directional, 10 dBd, black anodized, N-Male	806 - 870	\$	380.00	
SY406-SF2SNM(ABK)	Yagi directional, 10 dBd, black anodized, N-Male	824 - 896	\$	380.00	
SY406-SF3SNM(ABK)	Yagi directional, 10 dBd, black anodized, N-Male	846 - 925	\$	380.00	
SY406-SF4SNM(ABK)	Yagi directional, 10 dBd, black anodized, N-Male	895 - 966	\$	380.00	
SY406-SF4SNF(ABK)	Yagi directional, 10 dBd, black anodized, N-Female	895 - 966	\$	380.00	
SY406-SF4SNM(C30-ABK)	Yagi directional, 10 dBd, black anodized, N-Male, 30' pigtail	895 - 966	\$	555.00	
SY406-SF4SNM(C60-ABK)		895 - 966	\$	620.00	
SY406-SF5SNM(ABK)	Yagi directional, 10 dBd, black anodized, N-Male	835 - 900	\$	380.00	
SY406-SF6SNM(ABK)	Yagi directional, 10 dBd, black anodized, N-Male	920 - 985	\$	380.00	
SY406-SF7SNM(ABK)	Yagi directional, 10 dBd, black anodized, N-Male	746 - 806	\$	380.00	
SY406-SF7SNF(ABK)	Yagi directional, 10 dBd, black anodized, N-Female	746 - 806	\$	380.00	
SY406-SF9SNM(ABK)	Yagi directional, 10 dBd, black anodized, N-Male	728 - 734	\$	380.00	
SY407-SF2SNM(ABK)	Yagi directional, 10 dBd, black anodized, N-Male	746 - 869	\$	480.00	
SY407-SF2SNF(ABK)	Yagi directional, 10 dBd, black anodized, N-Female	746 - 869	\$	480.00	
SY415-SFXSNM(ABK)	Yagi directional, 12 dBd, black anodized, 902-956 MHz	902 - 956	\$	355.00	
SY415R-HFXSNM	Yagi directional, 12 dBd, radome enclosed, HD, 902-956 MHz	902 - 956	\$	2,650.00	
SY450-SWBSNM(ABK)	Yagi directional, 8 dBd, wide band, black anodized, 746-960 MHz	746 - 960	\$	475.00	
SY459-SF1SNF(ABK)	Yagi directional, 10 dBd, black anodized, 698-806 MHz	698 - 806	\$	835.00	
SY459-SF1SNM(ABK)	Yagi directional, 10 dBd, black anodized, 698-806 MHz	698 - 806	\$	835.00	

**Mobile & Transit Antennas**

SM202-SF1/SWBSNF(FXXXX)	Low profile transport antenna, dual port, VHF and 350-2700 MHz	138 - 174 & 350 - 2700	\$	1,270.00	
SM300-SWBSNF(CWH)	Universal transport antenna, high performance, low profile, 350-2700 MHz	350 - 2700	\$	405.00	
SM300-SWBSNF(CWH-GPS)	Universal transport antenna, high performance, low profile, GPS, 350-2700 MHz	350 - 2700	\$	500.00	
SM500-SF1SNF(CWH)	Mobile omni antenna, 0 dBd, 806-866 MHz	806 - 869	\$	145.00	
SM500-SF2SNF(CWH)	Mobile omni antenna, 0 dBd, 824-896 MHz	824 - 896	\$	145.00	
SM500-SF3SNF(CWH)	Mobile omni antenna, 0 dBd, 896-960 MHz	896 - 960	\$	145.00	
SM500-SF6SNF(CWH)	Mobile omni antenna, 0 dBd, 1850-1990 MHz	1850 - 1990	\$	145.00	
SM500-SF7SNF(CWH)	Mobile omni antenna, 0 dBd, 2400-2485 MHz	2400 - 2485	\$	145.00	
SM500-SF8SNF(CWH)	Mobile omni antenna, 0 dBd, 746-869 MHz	746 - 869	\$	155.00	
SM601-SWBSM(CWH-GNS)	Universal transport antenna, high performance, low profile, SMA-male connector, w/ integrated GNSS	694 - 2700	\$	375.00	
SM601-SWBSNF(CWH-GNS)	Universal transport antenna, high performance, low profile, N-female connector, w/ integrated GNSS	694 - 2700	\$	375.00	
SM601-SWBSQF(CWH-GNS)	Universal transport antenna, high performance, low profile, QMA-female connector, w/ integrated GNSS	694 - 2700	\$	375.00	
SM601-SWBSM(CWH-GPS)	Universal transport antenna, high performance, low profile, SMA-male connector, w/ integrated GPS	694 - 2700	\$	375.00	
SM601-SWBSNF(CWH-GPS)	Universal transport antenna, high performance, low profile, N-female connector, w/ integrated GPS	694 - 2700	\$	375.00	
SM601-SWBSQF(CWH-GPS)	Universal transport antenna, high performance, low profile, QMA-female connector, w/ integrated GPS	694 - 2700	\$	375.00	
SM601-SWBSM(CWH)	Universal transport antenna, high performance, low profile, SMA-male connector	694 - 2700	\$	280.00	
SM601-SWBSNF(CWH)	Universal transport antenna, high performance, low profile, N-female connector	694 - 2700	\$	280.00	
SM601-SWBSQF(CWH)	Universal transport antenna, high performance, low profile, QMA-female connector	694 - 2700	\$	280.00	
SM701-SWBSNF	Universal transport antenna, high performance, low profile, Ground plate-free, wide band, N-female connector	694 - 6000	\$	340.00	
SM701-SWBSNM	Universal transport antenna, high performance, low profile, ground plate-free, wide band, N-male connector	694 - 6000	\$	340.00	

SM701-SWBSBF	Universal transport antenna, high performance, low profile, ground plate-free, wide band, BNC-female connector	694 - 6000	\$	360.00	
SM701-SWBSBM	Universal transport antenna, high performance, low profile, ground plate-free, wide band, BNC-male connector	694 - 6000	\$	360.00	
SM701-SWBSTF	Universal transport antenna, high performance, low profile, ground plate-free, wide band, TNC-female connector	694 - 6000	\$	360.00	
SM701-SWBSTM	Universal transport antenna, high performance, low profile, ground plate-free, wide band, TNC-male connector	694 - 6000	\$	360.00	
SM701-SWBSSM	Universal transport antenna, high performance, low profile, ground plate-free, wide band, SMA-male connector	694 - 6000	\$	360.00	
SM701-SWBSNF(GPS)	Universal transport antenna, high performance, low profile, ground plate-free, wide band, GPS, N-female connector	694 - 6000	\$	445.00	
SM701-SWBSNM(GPS)	Universal transport antenna, high performance, low profile, ground plate-free, wide band, GPS, N-male connector	694 - 6000	\$	445.00	
SM701-SWBSBF(GPS)	Universal transport antenna, high performance, low profile, ground plate-free, wide band, GPS, BNC-female connector	694 - 6000	\$	445.00	
SM701-SWBSBM(GPS)	Universal transport antenna, high performance, low profile, ground plate-free, wide band, GPS, BNC-male connector	694 - 6000	\$	445.00	
SM701-SWBSTF(GPS)	Universal transport antenna, high performance, low profile, ground plate-free, wide band, GPS, TNC-female connector	694 - 6000	\$	445.00	
SM701-SWBSTM(GPS)	Universal transport antenna, high performance, low profile, ground plate-free, wide band, GPS, TNC-male connector	694 - 6000	\$	445.00	
SM701-SWBSSM(GPS)	Universal transport antenna, high performance, low profile, ground plate-free, wide band, GPS, SMA-male connector	694 - 6000	\$	445.00	
SM715-SW1S(XX)(CWH-GNS)	Rugged Transit Antenna, 5 in 1, LTE/WiFi/GNSS, LTE: 698 - 5600 MHz; GNSS: 1559 - 1606 MHz	698 - 1606	\$	640.00	
SM2601D(WI-GPS)	Universal transport antenna, high performance, low profile, GPS, WiFi, 694-2700 MHz	694 - 2700	\$	2,195.00	Successor of SM600D(WI-GPS)
SM2601D(PTC-WI-GPS)	GPS, 220MHz PTC, WiFi, 694-2700MHz diversity low profile transport antenna	219 - 223, wifi and 694 - 2700	\$	2,070.00	
SM2601D-SE(PTC-WI-GPS)	GPS, 220MHz PTC, WiFi, 694-2700MHz diversity low profile transport antenna, side exit	219 - 223, wifi and 694 - 2700	\$	2,390.00	
SGS811R-SWBSBM	Triple band GNSS antenna, that supports GPS, BDS, Galileo, GLONASS, and L-band	1164 - 1587 1164 - 1591 1189 - 1610	\$	585.00	
ST121R-SFXSUF(Fxxx-CWH) **	Mobile omni, 0 dBd, radome enclosed, low profile, UHF-Female, 25-50 MHz	25 - 50	\$	950.00	
ST221R-SF1SNF(Fxxx-CWH) **	Mobile omni, 0 dBd, radome enclosed, low profile, N-Female, 132-150 MHz	132 - 150	\$	425.00	
ST221R-SF2SNF(Fxxx-CWH) **	Mobile omni, 0 dBd, radome enclosed, low profile, N-Female, 150-174 MHz	150 - 174	\$	425.00	
ST221R-SF1SUF(Fxxx-CWH) **	Mobile omni, 0 dBd, radome enclosed, low profile, UHF-Female, 132-150 MHz	132 - 150	\$	500.00	
ST221R-SF2SUF(Fxxx-CWH) **	Mobile omni, 0 dBd, radome enclosed, low profile, UHF-Female, 150-174 MHz	150 - 174	\$	500.00	
ST221-SF1SNF(Fxxx) **	Mobile omni, 0 dBd, 2.5 MHz B.W., N-Female, 138-163 MHz	138 - 163	\$	460.00	
ST221-SF2SNF(Fxxx) **	Mobile omni, 0 dBd, 2.5 MHz B.W., N-Female, 162-174 MHz	162 - 174	\$	440.00	
ST221-SF1SUF(Fxxx) **	Mobile omni, 0 dBd, 2.5 MHz B.W., UHF-Female, 138-163 MHz	138 - 163	\$	485.00	
ST221-SF2SUF(Fxxx) **	Mobile omni, 0 dBd, 2.5 MHz B.W., UHF-Female, 162-174 MHz	162 - 174	\$	460.00	
ST221-SF2SNF(Fxxx-LP) **	Mobile omni, Low profile, 0 dBd, 2 MHz B.W., N-Female, 170-195 MHz	170 - 195	\$	505.00	
ST221-SF1SNF(E6248)	Mobile omni, 0 dBd, 9.6 MHz B.W., N-Female	158.4 - 168	\$	895.00	
ST321R-SF1SNF(CWH)	Mobile omni, 0 dBd, white radome enclosed, 14 MHz B.W., N-Female	406 - 420	\$	325.00	
ST321R-SF1SBF(CWH)	Mobile omni, 0 dBd, white radome enclosed, 14 MHz B.W., N-Female	406 - 420	\$	325.00	
ST321R-SF2SNF(CWH)	Mobile omni, 0 dBd, white radome enclosed, 20 MHz B.W., N-Female	420 - 440	\$	325.00	
ST321R-SF3SNF(CWH)	Mobile omni, 0 dBd, white radome enclosed, 20 MHz B.W., N-Female	450 - 470	\$	325.00	
ST321R-SF4SNF(CWH)	Mobile omni, 0 dBd, white radome enclosed, 20 MHz B.W., N-Female	470 - 490	\$	325.00	
ST321R-SF6SNF(CWH)	Mobile omni, 0 dBd, white radome enclosed, 20 MHz B.W., N-Female	380 - 400	\$	325.00	
ST321R-SF7SNF(CWH)	Mobile omni, 0 dBd, white radome enclosed, 20 MHz B.W., N-Female	435 - 455	\$	325.00	
ST321R-SF5SBF(CWH)	Mobile omni, 0 dBd, white radome enclosed, 22 MHz B.W., N-Female	490 - 512	\$	325.00	
ST321-SF1SNF	Mobile omni, 0 dBd, 10 MHz B.W., N-Female, 406-416 MHz	406 - 416	\$	225.00	
ST321-SF2SNF	Mobile omni, 0 dBd, 10 MHz B.W., N-Female, 410-420 MHz	410 - 420	\$	225.00	
ST321-SF3SNF	Mobile omni, 0 dBd, 15 MHz B.W., N-Female, 450-465 MHz	450 - 465	\$	225.00	
ST321-SF4SNF	Mobile omni, 0 dBd, 15 MHz B.W., N-Female, 455-470 MHz	455 - 470	\$	225.00	
ST321-SF5SNF	Mobile omni, 0 dBd, 15 MHz B.W., N-Female, 470-485 MHz	470 - 485	\$	225.00	
ST321-SF7SNF	Mobile omni, 0 dBd, 15 MHz B.W., N-Female, 430-440 MHz	430 - 440	\$	225.00	
ST321-SF8SNF	Mobile omni, 0 dBd, 10 MHz B.W., N-Female, 440-450 MHz	440 - 450	\$	225.00	
ST321-SF9SNF	Mobile omni, 0 dBd, 10 MHz B.W., N-Female, 420-430 MHz	420 - 430	\$	225.00	
ST321-SF10SNF	Mobile omni, 0 dBd, 15 MHz B.W., N-Female, 436-448 MHz	436 - 448	\$	225.00	
ST321-SF13SNF	Mobile omni, 0 dBd, 15 MHz B.W., N-Female	445 - 460	\$	225.00	
ST321-ST1SNF	Mobile omni, 0 dBd, 20 MHz B.W., N-Female	380 - 400	\$	290.00	
ST321-ST2SNF	Mobile omni, 0 dBd, 20 MHz B.W., N-Female	410 - 430	\$	290.00	
ST321-SF1SUF	Mobile omni, 0 dBd, 10 MHz B.W., UHF-Female	406 - 416	\$	225.00	
ST321-SF2SUF	Mobile omni, 0 dBd, 10 MHz B.W., UHF-Female	410 - 420	\$	225.00	
ST321-SF3SUF	Mobile omni, 0 dBd, 15 MHz B.W., UHF-Female	450 - 465	\$	225.00	
ST321-SF4SUF	Mobile omni, 0 dBd, 15 MHz B.W., UHF-Female	455 - 470	\$	225.00	
ST321-SF5SUF	Mobile omni, 0 dBd, 15 MHz B.W., UHF-Female	470 - 485	\$	225.00	
ST321-SF7SUF	Mobile omni, 0 dBd, 10 MHz B.W., UHF-Female	430 - 440	\$	225.00	
ST321-SF8SUF	Mobile omni, 0 dBd, 10 MHz B.W., UHF-Female	440 - 450	\$	225.00	
ST321-SF9SUF	Mobile omni, 0 dBd, 10 MHz B.W., UHF-Female	420 - 430	\$	225.00	
ST421R-SF1SNF	Mobile omni, radome enclosed, 0 dBd, 764-806	764 - 806	\$	450.00	
ST421R-SF2SNF	Mobile omni, radome enclosed, 0 dBd, 806-870	806 - 870	\$	450.00	
ST421R-SF3SNF	Mobile omni, radome enclosed, 0 dBd, 870-960	870 - 960	\$	450.00	
<b>Mobile Stealth Antennas</b>					
SHA2112-SF1SNM	Dual concealed vehicle antenna, 3-6 MHz B.W., N-Male Connector	138 - 150	\$	1,305.00	

SHA2112-SF1SQM	Dual concealed vehicle antenna, 3-6 MHz B.W., QMA-Male Connector	138 - 150	\$	1,305.00
SHA2112-SF2SNM	Dual concealed vehicle antenna, 3-6 MHz B.W., N-Male Connector	150 - 174	\$	1,305.00
SHA2112-SF2SQM	Dual concealed vehicle antenna, 3-6 MHz B.W., QMA-Male Connector	150 - 174	\$	1,305.00
SHA211-SF1SNM	Concealed vehicle antenna, 3-6 MHz B.W., N-Male Connector	138 - 150	\$	575.00
SHA211-SF1SQM	Concealed vehicle antenna, 3-6 MHz B.W., QMA-Male Connector	138 - 150	\$	575.00
SHA211-SF2SNM	Concealed vehicle antenna, 3-6 MHz B.W., N-Male Connector	150 - 174	\$	575.00
SHA211-SF2SQM	Concealed vehicle antenna, 3-6 MHz B.W., QMA-Male Connector	150 - 174	\$	575.00
SHA3112-SF1SNM	Dual concealed vehicle antenna, 20-50 MHz B.W., N-Male Connector	380 - 430	\$	1,305.00
SHA3112-SF1SQM	Dual concealed vehicle antenna, 20-50 MHz B.W., QMA-Male Connector	380 - 430	\$	1,305.00
SHA3112-SF2SNM	Dual concealed vehicle antenna, 20-50 MHz B.W., N-Male Connector	430 - 470	\$	1,305.00
SHA3112-SF2SQM	Dual concealed vehicle antenna, 20-50 MHz B.W., QMA-Male Connector	430 - 470	\$	1,305.00
SHA3112-SF3SNM	Dual concealed vehicle antenna, 20-50 MHz B.W., N-Male Connector	470 - 512	\$	1,305.00
SHA311-SF1SNM	Concealed vehicle antenna, 20-50 MHz B.W., N-Male Connector	380 - 430	\$	575.00
SHA311-SF1SQM	Concealed vehicle antenna, 20-50 MHz B.W., QMA-Male Connector	380 - 430	\$	575.00
SHA311-SF2SNM	Concealed vehicle antenna, 20-50 MHz B.W., N-Male Connector	430 - 470	\$	575.00
SHA311-SF2SQM	Concealed vehicle antenna, 20-50 MHz B.W., QMA-Male Connector	430 - 470	\$	575.00
SHA311-SF3SNM	Concealed vehicle antenna, 20-50 MHz B.W., N-Male Connector	470 - 512	\$	575.00
SHA4112-SF1SNM	Dual concealed vehicle antenna, N-Male Connector, 40-70 MHz B.W., 746-806 MHz	746 - 806	\$	1,305.00
SHA4112-SF2SNM	Dual concealed vehicle antenna, N-Male Connector, 40-70 MHz B.W., 806-869 MHz	806 - 869	\$	1,305.00
SHA411-SF1SNM	Concealed vehicle antenna, N-Male Connector, 40-70 MHz B.W., 746-806 MHz	746 - 806	\$	575.00
SHA411-SF2SNM	Concealed vehicle antenna, N-Male Connector, 40-70 MHz B.W., 806-869 MHz	806 - 869	\$	575.00

**Antennas Accessories**

<b>Clamps</b>				
CLAMP001	Aluminum clamp: Pipe 1 (1.5" diameter) to Pipe 2 (1.9" diameter)	N/A	\$	65.00
CLAMP165	Aluminum clamp: Pipe 1.9" diameter to Flat Surface (Plate)	N/A	\$	80.00
CLAMP002B	Aluminum clamp: Pipe 2.38" diameter to Flat Surface (Plate)	N/A	\$	95.00
CLAMP004	Aluminum clamp: Pipe 2.88" diameter to Flat Surface (Plate)	N/A	\$	125.00
CLAMP004B	Iron Casted clamp: Pipe 2.88" diameter to Flat Surface (Plate)	N/A	\$	40.00
CLAMP005	Carbon Steel, Hot Dip Galvanized clamp: Pipe 1 (1.5-3.5" diameter) Parallel to Pipe 2 (1.5-3.5" diameter)	N/A	\$	80.00
CLAMP006A	Carbon Steel, Hot Dip Galvanized clamp: Pipe 1 (1.9-3.56" diameter) Parallel to Pipe 2 (1.9-3.56" diameter)	N/A	\$	445.00
CLAMP006B	Carbon Steel, Hot Dip Galvanized clamp: Pipe 1 (2.37-4.5" diameter) Parallel to Pipe 2 (2.37-4.5" diameter)	N/A	\$	510.00
CLAMP006C	Carbon Steel, Hot Dip Galvanized clamp: Pipe 1 (3.5-5.563" diameter) Parallel to Pipe 2 (3.5-5.563" diameter)	N/A	\$	545.00
CLAMP006E	Carbon Steel, Hot Dip Galvanized clamp: Pipe 1 (4.0-8.63" diameter) Parallel to Pipe 2 (4.0-8.63" diameter)	N/A	\$	990.00
CLAMP008	Aluminum clamp: Pipe 1 (1.9" diameter) 90° to Pipe 2 (1.9" diameter)	N/A	\$	95.00
CLAMP009	Aluminum clamp: Pipe 1 (1.5-3.5" diameter) Parallel to pipe 2 (1.9" diameter)	N/A	\$	85.00
CLAMP010	Aluminum clamp: Pipe 1 (1.31-1.5" diameter) 90° to Pipe 2 (1.31-1.5" diameter)	N/A	\$	95.00
CLAMP011	Aluminum clamp: Pipe 1 (1.0" diameter) 90° to Pipe 2 (1.9" diameter)	N/A	\$	115.00
CLAMP015	Carbon Steel, Hot Dip Galvanized clamp: Pipe 1 (1.5-3.5" diameter) Parallel to Pipe 2 (1.5-3.5" diameter)	N/A	\$	95.00
CLAMP015A	Carbon Steel, Hot Dip Galvanized clamp: Pipe 1 (0.75-1.5" diameter) Parallel to Pipe 2 (1.5-3.5" diameter)	N/A	\$	125.00
CLAMP015B	Carbon Steel, Hot Dip Galvanized clamp: Pipe 1 (1.5-3.5" diameter) to Angle (2-4" Angle depth, 60°)	N/A	\$	150.00
CLAMP015C	Carbon Steel, Hot Dip Galvanized clamp: Pipe 1 (1.5-3.5" diameter) to Angle (1.5-4" Angle depth, 90°)	N/A	\$	140.00
CLAMP017	Carbon Steel, Hot Dip Galvanized clamp: Pipe 1 (1.5-3.5" diameter) 90° to Pipe 2 (1.5-3.5" diameter)	N/A	\$	85.00
CLAMP017A	Carbon Steel, Hot Dip Galvanized clamp: Pipe (1.5-3.5" diameter) Parallel to Wood Post/ Wall	N/A	\$	130.00
CLAMP017AS	Carbon Steel, Hot Dip Galvanized clamp: Pipe (0.75-1.5" diameter) Parallel to Wood Post/ Wall	N/A	\$	135.00
CLAMP017B	Carbon Steel, Hot Dip Galvanized clamp: Pipe (1.5-2.3" diameter) Perpendicular to Wood Post	N/A	\$	160.00
CLAMP017H	Carbon Steel, Hot Dip Galvanized clamp: Pipe 1 (1.5-3.5" diameter) Omni-directional to Pipe 2 (1.5-3.5" diameter)	N/A	\$	420.00
CLAMP017HD	Carbon Steel, Hot Dip Galvanized clamp: Pipe 1 (1.5-3.0" diameter) 90° to Pipe 2 (2.88-4.0" diameter)	N/A	\$	145.00
CLAMP017M	Carbon Steel, Hot Dip Galvanized clamp: Pipe 1 (38-89 mm diameter) 90° to Pipe 2 (38-89 mm diameter)	N/A	\$	80.00
CLAMP017S	Carbon Steel, Hot Dip Galvanized clamp: Pipe 1 (0.75-1.5" diameter) 90° to Pipe 2 (1.5-3.5" diameter)	N/A	\$	90.00
CLAMP028	Carbon Steel, Hot Dip Galvanized clamp: Pipe 1 (2.88" diameter) 90° to Pipe 2 (2.88" diameter)	N/A	\$	140.00
CLAMP033	Carbon Steel, Hot Dip Galvanized clamp: Pipe 1 (1.5-3.5" diameter) 90° to Pipe 2 (4.0-5.56" diameter)	N/A	\$	185.00
CLAMP033A	Carbon Steel, Hot Dip Galvanized clamp: Pipe 1 (1.5" diameter) 90° to Pipe 2 (4.0" diameter)	N/A	\$	175.00
CLAMP033B	Carbon Steel, Hot Dip Galvanized clamp: Pipe (4.0" diameter) Parallel to Wood Post/ Wall	N/A	\$	195.00
CLAMP035	Carbon Steel, Hot Dip Galvanized clamp: Pipe (1.5-3.5" diameter) to Angle (2-4" Angle depth, 60°)	N/A	\$	155.00
CLAMP035HD	Carbon Steel, Hot Dip Galvanized clamp: Pipe (1.5-3.5" diameter) to Angle (2-4" Angle depth, 60°)	N/A	\$	355.00
CLAMP042	Carbon Steel, Hot Dip Galvanized clamp: Pipe (1.5-3.5" diameter) to Angle (4-8" Angle depth, 60°)	N/A	\$	190.00
CLAMP052A	Carbon Steel, Hot Dip Galvanized clamp: Pipe (1.5-3.5" diameter) to Angle (2-4" Angle depth, 60°)	N/A	\$	165.00
CLAMP052B	Carbon Steel, Hot Dip Galvanized clamp: Pipe (1.5-3.5" diameter) to Angle (4-8" Angle depth, 60°)	N/A	\$	170.00
CLAMP064	Carbon Steel, Hot Dip Galvanized clamp: Pipe 1 (1.5-2.38" diameter) Omni-directional to Pipe 2 (1.5-2.38" diameter)	N/A	\$	75.00
CLAMP064HD	Carbon Steel, Hot Dip Galvanized clamp: Pipe 1 (1.5-2.38" diameter) Omni-directional to Pipe 2 (1.5-2.38" diameter)	N/A	\$	85.00
CLAMP102	Carbon Steel, Hot Dip Galvanized clamp: Pipe 1 (1.9" diameter) 90° to Pipe 2 (6.63" diameter)	N/A	\$	175.00
CLAMP103	Carbon Steel, Hot Dip Galvanized clamp: Pipe 1 (2.88" diameter) 90° to Pipe 2 (6.63" diameter)	N/A	\$	220.00
CLAMP111	Carbon Steel, Hot Dip Galvanized clamp: Pipe (1.5-3.5" diameter) to Angle (3.5-6" Angle depth, 90°)	N/A	\$	155.00
CLAMP113A	Carbon Steel, Hot Dip Galvanized clamp: Pipe (1.5-3.5" diameter) to Angle (4-8" Angle depth, 60°)	N/A	\$	160.00

CLAMP115	Aluminum clamp: Pipe 1 (0.84" diameter) 90° to Pipe 2 (0.75-2.38" diameter)	N/A	\$ 50.00
CLAMP117	Aluminum clamp: Pipe 1 (1.5-2.38" diameter) Parallel to Pipe 2 (1.9" diameter)	N/A	\$ 75.00
CLAMP120	Carbon Steel, Hot Dip Galvanized clamp: Pipe 1 (1.5-2.38" diameter) Parallel or Pipe 90° to Pipe 2 (1.5-2.38" diameter)	N/A	\$ 60.00
CLAMP120SS	Stainless Steel clamp: Pipe 1 (1.5-2.38" diameter) Parallel or Pipe 90° to Pipe 2 (1.5-2.38" diameter)	N/A	\$ 95.00
CLAMP121A	Carbon Steel, Hot Dip Galvanized clamp: Pipe 1 (1.5-2.38" diameter) 90° to Pipe 2 (2.38" diameter)	N/A	\$ 255.00
CLAMP121C	Carbon Steel, Hot Dip Galvanized clamp: Pipe 1 (2.88" diameter) 90° to Pipe 2 (5.0" diameter)	N/A	\$ 255.00
CLAMP122	Carbon Steel, Hot Dip Galvanized clamp: Pipe (1.5-3.5" diameter) to Angle (1.5-4" Angle depth, 90°)	N/A	\$ 185.00
CLAMP123A-1	Carbon Steel, Hot Dip Galvanized clamp: Pipe 1 (1.6" diameter) 90° to Pipe 2 (2.88" diameter)	N/A	\$ 260.00
CLAMP123B-1	Carbon Steel, Hot Dip Galvanized clamp: Pipe 1 (1.66" diameter) 90° to Pipe 2 (4.0" diameter)	N/A	\$ 275.00
CLAMP125U	Carbon Steel, Hot Dip Galvanized Universal Parallel clamp: Pipe 1 (1.5-3.5" diameter) Parallel to Pipe 2 (1.5-3.5" diameter; 1.25-2.75" Angle Depth, 90; 1.75-3.5" Angle depth, 60°)	N/A	\$ 210.00
CLAMP128	Carbon Steel, Hot Dip Galvanized clamp: Pipe 1 (3.5-6.63" diameter) to Angle (4-8" Angle depth, 60°)	N/A	\$ 950.00
CLAMP130	Aluminum clamp: Pipe 1 (1.5-2.88" diameter) Parallel or 90° to Pipe 2 (1.5-2.88" diameter)	N/A	\$ 90.00
CLAMP131	Carbon Steel, Hot Dip Galvanized clamp: Pipe (3.5-6.63" diameter) to Flat Surface (13 1/4" Thick (max))	N/A	\$ 590.00
CLAMP133	Carbon Steel, Hot Dip Galvanized clamp: Pipe 1 (3.5-6.63" diameter) Parallel to Pipe 2 (3.5-6.63" diameter)	N/A	\$ 875.00
CLAMP134HD	Carbon Steel, Hot Dip Galvanized clamp: Pipe 1 (1.5-3.5" diameter) Parallel to Pipe 2 (3.5-6.6" diameter)	N/A	\$ 250.00
CLAMP135	Carbon Steel, Hot Dip Galvanized clamp: Pipe 1 (1.5" OR 0.75" & 0.84" diameter) parallel to Pipe 2 (1.5-2.38" diameter)	N/A	\$ 45.00
CLAMP135SS	Stainless Steel clamp: Pipe 1 (1.5" OR 0.75" & 0.84" diameter) parallel to Pipe 2 (1.5-2.38" diameter)	N/A	\$ 130.00
CLAMP136	Carbon Steel, Hot Dip Galvanized clamp: Pipe (1.5-3.5" diameter) to Flat Surface	N/A	\$ 645.00
CLAMP136A	Carbon Steel, Hot Dip Galvanized clamp: Pipe (2.88-4.5" diameter) to Flat Surface	N/A	\$ 580.00
CLAMP138	Carbon Steel, Hot Dip Galvanized clamp: Pipe (1.0-2.375" diameter) to Flat Surface	N/A	\$ 145.00
CLAMP141	Carbon Steel, Hot Dip Galvanized clamp: Pipe (2.38-2.88" diameter), 0 to 20° Mechanical Downtilt (SE414 Series)	N/A	\$ 220.00
CLAMP142	Carbon Steel, Hot Dip Galvanized clamp: Pipe (2.38-2.88" diameter), 0 to 20° Mechanical Downtilt (SE419 Series)	N/A	\$ 425.00
CLAMP147	Aluminum clamp: Pipe 1 (2.88-4.5" diameter) Parallel or 90° to Pipe 2 (2.88-4.5" diameter)	N/A	\$ 190.00
CLAMP148	Aluminum clamp: Pipe 1 (2.88-4.5" diameter) Parallel or 90° to Pipe 2 (1.5-2.88" diameter)	N/A	\$ 135.00
CLAMP191	Steel, Hot Dip Galvanized clamp: Pipe (1.5-2.88" diameter), 0 to 12° Mechanical Downtilt (SP304 Series)	N/A	\$ 555.00
CLAMP191M	Steel, Hot Dip Galvanized clamp: Pipe (38-73 mm diameter), 0 to 12° Mechanical Downtilt (SP304 Series)	N/A	\$ 555.00
CLAMPW108	Aluminum Straps, Pipe (1.5" diameter)	N/A	\$ 175.00
CLAMPW109	Fiberglass clamp: Pipe 1 (0.84" diameter) Perpendicular to Pipe 2 (1.5" diameter)	N/A	\$ 60.00
CLAMP005X	Carbon Steel, Hot Dip Galvanized clamp: Pipe 1 (1.5-3.5" diameter) Parallel to Pipe 2 (1.5-3.5" diameter)	N/A	\$ 40.00
CLAMP090M	Steel, Hot Dip Galvanized clamp: Pipe 1 (1-2.75" diameter) Parallel to Pipe 2 (1-2.75" diameter)	N/A	\$ 35.00
CLAMP180M	Aluminum/ Steel, Hot Dip Galvanized clamp: Pipe (60-115mm diameter) Mechanical Downtilt 0-15° (SP3294, and SP33 Series)	#REF!	\$ 300.00
CLAMP181M	Aluminum/ Steel, Hot Dip Galvanized clamp: Pipe (60-115mm diameter) Mechanical Downtilt 0-15° (SP3292 Series)	#REF!	\$ 245.00
CLAMP210M	Alum/Steel, Hot Dip Galvanized clamp: Pipe (50-115 mm), 0 to 10° Mechanical Downtilt ((SP42 and LP42 Series Antennas)	N/A	\$ 245.00
CLAMP220M	Fiberglass clamp: Pipe 1 (0.84" diameter) Perpendicular to Pipe 2 (1.5" diameter)	N/A	\$ 170.00

**Side Mount Kits**

SMK-125-A3	Side Mount kit, Adjustable Assembly, 3'-6", for SD222, SD224, SD210, SD212, SD214, SD310-H, SD312-H, SD314-H, SD310D, or SD312D Series of antennas	N/A	\$ 780.00
SMK-125-A7	Side Mount kit, Adjustable Assembly, 7'-6", for SD222, SD224, SD210, SD212, or SD214 Series of antennas	N/A	\$ 1,110.00
SMK-135-A3-T3	Side Mount kit, Adjustable Assembly, 3'-6", for SD314D-H, SD318-H, SD2352-S Series of antennas	N/A	\$ 1,355.00
SMK-135-A7-T3	Side Mount kit, Adjustable Assembly, 7'-6", for SD314D-H, SD318-H, SD2352-S Series of antennas	N/A	\$ 1,560.00
SMK-225-A3	Side Mount kit, Adjustable Assembly, 3'-6", for SC229 Series of antennas	N/A	\$ 1,295.00
SMK-225-A7	Side Mount kit, Adjustable Assembly, 7'-6", for SC229 Series of antennas	N/A	\$ 1,610.00
SMK-225-A3-T5	Side Mount kit, Adjustable Assembly, 3'-6", for collinear antennas with Ø2.88" OD base pipe, including SC246, SC347, SC34A, SC328, and SC488-H Series of antennas	N/A	\$ 1,495.00
SMK-225-A7-T5	Side Mount kit, Adjustable Assembly, 7'-6", for collinear antennas with Ø2.88" OD base pipe, including SC246, SC347, SC34A, SC328, and SC488-H Series of antennas	N/A	\$ 1,940.00
SMK-325-A3	Side Mount kit, Adjustable Assembly, 3'-6", for collinear antennas with Ø2.5" OD base pipe, including SC459, SC45A, SC420, SC488-S, and SC433 Series of antennas	N/A	\$ 1,480.00
SMK-325-A7	Side Mount kit, Adjustable Assembly, 7'-6", for collinear antennas with Ø2.5" OD base pipe, including SC459, SC45A, SC420, SC488-S, and SC433 Series of antennas	N/A	\$ 1,835.00
SMK-335-A3	Side Mount kit, Adjustable Assembly, 3'-6", for collinear antennas with Ø3.5" OD base pipe, including SC36x, SC46x, SC432, SC432D, SC432T Series of antennas	N/A	\$ 1,405.00
SMK-335-A7	Side Mount kit, Adjustable Assembly, 7'-6", for collinear antennas with Ø3.5" OD base pipe, including SC36x, SC46x, SC432, SC432D, SC432T Series of antennas	N/A	\$ 1,850.00
SMK-345-A7	Side Mount kit, Adjustable Assembly, 7'-6", for collinear antennas with Ø3.5" OD base pipe, including SC281-H, SC39x, and SC49x Series of antennas	N/A	\$ 2,545.00
SMK-425-A3-T3	Side Mount kit, Adjustable Assembly, 3'-6", for SD210-H, SD212-H Series of antennas	N/A	\$ 1,055.00
SMK-425-A7-T3	Side Mount kit, Adjustable Assembly, 7'-6", for SD210-H, SD212-H Series of antennas	N/A	\$ 1,425.00
SMK-435-A3-T5	Side Mount kit, Adjustable Assembly, 3'-6", for SD214-H Series of antennas	N/A	\$ 2,000.00
SMK-435-A7-T5	Side Mount kit, Adjustable Assembly, 7'-6", for SD214-H Series of antennas	N/A	\$ 2,200.00

**Shelters & Accessories**

COMSHEL 15-W	Comshel equipment shelter, 15'-6" height, timber frame base	N/A	Call For Price
--------------	---	-----	----------------

COMSHEL 28-M	Comshel equipment shelter, 28' height, steel frame base	N/A	Call For Price
COMSHEL 28-W	Comshel equipment shelter, 28' height, timber frame base	N/A	Call For Price
COMSHEL 35-M	Comshel equipment shelter, 35' height, steel frame base	N/A	Call For Price
COMSHEL 35-W	Comshel equipment shelter, 35' height, timber frame base	N/A	Call For Price
SD6035	Comshel antenna, 4.8 dBd, 138-174 MHz	138 - 174	\$ 2,190.00
SD6035(ABK)	Comshel antenna, 4.8 dBd, black anodized, 138-174 MHz	138 - 174	Call For Price
SD6036	Comshel antenna, 1.8 dBd, 138-174 MHz	138 - 174	\$ 1,390.00
SD6036(ABK)	Comshel antenna, 1.8 dBd, black anodized, 138-174 MHz	138 - 174	Call For Price
SRX-0009	Comshel mast kit (fiberglass mast and clamps)	N/A	\$ 580.00
SRX-0013	Comshel mast coupler assembly	N/A	\$ 55.00

**Duplexers**

**Base Station Duplexers**

P201GC-1	Duplexer, 4 cavities, Bandpass, high selectivity, cabinet mount	132 - 150	\$ 4,380.00
P201GC-2-1		146 - 150	\$ 3,985.00
P201GC-2-2		150 - 155	\$ 3,985.00
P201GC-2-3		155 - 160	\$ 3,985.00
P201GC-2-4		160 - 165	\$ 3,985.00
P201GC-2-5		165 - 174	\$ 3,985.00
P201GR-1	Duplexer, 4 cavities, Bandpass, high selectivity, rack mount	132 - 150	\$ 3,205.00
P201GR-2-1		146 - 150	\$ 3,045.00
P201GR-2-2		150 - 155	\$ 3,045.00
P201GR-2-3		155 - 160	\$ 3,045.00
P201GR-2-4		160 - 165	\$ 3,045.00
P201GR-2-5		165 - 174	\$ 3,045.00
P4460E-1	Duplexer, bandpass, trunking, low-loss	806 - 869	\$ 2,425.00
P4460E-2		890 - 960	\$ 2,425.00
P4460E-3		896 - 940	\$ 2,670.00
Q202GR-1	Duplexer, 4 cavities, Q-circuit, base station, rack mount	132 - 148	\$ 3,495.00
Q202GR-2		148 - 174	\$ 3,495.00
Q202GC-1		132 - 148	Call for Price
Q202GC-2		148 - 174	Call for Price
Q2220E	Duplexer, 4 cavities, Q-circuit, Res-Lok, rack mount	138 - 174	\$ 2,535.00
Q2221E		220 - 225	\$ 2,340.00
Q2222E-1	Duplexer, 4 cavities, Q-circuit, Res-Lok, rack mount, compact	139 - 165	\$ 2,650.00
Q2222E-2		160 - 174	\$ 2,650.00
Q2222E-3		177 - 216	\$ 2,400.00
Q2330E	Duplexer, 6 cavities, Q-circuit, Res-Lok, rack mount	138 - 174	\$ 3,645.00
Q2331E	Duplexer, 6 cavities, Q-circuit, Res-Lok, rack mount	216 - 225	\$ 3,690.00
Q201GR-1	Duplexer, 6 cavities, Q-Circuit, base station, rack mount	132 - 148	\$ 5,075.00
Q201GR-2		148 - 174	\$ 5,075.00
Q201GC-1	Duplexer, 6 cavities, Q-circuit, base station, cabinet mount	132 - 148	\$ 6,030.00
Q201GC-2		148 - 174	\$ 6,030.00
P301GR-1	Duplexer, 4 cavities, Bandpass, high selectivity, rack mount	406 - 420	\$ 2,180.00
P301GR-3		450 - 512	\$ 2,180.00
Q3220C-1	Duplexer, 4 cavities, Q-circuit, Res-Lok, rack mount, compact	406 - 450	\$ 2,070.00
Q3220C-2		450 - 512	\$ 2,070.00
Q3220E	Duplexer, 4 cavities, Q-circuit, Res-Lok, rack mount	406 - 512	\$ 1,685.00
Q301GC-1	Duplexer, 6 cavities, Q-circuit, base station, cabinet mount	406 - 420	\$ 4,680.00
Q301GC-2		450 - 470	\$ 4,680.00
Q301GC-3		470 - 512	\$ 4,680.00
Q301GC-4		420 - 450	\$ 4,680.00
Q3330C-1	Duplexer, 6 cavities, Q-circuit, Res-Lok, rack mount, compact	406 - 420	\$ 2,700.00
Q3330C-2		450 - 470	\$ 2,700.00
Q3330C-3		420 - 450	\$ 2,700.00
Q3330C-4		470 - 512	\$ 2,700.00
Q3330E-1	Duplexer, 6 cavities, Q-circuit, Res-Lok, rack mount	406 - 420	\$ 2,595.00
Q3330E-2		420 - 450	\$ 2,595.00
Q3330E-3		450 - 470	\$ 2,595.00
Q3330E-4		470 - 512	\$ 2,595.00
Q3330E-5		500 - 512	\$ 2,595.00
Q3330E-6		380 - 400	\$ 2,595.00
Q4220E-1	Duplexer, 4 cavities, Q-circuit, Res-Lok, rack mount	806 - 890	\$ 1,960.00
Q4220E-2		890 - 960	\$ 1,960.00

**Mobile duplexers**

MR2222B-1-1	Duplexer, 4 cavity mobile, extremely compact, BNC-Female connectors, 5 MHz separation	138 - 155	\$ 745.00	
MR2222B-1-2	Duplexer, 4 cavity mobile, extremely compact, BNC-Female connectors, 10 MHz separation	138 - 155	\$ 745.00	
MR2222B-2-1	Duplexer, 4 cavity mobile, extremely compact, BNC-Female connectors, 5 MHz separation	150 - 174	\$ 745.00	
MR2222B-2-2	Duplexer, 4 cavity mobile, extremely compact, BNC-Female connectors, 10 MHz separation	150 - 174	\$ 745.00	
MR2332B-1-1	Duplexer, 6 cavity mobile, extremely compact, BNC-Female connectors, 5 MHz separation	148 - 160	\$ 925.00	
MR2332B-1-2	Duplexer, 6 cavity mobile, extremely compact, BNC-Female connectors, 7 MHz separation	148 - 160	\$ 925.00	
MR2332B-2-1	Duplexer, 6 cavity mobile, extremely compact, BNC-Female connectors, 5 MHz separation	160 - 174	\$ 925.00	
MR2332B-2-2	Duplexer, 6 cavity mobile, extremely compact, BNC-Female connectors, 7 MHz separation	160 - 174	\$ 925.00	
MR2332T-1-1	Duplexer, 6 cavity mobile, extremely compact, TNC-Female Connector, 5 MHz separation	148 - 160	\$ 1,020.00	
MR2332T-1-2	Duplexer, 6 cavity mobile, extremely compact, TNC-Female Connector, 7 MHz separation	148 - 160	\$ 1,020.00	
MR2332T-2-1	Duplexer, 6 cavity mobile, extremely compact, TNC-Female Connector, 5 MHz separation	160 - 174	\$ 1,020.00	
MR2332T-2-2	Duplexer, 6 cavity mobile, extremely compact, TNC-Female Connector, 7 MHz separation	160 - 174	\$ 1,020.00	
MR254B-1	Duplexer, 4 cavity mobile, compact, BNC-Female connector, 4.5 MHz (min)/ 10 MHz (max) separation	136 - 148	\$ 785.00	
MR254B-2		148 - 160	\$ 785.00	
MR254B-3		160 - 174	\$ 785.00	
MR254N-1	Duplexer, 4 cavity mobile, compact, N-Female connector, 4.5 MHz (min)/ 10 MHz (max) separation	136 - 148	\$ 815.00	
MR254N-2		148 - 160	\$ 815.00	
MR254N-3		160 - 174	\$ 815.00	
MR254T-1	Duplexer, 4 cavity mobile, compact, TNC-Female connector, 4.5 MHz (min)/ 10 MHz (max) separation	136 - 148	\$ 815.00	
MR254T-2		148 - 160	\$ 815.00	
MR254T-3		160 - 174	\$ 815.00	
MR256B-1	Duplexer, 6 cavity mobile, compact, BNC-Female connector, 4.5 MHz (min)/10 MHz (max) separation	136 - 148	\$ 815.00	
MR256B-2		148 - 160	\$ 815.00	
MR256B-3		160 - 174	\$ 815.00	
MR256N-1	Duplexer, 6 cavity mobile, compact, N-Female connector, 4.5 MHz (min)/10 MHz (max) separation	136 - 148	\$ 860.00	
MR256N-2		148 - 160	\$ 860.00	
MR256N-3		160 - 174	\$ 860.00	
MR256N-5		153 - 166	\$ 910.00	
MR256T-1	Duplexer, 6 cavity mobile, compact, TNC-Female connector, 4.5 MHz (min)/10 MHz (max) separation	136 - 148	\$ 860.00	
MR256T-2		148 - 160	\$ 860.00	
MR256T-3		160 - 174	\$ 860.00	
MD256N-1-1	Duplexer, 6 cavity mobile, 4.5 to 5.5 MHz separation, 136-148 MHz	136 - 148	\$ 725.00	Alternative of MR256N
MD256N-1-2	Duplexer, 6 cavity mobile, 8 to 10 MHz separation, 136-148 MHz	136 - 148	\$ 725.00	
MD256N-2-1	Duplexer, 6 cavity mobile, 4.5 to 5.5 MHz separation, 148-160 MHz	148 - 160	\$ 725.00	
MD256N-2-2	Duplexer, 6 cavity mobile, 8 to 10 MHz separation, 148-160 MHz	148 - 160	\$ 725.00	
MD256N-3-1	Duplexer, 6 cavity mobile, 4.5 to 5.5 MHz separation, 160-174 MHz	160 - 174	\$ 725.00	
MD256N-3-2	Duplexer, 6 cavity mobile, 8 to 10 MHz separation, 160-174 MHz	160 - 174	\$ 725.00	
MR354B-1	Duplexer, 4 cavity mobile, compact, BNC-Female connector, 5 MHz (min)/ 10 MHz (max) separation	406 - 440	\$ 690.00	
MR354B-2		440 - 480	\$ 690.00	
MR354B-3		480 - 512	\$ 690.00	
MR354B-4		380 - 400	\$ 690.00	
MR354N-1	Duplexer, 4 cavity mobile, compact, N-Female connector, 5 MHz (min)/ 10 MHz (max) separation	406 - 440	\$ 745.00	
MR354N-2		440 - 480	\$ 745.00	
MR354N-3		480 - 512	\$ 745.00	
MR354T-1	Duplexer, 4 cavity mobile, compact, TNC-Female connector, 5 MHz (min)/ 10 MHz (max) separation	406 - 440	\$ 745.00	
MR354T-2		440 - 480	\$ 745.00	
MR354T-3		480 - 512	\$ 745.00	
MR356B-1	Duplexer, 6 cavity mobile, compact, BNC-Female connector, 5 MHz (min)/ 10 MHz (max) separation	406 - 440	\$ 780.00	
MR356B-2		440 - 480	\$ 780.00	
MR356B-3		480 - 512	\$ 780.00	
MR356B-4		380 - 400	\$ 780.00	
MR356B-5		330 - 380	\$ 780.00	
MR356N-1	Duplexer, 6 cavity mobile, compact, N-Female connector, 5 MHz (min)/ 10 MHz (max) separation	406 - 440	\$ 790.00	
MR356N-2		440 - 480	\$ 790.00	
MR356N-3		480 - 512	\$ 790.00	
MR356N-4		380 - 400	\$ 790.00	
MR356N-5		330 - 380	\$ 790.00	
MR356T-1	Duplexer, 6 cavity mobile, compact, TNC-Female connector, 5 MHz (min)/ 10 MHz (max) separation	406 - 440	\$ 810.00	
MR356T-2		440 - 480	\$ 810.00	
MR356T-3		480 - 512	\$ 810.00	
MR356T-4		380 - 400	\$ 810.00	
MR356T-5		330 - 380	\$ 810.00	

MR3332B-1		406 - 430	\$ 730.00	
MR3332B-2		430 - 450	\$ 730.00	
MR3332B-3	Duplexer, 6 cavity mobile, extremely compact, BNC-Female connector, 5 MHz separation	450 - 470	\$ 730.00	
MR3332B-4		470 - 490	\$ 730.00	
MR3332B-5		490 - 512	\$ 730.00	
MD356N-1-1		Duplexer, 6 cavity mobile, 5 MHz separation, 406-440 MHz	406 - 440	\$ 705.00
MD356N-1-2	Duplexer, 6 cavity mobile, 10 MHz separation, 406-440 MHz	406 - 440	\$ 705.00	
MD356N-2-1	Duplexer, 6 cavity mobile, 5 MHz separation, 440-480 MHz	440 - 480	\$ 705.00	
MD356N-2-2	Duplexer, 6 cavity mobile, 10 MHz separation, 440-480 MHz	440 - 480	\$ 705.00	
MD356N-4-1	Duplexer, 6 cavity mobile, 5 MHz separation, 380-400 MHz	380 - 400	\$ 705.00	
MD356N-4-2	Duplexer, 6 cavity mobile, 10 MHz separation, 380-400 MHz	380 - 400	\$ 705.00	
MR454B-1-1	Duplexer, 4 cavity mobile, compact, BNC-Female connector, 45 MHz (max) separation	806 - 960	\$ 605.00	
MR454B-1-2	Duplexer, 4 cavity mobile, compact, BNC-Female connector, 24 MHz (max) separation	806 - 960	\$ 605.00	
MR454N-1-1	Duplexer, 4 cavity mobile, compact, N-Female connector, 45 MHz (max) separation	806 - 960	\$ 640.00	
MR454N-1-2	Duplexer, 4 cavity mobile, compact, N-Female connector, 24 MHz (max) separation	806 - 960	\$ 640.00	
MR456B-1-1	Duplexer, 6 cavity mobile, compact, BNC-Female connector, 45 MHz (max) separation	806 - 960	\$ 675.00	
MR456B-1-2	Duplexer, 6 cavity mobile, compact, BNC-Female connector, 24 MHz (max) separation	806 - 960	\$ 675.00	
MR456B-1-3	Duplexer, 6 cavity mobile, compact, BNC-Female connector, 9 MHz (max) separation	806 - 960	\$ 675.00	
MR456B-2-1	Duplexer, 6 cavity mobile, compact, BNC-Female connector, 30 MHz (max) separation	746 - 806	\$ 675.00	
MR456N-1-1	Duplexer, 6 cavity mobile, compact, N-Female connector, 45 MHz (max) separation	806 - 960	\$ 710.00	
MR456N-1-2	Duplexer, 6 cavity mobile, compact, N-Female connector, 24 MHz (max) separation	806 - 960	\$ 710.00	
MR456N-1-3	Duplexer, 6 cavity mobile, compact, N-Female connector, 9 MHz (max) separation	806 - 960	\$ 710.00	
MR456N-2-1	Duplexer, 6 cavity mobile, compact, N-Female connector, 30 MHz (max) separation	746 - 806	\$ 710.00	

**Transmitter Combiners**

<b>Hybrid-ferrite</b>				
TC2112	Combiner, hybrid-ferrite, 2 channels, single stage isolators	132 - 174	\$ 3,490.00	To be EoLed by Dec. 31, 2025.
TC2113	Combiner, hybrid-ferrite, 3 channels, single stage isolators	132 - 174	\$ 6,540.00	
TC2114	Combiner, hybrid-ferrite, 4 channels, single stage isolators	132 - 174	\$ 8,665.00	
TC2115	Combiner, hybrid-ferrite, 5 channels, single stage isolators	132 - 174	\$ 11,865.00	To be EoLed by Dec. 31, 2026, and superceded by TC23 Series.
TC2212	Combiner, hybrid-ferrite, 2 channels, dual stage isolators	132 - 174	\$ 4,680.00	
TC2213	Combiner, hybrid-ferrite, 3 channels, dual stage isolators	132 - 174	\$ 7,940.00	
TC2214	Combiner, hybrid-ferrite, 4 channels, dual stage isolators	132 - 174	\$ 10,450.00	
TC2215	Combiner, hybrid-ferrite, 5 channels, dual stage isolators	132 - 174	\$ 14,805.00	
TC2312B-(x)	Combiner, hybrid-ferrite, 2 channels, triple stage isolators	132 - 174	Call for price	
TC2313B-(x)	Combiner, hybrid-ferrite, 3 channels, triple stage isolators	132 - 174	Call for price	
TC2314B-(x)	Combiner, hybrid-ferrite, 4 channels, triple stage isolators	132 - 174	Call for price	
TCC2132	Combiner, hybrid-ferrite, compact, 2 channels, single stage isolators	130 - 180	\$ 3,765.00	To be EoLed by Dec. 31, 2025.
TCC2133-1	Combiner, hybrid-ferrite, compact, 3 channels, single stage isolators	130 - 160	\$ 5,815.00	
TCC2133-2	Combiner, hybrid-ferrite, compact, 3 channels, single stage isolators	150 - 180	\$ 5,815.00	
TCC2134	Combiner, hybrid-ferrite, compact, 4 channels, single stage isolators	130 - 180	\$ 7,680.00	
TCC2135-1	Combiner, hybrid-ferrite, compact, 5 channels, single stage isolators	130 - 160	\$ 10,125.00	
TCC2135-2	Combiner, hybrid-ferrite, compact, 5 channels, single stage isolators	150 - 180	\$ 10,125.00	
TCC2232	Combiner, hybrid-ferrite, compact, 2 channels, dual stage isolators	130 - 180	\$ 4,485.00	To be EoLed by Dec. 31, 2026. Superceded by TCC23 Series.
TCC2233-1	Combiner, hybrid-ferrite, compact, 3 channels, dual stage isolators	130 - 160	\$ 7,160.00	
TCC2233-2	Combiner, hybrid-ferrite, compact, 3 channels, dual stage isolators	150 - 180	\$ 7,160.00	
TCC2234	Combiner, hybrid-ferrite, compact, 4 channels, dual stage isolators	130 - 180	\$ 10,320.00	
TCC2235-1	Combiner, hybrid-ferrite, compact, 5 channels, dual stage isolators	130 - 160	\$ 12,010.00	
TCC2235-2	Combiner, hybrid-ferrite, compact, 5 channels, dual stage isolators	150 - 180	\$ 12,010.00	
TCC2312B-(x)	Combiner, hybrid-ferrite, compact, 2 channels, triple stage isolators	132 - 174	Call for price	Successor to TCC21 and TCC22 Series.
TCC2314B-(x)	Combiner, hybrid-ferrite, compact, 4 channels, triple stage isolators	132 - 174	Call for price	
TC3112	Combiner, hybrid-ferrite, 2 channels, single stage isolators	406 - 512	\$ 3,490.00	To be EoLed by Dec. 31, 2025
TC3113	Combiner, hybrid-ferrite, 3 channels, single stage isolators	406 - 512	\$ 6,110.00	
TC3114	Combiner, hybrid-ferrite, 4 channels, single stage isolators	406 - 512	\$ 8,665.00	
TC3115	Combiner, hybrid-ferrite, 5 channels, single stage isolators	406 - 512	\$ 11,415.00	
TC3212	Combiner, hybrid-ferrite, 2 channels, dual stage isolators	406 - 512	\$ 4,165.00	
TC3213	Combiner, hybrid-ferrite, 3 channels, dual stage isolators	406 - 512	\$ 7,365.00	To be EoLed by Dec. 31, 2025. Superceded by TC33 Series
TC3214	Combiner, hybrid-ferrite, 4 channels, dual stage isolators	406 - 512	\$ 9,550.00	
TC3215	Combiner, hybrid-ferrite, 5 channels, dual stage isolators	406 - 512	\$ 12,980.00	
TC3312-1	Combiner, hybrid-ferrite, 2 channels, triple stage isolators	350 - 380	\$ 4,145.00	
TC3312-2	Combiner, hybrid-ferrite, 2 channels, triple stage isolators	380 - 415	\$ 4,145.00	
TC3312-3	Combiner, hybrid-ferrite, 2 channels, triple stage isolators	415 - 440	\$ 4,145.00	
TC3312-4	Combiner, hybrid-ferrite, 2 channels, triple stage isolators	440 - 470	\$ 4,145.00	
TC3312-5	Combiner, hybrid-ferrite, 2 channels, triple stage isolators	470 - 512	\$ 4,145.00	

TC3313-1	Combiner, hybrid-ferrite, 3 channels, triple stage isolators	350 - 380	\$	5,220.00	
TC3313-2	Combiner, hybrid-ferrite, 3 channels, triple stage isolators	380 - 415	\$	5,220.00	
TC3313-3	Combiner, hybrid-ferrite, 3 channels, triple stage isolators	415 - 440	\$	5,220.00	
TC3313-4	Combiner, hybrid-ferrite, 3 channels, triple stage isolators	440 - 470	\$	5,220.00	
TC3313-5	Combiner, hybrid-ferrite, 3 channels, triple stage isolators	470 - 512	\$	5,220.00	
TC3314-1	Combiner, hybrid-ferrite, 4 channels, triple stage isolators	350 - 380	\$	6,710.00	Successor to TC3 Series
TC3314-2	Combiner, hybrid-ferrite, 4 channels, triple stage isolators	380 - 415	\$	6,710.00	
TC3314-3	Combiner, hybrid-ferrite, 4 channels, triple stage isolators	415 - 440	\$	6,710.00	
TC3314-4	Combiner, hybrid-ferrite, 4 channels, triple stage isolators	440 - 470	\$	6,710.00	
TC3314-5	Combiner, hybrid-ferrite, 4 channels, triple stage isolators	470 - 512	\$	6,710.00	
TC3315-1	Combiner, hybrid-ferrite, 5 channels, triple stage isolators	350 - 380	\$	9,345.00	
TC3315-2	Combiner, hybrid-ferrite, 5 channels, triple stage isolators	380 - 415	\$	9,345.00	
TC3315-3	Combiner, hybrid-ferrite, 5 channels, triple stage isolators	415 - 440	\$	9,345.00	
TC3315-4	Combiner, hybrid-ferrite, 5 channels, triple stage isolators	440 - 470	\$	9,345.00	
TC3315-5	Combiner, hybrid-ferrite, 5 channels, triple stage isolators	470 - 512	\$	9,345.00	
TCC3132-1		350 - 385	\$	2,680.00	
TCC3132-2		380 - 415	\$	2,680.00	
TCC3132-3	Combiner, hybrid-ferrite, compact, 2 channels, single stage isolators	405 - 440	\$	2,680.00	
TCC3132-4		430 - 470	\$	2,680.00	
TCC3132-5		459 - 512	\$	2,680.00	
TCC3133-1		350 - 385	\$	4,165.00	
TCC3133-2		380 - 415	\$	4,165.00	
TCC3133-3	Combiner, hybrid-ferrite, compact, 3 channels, single stage isolators	405 - 440	\$	4,165.00	
TCC3133-4		430 - 470	\$	4,165.00	
TCC3133-5		459 - 512	\$	4,165.00	
TCC3134-1		350 - 385	\$	5,550.00	To be EoLed by Dec. 31, 2025
TCC3134-2		380 - 415	\$	5,550.00	
TCC3134-3	Combiner, hybrid-ferrite, compact, 4 channels, single stage isolators	405 - 440	\$	5,550.00	
TCC3134-4		430 - 470	\$	5,550.00	
TCC3134-5		459 - 512	\$	5,550.00	
TCC3135-1		350 - 385	\$	7,070.00	
TCC3135-2		380 - 415	\$	7,070.00	
TCC3135-3	Combiner, hybrid-ferrite, compact, 5 channels, single stage isolators	405 - 440	\$	7,070.00	
TCC3135-4		430 - 470	\$	7,070.00	
TCC3135-5		459 - 512	\$	7,070.00	
TCC3232-1		350 - 385	\$	3,165.00	
TCC3232-2		380 - 415	\$	3,165.00	
TCC3232-3	Combiner, hybrid-ferrite, compact, 2 channels, dual stage isolator	405 - 440	\$	3,165.00	
TCC3232-4		430 - 470	\$	3,165.00	
TCC3232-5		459 - 512	\$	3,165.00	
TCC3233-1		350 - 385	\$	4,660.00	
TCC3233-2		380 - 415	\$	4,660.00	
TCC3233-3	Combiner, hybrid-ferrite, compact, 3 channels, dual stage isolator	405 - 440	\$	4,660.00	
TCC3233-4		430 - 470	\$	4,660.00	
TCC3233-5		459 - 512	\$	4,660.00	
TCC3234-1		350 - 385	\$	6,305.00	
TCC3234-2		380 - 415	\$	6,305.00	
TCC3234-3	Combiner, hybrid-ferrite, compact, 4 channels, dual stage isolator	405 - 440	\$	6,305.00	
TCC3234-4		430 - 470	\$	6,305.00	
TCC3234-5		459 - 512	\$	6,305.00	
TCC3235-1		350 - 385	\$	8,230.00	
TCC3235-2		380 - 415	\$	8,230.00	
TCC3235-3	Combiner, hybrid-ferrite, compact, 5 channels, dual stage isolator	405 - 440	\$	8,230.00	
TCC3235-4		430 - 470	\$	8,230.00	
TCC3235-5		459 - 512	\$	8,230.00	
TC4212	Combiner, hybrid-ferrite, 2 channels, dual stage isolators	806 - 960	\$	3,970.00	
TC4213	Combiner, hybrid-ferrite, 3 channels, dual stage isolators	806 - 960	\$	7,600.00	
TC4214	Combiner, hybrid-ferrite, 4 channels, dual stage isolators	806 - 960	\$	9,615.00	
TC4215	Combiner, hybrid-ferrite, 5 channels, dual stage isolators	806 - 960	\$	12,275.00	
TCC4232-1	Combiner, hybrid-ferrite, compact, 2 channels, dual stage isolator	746 - 869	\$	2,975.00	
TCC4232-2	Combiner, hybrid-ferrite, compact, 2 channels, dual stage isolator	806 - 960	\$	2,975.00	
TCC4233-1	Combiner, hybrid-ferrite, compact, 3 channels, dual stage isolator	746 - 869	\$	4,600.00	
TCC4233-2	Combiner, hybrid-ferrite, compact, 3 channels, dual stage isolator	806 - 960	\$	4,600.00	
TCC4234-1	Combiner, hybrid-ferrite, compact, 4 channels, dual stage isolator	746 - 869	\$	6,495.00	

TCC4234-2	Combiner, hybrid-ferrite, compact, 4 channels, dual stage isolator	806 - 960	\$ 6,495.00	
TCC4235-1	Combiner, hybrid-ferrite, compact, 5 channels, dual stage isolator	746 - 869	\$ 8,630.00	
TCC4235-2	Combiner, hybrid-ferrite, compact, 5 channels, dual stage isolator	806 - 960	\$ 8,630.00	
<b>5" square cavity</b>				
RTC5400RA	Combiner, trunking, compact, 5 channels, 0.8 MHz separation	406 - 470	\$ 11,490.00	
RTC5400RB	Combiner, trunking, compact, 5 channels, 0.4 MHz separation	406 - 470	\$ 11,490.00	
RTC5400RC	Combiner, trunking, compact, 5 channels, 0.2 MHz separation	406 - 470	\$ 11,490.00	
RTC5800RA-1	Combiner, trunking, compact, 5 channels, 1 MHz separation	806 - 824	\$ 8,505.00	
RTC5800RA-2	Combiner, trunking, compact, 5 channels, 1 MHz separation	851 - 869	\$ 8,505.00	
RTC5800RB-1	Combiner, trunking, compact, 5 channels, 0.5 MHz separation	806 - 824	\$ 8,505.00	
RTC5800RB-2	Combiner, trunking, compact, 5 channels, 0.5 MHz separation	851 - 869	\$ 8,505.00	
RTC5800RC-1	Combiner, trunking, compact, 5 channels, 0.25 MHz separation	806 - 824	\$ 8,505.00	
RTC5800RC-2	Combiner, trunking, compact, 5 channels, 0.25 MHz separation	851 - 869	\$ 8,505.00	
RTC6800RA-1	Combiner, trunking, compact, 6 channels, 1 MHz separation	806 - 824	\$ 10,080.00	
RTC6800RA-2	Combiner, trunking, compact, 6 channels, 1 MHz separation	851 - 869	\$ 10,080.00	
RTC6800RB-1	Combiner, trunking, compact, 6 channels, 0.5 MHz separation	806 - 824	\$ 10,080.00	
RTC6800RB-2	Combiner, trunking, compact, 6 channels, 0.5 MHz separation	851 - 869	\$ 10,080.00	
RTC6800RC-1	Combiner, trunking, compact, 6 channels, 0.25 MHz separation	806 - 824	\$ 10,080.00	
RTC6800RC-2	Combiner, trunking, compact, 6 channels, 0.25 MHz separation	851 - 869	\$ 10,080.00	
RTC10800RA-1	Combiner, trunking, compact, 10 channels, 1 MHz separation	806 - 824	\$ 19,005.00	
RTC10800RA-2	Combiner, trunking, compact, 10 channels, 1 MHz separation	851 - 869	\$ 19,005.00	
RTC10800RB-1	Combiner, trunking, compact, 10 channels, 0.5 MHz separation	806 - 824	\$ 19,005.00	
RTC10800RB-2	Combiner, trunking, compact, 10 channels, 0.5 MHz separation	851 - 869	\$ 19,005.00	
RTC10800RC-1	Combiner, trunking, compact, 10 channels, 0.25 MHz separation	806 - 824	\$ 19,005.00	
RTC10800RC-2	Combiner, trunking, compact, 10 channels, 0.25 MHz separation	851 - 869	\$ 19,005.00	
<b>7" cavity-ferrite</b>				
TJ2112-2	Combiner, 2 channels, 7" cavity-ferrite, single stage isolator	132 - 150	\$ 3,565.00	
TJ2112-3	Combiner, 2 channels, 7" cavity-ferrite, single stage isolator	148 - 174	\$ 3,565.00	
TJ2113-2	Combiner, 3 channels, 7" cavity-ferrite, single stage isolator	132 - 150	\$ 5,445.00	
TJ2113-3	Combiner, 3 channels, 7" cavity-ferrite, single stage isolator	148 - 174	\$ 5,445.00	
TJ2114-2	Combiner, 4 channels, 7" cavity-ferrite, single stage isolator	132 - 150	\$ 7,250.00	
TJ2114-3	Combiner, 4 channels, 7" cavity-ferrite, single stage isolator	148 - 174	\$ 7,250.00	
TJ2115-2	Combiner, 5 channels, 7" cavity-ferrite, single stage isolator	132 - 150	\$ 8,955.00	
TJ2115-3	Combiner, 5 channels, 7" cavity-ferrite, single stage isolator	148 - 174	\$ 8,955.00	
TJ2212-2	Combiner, 2 channels, 7" cavity-ferrite, dual stage isolator	132 - 150	\$ 5,210.00	
TJ2212-3	Combiner, 2 channels, 7" cavity-ferrite, dual stage isolator	148 - 174	\$ 5,210.00	
TJ2213-2	Combiner, 3 channels, 7" cavity-ferrite, dual stage isolator	132 - 150	\$ 7,915.00	
TJ2213-3	Combiner, 3 channels, 7" cavity-ferrite, dual stage isolator	148 - 174	\$ 7,915.00	
TJ2214-2	Combiner, 4 channels, 7" cavity-ferrite, dual stage isolator	132 - 150	\$ 10,550.00	
TJ2214-3	Combiner, 4 channels, 7" cavity-ferrite, dual stage isolator	148 - 174	\$ 10,550.00	
TJ2215-2	Combiner, 5 channels, 7" cavity-ferrite, dual stage isolator	132 - 150	\$ 12,930.00	
TJ2215-3	Combiner, 5 channels, 7" cavity-ferrite, dual stage isolator	148 - 174	\$ 12,930.00	
TJ2312B-1	Combiner, 2 channels, 7" cavity-ferrite, triple stage isolator	132 - 142	\$ 5,210.00	
TJ2312B-2	Combiner, 2 channels, 7" cavity-ferrite, triple stage isolator	140 - 150	\$ 5,210.00	
TJ2312B-3	Combiner, 2 channels, 7" cavity-ferrite, triple stage isolator	148 - 158	\$ 5,210.00	
TJ2312B-4	Combiner, 2 channels, 7" cavity-ferrite, triple stage isolator	156 - 166	\$ 5,210.00	
TJ2312B-5	Combiner, 2 channels, 7" cavity-ferrite, triple stage isolator	164 - 174	\$ 5,210.00	
TJ2313B-1	Combiner, 3 channels, 7" cavity-ferrite, triple stage isolator	132 - 142	\$ 7,915.00	
TJ2313B-2	Combiner, 3 channels, 7" cavity-ferrite, triple stage isolator	140 - 150	\$ 7,915.00	
TJ2313B-3	Combiner, 3 channels, 7" cavity-ferrite, triple stage isolator	148 - 158	\$ 7,915.00	
TJ2313B-4	Combiner, 3 channels, 7" cavity-ferrite, triple stage isolator	156 - 166	\$ 7,915.00	
TJ2313B-5	Combiner, 3 channels, 7" cavity-ferrite, triple stage isolator	164 - 174	\$ 7,915.00	
TJ2314B-1	Combiner, 4 channels, 7" cavity-ferrite, triple stage isolator	132 - 142	\$ 10,550.00	
TJ2314B-2	Combiner, 4 channels, 7" cavity-ferrite, triple stage isolator	140 - 150	\$ 10,550.00	
TJ2314B-3	Combiner, 4 channels, 7" cavity-ferrite, triple stage isolator	148 - 158	\$ 10,550.00	
TJ2314B-4	Combiner, 4 channels, 7" cavity-ferrite, triple stage isolator	156 - 166	\$ 10,550.00	
TJ2314B-5	Combiner, 4 channels, 7" cavity-ferrite, triple stage isolator	164 - 174	\$ 10,550.00	
TJ2315B-1	Combiner, 5 channels, 7" cavity-ferrite, triple stage isolator	132 - 142	\$ 12,930.00	
TJ2315B-2	Combiner, 5 channels, 7" cavity-ferrite, triple stage isolator	140 - 150	\$ 12,930.00	
TJ2315B-3	Combiner, 5 channels, 7" cavity-ferrite, triple stage isolator	148 - 158	\$ 12,930.00	
TJ2315B-4	Combiner, 5 channels, 7" cavity-ferrite, triple stage isolator	156 - 166	\$ 12,930.00	
TJ2315B-5	Combiner, 5 channels, 7" cavity-ferrite, triple stage isolator	164 - 174	\$ 12,930.00	
TJ3212-R-3		406 - 440	\$ 3,490.00	

To be EoLed on Dec. 31, 2025

To be EoLed on Dec. 31, 2025. To be superceded by TJ23 Series

Successor to TJ22 Series

TJ3212-R-4	Combiner, 2 channels, 7" cavity-ferrite, dual stage isolator	430 - 470	\$ 3,490.00
TJ3212-R-5		459 - 512	\$ 3,490.00
TJ3213-R-3	Combiner, 3 channels, 7" cavity-ferrite, dual stage isolator	406 - 440	\$ 5,360.00
TJ3213-R-4		430 - 470	\$ 5,360.00
TJ3213-R-5		459 - 512	\$ 5,360.00
TJ3214-R-3	Combiner, 4 channels, 7" cavity-ferrite, dual stage isolator	406 - 440	\$ 7,150.00
TJ3214-R-4		430 - 470	\$ 7,150.00
TJ3214-R-5		459 - 512	\$ 7,150.00
TJ3215-R-3	Combiner, 5 channels, 7" cavity-ferrite, dual stage isolator	406 - 440	\$ 8,365.00
TJ3215-R-4		430 - 470	\$ 8,365.00
TJ3215-R-5		459 - 512	\$ 8,365.00
TJ3216-R-3	Combiner, 6 channels, 7" cavity-ferrite, dual stage isolator	406 - 440	\$ 10,720.00
TJ3216-R-4		430 - 470	\$ 10,720.00
TJ3216-R-5		459 - 512	\$ 10,720.00
TJ3112-R-3	Combiner, 2 channels, 7" cavity-ferrite, single stage isolator	406 - 440	\$ 3,360.00
TJ3112-R-4		430 - 470	\$ 3,360.00
TJ3112-R-5		459 - 512	\$ 3,360.00
TJ3113-R-3	Combiner, 3 channels, 7" cavity-ferrite, single stage isolator	406 - 440	\$ 4,915.00
TJ3113-R-4		430 - 470	\$ 4,915.00
TJ3113-R-5		459 - 512	\$ 4,915.00
TJ3114-R-3	Combiner, 4 channels, 7" cavity-ferrite, single stage isolator	406 - 440	\$ 6,355.00
TJ3114-R-4		430 - 470	\$ 6,355.00
TJ3114-R-5		459 - 512	\$ 6,355.00
TJ3115-R-3	Combiner, 5 channels, 7" cavity-ferrite, single stage isolator	406 - 440	\$ 7,805.00
TJ3115-R-4		430 - 470	\$ 7,805.00
TJ3115-R-5		459 - 512	\$ 7,805.00
TJ3312-1	Combiner, 2 channels, 7" cavity-ferrite, triple stage isolator	406 - 415	\$ 4,220.00
TJ3312-2		415 - 425	\$ 4,220.00
TJ3312-3		425 - 435	\$ 4,220.00
TJ3312-4		435 - 445	\$ 4,220.00
TJ3312-5		445 - 455	\$ 4,220.00
TJ3312-6		455 - 470	\$ 4,220.00
TJ3312-7		470 - 490	\$ 4,220.00
TJ3312-8		490 - 512	\$ 4,220.00
TJ3313-1	Combiner, 3 channels, 7" cavity-ferrite, triple stage isolator	406 - 415	\$ 5,980.00
TJ3313-2		415 - 425	\$ 5,980.00
TJ3313-3		425 - 435	\$ 5,980.00
TJ3313-4		435 - 445	\$ 5,980.00
TJ3313-5		445 - 455	\$ 5,980.00
TJ3313-6		455 - 470	\$ 5,980.00
TJ3313-7		470 - 490	\$ 5,980.00
TJ3313-8		490 - 512	\$ 5,980.00
TJ3314-1	Combiner, 4 channels, 7" cavity-ferrite, triple stage isolator	406 - 415	\$ 8,090.00
TJ3314-2		415 - 425	\$ 8,090.00
TJ3314-3		425 - 435	\$ 8,090.00
TJ3314-4		435 - 445	\$ 8,090.00
TJ3314-5		445 - 455	\$ 8,090.00
TJ3314-6		455 - 470	\$ 8,090.00
TJ3314-7		470 - 490	\$ 8,090.00
TJ3314-8		490 - 512	\$ 8,090.00
TJ3315-1	Combiner, 5 channels, 7" cavity-ferrite, triple stage isolator	406 - 415	\$ 9,675.00
TJ3315-2		415 - 425	\$ 9,675.00
TJ3315-3		425 - 435	\$ 9,675.00
TJ3315-4		435 - 445	\$ 9,675.00
TJ3315-5		445 - 455	\$ 9,675.00
TJ3315-6		455 - 470	\$ 9,675.00
TJ3315-7		470 - 490	\$ 9,675.00
TJ3315-8		490 - 512	\$ 9,675.00
TJ3112	Combiner, 2 channels, 7" cavity-ferrite, single stage isolator, enclosed cabinet	406 - 512	\$ 4,665.00
TJ3113	Combiner, 3 channels, 7" cavity-ferrite, single stage isolator, enclosed cabinet	406 - 512	\$ 6,935.00
TJ3114	Combiner, 4 channels, 7" cavity-ferrite, single stage isolator, enclosed cabinet	406 - 512	\$ 9,270.00
TJ3115	Combiner, 5 channels, 7" cavity-ferrite, single stage isolator, enclosed cabinet	406 - 512	\$ 11,610.00
TJ3212	Combiner, 2 channels, 7" cavity-ferrite, dual stage isolator, enclosed cabinet	406 - 512	\$ 5,100.00
TJ3213	Combiner, 3 channels, 7" cavity-ferrite, dual stage isolator, enclosed cabinet	406 - 512	\$ 7,495.00

TJ3214	Combiner, 4 channels, 7" cavity-ferrite, dual stage isolator, enclosed cabinet	406 - 512	\$ 10,315.00
TJ3215	Combiner, 5 channels, 7" cavity-ferrite, dual stage isolator, enclosed cabinet	406 - 512	\$ 12,705.00
TJ4232-R-2	Combiner, 2 channels, 7" cavity-ferrite, dual stage isolator	806 - 960	\$ 4,265.00
TJ4233-R-2	Combiner, 3 channels, 7" cavity-ferrite, dual stage isolator	806 - 960	\$ 6,125.00
TJ4234-R-2	Combiner, 4 channels, 7" cavity-ferrite, dual stage isolator	806 - 960	\$ 8,005.00
TJ4235-R-2	Combiner, 5 channels, 7" cavity-ferrite, dual stage isolator	806 - 960	\$ 9,715.00
TJ4232	Combiner, 2 channels, 7" cavity-ferrite, dual stage isolator, enclosed cabinet	806 - 960	\$ 6,760.00
TJ4233	Combiner, 3 channels, 7" cavity-ferrite, dual stage isolator, enclosed cabinet	806 - 960	\$ 9,550.00
TJ4234	Combiner, 4 channels, 7" cavity-ferrite, dual stage isolator, enclosed cabinet	806 - 960	\$ 12,470.00
TJ4235	Combiner, 5 channels, 7" cavity-ferrite, dual stage isolator, enclosed cabinet	806 - 960	\$ 15,485.00

**8.5" cavity-ferrite**

TN3212-R-3	Combiner, 2 Channels, 8.5" cavity-ferrite, dual stage isolator	406 - 440	\$ 3,485.00
TN3212-R-4		430 - 470	\$ 3,485.00
TN3212-R-5	Combiner, 3 Channels, 8.5" cavity-ferrite, dual stage isolator	459 - 512	\$ 3,485.00
TN3213-R-3		406 - 440	\$ 5,305.00
TN3213-R-4	Combiner, 3 Channels, 8.5" cavity-ferrite, dual stage isolator	430 - 470	\$ 5,305.00
TN3213-R-5		459 - 512	\$ 5,305.00
TN3214-R-2	Combiner, 4 Channels, 8.5" cavity-ferrite, dual stage isolator	380 - 410	\$ 6,855.00
TN3214-R-3		406 - 440	\$ 6,855.00
TN3214-R-4		430 - 470	\$ 6,855.00
TN3214-R-5		459 - 512	\$ 6,855.00
TN3215-R-3	Combiner, 5 Channels, 8.5" cavity-ferrite, dual stage isolator	406 - 440	\$ 8,345.00
TN3215-R-4		430 - 470	\$ 8,345.00
TN3215-R-5		459 - 512	\$ 8,345.00
TN3212	Combiner, 2 Channels, 8.5" cavity-ferrite, dual stage isolator	406 - 512	\$ 4,545.00
TN3213	Combiner, 3 Channels, 8.5" cavity-ferrite, dual stage isolator	406 - 512	\$ 7,185.00
TN3214	Combiner, 4 Channels, 8.5" cavity-ferrite, dual stage isolator	406 - 512	\$ 9,000.00
TN3215	Combiner, 5 Channels, 8.5" cavity-ferrite, dual stage isolator	406 - 512	\$ 11,165.00

**10" cavity-ferrite**

CT2150F-2	Combiner, 10" cavity-ferrite, open cabinet, dual stage, 2 channel, 1/4 wave	132 - 150	\$ 6,775.00
CT2150F-3	Combiner, 10" cavity-ferrite, open cabinet, dual stage, 2 channel, 1/4 wave	148 - 174	\$ 6,775.00
CT3150F-2	Combiner, 10" cavity-ferrite, open cabinet, dual stage, 3 channel, 1/4 wave	132 - 150	\$ 9,850.00
CT3150F-3	Combiner, 10" cavity-ferrite, open cabinet, dual stage, 3 channel, 1/4 wave	148 - 174	\$ 9,850.00
CT4150F-2	Combiner, 10" cavity-ferrite, open cabinet, dual stage, 4 channel, 1/4 wave	132 - 150	\$ 12,925.00
CT4150F-3	Combiner, 10" cavity-ferrite, open cabinet, dual stage, 4 channel, 1/4 wave	148 - 174	\$ 12,925.00
CT5150F-2	Combiner, 10" cavity-ferrite, open cabinet, dual stage, 5 channel, 1/4 wave	132 - 150	\$ 17,150.00
CT5150F-3	Combiner, 10" cavity-ferrite, open cabinet, dual stage, 5 channel, 1/4 wave	148 - 174	\$ 17,150.00
CT6150F-2	Combiner, 10" cavity-ferrite, open cabinet, dual stage, 6 channel, 1/4 wave	132 - 150	\$ 21,240.00
CT6150F-3	Combiner, 10" cavity-ferrite, open cabinet, dual stage, 6 channel, 1/4 wave	148 - 174	\$ 21,240.00
CT2450F-R-3	Combiner, 10" cavity-ferrite, open cabinet, dual stage, 2-channel, 1/4 wave	406 - 440	\$ 5,140.00
CT2450F-R-4		430 - 470	\$ 5,140.00
CT2450F-R-5		459 - 512	\$ 5,140.00
CT3450F-R-3	Combiner, 10" cavity-ferrite, open cabinet, dual stage, 3-channel, 1/4 wave	406 - 440	\$ 7,645.00
CT3450F-R-4		430 - 470	\$ 7,645.00
CT3450F-R-5		459 - 512	\$ 7,645.00
CT4450F-R-3	Combiner, 10" cavity-ferrite, open cabinet, dual stage, 4-channel, 1/4 wave	406 - 440	\$ 9,465.00
CT4450F-R-4		430 - 470	\$ 9,465.00
CT4450F-R-5		459 - 512	\$ 9,465.00
CT5450F-R-3	Combiner, 10" cavity-ferrite, open cabinet, dual stage, 5-channel, 1/4 wave	406 - 440	\$ 11,910.00
CT5450F-R-4		430 - 470	\$ 11,910.00
CT5450F-R-5		459 - 512	\$ 11,910.00
CT6450F-R-3	Combiner, 10" cavity-ferrite, open cabinet, dual stage, 6-channel, 1/4 wave	406 - 440	\$ 14,210.00
CT6450F-R-4		430 - 470	\$ 14,210.00
CT6450F-R-5		459 - 512	\$ 14,210.00
CT2450F	Combiner, 10" cavity-ferrite, open cabinet, dual stage, 2 channel, 1/4 wave	406 - 512	\$ 7,330.00
CT3450F	Combiner, 10" cavity-ferrite, open cabinet, dual stage, 3 channel, 1/4 wave	406 - 512	\$ 9,775.00
CT4450F	Combiner, 10" cavity-ferrite, open cabinet, dual stage, 4 channel, 1/4 wave	406 - 512	\$ 12,620.00
CT5450F	Combiner, 10" cavity-ferrite, open cabinet, dual stage, 5 channel, 1/4 wave	406 - 512	\$ 16,195.00
CT6450F	Combiner, 10" cavity-ferrite, open cabinet, dual stage, 6 channel, 1/4 wave	406 - 512	\$ 18,635.00
CT2453F-R-3	Combiner, 10" cavity-ferrite, open cabinet, dual stage, 2 channel, 3/4 wave	406 - 440	\$ 4,555.00
CT2453F-R-4		430 - 470	\$ 4,555.00
CT2453F-R-5		459 - 512	\$ 4,555.00
CT3453F-R-3		406 - 440	\$ 6,830.00

CT3453F-R-4	Combiner, 10" cavity-ferrite, open cabinet, dual stage, 3 channel, 3/4 wave	430 - 470	\$ 6,830.00
CT3453F-R-5		459 - 512	\$ 6,830.00
CT4453F-R-3	Combiner, 10" cavity-ferrite, open cabinet, dual stage, 4 channel, 3/4 wave	406 - 440	\$ 9,095.00
CT4453F-R-4		430 - 470	\$ 9,095.00
CT4453F-R-5		459 - 512	\$ 9,095.00
CT5453F-R-3	Combiner, 10" cavity-ferrite, open cabinet, dual stage, 5 channel, 3/4 wave	406 - 440	\$ 11,855.00
CT5453F-R-4		430 - 470	\$ 11,855.00
CT5453F-R-5		459 - 512	\$ 11,855.00
CT6453F-R-3	Combiner, 10" cavity-ferrite, open cabinet, dual stage, 6 channel, 3/4 wave	406 - 440	\$ 13,695.00
CT6453F-R-4		430 - 470	\$ 13,695.00
CT6453F-R-5		459 - 512	\$ 13,695.00
CT2453F	Combiner, 10" cavity-ferrite, open cabinet, dual stage, 2 channel, 3/4 wave	406 - 512	\$ 7,275.00
CT3453F	Combiner, 10" cavity-ferrite, open cabinet, dual stage, 3 channel, 3/4 wave	406 - 512	\$ 9,935.00
CT4453F	Combiner, 10" cavity-ferrite, open cabinet, dual stage, 4 channel, 3/4 wave	406 - 512	\$ 12,630.00
CT5453F	Combiner, 10" cavity-ferrite, open cabinet, dual stage, 5 channel, 3/4 wave	406 - 512	\$ 16,360.00
CT6453F	Combiner, 10" cavity-ferrite, open cabinet, dual stage, 6 channel, 3/4 wave	406 - 512	\$ 18,445.00

**Ceramic transmitter combiners**

TXC4232-1	Ceramic transmitter combiner, ultra high Q, dual stage, 2 channel	763 - 776	\$ 5,740.00
TXC4232-2		851 - 869	\$ 5,740.00
TXC4233-1	Ceramic transmitter combiner, ultra high Q, dual stage, 3 channel	763 - 776	\$ 8,245.00
TXC4233-2		851 - 869	\$ 8,245.00
TXC4234-1	Ceramic transmitter combiner, ultra high Q, dual stage, 4 channel	763 - 776	\$ 10,745.00
TXC4234-2		851 - 869	\$ 10,745.00
TXC4235-1	Ceramic transmitter combiner, ultra high Q, dual stage, 5 channel	763 - 776	\$ 13,250.00
TXC4235-2		851 - 869	\$ 13,250.00
TXC4236-1	Ceramic transmitter combiner, ultra high Q, dual stage, 6 channel	763 - 776	\$ 15,755.00
TXC4236-2		851 - 869	\$ 15,755.00
TXC4237-1	Ceramic transmitter combiner, ultra high Q, dual stage, 7 channel	763 - 776	\$ 18,255.00
TXC4237-2		851 - 869	\$ 18,255.00
TXC4238-1	Ceramic transmitter combiner, ultra high Q, dual stage, 8 channel	763 - 776	\$ 20,940.00
TXC4238-2		851 - 869	\$ 20,940.00
TXC4239-1	Ceramic transmitter combiner, ultra high Q, dual stage, 9 channel	763 - 776	\$ 23,580.00
TXC4239-2		851 - 869	\$ 23,580.00
TXC42310-1	Ceramic transmitter combiner, ultra high Q, dual stage, 10 channel	763 - 776	\$ 26,225.00
TXC42310-2		851 - 869	\$ 26,225.00

**Expandable Multicouplers**

<b>7" cavities Exp multicoupler, C-Series, pass-reject</b>			
C2027-1-1	Exp multicoupler, C-Series, pass-reject, 7" cavities, two bandpass, one reject, 19" rack mount	108 - 114	\$ 2,885.00
C2027-1-2		114 - 120	\$ 2,885.00
C2027-1-3		120 - 126	\$ 2,885.00
C2027-1-4		126 - 132	\$ 2,885.00
C2027-1-5		132 - 136	\$ 2,885.00
C2027-2-1	Exp multicoupler, C-Series, pass-reject, 7" cavities, two bandpass, one reject, 19" rack mount	132 - 136	\$ 2,435.00
C2027-2-2		136 - 140	\$ 2,435.00
C2027-2-3		140 - 146	\$ 2,435.00
C2027-2-4		146 - 150	\$ 2,435.00
C2027-3-1	Exp multicoupler, C-Series, pass-reject, 7" cavities, two bandpass, one reject, 19" rack mount	146 - 150	\$ 2,435.00
C2027-3-2		150 - 155	\$ 2,435.00
C2027-3-3		155 - 160	\$ 2,435.00
C2027-3-4		160 - 165	\$ 2,435.00
C2027-3-5		165 - 174	\$ 2,435.00
C2037-1-1	Exp multicoupler, C-Series, pass-reject, 7" cavities, three bandpass, one reject, 19" rack mount	108 - 114	\$ 3,790.00
C2037-1-2		114 - 120	\$ 3,790.00
C2037-1-3		120 - 126	\$ 3,790.00
C2037-1-4		126 - 132	\$ 3,790.00
C2037-1-5		132 - 136	\$ 3,790.00
C2037-2-1	Exp multicoupler, C-Series, pass-reject, 7" cavities, three bandpass, one reject, 19" rack mount	132 - 136	\$ 3,335.00
C2037-2-2		136 - 140	\$ 3,335.00
C2037-2-3		140 - 146	\$ 3,335.00
C2037-2-4		146 - 150	\$ 3,335.00
C2037-3-1		146 - 150	\$ 3,335.00
C2037-3-2		150 - 155	\$ 3,335.00
C2037-3-3	Exp multicoupler, C-Series, pass-reject, 7" cavities, three bandpass, one reject, 19" rack mount	155 - 160	\$ 3,335.00

C2037-3-4		160 - 165	\$	3,335.00
C2037-3-5		165 - 174	\$	3,335.00
C2027W-2-2	Exp multicoupler, C-Series, pass-reject, 7" cavities, two bandpass, one reject, Takrak or wall mount	136 - 140	\$	2,525.00
C2027W-2-3		140 - 146	\$	2,525.00
C2037W-1-1		108 - 114	\$	3,865.00
C2037W-1-2		114 - 120	\$	3,865.00
C2037W-1-3	Exp multicoupler, C-Series, pass-reject, 7" cavities, three bandpass, one reject, Takrak or wall mount	120 - 126	\$	3,865.00
C2037W-1-4		126 - 132	\$	3,865.00
C2037W-1-5		132 - 136	\$	3,865.00
C2037W-2-1		132 - 136	\$	3,250.00
C2037W-2-2	Exp multicoupler, C-Series, pass-reject, 7" cavities, three bandpass, one reject, Takrak or wall mount	136 - 140	\$	3,250.00
C2037W-2-3		140 - 146	\$	3,250.00
C2037W-2-4		146 - 150	\$	3,250.00
C2037W-3-1		146 - 150	\$	3,250.00
C2037W-3-2		150 - 155	\$	3,250.00
C2037W-3-3	Exp multicoupler, C-Series, pass-reject, 7" cavities, three bandpass, one reject, Takrak or wall mount	155 - 160	\$	3,250.00
C2037W-3-4		160 - 165	\$	3,250.00
C2037W-3-5		165 - 174	\$	3,250.00
C3027-1		406 - 415	\$	1,870.00
C3027-2		415 - 430	\$	1,870.00
C3027-3	Exp multicoupler, C-Series, pass-reject, 7" cavities, two bandpass, one reject, 19" rack mount	430 - 450	\$	1,870.00
C3027-4		450 - 470	\$	1,870.00
C3027-5		470 - 512	\$	1,870.00
C3037-1		406 - 415	\$	2,385.00
C3037-2		415 - 430	\$	2,385.00
C3037-3	Exp multicoupler, C Series, pass-reject, 7" cavities, three bandpass, one reject, 19" rack mount	430 - 450	\$	2,385.00
C3037-4		450 - 470	\$	2,385.00
C3037-5		470 - 512	\$	2,385.00
C3037W-1		406 - 415	\$	2,505.00
C3037W-2	Exp multicoupler, C Series, pass-reject, 7" cavities, three bandpass, one reject, Takrak or wall mount	415 - 430	\$	2,505.00
C3037W-3		430 - 450	\$	2,505.00
C3037W-4		450 - 470	\$	2,505.00

**Exp multicoupler, C-Series Res-Lok, pass-rejec**

C2024-1-1.1	Exp multicoupler, C-Series, pass-reject, Res-Lok, two bandpass, one reject, 1.1 dB IL	118 - 136	\$	2,340.00
C2024-1-2.1	Exp multicoupler, C-Series, pass-reject, Res-Lok, two bandpass, one reject, 2.1 dB IL	118 - 136	\$	2,340.00
C2024-2-1.1	Exp multicoupler, C-Series, pass-reject, Res-Lok, two bandpass, one reject, 1.1 dB IL	136 - 155	\$	2,145.00
C2024-2-2.1	Exp multicoupler, C-Series, pass-reject, Res-Lok, two bandpass, one reject, 2.1 dB IL	136 - 155	\$	2,145.00
C2024-3-1.1	Exp multicoupler, C-Series, pass-reject, Res-Lok, two bandpass, one reject, 1.1 dB IL	155 - 174	\$	2,145.00
C2024-3-2.1	Exp multicoupler, C-Series, pass-reject, Res-Lok, two bandpass, one reject, 2.1 dB IL	155 - 174	\$	2,145.00
C2034-1-1.6	Exp multicoupler, C-Series, pass-reject, Res-Lok, three bandpass, one reject, 1.6 dB IL	118 - 136	\$	2,785.00
C2034-1-3.1	Exp multicoupler, C-Series, pass-reject, Res-Lok, three bandpass, one reject, 3.1 dB IL	118 - 136	\$	2,785.00
C2034-2-1.6	Exp multicoupler, C-Series, pass-reject, Res-Lok, three bandpass, one reject, 1.6 dB IL	136 - 155	\$	2,530.00
C2034-2-3.1	Exp multicoupler, C-Series, pass-reject, Res-Lok, three bandpass, one reject, 3.1 dB IL	136 - 155	\$	2,530.00
C2034-3-1.6	Exp multicoupler, C-Series, pass-reject, Res-Lok, three bandpass, one reject, 1.6 dB IL	155 - 174	\$	2,530.00
C2034-3-3.1	Exp multicoupler, C-Series, pass-reject, Res-Lok, three bandpass, one reject, 3.1 dB IL	155 - 174	\$	2,530.00
C3024-1-1.4	Exp multicoupler, C-Series, pass-reject, Res-Lok, two bandpass, one reject, 1.4 dB IL	406 - 440	\$	1,715.00
C3024-1-2.5	Exp multicoupler, C-Series, pass-reject, Res-Lok, two bandpass, one reject, 2.5 dB IL	406 - 440	\$	1,715.00
C3024-2-1.4	Exp multicoupler, C-Series, pass-reject, Res-Lok, two bandpass, one reject, 1.4 dB IL	440 - 475	\$	1,715.00
C3024-2-2.5	Exp multicoupler, C-Series, pass-reject, Res-Lok, two bandpass, one reject, 2.5 dB IL	440 - 475	\$	1,715.00
C3024-3-1.4	Exp multicoupler, C-Series, pass-reject, Res-Lok, two bandpass, one reject, 1.4 dB IL	475 - 512	\$	1,715.00
C3024-3-2.5	Exp multicoupler, C-Series, pass-reject, Res-Lok, two bandpass, one reject, 2.5 dB IL	475 - 512	\$	1,715.00
C3034-1-1.6	Exp multicoupler, C-Series, pass-reject, Res-Lok, three bandpass, one reject, 1.6 dB IL	406 - 440	\$	1,940.00
C3034-1-3.1	Exp multicoupler, C-Series, pass-reject, Res-Lok, three bandpass, one reject, 3.1 dB IL	406 - 440	\$	1,940.00
C3034-2-1.6	Exp multicoupler, C-Series, pass-reject, Res-Lok, three bandpass, one reject, 1.6 dB IL	440 - 475	\$	1,940.00
C3034-2-3.1	Exp multicoupler, C-Series, pass-reject, Res-Lok, three bandpass, one reject, 3.1 dB IL	440 - 475	\$	1,940.00
C3034-3-1.6	Exp multicoupler, C-Series, pass-reject, Res-Lok, three bandpass, one reject, 1.6 dB IL	475 - 512	\$	1,940.00
C3034-3-3.1	Exp multicoupler, C-Series, pass-reject, Res-Lok, three bandpass, one reject, 3.1 dB IL	475 - 512	\$	1,940.00

**Receiver Multicouplers**

RM2(AA-W)02G(Y)B ***	Receiver multicoupler, 2 channels, BNC connectors	138 - 174	\$	2,160.00
RM2(AA-W)04G(Y)B ***	Receiver multicoupler, 4 channels, BNC connectors	138 - 174	\$	2,210.00
RM2(AA-W)08G(Y)B ***	Receiver multicoupler, 8 channels, BNC connectors	138 - 174	\$	2,480.00
RM2(AA-W)16G(Y)B ***	Receiver multicoupler, 16 channels, BNC connectors	138 - 174	\$	3,115.00
RM200-008X(Y)B ***	Receiver multicoupler, 8 channels, BNC connectors, Variable attenuator, Fault monitor	132 - 174	\$	4,850.00

RM200-016X(Y)B ***	Receiver multicoupler, 16 channels, BNC connectors, Variable attenuator, Fault monitor	132 - 174	\$ 5,225.00
RM200-024X(Y)B ***	Receiver multicoupler, 24 channels, BNC connectors, Variable attenuator, Fault monitor	132 - 174	\$ 5,760.00
RM3(AA-W)02G(Y)B ***	Receiver multicoupler, 2 channels, BNC connectors	406 - 512	\$ 2,245.00
RM3(AA-W)04G(Y)B ***	Receiver multicoupler, 4 channels, BNC connectors	406 - 512	\$ 2,325.00
RM3(AA-W)08G(Y)B ***	Receiver multicoupler, 8 channels, BNC connectors	406 - 512	\$ 2,495.00
RM3(AA-W)16G(Y)B ***	Receiver multicoupler, 16 channels, BNC connectors	406 - 512	\$ 3,445.00
RM300-008X(Y)B ***	Receiver multicoupler, 8 channels, BNC connectors, Variable attenuator, Fault monitor	380 - 512	\$ 4,815.00
RM300-016X(Y)B ***	Receiver multicoupler, 16 channels, BNC connectors, Variable attenuator, Fault monitor	380 - 512	\$ 5,225.00
RM300-024X(Y)B ***	Receiver multicoupler, 24 channels, BNC connectors, Variable attenuator, Fault monitor	380 - 512	\$ 5,760.00
RM4(AA-W)02G(Y)B ***	Receiver multicoupler, 2 channels, BNC connectors	806 - 900	\$ 2,625.00
RM4(AA-W)04G(Y)B ***	Receiver multicoupler, 4 channels, BNC connectors	806 - 900	\$ 2,655.00
RM4(AA-W)08G(Y)B ***	Receiver multicoupler, 8 channels, BNC connectors	806 - 900	\$ 2,675.00
RM4(AA-W)16G(Y)B ***	Receiver multicoupler, 16 channels, BNC connectors	806 - 900	\$ 3,425.00
RM4(AA-W)02G(Y)B-746/806 ***	Receiver multicoupler, 2 channels, BNC connectors	746 - 806	\$ 2,625.00
RM4(AA-W)04G(Y)B-746/806 ***	Receiver multicoupler, 4 channels, BNC connectors	746 - 806	\$ 2,655.00
RM4(AA-W)08G(Y)B-746/806 ***	Receiver multicoupler, 8 channels, BNC connectors	746 - 806	\$ 2,675.00
RM4(AA-W)16G(Y)B-746/806 ***	Receiver multicoupler, 16 channels, BNC connectors	746 - 806	\$ 3,425.00

**Preselectors**

FP20401B-1-1	Preselector, compact, BNC connectors, 1 MHz bandwidth	138 - 150	\$ 440.00
FP20401B-1-2.5	Preselector, compact, BNC connectors, 2.5 MHz bandwidth	138 - 150	\$ 440.00
FP20401B-2-1	Preselector, compact, BNC connectors, 1 MHz bandwidth	150 - 160	\$ 440.00
FP20401B-2-2.5	Preselector, compact, BNC connectors, 2.5 MHz bandwidth	150 - 160	\$ 440.00
FP20401B-3-1	Preselector, compact, BNC connectors, 1 MHz bandwidth	160 - 174	\$ 440.00
FP20401B-3-2.5	Preselector, compact, BNC connectors, 2.5 MHz bandwidth	160 - 174	\$ 440.00
FP20401T-1-1	Preselector, compact, TNC connectors, 1 MHz bandwidth	138 - 150	\$ 450.00
FP20401T-1-2.5	Preselector, compact, TNC connectors, 2.5 MHz bandwidth	138 - 150	\$ 450.00
FP20401T-2-1	Preselector, compact, TNC connectors, 1 MHz bandwidth	150 - 160	\$ 450.00
FP20401T-3-1	Preselector, compact, TNC connectors, 1 MHz bandwidth	160 - 174	\$ 450.00
FP20401T-3-2.5	Preselector, compact, TNC connectors, 2.5 MHz bandwidth	160 - 174	\$ 450.00
FP30401B-1-1	Preselector, compact, BNC connectors, 1 MHz bandwidth	406 - 430	\$ 480.00
FP30401B-1-3	Preselector, compact, BNC connectors, 3 MHz bandwidth	406 - 440	\$ 480.00
FP30401B-1-5	Preselector, compact, BNC connectors, 5 MHz bandwidth	406 - 450	\$ 480.00
FP30401B-2-1	Preselector, compact, BNC connectors, 1 MHz bandwidth	440 - 470	\$ 480.00
FP30401B-2-3	Preselector, compact, BNC connectors, 3 MHz bandwidth	440 - 480	\$ 480.00
FP30401B-2-5	Preselector, compact, BNC connectors, 5 MHz bandwidth	450 - 480	\$ 480.00
FP30401B-3-1	Preselector, compact, BNC connectors, 1 MHz bandwidth	480 - 512	\$ 480.00
FP30401B-3-3	Preselector, compact, BNC connectors, 3 MHz bandwidth	480 - 512	\$ 480.00
FP30401B-3-5	Preselector, compact, BNC connectors, 5 MHz bandwidth	480 - 512	\$ 480.00
FP30401B-5-1	Preselector, compact, BNC connectors, 1 MHz bandwidth	380 - 400	\$ 480.00
FP30401B-5-3	Preselector, compact, BNC connectors, 3 MHz bandwidth	380 - 400	\$ 480.00
FP30401B-6-1	Preselector, compact, BNC connectors, 1 MHz bandwidth	490 - 525	\$ 480.00
FP30401B-4-5	Preselector, compact, BNC connectors, 5 MHz bandwidth	350 - 380	\$ 505.00
FP30401T-1-1	Preselector, compact, TNC connectors, 1 MHz bandwidth	406 - 430	\$ 490.00
FP30401T-1-3	Preselector, compact, TNC connectors, 3 MHz bandwidth	406 - 440	\$ 490.00
FP30401T-1-5	Preselector, compact, TNC connectors, 5 MHz bandwidth	406 - 450	\$ 490.00
FP30401T-2-1	Preselector, compact, TNC connectors, 1 MHz bandwidth	440 - 470	\$ 490.00
FP30401T-2-3	Preselector, compact, TNC connectors, 3 MHz bandwidth	440 - 480	\$ 490.00
FP30401T-2-5	Preselector, compact, TNC connectors, 5 MHz bandwidth	450 - 480	\$ 490.00
FP30401T-3-1	Preselector, compact, TNC connectors, 1 MHz bandwidth	480 - 512	\$ 490.00
FP30401T-3-3	Preselector, compact, TNC connectors, 3 MHz bandwidth	480 - 512	\$ 490.00
P40901R1CL-T-1	Combine duplexer, bandpass, low loss, high selectivity, 806-824 & 851-869 MHz	806 - 824 & 851 - 869	\$ 4,225.00
PH2040E-1-2	Band Pass Preselector, Res-Lok, 2 MHz B.W	138 - 155	\$ 2,115.00
PH2040E-2-2	Band Pass Preselector, Res-Lok, 2 MHz B.W	155 - 174	\$ 2,115.00
PH3040E-4-3(PIP)	PIP-rated Tx Post Filter, 3 MHz bandwidth	380 - 403	\$ 3,275.00
PH3040E-1-1(PIP)	PIP-rated Tx Post Filter, 1 MHz bandwidth	406 - 450	\$ 3,275.00
PH3040E-1-2(PIP)	PIP-rated Tx Post Filter, 2 MHz bandwidth	406 - 450	\$ 3,275.00
PH3040E-1-3(PIP)	PIP-rated Tx Post Filter, 3 MHz bandwidth	406 - 440	\$ 3,275.00
PH3040E-1-4(PIP)	PIP-rated Tx Post Filter, 4 MHz bandwidth	406 - 450	\$ 3,275.00
PH3040E-1-5(PIP)	PIP-rated Tx Post Filter, 5 MHz bandwidth	406 - 450	\$ 3,275.00
PH3040E-2-1(PIP)	PIP-rated Tx Post Filter, 1 MHz bandwidth	450 - 512	\$ 3,275.00
PH3040E-2-2(PIP)	PIP-rated Tx Post Filter, 2 MHz bandwidth	450 - 512	\$ 3,275.00
PH3040E-2-3(PIP)	PIP-rated Tx Post Filter, 3 MHz bandwidth	440 - 480	\$ 3,275.00
PH3040E-2-4(PIP)	PIP-rated Tx Post Filter, 4 MHz bandwidth	450 - 512	\$ 3,275.00

PH3040E-2-5(PIP)	PIP-rated Tx Post Filter, 5 MHz bandwidth	450 - 512	\$ 3,275.00
PH3040E-3-3(PIP)	PIP-rated Tx Post Filter, 3 MHz bandwidth	480 - 512	\$ 3,275.00
PH3040E-4-3	Band Pass Preselector, Res-Lok, 3 MHz B.W	380 - 403	\$ 1,360.00
PH3040E-1-1	Band Pass Preselector, Res-Lok, 1 MHz B.W	406 - 450	\$ 1,360.00
PH3040E-1-2	Band Pass Preselector, Res-Lok, 2 MHz B.W	406 - 450	\$ 1,360.00
PH3040E-1-3	Band Pass Preselector, Res-Lok, 3 MHz B.W	406 - 440	\$ 1,360.00
PH3040E-1-4	Band Pass Preselector, Res-Lok, 4 MHz B.W	406 - 450	\$ 1,360.00
PH3040E-2-1	Band Pass Preselector, Res-Lok, 1 MHz B.W	450 - 512	\$ 1,360.00
PH3040E-2-2	Band Pass Preselector, Res-Lok, 2 MHz B.W	450 - 512	\$ 1,360.00
PH3040E-2-3	Band Pass Preselector, Res-Lok, 3 MHz B.W	440 - 480	\$ 1,360.00
PH3040E-2-4	Band Pass Preselector, Res-Lok, 4 MHz B.W	450 - 512	\$ 1,360.00
PH3040E-3-3	Band Pass Preselector, Res-Lok, 3 MHz B.W	480 - 512	\$ 1,360.00
PH4040E-1	Bandpass Preselector, Res-Lok, 4 cavity, 10 MHz bandwidth	806 - 869	\$ 1,285.00
PH4040E-2	Bandpass Preselector, Res-Lok, 4 cavity, 10 MHz bandwidth	890 - 940	\$ 1,285.00
PH4040E-3	Bandpass Preselector, Res-Lok, 4 cavity, 10 MHz bandwidth	940 - 960	\$ 1,285.00
PH4040E-6	Bandpass Preselector, Res-Lok, 4 cavity, 6 MHz bandwidth	763 - 805	\$ 1,285.00
PH4040E-12	Bandpass Preselector, Res-Lok, 4 cavity, 12 MHz bandwidth	763 - 805	\$ 1,285.00
PH4060C-3	Preselector, Res-Lok, 6 cavity, high isolation, 5 MHz BW	890 - 960	\$ 1,930.00

**Comblne preselector**

FP40615CLB-1	Comblne preselector, 15 MHz B.W., BNC-female connector	806 - 821	\$ 750.00
FP40615CLB-2	Comblne preselector, 15 MHz B.W., BNC-female connector	821 - 849	\$ 750.00
FP40615CLB-3	Comblne preselector, 15 MHz B.W., BNC-female connector	850 - 865	\$ 750.00
FP40615CLB-4	Comblne preselector, 15 MHz B.W., BNC-female connector	865 - 880	\$ 750.00
FP40615CLB-5-12	Comblne preselector, 12 MHz B.W., BNC-female connector	763 - 775	\$ 750.00
FP40715CLB-6-12	Comblne preselector, 12 MHz B.W., BNC-female connector	793 - 805	\$ 750.00
FP40615CLN-1	Comblne preselector, 15 MHz B.W., N-female connector	806 - 821	\$ 815.00
FP40615CLN-3	Comblne preselector, 15 MHz B.W., N-female connector	850 - 865	\$ 995.00
FP40718CLNHP-5-12	Comblne preselector, 12 MHz B.W., N-female connector, high power handling	763 - 775	\$ 1,410.00
FP40818CLNHP-6-12	Comblne preselector, 12 MHz B.W., N-female connector, high power handling	793 - 805	\$ 1,550.00
P40901R1CL-T-1	Comblne duplexer, bandpass, low loss, high selectivity, 806-824 & 851-869 MHz	806 - 824 & 851 - 869	\$ 4,225.00

**Cavity Filters**

<b>Bandpass</b>			
FP20107-1	Cavity filter, bandpass, high Q, one 7" cavity	108 - 136	\$ 940.00
FP20107-2		132 - 150	\$ 765.00
FP20107-3		148 - 174	\$ 765.00
FP20107-4		132 - 174	\$ 765.00
FP20107-5		174 - 230	\$ 735.00
FP20110-3	Cavity filter, bandpass, high Q, one 10" cavity	138 - 174	\$ 1,130.00
FP20207-1	Cavity filter, bandpass, high Q, two 7" cavities	108 - 136	\$ 1,870.00
FP20207-2		132 - 150	\$ 1,545.00
FP20207-3		148 - 174	\$ 1,545.00
FP20207-5		174 - 230	\$ 1,545.00
FP20307-1		108 - 136	\$ 2,790.00
FP20307-2	Cavity filter, bandpass, high Q, three 7" cavities	132 - 150	\$ 2,300.00
FP20307-3		148 - 174	\$ 2,300.00
FP20307-5		174 - 230	\$ 2,300.00
FP30107-1		225 - 300	\$ 715.00
FP30107-2	Cavity filter, bandpass, high Q, one 7" cavity	300 - 400	\$ 600.00
FP30107-3		400 - 512	\$ 600.00
FP30110-3	Cavity filter, bandpass, high Q, one 10" cavities	406 - 512	\$ 1,170.00
FP30207-1		225 - 300	\$ 1,485.00
FP30207-2	Cavity filter, bandpass, high Q, two 7" cavities	300 - 400	\$ 1,295.00
FP30207-3		406 - 512	\$ 1,295.00
FP40137	Cavity filter, bandpass, high Q, one 7" cavity, 3/4 wave	806 - 960	\$ 1,490.00
FP40237	Cavity filter, bandpass, high Q, two 7" cavity, 3/4 wave	806 - 960	\$ 2,770.00

**Reject**

FR20107-1	Cavity filter, reject, high Q, one 7" cavity	108 - 136	\$ 1,050.00
FR20107-2		132 - 150	\$ 855.00
FR20107-3		138 - 174	\$ 855.00
FR20107-4		225 - 300	\$ 880.00
FR20207-1		108 - 136	\$ 1,950.00
FR20207-2	Cavity filter, reject, high Q, two 7" cavities	132 - 150	\$ 1,735.00

FR20207-3		138 - 174	\$ 1,735.00
FR20307-1		108 - 136	\$ 2,740.00
FR20307-2	Cavity filter, reject, high Q, three 7" cavities	132 - 150	\$ 2,400.00
FR20307-3		138 - 174	\$ 2,400.00
FR30107-1		225 - 300	\$ 830.00
FR30107-2	Cavity filter, reject, high Q, one 7" cavity	300 - 400	\$ 650.00
FR30107-3		406 - 512	\$ 650.00
FR30207-1		225 - 300	\$ 1,760.00
FR30207-2	Cavity filter, reject, high Q, two 7" cavities	300 - 400	\$ 1,445.00
FR30207-3		406 - 512	\$ 1,445.00

**Q circuit**

FQ20107-1		108 - 136	\$ 1,020.00
FQ20107-2	Cavity filter, Q circuit, high Q, one 7" cavity	132 - 150	\$ 890.00
FQ20107-3		138 - 174	\$ 890.00
FQ20107-4		132 - 174	\$ 960.00
FQ20207-3	Cavity filter, Q circuit, high Q, two 7" cavities	138 - 174	\$ 1,930.00
FQ20307-3	Cavity filter, Q circuit, high Q, three 7" cavities	138 - 174	\$ 2,860.00
FQ30107-1		225 - 300	\$ 770.00
FQ30107-2	Cavity filter, Q circuit, high Q, one 7" cavity	300 - 400	\$ 695.00
FQ30107-3		406 - 512	\$ 695.00
FQ30207-1		225 - 300	CALL FOR PRICE
FQ30207-2	Cavity filter, Q circuit, high Q, two 7" cavities	300 - 400	CALL FOR PRICE
FQ30207-3		406 - 512	CALL FOR PRICE
FQ30307-1		225 - 300	CALL FOR PRICE
FQ30307-2	Cavity filter, Q circuit, high Q, three 7" cavities	300 - 400	CALL FOR PRICE
FQ30307-3		406 - 512	CALL FOR PRICE

**4" Cavity**

FP30104(CYL)-3	Cavity filter, bandpass, high Q, one 4" cavity	406 - 512	\$ 530.00
FR30104(CYL)-3	Cavity filter, reject, high Q, one 4" cavity	406 - 512	\$ 550.00
FQ30104(CYL)-3	Cavity filter, Q circuit, high Q, one 4" cavity	406 - 512	\$ 560.00

**Isolators/Circulators**

I2110A	Circulator, single stage, 5 MHz bandwidth, no load	132 - 174	\$ 705.00
I2210A	Circulator, dual stage, 5 MHz bandwidth, no load	132 - 174	\$ 1,085.00
I2112A	Isolator, single stage, 5 MHz bandwidth, 30 watt load	132 - 174	\$ 875.00
I2113A	Isolator, single stage, 5 MHz bandwidth, 60 watt load	132 - 174	\$ 840.00
I2212A	Isolator, dual stage, 5 MHz bandwidth, two 30 watt loads	132 - 174	\$ 1,310.00
I2213A	Isolator, dual stage, 5 MHz bandwidth, 30 watt + 60 watt loads	132 - 174	\$ 1,395.00
I2212A-220	Isolator, dual stage, 5 MHz bandwidth, two 30 watt loads	210 - 235	\$ 1,310.00
I2110T-1	Circulator, field tunable, single stage, 5 MHz bandwidth, no load	138 - 158	\$ 735.00
I2110T-2	Circulator, field tunable, single stage, 5 MHz bandwidth, no load	145 - 165	\$ 735.00
I2110T-3	Circulator, field tunable, single stage, 5 MHz bandwidth, no load	154 - 174	\$ 735.00
I2112T-1	Isolator, field tunable, single stage, 5 MHz bandwidth, 30 watt loads	138 - 158	\$ 900.00
I2112T-2	Isolator, field tunable, single stage, 5 MHz bandwidth, 30 watt loads	145 - 165	\$ 900.00
I2112T-3	Isolator, field tunable, single stage, 5 MHz bandwidth, 30 watt loads	154 - 174	\$ 900.00
I2113T-1	Isolator, field tunable, single stage, 5 MHz bandwidth, 60 watt loads	138 - 158	\$ 925.00
I2113T-2	Isolator, field tunable, single stage, 5 MHz bandwidth, 60 watt loads	145 - 165	\$ 925.00
I2113T-3	Isolator, field tunable, single stage, 5 MHz bandwidth, 60 watt loads	154 - 174	\$ 925.00
I2210T-1	Circulator, field tunable, dual stage, 5 MHz bandwidth, no load	138 - 158	\$ 1,140.00
I2210T-2	Circulator, field tunable, dual stage, 5 MHz bandwidth, no load	145 - 165	\$ 1,140.00
I2210T-3	Circulator, field tunable, dual stage, 5 MHz bandwidth, no load	154 - 174	\$ 1,140.00
I2212T-1	Isolator, field tunable, dual stage, 5 MHz bandwidth, two 30 watt loads	138 - 158	\$ 1,515.00
I2212T-2	Isolator, field tunable, dual stage, 5 MHz bandwidth, two 30 watt loads	145 - 165	\$ 1,515.00
I2212T-3	Isolator, field tunable, dual stage, 5 MHz bandwidth, two 30 watt loads	154 - 174	\$ 1,515.00
I2213T-1	Isolator, field tunable, dual stage, 5 MHz bandwidth, 30 watt + 60 watt loads	138 - 158	\$ 1,535.00
I2213T-2	Isolator, field tunable, dual stage, 5 MHz bandwidth, 30 watt + 60 watt loads	145 - 165	\$ 1,535.00
I2213T-3	Isolator, field tunable, dual stage, 5 MHz bandwidth, 30 watt + 60 watt loads	154 - 174	\$ 1,535.00
I3110A	Circulator, single stage, 12 MHz bandwidth, no load	406 - 512	\$ 620.00
I3210A	Circulator, single stage, 12 MHz bandwidth, no load	406 - 512	\$ 920.00

I3112A	Isolator, single stage, 12 MHz bandwidth, 30 watt load	406 - 512	\$	765.00	
I3113A	Isolator, single stage, 12 MHz bandwidth, 60 watt load	406 - 512	\$	845.00	
I3212A	Isolator, dual stage, 12 MHz bandwidth, two 30 watt loads	406 - 512	\$	1,315.00	
I3213A	Isolator, dual stage, 12 MHz bandwidth, 30 watt + 60 watt loads	406 - 512	\$	1,365.00	
I3213SP	Isolator, dual stage, 9 MHz bandwidth, 30 watt + 60 watt loads	315 - 400	\$	1,365.00	
I3110T-1	Circulator, field tunable, single stage, 12 MHz bandwidth, no load	406 - 430	\$	665.00	
I3110T-2		430 - 450	\$	665.00	
I3110T-3		450 - 470	\$	665.00	
I3110T-4		470 - 490	\$	665.00	
I3110T-5		490 - 512	\$	665.00	
I3112T-1	Isolator, field tunable, single stage, 12 MHz bandwidth, 30 watt load	406 - 430	\$	855.00	
I3112T-2		430 - 450	\$	855.00	
I3112T-3		450 - 470	\$	855.00	
I3112T-4		470 - 490	\$	855.00	
I3112T-5		490 - 512	\$	855.00	
I3113T-1	Isolator, field tunable, single stage, 12 MHz bandwidth, 60 watt load	406 - 430	\$	935.00	
I3113T-2		430 - 450	\$	935.00	
I3113T-3		450 - 470	\$	935.00	
I3113T-4		470 - 490	\$	935.00	
I3113T-5		490 - 512	\$	935.00	
I3212T-1	Isolator, field tunable, dual stage, 12 MHz bandwidth, two 30 watt load	406 - 430	\$	1,345.00	
I3212T-2		430 - 450	\$	1,345.00	
I3212T-3		450 - 470	\$	1,345.00	
I3212T-4		470 - 490	\$	1,345.00	
I3212T-5		490 - 512	\$	1,345.00	
I3213T-2	Isolator, field tunable, dual stage, 12 MHz bandwidth, 30 watt + 60 watt loads	430 - 450	\$	1,430.00	
I3213T-3		450 - 470	\$	1,430.00	
I3113W-1	Isolator, wide band, single stage, 60 Watt reverse power	350 - 385	\$	515.00	Alternative of the I31xxA and I31xxT isolator, see spec sheet on website for details.
I3113W-2		380 - 415	\$	515.00	
I3113W-3		405 - 440	\$	515.00	
I3113W-4		430 - 470	\$	515.00	
I3113W-5		459 - 512	\$	515.00	
I3213W-1	Isolator, wide band, dual stage, 60 Watt reverse power	350 - 385	\$	910.00	Alternative of the I32xxA and I32xxT isolator, see spec sheet on website for details.
I3213W-2		380 - 415	\$	910.00	
I3213W-3		405 - 440	\$	910.00	
I3213W-4		430 - 470	\$	910.00	
I3213W-5		459 - 512	\$	910.00	
I4113W-1	Isolator, wide band, single stage, 60 Watt reverse power	746 - 869	\$	515.00	Successor of the I41xxA isolator, see spec sheet on website for details.
I4113W-2	Isolator, wide band, single stage, 60 Watt reverse power	806 - 960	\$	515.00	
I4213W-1	Isolator, wide band, dual stage, 60 Watt reverse power	746 - 869	\$	880.00	Successor of the I42xxA isolator, see spec sheet on website for details.
I4213W-2	Isolator, wide band, dual stage, 60 Watt reverse power	806 - 960	\$	880.00	

### Intermod Suppression Panels

PC2212	I.M. Suppression panel, rack mount, dual stage isolator, two 30 Watt loads	132 - 174	\$	1,695.00	
PC2213	I.M. Suppression panel, rack mount, dual stage isolator, 30+60 Watt loads	132 - 174	\$	1,705.00	
PC2214	I.M. Suppression panel, rack mount, dual stage isolator, 30+125 Watt loads	132 - 174	\$	2,195.00	
PC3212	I.M. Suppression panel, rack mount, dual stage isolator, two 30 Watt loads	406 - 512	\$	1,625.00	
PC3213	I.M. Suppression panel, rack mount, dual stage isolator, 30+60 Watt loads	406 - 512	\$	1,750.00	
PC3214	I.M. Suppression panel, rack mount, dual stage isolator, 30+125 Watt loads	406 - 512	\$	2,000.00	
PC4212	I.M. Suppression panel, rack mount, dual stage isolator, two 30 Watt loads	806 - 890	\$	1,655.00	
PC4213	I.M. Suppression panel, rack mount, dual stage isolator, 30+60 Watt loads	806 - 890	\$	1,715.00	
PC4214	I.M. Suppression panel, rack mount, dual stage isolator, 30+125 Watt loads	806 - 890	\$	2,115.00	

### Multi-Service Cross-Band Coupler

FX2300NF	Multi-Service Cross-Band Coupler, 138-174/380-512 MHz	138 - 174 / 380 - 512	\$	1,130.00	
FX2400NF	Multi-Service Cross-Band Coupler, 138-174/746-960 MHz	138 - 174 / 746 - 960	\$	1,115.00	
FX3400NF	Multi-Service Cross-Band Coupler, 138-512/746-960 MHz	138 - 512 / 746 - 960	\$	1,165.00	
FX4500NF	Multi-Service Cross-Band Coupler, 138-960/1710-2500 MHz	138 - 960 / 1710 - 2500	\$	1,335.00	

### Filter Accessories

<b>Racks</b>					
TAKRAK1	Sinclair Rack for Horizontal Mounting of qty 20- 7" VHF cavities, 42x32x30 inches	N/A	\$	1,135.00	
TAKRAK2	Sinclair Rack for Horizontal Mounting of qty 20- 7" UHF cavities, 42x33x18 inches	N/A	\$	895.00	

### TXC combiner Mounting Kit

TXC-MKIT-0001-1	Optional mounting kit for 1 Ch. TXC combiners: TXC4131-1, TXC4131-2, TXC4231-1, TXC4231-2	N/A	\$ 235.00
TXC-MKIT-0004-2	Optional mounting kit for 2 Ch. TXC combiners: TXC4132-1, TXC4132-2, TXC4232-1, TXC4232-2	N/A	\$ 415.00
TXC-MKIT-0003-3	Optional mounting kit for 3 Ch. TXC combiners: TXC4133-1, TXC4133-2, TXC4233-1, TXC4233-2	N/A	\$ 415.00
TXC-MKIT-0044-4	Optional mounting kit for 4 Ch. TXC combiners: TXC4134-1, TXC4134-2, TXC4234-1, TXC4234-2	N/A	\$ 815.00
TXC-MKIT-0034-5	Optional mounting kit for 5 Ch. TXC combiners: TXC4135-1, TXC4135-2, TXC4235-1, TXC4235-2	N/A	\$ 815.00
TXC-MKIT-0033-6	Optional mounting kit for 6 Ch. TXC combiners: TXC4136-1, TXC4136-2, TXC4236-1, TXC4236-2	N/A	\$ 815.00
TXC-MKIT-0345-7	Optional mounting kit for 7 Ch. TXC combiners: TXC4137-1, TXC4137-2, TXC4237-1, TXC4237-2	N/A	\$ 1,210.00
TXC-MKIT-0346-8	Optional mounting kit for 8 Ch. TXC combiners: TXC4138-1, TXC4138-2, TXC4238-1, TXC4238-2	N/A	\$ 1,210.00
TXC-MKIT-0336-9	Optional mounting kit for 9 Ch. TXC combiners: TXC4139-1, TXC4139-2, TXC4239-1, TXC4239-2	N/A	\$ 1,210.00
TXC-MKIT-3345-10	Optional mounting kit for 10 Ch. TXC combiners: TXC41310-1, TXC41310-2, TXC42310-1, TXC42310-2	N/A	\$ 1,620.00

Note:

\* Part# can be used/displayed with E# or Alpha identification.

\*\* Frequency must be specified at time of order and complete part number will be provided accordingly.

\*\*\* Complete part number will be provided based on configuration/frequency, call or see spec sheet for details.